

979

MCCORD

GASKET

SERIES
1928 **B-1** 1940

GUIDE

FIRST

... THE PIONEER

... THEN THE LEADER in the

Gasket Industry

1899-1940

In the forty years that have passed since McCord built the first Metallic Asbestos Gaskets to meet the needs of a better method of sealing joints the automotive industry has gone through a development that in other fields has taken over a century.

Nothing can better illustrate this progress than the pages of the twenty-seventh McCord Gasket Guide. McCord as the pioneer, the original Gasket manufacturer, has always been the Gasket Headquarters of the motor industry. Makers of steam, gasoline, and Diesel power have come first to McCord with their Gasket problems—confident that the experience and the Gasket engineering skill of the pioneer would provide a better Gasket seal, the answer to their problem. That they have not been disappointed, that the spirit of the pioneer still prevails, is shown in the new and better types of Gaskets listed in this Gasket Guide and available to the industry.

The history of the automotive industry for the past forty years is covered in McCord Gasket Guides—that of the next is to be written. With honesty of purpose and with sincerity of effort the manufacturers of McCord Gaskets look forward to the future and to continued association with those individuals and groups in the manufacturing and replacement parts industries who have helped build for the world better automotive transportation.

THE NAME *McCord* IS YOUR
GUARANTEE OF QUALITY IN GASKETS

LMEX


FOR 40 YEARS

McCord gasket leadership was established and has been maintained by constant research and development over a period of forty years. Countless experiments, hours of research in developing and producing better gaskets have elevated and maintained the name of McCord to a position of leadership.


For many years McCord was the only manufacturer of copper-asbestos gaskets in America; and most cars, trucks and tractors have always used gaskets of a type that was originated and first manufactured by McCord. Today McCord, the original gaskets, are used as standard equipment by most car, truck makers and engine builders.

HEAD OF THE GASKET INDUSTRY

McCord Gaskets Are Better Gaskets Because of and Women Who Guard the Quality of the



1 Laboratory tests insure uniformity of the materials used in the manufacture of McCord gaskets.



2 Dynamometer and road tests search out any weakness in the construction or design of the gasket.




3 Anyone can produce sparks on a grinder, but it requires the touch of a master to produce precision tools.



7 Final finishes and clearance tapers are quickly obtained by means of the most modern grinding equipment.




8 The most expert of craftsmen apply the finishing touches to the precision built tool equipment.




9 No automatic machine can replace the experienced eye, and skilled hands of McCord tool makers at many points of gasket die construction.

MORE THAN THIRTY THOUSAND PRECISION BUILT STEEL DIES ARE NECESSARY TO PRODUCE THE

the Experience and Skill of the McCord Men Product Through Every Stage of Manufacture



4 Experienced tool makers cut the templates from which this duplicating machine reproduces large dies.




5 Precision lathes are necessary in the fabrication of the intricate steel tools used in making gaskets.



6 Smooth operating milling machines, controlled by experienced hands, produce better gasket dies.



10 Modern presses, manned by experienced operators, stamp out the sheets of asbestos, steel, or copper.




11 Small gaskets, difficult to handle individually, are turned out by the millions on automatic machines.




12 Inspectors check the gasket at various stages of fabrication to insure a perfect joint when installed.


McCord GASKETS USED ON THE 40,000,000 CARS, TRUCKS, TRACTORS, AND MARINE MOTORS IN SERVICE



WINDSOR, ONTARIO PLANT — RADIATORS, UNIT HEATERS



PLYMOUTH, IND. PLANT — RADIATORS



DETROIT, MICH. — MAIN PLANT AND GENERAL OFFICES

Radiators, Lubricators, Refrigeration Products,
Unit Heaters and Engineering Laboratory



McCORD GASKET PLANT — WYANDOTTE, MICH.

One full city block in length—devoted entirely
to the manufacture of gaskets.

THE HISTORY OF McCORD IS
THE STORY OF SERVICE TO
THE WORLD'S FASTEST
GROWING INDUSTRY
... THE AUTOMOTIVE

- Throughout the past forty years one policy has stood out in McCord's history—service. Back in the late nineties, first the railroad and then the infant automotive industry called for a better method of sealing joints. The metallic asbestos gasket was the answer. Close contact with the heart of the industry, a clear understanding of the problems, by men who made gasket sealing their life's work, plus development, improvements in design and in materials have made McCord gaskets now, as then, the "standard gasket of the industry." Many of the men responsible for these early developments are McCord employees today. Their experience, backed by modern research, chemical and metallurgical, plus dynamometer and road testing have maintained the leadership of the pioneer and made McCord gaskets the first choice of the engineer for equipment and of the mechanic and service man for replacement.

SELLING *Helps*




McCord displays and selling helps are modern, keyed to present day tempo. They get attention and remind the customer to buy McCord gaskets.



In the window or back of the counter McCord displays are outstanding in attention value. Along with the attention getting feature is a well defined selling thought.

IT'S ALWAYS TIME TO BUY McCORD GASKETS



MAKE YOUR STORE
**GASKET
HEADQUARTERS**



McCORD
Electric Clock
GASKET DEAL
for **FORD A-V-8**
CHEVROLET 6
PLYMOUTH 6-DODGE 6

The reputation of "Gasket Headquarters" means extra volume and profit. Because gaskets are the most often used, most often bought, replacement part the store that carries a stock adequate to supply service gets much additional business on related and likewise profitable items: spark plugs, valves, rings.

McCord Merchandising Aids are developed to help you sell more gaskets—to provide improved and more convenient methods of stocking and displaying gaskets. Back of each merchandising display is a service idea. A high grade electric clock which will supply time for years to come is included with an assortment of the most popular gaskets—a new and more convenient stocking and display package for head lamp cork strip gaskets—

a new drawer type cabinet for spark plug, drain plug, and other small gaskets—the McCord Adjust-A-Hook Gasket Display and stocking Board with more than 27,000 possible hook arrangements on each side of the board provides unsurpassed flexibility and capacity—Space Saving McCord Gasket Hanging Strips—Hook-ups for the wall—all practical proven ideas that help gaskets pay the rent and in addition bring you a good profit.

McCORD Developed a ***NEW and BETTER*** Gasket Package

**NEW
HANGING TAB
•
BETTER PROTECTION
•
BETTER STOCKING
•
CLEAR, READABLE LABELS
ON THE SHELF OR
HANGING**

McCord double labels contain complete model and year information and can be readily read on the shelf or hanging from a hook. McCord has pioneered again in providing more complete year and model as well as contents information.

BETTER STOCKING

This new and exclusive McCord bellows carton simplifies gasket stocking—stacks well on the shelf—maintains straight piles and occupies less shelf space, permitting larger stocks to be carried in the same space. Hanging from a hook, more cartons can be carried on the same hook. This carton development is exclusively McCord, developed by the pioneer gasket maker to improve the handling of gaskets.



ACCORDION BELLOWS

A McCord carton development that saves shelf space, makes a better package, easier to handle, keeps gaskets in place and prevents damage.

HINGED END SECTION

Helps maintain a vertical box end section, keeping the label clear and readable on the shelf. You can stock more gaskets in McCord cartons in the same space and still have clear, readable selling and number information.

PERFORATED HANGING TAB

Lift the perforated tab with the thumb and use it to hang the carton by. Many dealers, garages and service stations prefer to stock their gaskets on hooks—only McCord provides a carton that will enable them to do so.



McCord Gasket Guide

1928 "B1" 1940

A Complete Listing of Copper Asbestos, Steel Asbestos, Steelpack, Cork, Felt, Compressed Asbestos, Paper, and Vellumoid Gaskets for Cars and Trucks, and Marine Motors for the Years 1928 to 1940

FOR GASKET LISTINGS OF MODELS PREVIOUS TO 1928 SEE McCord GASKET GUIDE "A"

✕ ✕ ✕

McCord Pioneers Another Development in Gasket Merchandising with the "A" and "B1" Gasket Guides

1. McCord published the first gasket catalog in 1899 and has since published and distributed twenty-six gasket catalogs.
2. McCord originated, and patented*, the illustrated cross index arrangement of gasket catalog listings. The merit of this arrangement is shown by the fact that it has since been generally adopted by the trade.
3. McCord originated and copyrighted the name "Gasket Guide" as applied to its catalogs for the automotive trade.
4. McCord continues to set the pace in gasket cataloging with the two unit Gasket Guide plan. Gasket Guide "A" lists and illustrates gaskets for cars, trucks and tractors for the years 1909 to 1927 and Gasket Guide "B1," gaskets for the years 1928 to 1940.

Supplements to Gasket Guide "B1" will be published from time to time as new models and new McCord gaskets are made available. Gasket Guide "B1" will be supplied in either bound or loose leaf form. With the loose leaf catalog the insertion of the supplements is easy.

*U. S. Patent No. 1444197, Feb. 5, 1923. Canadian Patent No. 233145, July 31, 1923.

✕ ✕ ✕

PRICE INFORMATION

Applying To Gasket Guides "A" and "B1"

McCord Price Lists are most complete and prepared with the convenience of the user and ease of obtaining the right price information in mind. A Net Resale Price List for the use of McCord Jobbers' Salesmen contains an alphabetical listing of cars and trucks with small gaskets, gasket displays, numerical listings, etc., and showing McCord numbers, list and suggested resale prices. No discounts to figure, the suggested net resale price according to quantities purchased being shown. Dealer price lists for general distribution carry the same general gasket listings, but show only list prices.



QUALITY OF McCORD GASKETS

MCCORD quality standards, established forty years ago, prevail today. Backing up these quality standards is a modern gasket research and testing department that is responsible for McCord's reputation of "Gasket Headquarters" among engine builders, car, truck and tractor makers. Engineers and designers come first to McCord for recommendation of type and design of gaskets for their particular motors. Leading makes of cars, trucks, tractors, and Diesel motors leave the plants McCord equipped and in service, mechanics accept the endorsement of the original equipment. Leading jobbers throughout the world have found McCord quality makes McCord the easiest gasket to sell.

McCord gaskets are made to car, truck, and engine builders' blue print specifications. Gaskets for service are identical in every way with the gaskets supplied to most car makers for equipment. The same high quality of materials, careful workmanship and thorough inspection go into the McCord gaskets, sold by McCord distributors throughout the world, as in the product supplied for original equipment.

COPPER ASBESTOS GASKETS

McCord as the pioneer builder of copper asbestos gaskets in America, the originator of the cylinder head gaskets, along with most of the gasket developments during the past forty years, today builds a superior type of copper asbestos gaskets. The asbestos used is of the finest quality obtainable, uniform in length of fibre, shows a lower loss on ignition, less water absorption and greater weight, all indications of the high quality of the product. McCord copper is the finest grade of Lake copper obtainable, uniform in quality and thickness. McCord gaskets are made from precision-built steel dies, assuring uniformity and perfect fit on the motor.

STEEL ASBESTOS GASKETS

Developed to meet extreme high temperatures, high compression and unusual service conditions found in certain modern motors, this type of McCord gasket has advantages under these conditions.

To appreciate the conditions under which gaskets must seal, we will look at motors where the combustion chamber temperature reaches a heat of 2500° to 3500° Fahrenheit momentarily, and where the pounds pressure to a square inch registers 600 to 700. To meet these extreme conditions McCord engineers developed the steel asbestos type gasket. The steel used is a special grade of terneplate steel, lead coated, corrosion and rust resisting. This gasket is supplied for both equipment and service where the conditions make it desirable.

STEEL PAK

This type of gasket as developed and manufactured by McCord incorporates a central steel sheet with asbestos on both sides. This steel sheet is perforated with the extruded metal projections gripping and holding the asbestos. These extrusions embedded into the asbestos form a homogeneous sheet. A graphite treatment on either side assist in forming the seal.

CORK GASKETS

A new development in the binder used in McCord cork gaskets makes certain that the original blue print dimensions of the gasket are maintained when they are used, that bolt holes line up, and end sections fit. The uniform quality of McCord cork makes a softer, more resilient gasket that conforms more readily to uneven surfaces and makes a better uniform tight seal over all the surface.

VELLUMOID GASKETS

Vellumoid gaskets as sold by McCord are the standard product of The Vellumoid Company, of Worcester, Mass., pioneer manufacturer of this type of gasket and packing material.



DISTINCTIVE McCORD CARTONS SAVE SPACE AND PROTECT THE GASKETS

MCCORD has developed a new type gasket package that obsoletes all previous developments in gasket packages from the standpoint of appearance on the shelf or hanging from the wall, for convenience in use, for protection to the gaskets, and for space saving on the shelf or hanging.

A new exclusive type of bellows side and end construction permits the package to conform to the thickness of the contents, provides a cushion protecting the vital edge of the gasket. A new type tough Kraft board, developed for this package, makes possible a better appearing and non-moisture absorbing package. A new colorful streamline design is in keeping with the modern gasket developments contained in the package. New labels, printed in a new clear easily read type face give more complete model, year, and car name information. The label is so designed that this information is readable regardless of whether the carton is lying on the shelf or hanging.

PACKAGE UNITS

Cylinder head gaskets are packed in standard cartons of ten (10) each. Ford, Chevrolet gaskets are also supplied in cartons of fifty (50).

Small gaskets are packed in standard cartons of ten (10).

Special manifold and triple "2-in-1" gaskets are packed ten (10) to a carton.

Display boards and gasket assortments are packed in individual cartons.

Cork gaskets are packed in standard cartons of ten (10).

Sheet cork is packed in standard cartons of ten (10) sheets each.

Felt washers as listed in this catalog are packed in standard cartons of ten (10). Sheet felt is packed in cartons of ten (10) except larger sizes, which are packed in individual tubes.

Paper and treated paper gaskets are packed in standard cartons of ten (10).

Compressed asbestos gaskets are packed in standard cartons of ten (10).

Compressed asbestos sheet packing is packed in individual tubes.

Motor overhaul sets, manifold sets, valve cover sets, valve grinding sets, oil pan sets, water jacket sets, are packed in sets as used in individual packages.

Vellumoid gaskets are packed in standard cartons of ten (10) gaskets, oil pan gaskets in cartons of ten (10) complete sets, where more than one (1) piece is required per motor.

Envelope sets are packed individually. Envelope sets containing Vellumoid are packed in uniform size envelopes for convenience in stocking.

Gasket Listings According to Group Classification

The original method of listing gasket information as used in this edition of the Gasket Guide simplifies the finding of the right gasket information. The arrangement classifies and groups gaskets according to related uses.

SETS

Cylinder Head
Motor Overhaul Set
Valve Grinding Set
Manifold Set
Valve Cover Set
Push Rod Cover Set
Oil Pan Set
Water Jacket Cover Set
Distributor Set
Cylinder Base Set
Front End Plate
Gear Cover Set
Differential Carrier Set
Axle Housing Cover Set
Transmission Set

GROUP LISTING OF INDIVIDUAL GASKETS

Exhaust Pipe Flange

Manifold Gasket Group..

{ Intake
Exhaust
Intake and Exhaust

Manifold Front
Manifold Center
Manifold Rear

Valve Cover Group.....

{ Cylinder Head Cover
Rocker Arm Cover

Valve Spring Cover
Valve Cover Stud

Push Rod Cover Group....

{ Valve Lifter Rod Cover
Cylinder Side Cover

Push Rod Cover Seal

Oil Gasket Group.....

{ Oil Pan
Oil Pan Sides
Oil Pan Ends
Oil Pump

Oil Pump Body
Oil Pump Cover
Oil Line
Oil Drain Plug

Intake to Exhaust Group..

{ Intake to Exhaust
Riser to Exhaust

Riser to Intake
Heat Control Valve

Carburetor Group

Governor Group

Air Cleaner Group

Vacuum Tank Group

Fuel Pump Group.....

{ Flange
Mounting
Bowl

Diaphragm
Bottom Cover
Cover Plate

Water Group.....

{ Water Pump Body
Water Pump Plate
Water Pump Cover
Water Pump By-Pass

Water Outlet
Water Inlet
Water Jacket Cover
Water Jacket Cover Stud

Radiator Group.....

{ Radiator Inlet
Radiator Outlet

Radiator Tanks

Distributor Group.....

{ Dist. Cap
Dist. Cover

Dist. Base
Dist. Coil

Generator Group

Cylinder Base Group

Crankcase Group

Crankshaft Group

Front End Plate.....

{ Front End Plate
Front Motor Support

Gear Cover Group.....

{ Gear Cover
Chain Cover
Timing Gear Housing Cover

Axle Group.....

{ Diff. Carrier
Axle Housing

Axle Shaft Flange

Transmission Group

Universal Joint Group

Model Index Reference Chart

Preceding the general listing of Truck and Marine models, is a simplified model listing chart, showing first in either numerical or alphabetical sequence the models with motor and McCord gasket number, and then the page in the Gasket Guide on which the complete gasket listing will be found. This simplified listing saves time and gives you complete gasket information on one page.



MEMOS

KEY TO ABBREVIATIONS

The following abbreviations are used throughout the McCord Guide to describe materials, applications and motors.

ADJ. = ADJUSTING	INTER. = INTERMEDIATE
ASB. = ASBESTOS	IRKT. = IRON
BRC. = BRASS	LAM. = LAMINATED
C/C. = CRANKCASE	LYC. = LYCOMING
C/S. = CRANKSHAFT	MAG. = MAGNETO
CAD. = CADDIS	MANI. = MANIFOLD
CARB. = CARBURATOR	PACK. = PACKING
CARR. = CARRIER	PL. = PLATE
CAT. = CATERPILLAR	PLYM. = PLYMOUTH
CHEV. = CHEVROLET	PONT. = PONTIAC
CHIBD. = CHIPBOARD	OLDS. = OLDSMOBILE
CHRY. = CHRYSLER	REG. = REGULATOR
CON. = CONNECTION	REIN. = REINFORCED
CONT. = CONTINENTAL	RKT. = RETAINING
COV. = COVER	ROCK. = ROCKERS
COV. = COVER	RUB. = RUBBER
CUM. = CUMULATIVE	SOL. = SOLID
CYL. = CYLINDER	STER. = STERLING
DIF. = DIFFERENTIAL	STL. = STEEL
DIST. = DISTRIBUTOR	STLPR. = STEELPARK
EXH. = EXHAUST	SUPP. = SUPPORT
FLD. = FLANGE	TR. = TREATED
GOV. = GOVERNOR	TRAN. = TRANSMISSION
HALL. = HALL SCOTT	UNIV. = UNIVERSAL
HD. = HEAD	VEL. = VELOCITY
HERC. = MERCURY	WAT. = WATER
HINK. = HINKLEY	WALK. = WALKER
HSG. = HOUSING	WISC. = WISCONSIN
INT. = INTAKE	YELL. C. = YELLOW COACH


KEY TO ABBREVIATIONS

The following abbreviations are used throughout the McCord Guide to describe materials, applications and motors:


ADJ.	=	ADJUSTING	INTER.	=	INTERMEDIATE
ASB.	=	ASBESTOS	JKT.	=	JACKET
BRG.	=	BEARING	LAM.	=	LAMINATED
C/C	=	CRANKCASE	LYC.	=	LYCOMING
C/S	=	CRANKSHAFT	MAG.	=	MAGNETO
CAD.	=	CADILLAC	MANI.	=	MANIFOLD
CARB.	=	CARBURETOR	PACK.	=	PACKING
CARR.	=	CARRIER	PL.	=	PLATE
CAT.	=	CATERPILLAR	PLYM.	=	PLYMOUTH
CHEV.	=	CHEVROLET	PONT.	=	PONTIAC
CHIPBD.	=	CHIPBOARD	OLDS.	=	OLDSMOBILE
CHRYSL.	=	CHRYSLER	REG.	=	REGULATOR
CONN.	=	CONNECTION	REIN.	=	REINFORCED
CONT.	=	CONTINENTAL	RET.	=	RETAINER
COP.	=	COPPER	ROCK.	=	ROCKER
COV.	=	COVER	RUB.	=	RUBBER
CUM.	=	CUMMINS	SOL.	=	SOLID
CYL.	=	CYLINDER	STER.	=	STERLING
DIFF.	=	DIFFERENTIAL	STL.	=	STEEL
DIST.	=	DISTRIBUTOR	STLPK.	=	STEELPAK
EXH.	=	EXHAUST	SUPP.	=	SUPPORT
FLG.	=	FLANGE	TR.	=	TREATED
GOV.	=	GOVERNOR	TRANS.	=	TRANSMISSION
HALL S.	=	HALL SCOTT	UNIV.	=	UNIVERSAL
HD.	=	HEAD	VELL.	=	VELLUMOID
HERC.	=	HERCULES	WAT.	=	WATER
HINK.	=	HINKLEY	WAUK.	=	WAUKESHA
HSG.	=	HOUSING	WISC.	=	WISCONSIN
INT.	=	INTAKE	YELL. C.	=	YELLOW COACH

McCord gaskets covered by this listing are for replacement purposes. Use of original part number is only for identifying interchangeability of the replacement parts.

A. C. F. 4. (Hall-Scott 101 Motor) "Street Car" 4 1/4 x 5 1/2"
 (Hall-Scott H. S. R. Marine Motor) 4 1/4 x 5 1/2"



McCord No. 5303



McCord No. 1575-A



McCord No. 1763




McCord No. 1762



McCord No. 1576

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
5270	Cyl. hd.	Cop. Asb.	1		5303
5734	Oil pan set (2 pcs.)	Vell.	1		ESP-1003
13874	Exh. flg.	Cop. Asb.	1		1575A
13874	Exh. flg.	Sol. Cop.	1		1576
5352	Manifold	Cop. Asb.	6		314A
305080	Manifold	Cop. Rein.	6		2240
43059VA					
305081	Int. to hd.	Cop. Rein.	1		2242
20381HA					
636	Carburetor	Stl. Asb.	2		827C
2086	Carburetor	Asb.	1		16100
14751	Wat. outlet	Asb.	2		1762
5824					
14750	Wat. conn.	Asb.	1		1763
119673	Radiator elbow screw	Cop. Asb.	4		503
201277	Radiator filler cap	Vell.	1		V-9099
14744	Fanshaft brg. ret.	Vell.	1		V-5491
12805	Rear hub	Vell.	2		V-5902
5733	Oil joint seal	Vell.	2		V-9013
5470	Lower case hand hole cov.	Cork	1		C-625


A. C. F. 6. (Hall-Scott 130-135 Motors) 4 1/4 x 5", 4 1/2 x 5"
 Bus Models H13, H13S, H15, H15P, H15S, H16S, H17, H17S, 31S, 36S



McCord No. 5978




McCord No. 2911



McCord No. S-3051

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
312163	Cyl. hd.	Cop. Asb.	1		5978
	Mani. set (6-2911, 2-30384)	Cop. Asb.	1		MS-10
	Rock. arm cov. set (1-34009)	Tr. Paper	1		CV-603
	Oil pan set (1-31028)	Tr. Paper	1		CS-2345
263704	Exh. pipe flg.	Stlpk.	1		S-3051
312221	Exh. mani.	Cop. Asb.	6		2911
315642	Int. mani.	Tr. Paper	2		30384
312164	Rock. arm cov.	Tr. Paper	1		34009
312282	Oil pan	Tr. Paper	1		31028
312202	Oil pump body	Tr. Paper	1		30391
312203	Oil pump body	Tr. Paper	1		30392
254342	Fuel pump	Tr. Paper	1		30385
290938	Wat. outlet	Tr. Paper	1		30386
312165	Wat. pump body	Tr. Paper	1		30387
312166	Wat. pump bracket	Tr. Paper	1		30388
312166	Dist. drive hsg.	Tr. Paper	1		30388
312179	C/S thrust pl.	Tr. Paper	1		30390
312196	Main brg. oil mani.	Tr. Paper	1		30389
237936	Axle hsg. and diff. carr.	Tr. Paper	2		37016

A. C. F. 6. (Hall-Scott Marine) HD, LM, LEM, Explorer, 132, 133, 135, 157-3, 158-3 5x6", 5x7"



McCord No. 5538




McCord No. 2240




McCord No. 2013

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
8192	Cyl. hd.	Cop. Asb.	1		5538
305080	Manifold	Cop. Rein.	9		2240
5352	Manifold	Cop. Asb.	9		314A
9737	Int. mani.	Asb.	3		2013

A. C. F. 6. (Hall-Scott 14S, 146-3 Motors) 3 3/4 x 5"
 (Hall-Scott 95, 146, 147 Motors) 4x5"
 Bus Models 26S, 26U, 85, P85, S85, 216, P216, S216




McCord No. 5503



McCord No. 16057

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
9692	Cyl. hd.	Cop. Asb.	1		5503
309817					
305080	Exh. mani.	Cop. Rein.	6		2240
9737	Int. mani. (single carb.)	Asb.	1		2013
302492	Int. mani. (dual carb.)	Asb.	2		16057

A. C. F. 4. (Hall-Scott 151 Motor) 4 1/2 x 5 1/2"

McCord No. 5536A



McCord No. 2240




McCord No. 2241




McCord No. 2242

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
301190	Cyl. hd.	Cop. Asb.	1		5536A
	Mani. set (6-2240, 1-2242)	Cop. Asb.	1		MS-2453
301225	Rock. arm cov. set (1-pc.) (I. H. C.)	Vell.	1		ES-2902
301237	Oil pan set (2 pcs.)	Vell.	1		ES-987
301231	Cyl. block set (1 pc.)	Vell.	1		ES-3311
17608H	Exh. pipe flg. (I. H. C.)	Cop. Asb.	1		2241
5352	Manifold	Cop. Asb.	6		314A
305080	Manifold	Cop. Rein.	6		2240
43059VA					
305081	Int. to Hd.	Cop. Rein.	1		2242
20381HA					
301235	Wat. inlet	Vell.	1		V-9010
301248	Wat. pump body to bracket	Vell.	1		V-9308
17671H	Radiator inlet (I. H. C.)	Vell.	2		V-5469
20332H	Lower C/C to oil sump (I. H. C.)	Cork	1		C-1053
301633	Lower C/C hand hole cover (I. H. C.)	Cork	1		C-926
17389H	Trans. case, front end	Vell.	1		V-9456

A. C. F. 4. (Hall-Scott 152 Motor) 4 3/4 x 5 1/2"


McCord No. 5537A



McCord No. 2240




McCord No. 2241



McCord No. 2242


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
301178	Cyl. hd.	Cop. Asb.	1		5537A
	Mani. set (6-2240, 1-2242)	Cop. Asb.	1		MS-2453
20445H	Valve cov. set (1 pc.) (I. H. C.)	Vell.	1		ES-2901
301238	Oil pan set (2 pcs.)	Vell.	1		ES-985
20452H					
17608H	Exh. pipe flg. (I. H. C.)	Cop. Rein.	1		2241
5352	Manifold	Cop. Asb.	6		314A
305080	Manifold	Cop. Rein.	6		2240
305081	Int. to hd.	Cop. Rein.	1		2242
301248	Wat. pump body to bracket	Vell.	1		V-9308
301235	Wat. inlet	Vell.	1		V-9010
20370H					
17671H	Radiator inlet (I. H. C.)	Vell.	2		V-5469
17389H	Trans. cov., front end (I. H. C.)	Vell.	1		V-9456

A. C. F. 6. (Hall-Scott 154, 155, 166 Motors) 4 1/4 x 5 1/2", 4 3/8 x 5 1/2"
(Hall-Scott Marine H. S. R., H. S. M. Navigator DD Motors) 4 1/4 x 5 1/2", 4 3/8 x 5 1/2"
Bus Models 508, 511-3, 512-2, 519, 602

McCord No. 5206-A—5206-B



McCord No. 2240




McCord No. 1574


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
301113	Cyl. hd.	Stl. Asb.	1		5206A
5433	Cyl. hd.	Stl. Asb.	1		5206B
NOTE—No. 5206B has 3/4" water holes between cylinders No. 2-3 and 4-5. All other water holes are 3/8". No. 5206A has all 3/8" water holes.					
	Mani. set (9-2240, 1-1573)	Cop. Asb.	1		MS-2555
4430	Valve cov. set (1 pc.)	Vell.	1		ES-2904
14829-30	Oil pan set (2 pcs.)	Vell.	1		ES-988
5452	Cyl. base set (1 pc.)	Vell.	1		ES-3861
207031	Axle shaft drive pl. cov.				
2208-W9	set (2 pcs.)	Vell.	1		ES-4020
19170	Exh. pipe flg.	Cop. Asb.	1	26 up	1574
13874	Exh. pipe flg. (2 1/8" C.H.)	Cop. Asb.	1		1575A
13874	Exh. pipe flg. (2 3/8" C.H.)	Sol. Cop.	1		1576
242605	Exh. pipe flg. (A. C. F.)	Cop. Asb.	1		2585
224895	Exh. pipe (A. C. F.)	Cop. Asb.	1		881B
238206	Exh. inlet flg.	Stl. Asb.	4		817

(Continued on Next Page)


A. C. F. 6. (Hall-Scott 154, 155, 156)—Continued



McCord No. 1762




McCord No. 1573



McCord No. 1575A




McCord No. 1576



McCord No. 2585

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
243225	Exh. outlet flg. (A. C. F.)	Cop. Asb.	2		2953
5352	Manifold	Cop. Asb.	9		314A
305080	Manifold	Cop. Rein.	9		2240
7587	Int. mani.	Asb.	1		1573
5445	Oil pump cov.	Vell.	1		V-9060
5449	Oil pump inlet and outlet	Vell.	1		V-9012
12918	Oil pump to C/C	Vell.	1		V-9311
5443	Oil filter cap	Vell.	1		V-9059
4576	Oil filter to case	Vell.	1		V-9438
4597	Oil pump end pl.	Vell.	1		V-9409
14928	Heater valve outlet	Asb.	1		2333
22846	Heater valve outlet	Asb.	1		2334
18744	Heater valve pipe flg.	Cop. Asb.	1		849B
242847	Heater pipe flg.	Cop. Asb.	1		865G
200992	Carburetor	Cop. Asb.	1		846C
105471	Wat. pump cov.	Vell.	1		V-9310
5863	Wat. pump to cyl.	Vell.	1		V-9011
8272	Radiator base	Cork	1		C-778
14821	Radiator shell	Cork	1		C-1353
14822	Radiator filler cap	Vell.	1		V-9099
5571	Wat. outlet	Asb.	3		1762
14751	Wat. conn.	Asb.	3		1763
5824	Lower C/C oil sump pl.	Cork	1		C-816
14750	Lower C/C hand hole cov.	Cork	1		C-625
5255	Upper C/C to sprocket hsg.	Vell.	1		V-9701
5470	Upper C/C to gear hsg.	Vell.	1		V-9707
5455	C/C inspection pl.	Vell.	1		V-9507
5019	Fan shaft brg. ret.	Vell.	1		V-5491
11049	Fan shaft hsg. inspection pl.	Cork	1		C-2587
5583	Diff. carr. (Timken)	Cork	1		C-626
14694	Rear hub	Vell.	2		V-5902
5805	Front hub	Vell.	2		V-9312
14744	Steering knuckle pin, upper	Cork	2		C-985
7897	Steering knuckle pin, lower	Cork	2		C-986
15227	Trans. brg.	Vell.	1		V-9476
24114	Trans. brg.	Vell.	1		V-9442
12805	Control hsg. to trans. case	Vell.	1		V-9711
200714	Lower tank to C/C	Rub.	1		2800
15248	Air compressor cyl. hd.	Cork	1		C-2920
15254	Air compressor C/S end	Vell.	1		V-9188
13438	Adj. sprocket insp. pl.	Vell.	1		V-9014
13439	Upper to lower radiator pin	Cork	2		C-984
14929	Grease ret. on pilot brg.	Vell.	1		V-9009
5965					
74302					
208276					
74301					
5460					
12929					
8124					
16699					

A. C. F. 6. (Hall-Scott 160, 160-1, 166)
Truck Model T160. Bus Models H12, H12S, 30, 40, 160A, 511-34 1/4 x 5 1/2"
4 1/4 x 5 1/2"


McCord No. 5606




McCord No. 2317




McCord No. 16055



McCord No. 2318



McCord No. 2585



McCord No. 2521




McCord No. 2719

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
304154	Cyl. hd.	Cop. Asb.	1		5606
	Mani. set (6-2318)	Cop. Asb.	1		MS-2556
	Oil pan set (1-C2534)	Cork	1		CS-2282
304846	Cyl. base set (1 pc.)	Vell.	1		ES-3864
242605	Exh. pipe flg.	Cop. Asb.	2		2585
351158	Exh. pipe mani. flg.	Stl. Asb.	2		2719
304640	Exh. mani.	Cop. Rein.	6		2318
231443	Exh. mani. junction	Stl. Asb.	2		2317
304644	Int. mani.	Asb.	1		2521
305723	Oil pan	Cork	1		C-2534
305911	Lower C/C hand hole pl.	Cork	1		C-1381
303325	Wat. outlet elbow	Asb.	2		16055



A. C. F. 6. (Hall-Scott 168-169 Motors, 180 H.P.)
Bus Model H9S

5 1/2 x 7"



McCord No. 5691



McCord No. 16080

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
307553	Cyl. hd.	Cop. Asb.	1		5691
247357	Exh. pipe fig.	Stlpk.	2		S-883F
242605	Exh. pipe to mani.	Cop. Asb.	2		2585
309747	Exh. mani. to hd.	Cop. Asb.	6		2868
307396	Exh. mani. spacer pl. and core hole cov.	Asb.	2		16080
259022	Int. mani. plug	Stlpk.	1		S-2866
259030	Hot spot to exh. pipe	Stlpk.	2		S-846H
269729	Carb. on gov.	Stlpk.	2		S-866E
267469	Air strainer to base	Cork	1		C-4407
314221	Flywheel (rear C/S)	Cork	1		C-4408
5571	Breather cap	Vell.	1		V-9099

A. C. F. 6. (Hall-Scott 175, 175-1, 180 Motors)

5x6"

(Hall-Scott 176-190 Motors)


5 1/4 x 6"

(Hall-Scott 177 Motor)


5 1/2 x 6"

Truck Models T175A-T175B


Bus Models H9, H9P, H9S, H13, H16, H16S, H16SE, 37P, 45, P45, 64, P64



McCord No. 5659



McCord No. 2585



McCord No. 2258

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
303124	Cyl. hd. (5 7/8" cyl. hole)	Cop. Asb.	1		5659
312976	Mani. set (6-2258)	Cop. Asb.	1		MS-2557
303141	Cyl. base set (1 pc.)	Vell.	1		ES-3900
242605	Exh. pipe fig.	Cop. Asb.	1		2585
235174	Exh. pipe companion fig.	Cop. Asb.	1		2729
454146	Exh. mani.	Cop. Asb.	6		2258
303233	Int. mani. cov.	Vell.	2		V-9302
305648	Oil pump supp. and hand hole pl.	Vell.	2		V-9804
303237	Oil pump body	Vell.	1		V-9307
303346	Oil filter body	Vell.	1		V-9304
304999	Fuel pump body	Vell.	2		V-9102
303232	Fuel pump to case	Vell.	1		V-5456
303217	Wat. outlet	Vell.	2		V-5271
305030	Upper C/C breather	Vell.	1		V-9007
304542	Upper C/C inspection pl.	Vell.	1		V-9305
304939	Lower C/C hand hole pl.	Cork	2		C-926
301633	Lower C/C hand hole pl. (radiator end)	Cork	1		C-969
305263	Camshaft drive chain cov.	Vell.	1		V-9705
303131	Camshaft drive chain cov. inspection pl.	Vell.	1		V-9306
304406					

A. C. F. Bus.




Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
6-85	Bus	Herc. WXC2	5649	129	216	Bus	Herc. YXC	5526	130					

Acme, 4-6. Truck and Bus.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
3X	2	Cont. 16C	5669	70	26	2	Cont. 16C	5669	70	90L	4-5	Cont. B7	5168	69
4X	2-5	Cont. 16R	5534	75	26	2	Cont. S4	5156	*	112	Bus	Cont. 7T	5275	*
6X	2-5	Cont. 18R	5534	75	45D	3 1/2	Herc. OXC	5660	127	116	Bus	Cont. 6B	5135	*
8X	2-5	Cont. 21R	5534	75	46	2	Cont. 16C	5669	70	118	Bus	Cont. 6B	5135	*
10X	2-5	Cont. 21R	5534	75	47	2	Cont. 16C	5669	70	120	Bus	Cont. 20R	5534	75
10X	2-5	Cont. 15H	5146A	*	52	2-5	Cont. 18R	5534	75	121	Bus	Cont. 7T	5275	*
15H	3 1/2-5	Cont. 15H	5146A	*	56	2 1/2	Cont. 6B	5135	*	125	2-5	Cont. B7	5168	69
15H	3 1/2-5	Cont. B7	5168	69	66	2-5	Cont. 21R	5534	75	151	7 1/2	Cont. 15H	5146A	*
24	1 1/2	Cont. S4	5156	*	76	3 1/2	Cont. 8T	5275	*	346	2	Cont. 16C	5669	70

NOTE—* Indicates that these motors are listed in Guide A. For older models see Guide A.

A. C. Fuel Pump

McCord
No. C-1769McCord
No. C-1388McCord
No. C-2302McCord
No. C-2303McCord
No. C-2304McCord
No. C-2721McCord
No. V-5142McCord
No. V-5500McCord
No. V-5672McCord No
V-9111

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
851548	4" cov. (4 1/8 x 4 19/32 x 1/8")	Cork	1		C-1877
1521480	Fuel pump cov. (1 1/8 x 2 x 1/8")	Cork	1		C-3745
856284	Fuel pump cov. (2 1/8 x 2 13/32 x 1/8")	Cork	1		C-3239
855585	Bottom cov. (1 1/8 x 3 1/2 x 1/8")	Cork	1		C-2721
856229	Bottom cov. (2 3/8 x 2 7/8 x 1/8")	Cork	1		C-3008
855022	Bottom cov.	Cork	1		C-1769
855229	Bottom cov., model B	Cork	1		C-2303
855270	Bottom cov., models A-C	Cork	1		C-2304
1523096	Bowl (2 19/64 x 1 27/32 x 1/8")	Cork	1		C-4492
1523128	Bowl (2 51/64 x 2 9/32 x 1/8")	Cork	1		C-5006
855183	Side cov.	Cork	1		C-2302
854003	Gas strainer (1 5/8 x 2 9/64 x 1/8")	Cork	1		C-928
855559	Diaphragm (small) (2 1/4 x 3 1/8 x 1/32")	Cork	1		C-1388
489308	Mounting	Vell.	1		V-5142
835683	Mounting	Vell.	1		V-5500
855580	Mounting	Vell.	1		V-5672
215002	Mounting	Vell.	1		V-9111
1521472	Fuel pump valve pl.	Vell.	1		V-9186

A. C. Oil Filter

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
851212	By-pass body	Vell.	1		V-5666

Alexander Automotive Engineering Co. "Aristocrat" Ford A. and B. Overhead Valve. McCord No. 5621.

American Car and Foundry. Truck-Bus. See A. C. F.

American LaFrance Fire Engine. Truck. See Guide A.

Armleder, 4-6. Truck.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
HWB	1 1/2-3 1/2	Buda HTU	5193	*	30B	2 1/2-5	Buda KBUI	5251	*	50	2 1/2-3	Buda BUS	5346	*
KWB	3 1/2-5	Buda YTU	5192	*	31	2 1/2-5	Herc. WXB	5496	129	55	2 1/2	Cont. K4	5001	*
TRD	7-10	Herc. YXC	5526	130	31H	2 1/2-5	Herc. WXC	5649	129	60	2 1/2-3	Buda EBUI	5236	*
TRDA	10-12	Herc. YXC3	5612	130	31HA	2 1/2-5	Herc. WXC	5649	129	60	4	Buda BUS	5346	*
TRD8	8-15	Herc. RXC	5752	130	40	2	Herc. OX	5084	127	61	5-7	Herc. WXC2	5649	129
TRHA	10-12	Herc. YXC3	5612	130	40B	1 1/2	Herc. KBUI	5251	*	61H	5-7	Herc. WXC2	5649	129
11H	1 1/2-3	Cont. 16C	5669	70	40B	1 1/2-3 1/2	Buda HTU	5193	*	61HA	5-7	Herc. WXC2	5649	129
11HA	1 1/2-3	Cont. 16C	5669	70	40-6	2	Buda HS6	5344	*	70	4	Buda YBUI	5192	*
21H	2 1/2-5	Herc. WXC	5649	129	41	2 1/2-5	Herc. WXC	5649	129	70	2 1/2-3	Buda BUS	5346	*
21HA	4	Herc. WXB	5496	129	41H	2 1/2-5	Herc. WXC	5649	129	70-6	4	Buda BUS	5346	*
21HA	2 1/2-5	Herc. WXC	5649	129	41HA	2 1/2-5	Herc. WXC	5649	129	71H	15	Herc. RXC	5752	130
30	1 1/2	Herc. OX	5084	127	46	1 1/2	Buda HS6	5344	*	71HA	15	Herc. RXC	5752	130
30	2	Buda HS6	5344	*	50	2 1/2-3	Buda EBUI	5236	*					


NOTE—* Indicates that these motors are listed in Guide A. For older models see Guide A.

Atterbury, 4-6. Truck.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
A6	1	Lyc. WTG	5387A	166	22C	2 1/2-3	Cont. K4	5001	*	29G6	2	Lyc. 4SL	5262	164
AE24E	5-6	Cont. B7	5168	69	22D	3 1/2-4	Cont. L4	5167	*	29R6	2 1/2-5	Cont. 21R	5534	75
B6	3-5	Cont. 21R	5534	75	24H6	2 1/2-5	Cont. 21R	5534	75	45	2	Lyc. ASD	5598	161
C	3-5	Cont. 16R	5534	75	24R	2	Buda KTU	5251	*	50	2 1/2	Lyc. ASD	5598	161
C6	2 1/2-5	Cont. 21R	5534	75	26B	1	Lyc. 4SL	5262	164	60	3	Lyc. ASD	5598	161
G	2	Lyc. 4SL	5262	164	26G4	1 1/2	Lyc. C4	5257	*	65	3-5	Cont. 16R	5534	75
G6	2	Lyc. 4SL	5262	164	26G6	1 1/2	Lyc. 4SL	5262	164	70	3-5	Cont. 21R	5534	75
H6	2 1/2-5	Cont. 16R	5534	75	27C6	3	Lyc. TS	5390	165	100	3-5	Cont. 21R	5534	75
K	1 1/2	Lyc. WTG	5387A	166	27R6	2 1/2	Lyc. TF	5389	165					
K6	2	Lyc. 4SL	5262	164	29B6	2	Lyc. 4SL	5262	164					
R6	2 1/2-5	Cont. 21R	5534	75	29C6	2 1/2-5	Cont. 21R	5534	75					

NOTE—* Indicates that these motors are listed in Guide A. For older models see Guide A.


Auburn, 6. Passenger, Models 6-76, 1928-29; 6-80, 1929; 6-85, 1930 (Lycoming 6, WS) 2 7/8 x 4 3/4"



McCord No. 5387A




McCord No. 2003




McCord No. 2461

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
A1-178	Cyl. hd.	Cop. Asb.	1	5387A
	Mani. set (1-2003)	Asb.	1 28	MS-1372
	Mani. set (1-2461)	Stl. Asb.	1 29-30	MS-1373
	Valve cov. set (3-C3734)	Cork	1	CV-345
	Oil pan set (1-C463)	Cork	1	CS-2217
A8-392	Oil pan set (1 pc.)	Vell.	1	ES-815
W236-BA	Gear cov. set (1 pc.)	Vell.	1	ES-1411
M1-130	Exh. pipe flg.	Cop. Asb.	1	859F
A5-248	Manifold	Asb.	1 28	2003
A5-321	Manifold	Stl. Asb.	1 29-30	2461
A90455	Valve cov.	Cork	3	C-3734
A8-392	Oil pan	Cork	1	C-463
J-2-2	Carburetor	Stlplk.	1	S-830A


Auburn, 6. Passenger—Series 652X, 652Y; Standard—Custom, 1934 (Lycoming WF) 3 1/8 x 4 3/4"
 Series 653, 1935; 654, 1936 3 1/8 x 4 3/4"



McCord No. 5844



McCord No. S-2812



McCord No. S-2645


Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
A-90432	Cyl. hd.	Cop. Asb.	1	5844
	Mani. set (1-S2645)	Stlplk.	1	SMS-1374
	Valve cov. set (3-C3734)	Cork	1	CV-345
	Oil pan set (1-C463)	Cork	1	CS-2217
A8-392	Oil pan set (1 pc.)	Vell.	1	ES-815
A-90383	Chain case cov. set (1 pc.)	Vell.	1	ES-1280
	Cyl. side pl. set (1 pc.)	Vell.	1	ES-1967
E-62868	Axle hsg. and diff. carr. set (std. axle) (1 pc.)	Vell.	2	ES-4026
E-61826	Axle hsg. and diff. carr. set (dual axle) (1 pc.)	Vell.	2	ES-4404
M1-130	Exh. pipe flg.	Stl. Asb.	1	859F
A-90444	Manifold	Stlplk.	1	S-2645
A-90455	Valve cov.	Cork	3	C-3734
A8-392	Oil pan	Cork	1	C-463
A-90443	Int. to exh.	Stlplk.	1	S-2812
J-10293	Carburetor	Asb.	1	16106
A-90393	Wat. pump body	Vell.	1	V-9457
A-90395	Wat. pump to cyl.	Vell.	1	V-9226
A1-119	Wat. outlet	Vell.	1	V-9189
A-90428	Cyl. side pl.	Vell.	1	V-1967
11-S-1	Cyl. side pl. stud washer	Cop.	20	462
A7-64	C/S rear brg. pack.	Cork	2	C-3736

Auburn, 8. Passenger (Lycoming GT-GR-GS-GU Series)


Model 8-77, 1927 2 3/4 x 4 3/4"

Models 8-88, 1928; 8-90, 1929; 8-95, 1930 2 7/8 x 4 3/4"

Models 8-98, 98A, 1931; 8-100, 100A, 1932; 8-101, 101A, 105, 1933 3 x 4 3/4"



McCord No. 5388A




McCord No. 2140



McCord No. 1439



McCord No. 1441




McCord No. 2139

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
A1-232	Cyl. hd.	Cop. Asb.	1	5388A
	Mani. set (1-2140, 2-2139, 2-1439)	Cop. Asb.	1 to 29	MS-1367
	Mani. set (1-S2140, 2-S2139, 2-S1439)	Stlplk.	1 to 29	SMS-1367
	Mani. set (except 105)			
	(1-2246, 2-2245)	Stl. Asb.	1 29-33	MS-1370
	Mani. set (except 105)			
	(1-S2246, 2-S2245)	Stlplk.	1 29-33	SMS-1370
	Mani. set (105)			
	(1-S2809, 2-S2651)	Stlplk.	1 33	SMS-1375
	Valve cov. set (2-C1273)	Cork	1	CV-344
	Oil pan set (1-C523)	Cork	1	CS-2218
	Oil pan set (1-P813)	Vell.	1	ES-813
A1-144	Cyl. side pl. set (1 pc.)	Vell.	1	ES-2172
A2-158	Chain cov. set (1 pc.)	Vell.	1	ES-1410
E2-265	Axle and diff. carr. set (1 pc.)	Vell.	2	ES-4143
M1-42	Exh. pipe flg.	Cop. Asb.	1	2092

(Continued on Next Page)


Auburn, 8. Passenger. (Lycoming GT-GR-GS-GU)—Continued




McCord No. S-2809



McCord No. S-2651



McCord No. 2811




McCord No. 2245



McCord No. 1983



McCord No. 1968



McCord No. 2246



McCord No. 16050



McCord No. 2092

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
A5-165	Mani., center	Cop. Asb.	1	to 29	2140
A5-163-4	Mani., ends	Cop. Asb.	2	to 29	2139
A5-73	Exh., inter.	Cop. Asb.	2	to 29	1439
A5-165	Mani., center	Stlpk.	1	to 29	S-2140
A5-163-4	Mani., ends	Stlpk.	2	to 29	S-2139
A5-73	Exh., inter.	Stlpk.	2	to 29	S-1439
A5-317	Mani., center (except 105)	Stl. Asb.	1	29-33	2246
A5-316	Mani., ends (except 105)	Stl. Asb.	2	29-33	2245
A5-317	Mani., center (except 105)	Stlpk.	1	29-33	S-2246
A5-316	Mani., ends (except 105)	Stlpk.	2	29-33	S-2245
A-90469	Mani. center (105)	Stlpk.	1	33	S-2809
A-90310					
A-90468					
A5-274-5	Mani. ends (105)	Stlpk.	2	33	S-2651
A5-69	Int., lower	Cop. Asb.	1	27	1441
A5-69	Int., lower	Stlpk.	1	27	S-1441
A5-244	Int., lower	Cop. Asb.	1	28-29	1983
A5-342	Valve cov.	Cork	2		C-1273
A8-241	Oil pan	Cork	1		C-523
A8-241	Oil pan	Vell.	1		P-813
A5-224	Int. to exh. (except 105)	Cop. Asb.	1	29-33	1968
A5-224	Int. to exh. (except 105)	Stlpk.	1	29-33	S-1968
A-90312	Int. to exh. (105)	Cop. Asb.	1		2811
A5-278	Heater valve cov.	Asb.	1		16050
J2-2	Carburetor	Stlpk.	1	27	S-830A
J2-135	Carburetor	Cop. Asb.	1	28-29	2301
J2-177	Carburetor	Vell.	1	31	V-104A
A1-119	Wat. outlet	Vell.	1		V-9189
	Cyl. side pl. stud washer	Cop.	34		462

Auburn, 8. Passenger. (Cord 8) (Lycoming 8—H Series)

Models 8-88, 1927; 115, 1928; 120, 1929; 125, 1930

Model (Cord) L-29, 1930-31


Model (Cord) L-29, 1932

3 1/4 x 4 1/2"


3 1/4 x 4 1/2"

3 1/4 x 4 1/2"


3 3/8 x 4 1/2"




McCord No. 5125-A



McCord No. 5620



McCord No. 1442



McCord No. 1440




McCord No. 1439



McCord No. 1441



McCord No. 1968



McCord No. 2243A



McCord No. 2244A



McCord No. 2299




McCord No. 2092


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
A1-162	Cyl. hd.	Cop. Asb.	1	27-32	5125A
A1-5015	Cyl. hd.	Cop. Asb.	1	32	5620
	Mani. set (1-1442, 2-1440, 1-1441, 2-1439)	Cop. Asb.	1	27	MS-1365
	Mani. set (1-S1442, 2-S1440, 1-S1441, 2-S1439)	Stlpk.	1	27	SMS-1365
	Mani. set (1-2244A, 2-2243A, 1-1968)	Stl. Asb.	1	28-32	MS-1366
	Mani. set (1-S2244A, 2-S2243A, 1-S1968)	Stlpk.	1	28-32	SMS-1366
	Valve cov. set (2-C392)	Cork	1		CV-343
	Oil pan set (Auburn) (1-C664)	Cork	1		CS-2243
A8-147	Oil pan set (Auburn) (1 pc.)	Vell.	1		ES-905
	Oil pan set (Cord) (2-C850, 2-C851, 1-C852)	Cork	1		CS-2235
A8-5003-5-6	Oil pan set (Cord) (5 pcs.)	Vell.	1		ES-97
A2-46	Gear cov. set (Auburn) (1 pc.)	Vell.	1		ES-1321
A2-507	Gear cov. set (Cord) (1 pc.)	Vell.	1		ES-1512
A2-211	Cyl. base set (1 pc.)	Vell.	1		ES-3854
	Cyl. side pl. set (1-35001)	Chipbd.	1		CW-12
E2-25	Axle and diff. carr. set (1 pc.)	Vell.	2		ES-4127
E1-5006	Diff. to trans. set (Cord) (1 pc.)	Vell.	1		ES-4232
M1-42	Exh. pipe fig.	Cop. Asb.	1	27-30	2092
M1-5003	Exh. pipe fig. (Cord)	Cop. Asb.	1		2299

(Continued on Next Page)


Auburn, 8. Passenger. (Lycoming H Series)—Continued

McCord
No. 2000McCord
No. 2301McCord
No. 2345


McCord No. C-664

McCord
No. C-851

McCord No. C-852



McCord No. C-850



McCord No. 35001

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
M1-5002	Muffler pipe flg. (Cord)	Vell.	1		V-5454
A5-75	Mani., center	Cop. Asb.	1	27	1442
A5-74	Mani. ends	Cop. Asb.	2	27	1440
A5-147					
A5-69	Int., lower	Cop. Asb.	1	27	1441
A5-73	Exh. inter.	Cop. Asb.	2	27	1439
A5-75	Mani., center	Stlpk.	1	27	S-1442
A5-74	Mani., ends	Stlpk.	2	27	S-1440
A5-147					
A5-69	Int., lower	Stlpk.	1	27	S-1441
A5-73	Exh. inter.	Stlpk.	2	27	S-1439
A5-5019	Mani., center	Stl. Asb.	1	28-32	2244A
A5-5018	Mani., ends	Stl. Asb.	2	28-32	2243A
A5-224	Int., lower	Cop. Asb.	1	28-32	1968
A5-5019	Mani., center	Stlpk.	1	28-32	S-2244A
A5-5018	Mani., ends	Stlpk.	2	28-32	S-2243A
A5-224	Int., lower	Stlpk.	1	28-32	S-1968
A2-41	Valve cov.	Cork	2		C-392
A8-147	Oil pan (Auburn)	Cork	1		C-664
A8-5003	Oil pan, sides (Cord)	Cork	2		C-850
A8-5005	Oil pan spacer (Cord)	Cork	2		C-851
A8-5006	Oil pan seal, rear (Cord)	Cork	1		C-852
A1-78	Cyl. side pl.	Chipbd.	1		35001
	Cyl. side pl. stud washer	Cop.	34		470
A5-232	Heater valve body	Cop. Asb.	1	28-32	2000
J2-2	Carburetor	Stlpk.	1	27	S-830A
J2-135	Carb. to heat riser	Cop. Asb.	1	28-32	2301
J2-137	Carb. riser to mani.	Cop. Asb.	1	30-32	2345
A7-64	C/S rear brg. pack.	Cork	2		C-3736


Auburn, 8. Passenger (Lycoming 8-GG)

Series 850X Standard; 850Y Custom, 1934


Series 851Y, 851X, 852, Standard—Custom—Supercharged, 1935-36

3 1/8 x 4 3/4"

3 1/8 x 4 3/4"






McCord No. 5843



McCord No. S-2809




McCord No. S-2651

McCord No.
S-2810McCord No.
2092McCord No.
2811

McCord No. C-1273

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
A90404	Cyl. hd.	Cop. Asb.	1		5843
	Mani. set				
	(1-S2809, 2-S2651)	Stlpk.	1		SMS-1375
	Valve cov. set (2-C1273)	Cork	1		CV-344
	Oil pan set (1-C523)	Cork	1		CS-2218
	Oil pan set (1-P813)	Vell.	1		ES-813
A90364	Cyl. side pl. set (1 pc.)	Vell.	1		ES-2198
A90383	Chain cov. set (1 pc.)	Vell.	1		ES-1280
E-61046	Axle hsg. and diff. carr. set (std. axle) (1 pc.)	Vell.	2		ES-4143
E61826	Axle hsg. and diff. carr. set (dual axle) (1 pc.)	Vell.	2		ES-4404
M1-42	Exh. pipe flg.	Cop. Asb.	1		2092
M1-130	Exh. pipe flg. (supercharged)	Cop. Asb.	1		857A
A90469	Mani., center	Stlpk.	1		S-2809
A90310					
A90468	Mani., ends	Stlpk.	2		S-2651
A5-274-5					
A5-342	Valve cov.	Cork	2		C-1273
A8-241	Oil pan	Cork	1		C-523
A8-241	Oil pan	Vell.	1		P-813
A90312	Int. to exh. (std.)	Asb.	1		2811
A90465	Int. to exh. (custom)	Stlpk.	1		S-2810
J10107	Carburetor (std.)	Asb.	1		16105
J10198	Carburetor (custom)	Asb.	1		16079
A90393	Wat. pump body	Vell.	1		V-9457
A90395	Wat. pump to cyl.	Vell.	1		V-9226
A1-119	Wat. outlet	Vell.	1		V-9189
S-1	Cyl. side pl. stud washer	Cop.	20		462
A7-64	C/S rear brg. pack.	Cork	2		C-3736


Auburn, 12. Passenger Models 160, 1932; 161-165, 1933; Series 1250, 1934 (Lycoming 12-BB) 3 1/8 x 4 1/4 "




McCord No. 5744



McCord No. 2500



McCord No. 2501



McCord No. 2502A




McCord No. 2092


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
A90013	Cyl. hd.	Cop. Asb.	2		5744
	Mani. set (2-2501, 4-2500, 6-2502A)	Stl. Asb.	1		MS-1371
	Valve cov. set (1-C3947)	Cork	1		CV-348
	Oil pan set (1-C3965)	Cork	1		CS-2289
M1-42	Exh. pipe flg.	Cop. Asb.	2		2092
A90016	Cyl. hd. cov.	Cop. Asb.	6		2502A
A90051	Mani., center	Stl. Asb.	2		2501
A90050	Mani., ends	Stl. Asb.	4		2500
A90074	Valve cov.	Cork	1		C-3947
A90141	Oil pan	Cork	1		C-3965

Auburn—For older models see Guide A.

Austin, 4. Passenger—American—7 H.P., 1923-34; Series A, 7.80 H.P., 1935-39, 2 1/8 x 3 1/8 "; 65, 1940 2.260x3 1/8 "




McCord No. 5617A



McCord No. C-1263

McCord
No. 2231


McCord No. 2217




McCord No. 2232

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
B1368 B3515	Cyl. hd.	Stl. Asb.	1	23-40	5617A
	Mani. set (1-2232, 2-2231)	Asb.	1		MS-50
	Valve cov. set (1-C1263)	Cork	1		CV-102
	Oil pan set (1 pc.)	Vell.	1		ES-467
B1379	Gear cov. set (1 pc.)	Vell.	1		ES-1012
B1322	Exh. pipe flg.	Cop. Asb.	1		2217
A1258	Exh. mani.	Asb.	1		2232
B1399	Int. mani.	Asb.	2		2231
A1045	Valve cov.	Cork	1		C-1263
B1356	Carburetor	Vell.	1		V-5037
A1241	Wat. inlet	Vell.	1		V-5973
6151	Wat. outlet	Vell.	1		V-5683
6501					


Austin, 4-6. Passenger Models—English (Export only).



McCord No. 5868



McCord No. 5867



McCord No. 5869

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
AC3	Cyl. hd. 12 H.P. (twelve 4)	Cop. Asb.	1		5868
FA3	Cyl. hd. 12 H.P. (twelve 6)	Cop. Asb.	1		5867
ED18	Cyl. hd. 16-18 H.P. (sixteen 6)	Cop. Asb.	1		5869




Autocar, 4-6. Truck. Model and Motor Reference.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
A	1½-7½	Own Y	5250	*	NB	3-3½	Own 404	5623	23	U20		Herc. JXC	5732	126
A	1½-7½	Own 358	5643	23	NC	3-3½	Own 404	5623	23	U30		Own 315	5643	23
A	1½-7½	Herc. JXB	5674	126	ND	3-3½	Own 404	5623	23	U40		Own 358	5643	23
B	8	Herc. JXC	5732	126	NE	3-10	Own 404	5623	23	U50		Own 358	5643	23
C	3-10	Own 453	5623	23	NF	3-10	Own 404	5623	23	U60		Own 358	5643	23
C	3-10	Own 501	5977	23	NF	3-10	Own 453	5623	23	U60T		Own 408	5977	23
C10		Herc. JXB	5674	126	NFS		Own 404	5623	23	U60D		Own 358	5643	23
C20		Herc. JXC	5732	126	NFT		Own 404	5623	23	U70		Own 408	5977	23
C30		Own 315	5643	23	NH	3-10	Own 404	5623	23	U70T		Own 447	5977	23
C40		Own 358	5643	23	NT	6	Own 404	5623	23	U80		Own 447	5977	23
C50		Own 358	5643	23	R	2½	Own 358	5643	23	U90		Own 501	5977	23
C60		Own 408	5977	23	RG	2½	Own 358	5643	23	U4062		Own 358	5643	23
C70		Own 408	5977	23	RH	2½-7	Own 358	5643	23	U7062		Own 408	5977	23
C70T		Own 447	5977	23	RHD	3	Own 358	5643	23	U7064		Own 408	5977	23
C70D		Own 408	5977	23	RHT	9-10	Own 358	5643	23	U8062		Own 447	5977	23
C80		Own 447	5977	23	RL	10-16	Own 358	5643	23	U8064		Own 501	5977	23
C90		Own 501	5977	23	RLD	8	Own 358	5643	23	U9062		Own 501	5977	23
C4064		Own 358	5643	23	RLS		Own 358	5643	23	U9064		Own 501	5977	23
C6044		Own 408	5977	23	RM		Own 315RM	6087	23	UA	6½-7½	Herc. JXB	5674	126
C7044		Own 447	5977	23	RMT		Own 315RM	6087	23	UB	8	Herc. JXC	5732	126
C7062		Own 408	5977	23	S	3-10	Own 453	5623	23	UD	3-4	Own 358	5643	23
C7064		Own 408	5977	23	S	3-10	Own 501	5977	23	UDF	3½-13½	Own 358	5643	23
C8044		Own 501	5977	23	SA	1½-2½	Herc. WXB	5496	129	UDF	3½-13½	Own 404	5623	23
C8062		Own 447	5977	23	SA	1½-2½	Herc. WXC	5649	129	UDP	4-11½	Own 358	5643	23
C8064		Own 501	5977	23	SA	1½-2½	Own 315	5643	23	UDT		Own 358	5643	23
C9044		Herc. HXB	5730	126	SC	3-10	Own 404	5623	23	UN	3-14	Own 404	5623	23
C9062		Own 501	5977	23	SCH	3-10	Own 404	5623	23	UNF	5-15	Own 453	5623	23
C9064		Own 501	5977	23	SCHS	3-10	Own 404	5623	23	UNFS		Own 404	5623	23
CA	3½-5	Own 453	5623	23	SCM	3-10	Own 404	5623	23	UNFS		Own 453	5623	23
CBS	3-10	Own 453	5623	23	SD	1½-2½	Herc. WXB	5496	129	UNT		Own 453	5623	23
CE	3-10	Own 453	5623	23	SD	1½-2½	Herc. WXC	5649	129	URB		Own 358	5643	23
CEA	3-10	Own 453	5623	23	SD	1½-2½	Own 315	5643	23	US	3-15	Own 453	5623	23
CF	7½	Wauk. 6RB	5568	239	SE	3-10	Own 404	5623	23	USE	3-10	Own 453	5623	23
D	1½-4	Own 358	5643	23	SH	2½-10	Wauk. 6KK	5473B	245	UT	7-23	Own 453	5623	23
DF	3-16	Own 358	5643	23	SH	2½-10	Herc. YXC	5526	130	UT	7-23	Own 501	5977	23
DF	3-16	Own 404	5623	23	SH	2½-10	Herc. YXB	5525	130	UTD	24	Own 501	5977	23
DFT		Own 358	5643	23	SH	2½-10	Own 404	5623	23	UTE	3-10	Own 453	5623	23
DH	3-4	Own 358	5643	23	SHS	3-3½	Herc. YXC	5526	130	UTO	20	Own 501	5977	23
DH	3-4	Own 404	5623	23	SHS	3-3½	Own 404	5623	23	UTS		Own 453	5623	23
DP	3½	Own 358	5643	23	T	3-10	Wauk. 6KK	5473B	245	UTT		Own 501	5977	23
DT		Own 358	5643	23	T	3-10	Herc. YXC	5526	130	ITR		Own 358	5643	23
F	3-10	Own 453	5623	23	T	3-10	Own 453	5623	23	IUTR		Own 358	5643	23
FE	7-20	Sterling	5753	223	T	3-10	Own 501	5977	23	2TR	18	Own 404	5623	23
FH		Own Y	5250	*	TA	3-3½	Herc. YXC	5526	130	2UTR		Own 404	5623	23
FK		Own Y	5250	*	TAS	3-3½	Herc. YXC	5526	130	3TR	20	Own 453	5623	23
FT	7-20	Sterling	5753	223	TB	3-3½	Herc. YXC	5526	130	3UTR		Own 453	5623	23
G	3-10	Own 404	5623	23	TC	3-3½	Own 501	5977	23	4TR	22½	Own 453	5623	23
GE	7-20	Sterling	5753	223	TD	20	Own 501	5977	23	4UTR		Own 453	5623	23
H	2½-3	Own Y	5250	*	TE	3-10	Own 404	5623	23	5TR	25	Own 501	5977	23
H	2½-3	Own M	5272	*	TEA	3-10	Own 404	5623	23	5UTR		Own 501	5977	23
H6		Wauk. 6KK	5473B	245	TF	3-10	Wauk. 6RB	5568	239	6D	7	Own 358	5643	23
H6		Wauk. 6KU	5473B	245	TF	3-10	Own 453	5623	23	6DF	6½	Own 358	5643	23
HPDS		Own Y	5250	*	TFA	3-10	Own 453	5623	23	6N	9	Own 453	5623	23
HS	3-3½	Own M	5272	*	TFT		Wauk. 6RB	5568	239	6NF	10	Own 453	5623	23
L		Own M	5272	*	TO	20	Own 501	5977	23	6T	10½	Own 501	5977	23
M		Own M	5272	*	TS	3-10	Own 453	5623	23	6TF	15	Wauk. 6RB	5568	239
M-6	2½-5	Wauk. 6KK	5473B	245	TT		Own 501	5977	23	6UD	6½	Own 358	5643	23
M-6	2½-5	Wauk. 6KU	5473B	245	T6	2½-5	Wauk. 6KK	5473B	245	6UN	9	Own 453	5623	23
N	3-10	Own 404	5623	23	T6	2½-5	Wauk. 6KU	5473B	245	6UNF	10	Own 453	5623	23
NA	3-3½	Own 404	5623	23	U10		Herc. JXB	5674	126	6UT	11	Own 501	5977	23


NOTE—* Indicates that these motors are listed in Guide A. For older models see Guide A.

Autocar, 6. Motor Models 315-315RM, 3 3/4 x 4 3/4"; 358

4x4 3/4"




McCord No. 6087





McCord No. 5643

McCord
No. 2224A

McCord No. 2225

McCord
No. 2954


McCord No. 2226A

McCord
No. 2162McCord
No. 2537


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
2SA507	Cyl. hd. 315-358	Cop. Asb.	1		5643
2RM507	Cyl. hd. 315 RM	Cop. Asb.	1		6087
	Mani. set				
	(3-2225, 2-2224A,				
	2-2226A, 1-2162)	Cop. Stl.	1		MS-102
	Valve cov. set (2-C1392)	Cork	1		CV-104
	Oil pan set, small				
	(1-C1394)	Cork	1		CS-2222
	Oil pan set, large				
	(1-C1395)	Cork	1		CS-2223
2SA4161	Oil pan set, large (1 pc.)	Vell.	1		ES-P1023
2SA4181	Cyl. base set (1 pc.)	Vell.	1		ES-3759
2SA3178	Gear cov. set (1 pc.)	Vell.	1		ES-1537
2SA2633	Exh. mani., large	Stl. Asb.	2		2226A
2SA2535	Exh. mani., small	Stl. Asb.	2		2224A
2SA2461	Int. mani.	Cop. Asb.	3		2225
2T2455A	Swan inlet branch	Cop. Asb.	1		2162
2SA372A	Valve cov.	Cork	2		C-1392
2T2634	Oil pan, small	Cork	1		C-1394
2SA4161	Oil pan, large	Cork	1		C-1395
2C213	Hot spot cut out	Stl. Asb.	2		2537
2SA21002	Int. pipe	Stl. Asb.	1		2954
2D21162	Int. stove (bottom)	Stl. Asb.	1		2955
6T2375	Carburetor	Cop. Asb.	1		846B
S1477	Radiator to hd.	Asb.	1		16088

Autocar, 6. Motor Models 404, 4 1/4 x 4 3/4"; 408, 4 1/8 x 5 1/4"; 447, 4 1/4 x 5 1/4"; 453, 4 1/2 x 4 3/4"; 501

4 1/2 x 5 1/4"




McCord No. 5623




McCord No. 5977



McCord No. 2160A



McCord No. 2162

McCord
No. 2161A

McCord No. 2537

McCord
No. 2757

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
2T407A	Cyl. hd. 404-453	Cop. Asb.	2		5623
2CB407	Cyl. hd. 408-447-501	Cop. Asb.	2		5977
	Mani. set (3-839K,				
	2-2160A, 2-2161A,				
	1-2162)	Cop. Stl.	1		MS-101
	Valve cov. set (3-C1393)	Cork	1		CV-103
	Oil pan set, small				
	(1-C1394)	Cork	1		CS-2222
	Oil pan set, large				
	(1-C1396)	Cork	1		CS-2221
2T4161A	Oil pan set, large (1 pc.)	Vell.	1		ES-P1022
2T4181B	Cyl. base set (1 pc.)	Vell.	1		ES-3803
2T3178A	Gear cov. set (1 pc.)	Vell.	1		ES-1627
7C222	Exh. pipe fig.	Cop. Asb.	1		2757
2T2633	Exh. mani., double	Stl. Asb.	2		2160A
2T2535	Exh. mani., single	Stl. Asb.	2		2161A
2T2461	Int. mani.	Cop. Asb.	3		839K
2T2455A	Swan inlet branch	Cop. Asb.	1		2162
2T372A	Valve cov.	Cork	3		C-1393
2T2634	Oil pan, small	Cork	1		C-1394
2T4161A	Oil pan, large	Cork	1		C-1396
2C213	Hot spot cut out	Stl. Asb.	2		2537
2C21162	Int. mani. stove 453-501	Stl. Asb.	1		2956
6T2404	Carburetor	Cop. Asb.	1		857A
S4082	Wat. outlet	Asb.	4		16078
S1477	Radiator to hd.	Asb.	1		16088
2T381	Cyl. wat. pl.	Cork	2		C-4323




Available, 4-6. Truck.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
F12	2	Wauk. 6ZK	5916	254	T37	2½-3	Wauk. 6MS	5761	247	WS155	2½	Wauk. 6BM	5921A	240
PX105	¾-1	Wauk. FC	5862	242	T39	3½	Wauk. 6SRL	5549	247	WS175	2½	Wauk. 6BM	5921A	240
T10	1½-2	Cont. 18E	5459	71	T41	2½-3	Wauk. 6KU	5473B	245	WS245	3-3½	Wauk. 6BK	5921A	240
T11	1½-2	Cont. 18E	5459	71	T43	3½	Wauk. 6SRL	5549	247	WS305	4	Wauk. 6-110	5777	256
T12	2	Wauk. 6ZK	5916	254	T43	3½-4	Wauk. 6SRK	5717	247	WS405	5	Wauk. 6-125	5885	256
T13	1½-2	Cont. 18E	5459	71	T45	4	Wauk. 6AB	5260A	239	X110	1½	Wauk. 6ZKA	5916	254
T13	1½-2	Cont. 16C	5669	70	T50	5	Wauk. 6RB	5568	239	X120	1½-2	Wauk. 6BM	5921A	240
T14	2	Wauk. 6ZK	5916	254	W120	1½-3	Wauk. 6BK	5921A	240	X120	1½-2	Wauk. 6ZKA	5916	254
T20	1½-2	Cont. 18E	5459	71	W140	2	Wauk. 6BK	5916	254	X140	2-5	Wauk. 6BL	5921A	240
T20	1½-2	Cont. 16C	5669	70	W150	2	Wauk. 6BK	5921A	240	X150	2	Wauk. 6BM	5921A	240
T20	2-2½	Wauk. 6TL	5603	248	W170	1½-3	Wauk. 6BK	5921A	240	X170	2½	Wauk. 6BM	5921A	240
T22	1½-2	Cont. 16C	5669	70	W200	2-2½	Wauk. 6TL	5603	248	X210	2½	Wauk. 6BK	5921A	240
T23	2½-3	Wauk. 6MS	5761	247	W210	1½-3	Wauk. 6BL	5921A	240	X220	3-6	Wauk. 6BK	5921A	240
T25	2-2½	Wauk. 6XK	5516	253	W230	2½-3	Wauk. 6-90	5779	255	X240	3-3½	Wauk. 6BK	5921A	240
T27	2½-3	Wauk. 6MS	5761	247	W240	1½-3	Wauk. 6BL	5921A	240	X250	3-7	Wauk. 6BZ	5916	254
T27	2-2½	Wauk. 6XK	5516	253	W300	3-3½	Wauk. 6-110	5777	256	X280	4-8	Wauk. 6BZ	5916	254
T30	2½-3	Wauk. 6MS	5761	247	W400	3½-4	Wauk. 6-125	5885	256	X300	3-3½	Wauk. 6-110	5777	256
T30	2-2½	Wauk. 6XK	5516	253	WS115	1½	Wauk. 6ZKA	5916	254	X310	4½-8	Wauk. 6MZR	5750	247
T32	2-2½	Wauk. 6XK	5516	253	WS125	2	Wauk. 6BM	5921A	240	X400	3½-4	Wauk. 6-125	5885	256
T35	2½-3	Wauk. 6KU	5473B	245	WS125	2	Wauk. 6ZKA	5916	254	X410	5-10	Wauk. 6SRK	5717	247

NOTE—For older models see Guide A.

Bassick Gascolator. See Gascolator.

Bean Spray Pump. 1 Cylinder.

McCord
No. 5079

McCord No. 6022

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
C435	Cyl. hd.	Cop. Asb.	1	5079
C635	Cyl. hd.	Cop. Asb.	1	6022
C4106	Muffler	Cop. Asb.	1	828A


Beaver Motor. See Le Roi.

Biederman, 6. Truck.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
10	1-2	Cont. 25A	5580A	68	50	3-7	Cont. E602	5758	71	60	3-7	Cont. E602	6105	71
20	1-2	Cont. 25A	5580A	68	50	3-7	Cont. E602	6105	71	60	3	Lyc. ASE	5598	161
20	1½-3	Wauk. 6BL	5930A	240	50	3-7	Cont. E601	5751	71	70	3-7	Cont. E602	5758	71
25	1-2	Cont. 25A	5580A	68	50	3-7	Cont. E601	6015	71	70	3-7	Cont. E602	6105	71
30	1-2	Cont. 25A	5580A	68	50	3	Cont. 29B	5751	71	70	3½	Herc. WXC3	5649	129
30	1½-3	Wauk. 6BL	5930A	240	50	3	Cont. 29B	6015	71	80	3-7	Cont. E602	5758	71
35	2-3	Herc. JXC	5732	126	50	1½-3	Wauk. 6BK	5921A	240	80	3-7	Cont. E602	6105	71
40	2-3	Herc. JXC	5732	126	55	3-7	Cont. E602	5758	71	80	5	Herc. RXB	5612	130
40	1½-3	Wauk. 6BK	5921A	240	55	3-7	Cont. E602	6105	71	80	5	Herc. RXB	5752	130
50	2-3	Herc. JXC	5732	126	60	3-7	Cont. E602	5758	71	80	5	Herc. RXB	6018	130

NOTE—For older models see Guide A.


Blackhawk Motor, 6. Passenger (Stutz) L6, 1929-33 3 ¾ x 4 ½ "



McCord No. 5520



McCord No. 1994



McCord No. 1995

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
29249	Cyl. hd.	Cop. Asb.	1	5520
	Mani. set (6-839F, 2-1995)	Cop. Asb.	1	MS-150
	Valve cov. set (2-C824)	Cork	1	CV-105
	Oil pan set (2-C840)	Cork	1	CS-2186
29209	Exh. pipe	Cop. Asb.	1	870E
20234	Exh. pipe to exh. tube	Cop. Asb.	1	858A
29251	Manifold	Cop. Asb.	6	839F
31156	Mani. ends	Cop. Asb.	2	1995
29203	Valve cov.	Cork	2	C-824
29085	Oil pan	Cork	2	C-840
29250	Int. mani. heater	Cop. Asb.	1	1994

Blackhawk Motor, 8. Passenger (Stutz) L8, 1929-30; Cont. Motor 16S; McCord No. 5177. See Page No. 76.

Bridgeport, 4-6. Truck, Bus. See Guide A.

Brockway, 4-6. Truck and Bus.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
BT	7½	Buda BTU	5290	*	90	1-2	Cont. 16C	5669	70	160C	4-5	Cont. 32B	5758	71
CJBF	1-1½	Wisc. F	5532	270	90	2-3	Cont. 28B	5459	71	160C	4-5	Cont. 32B	6105	71
E	1-2	Wisc. SU	5295	271	90B	1-2	Cont. 16C	5669	70	160X	4-5	Cont. 32B	5758	71
E8	1-2	Wisc. SU	5295	271	90C	2-3	Cont. 28B	5459	71	160X	4-5	Cont. 32B	6105	71
EB4		Wisc. Y	5296	*	90X	2-3	Cont. 28B	5459	71	165	5-7	Cont. 32B	5758	71
EG	1½	Wisc. G	5529	270	92	1-2	Cont. 16C	5669	70	165	5-7	Cont. 32B	6105	71
EN	1½	Wisc. N	5474	*	92	1-2	Cont. 25B	5580A	68	165X	5-7	Cont. 32B	5758	71
JBF		Wisc. F	5532	270	92	1-2	Cont. 27B	5669	70	165X	5-7	Cont. 32B	6105	71
JF	1½	Wisc. F	5532	270	92C	1-2½	Cont. 27B	5669	70	170	4	Cont. 33B	5534	75
PC22DR	2-10	Cont. 33B	5534	75	94	1-2½	Cont. 25B	5580A	68	170C	4-5	Cont. 33B	5534	75
PC22SB	2-10	Cont. 33B	5534	75	96	2-4	Cont. 29B	5751	71	170X	4-5	Cont. 33B	5534	75
PC22SD	3½-4	Cont. 32B	5758	71	96	2-4	Cont. 29B	6015	71	175	4-7	Cont. 34B	5534	75
PC22SD	3½-4	Cont. 32B	6105	71	100	2-3	Cont. 28B	5459	71	175C	4-7	Cont. 34B	5534	75
PC22SP	3-4	Cont. 33B	5534	75	100C	2-3	Cont. 28B	5459	71	175X	4-7	Cont. 34B	5534	75
PC34SD	5	Cont. 34B	5534	75	110	2-4	Cont. 29B	6015	71	180SB8	5-7	Cont. 32B	5758	71
PC34SP	5	Cont. 34B	5534	75	110	2-4	Cont. 29B	5751	71	180SB8	5-7	Cont. 32B	6105	71
PC34SPX	7½	Cont. 35B	5794	76	120	2-10	Cont. 30B	5534	75	180X	5-7	Cont. 32B	5758	71
PC64SD	7½	Cont. 33B	5534	75	120C	2-10	Cont. 30B	5534	75	180X	5-7	Cont. 32B	6105	71
PC68SD	7½	Cont. 34B	5534	75	125	2-3	Cont. 31B	5534	75	180XSBT	5-7	Cont. 32B	5758	71
PC68SPX	7½	Cont. 35B	5794	76	125X	2-3	Cont. 31B	5534	75	180XSBT	5-7	Cont. 32B	6105	71
PC155D		Cont. 28B	5459	71	130	2-4	Cont. 29B	6015	71	190	5-8	Cont. 33B	5534	75
RT	4-5	Cont. B5	5168	69	130	2-4	Cont. 29B	5751	71	195	5-8	Cont. 33B	5534	75
SW		Wisc. Y	5296	*	130PS	2-4	Cont. 29B	5751	71	195C	5-8	Cont. 33B	5534	75
S31	1-2	Wisc. SU	5295	271	130PS	2-4	Cont. 29B	6015	71	195X	5-8	Cont. 33B	5534	75
T	4-5	Cont. B5	5168	69	140	3-4	Cont. 30B	5534	75	220	7-10	Cont. 34B	5534	75
TA	4-5	Cont. B5	5168	69	140C	3-4	Cont. 30B	5534	75	220C	7-10	Cont. 34B	5534	75
T15	4-5	Cont. B5	5168	69	141	3-4	Cont. 30B	5534	75	220X	7-10	Cont. 34B	5534	75
17B	1-2	Cont. 16C	5669	70	141C	3-4	Cont. 30B	5534	75	240X	6-7	Cont. 35B	5794	76
60	1-2	Cont. 26B	5580A	68	145	3-4	Cont. 31B	5534	75	250	5	Cont. 33B	5534	75
65	1-2	Cont. 16C	5669	70	150	3-4	Cont. 32B	5758	71	260	10	Cont. 35B	5794	76
65	1-2½	Cont. 27B	5669	70	150	3-4	Cont. 32B	6105	71	260C	10	Cont. 35B	5794	76
75	1-2	Cont. 16C	5669	70	150C	4-5	Cont. 32B	5758	71	260S	10	Cont. 35B	5794	76
75	1-2½	Cont. 27B	5669	70	150C	4-5	Cont. 32B	6105	71	260X	10	Cont. 35B	5794	76
78	1-2	Cont. F6209	5928	72	150X4	3-4	Cont. 32B	5758	71	290	7-10	Cont. 16H	5146A	*
80	1-2	Cont. 26B	5580A	68	150X4	3-4	Cont. 32B	6105	71	290	7-10	Cont. 36B	5683	74
80C	1-2	Cont. 26B	5580A	68	150X5	3-4	Cont. 32B	5758	71	640	7-10	Cont. 16H	5146A	*
83	2-2½	Cont. 28B	5459	71	150X5	3½-4	Cont. 32B	6105	71	640	7-10	Cont. 36B	5683	74
87	2-2½	Cont. 28B	5459	71	160	4-5	Cont. 32B	5758	71					
88	1½-3	Cont. 28B	5459	71	160	4-5	Cont. 32B	6105	71					


NOTE—* Indicates that these motors are listed in Guide A. For older models see Guide A.

Brown-Lipe Gear (A. C. F., Fageol, Yellow Coach)

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
50-223-6	Trans. brg.	Vell.	1		V-9442
50-223-7	Trans. brg.	Vell.	1		V-9476
50-324-1	Pump pad cov.	Vell.	1		V-9409
55-223-4	Brg. cap	Vell.	1		V-9331
55-223-5	Countershaft cov. to case	Vell.	1		V-9336
55-223-6	Trans. brg. cap	Vell.	1		V-9332
55-331-2	Control hsg. to trans.	Vell.	1		V-9711
56-155-2	Trans. case cov.	Vell.	1		V-9335
56-155-3	Shifter case cov.	Vell.	1		V-9715
56-223-2	Trans. mainshaft hsg.	Vell.	1		V-9333
60-372-1	Transmission	Vell.	1		V-9045

Buda Motor, 4. (Diesel) Model D4-23

6x8"




McCord No. 5980

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
DE468R	Cyl. hd.	Cop. Asb.	2		5980
DE571L	Exh. pipe	Cop. Asb.	2		2903
DE572L	Inlet pipe	Cop. Asb.	2		2902




McCord No. 2902




McCord No. 2903


Buda Motor, 4. (Diesel) Model D4-30 6 1/2 x 8 3/4 "



McCord No. 5985




McCord No. 2898




McCord No. 2899

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
DE256	Cyl. hd.	Cop. Asb.	2		5985
	Mani. set (4-2899)	Cop. Asb.	1		MS-213
AP1084	Exh. pipe flg.	Asb.	1		2898
DE246L	Manifold	Cop. Asb.	4		2899

Buda Motor, 6. (Diesel) Models D6-17, D6M-17



McCord No. 5979



McCord No. 2904




McCord No. 2895




McCord No. 2896

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
DE3042	Cyl. hd.	Cop. Asb.	3		5979
	Mani. set (3-2896, 6-2895)	Cop. & Stl.	1		MS-212
	Cyl. hd. cov. set (3-16193)	Asb.	1		CV-632
	Push rod cov. set (3-C5164)	Cork	1		CV-644
	Oil pan set (2-C5201, 2-C5202, 2-C5203)	Cork	1		CS-2369
DE3070	Mani. outlet	Cop. Asb.	1		2904
KE258	Mani. outlet flg.	Cop. Asb.	1		1758
DE3066	Exh. mani.	Stl. Asb.	3		2896
DE3075	Int. pipe	Cop. Asb.	6		2895
DE3040	Cyl. hd. cov.	Asb.	3		16193
DE3152	Push rod cov.	Cork	3		C-5164
DE6422	Oil pan, right	Cork	2		C-5202
DE6423	Oil pan, left	Cork	2		C-5203
DE3739	Oil pan, ends	Cork	2		C-5201
DE3741	Oil pan hand hole cov.	Asb.	2		16195
DE3093	Gear case	Tr. Paper	1		36063
DE3733	Gear case cov., large	Asb.	1		16224
DE3733	Gear case cov., small	Asb.	1		16225
DE3689	Wat. pump body cov.	Asb.	1		16226
DE3139	C/C hand hole cov., large	Cork	3		C-5163
DE3140	C/C hand hole cov., small	Tr. Paper	3		30534

Buda Motor, 6. (Diesel) Models D6-30; Marine DM6-30 6 1/2 x 8 3/4 "




McCord No. 5985




McCord No. 2899

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
DE256	Cyl. hd.	Cop. Asb.	3		5985
	Mani. set (2-2899)	Cop. Asb.	1		MS-214
AP1084	Exh. pipe flg.	Asb.	1		2898
DE246L	Manifold	Cop. Asb.	6		2899

Buda Motor, 4. (Diesel) Models 4D-186; Marine 4DM-186 3 5/8 x 4 1/2 "



McCord No. 5983




McCord No. 6088


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
DE5001-1	Cyl. hd. (1/8" thick)	Cop. Asb.	1		5983
DE5459-2	Cyl. hd. (3/64" thick)	Cop. Asb.	1		5984
DE5883	Cyl. hd. (use with 55001 block)	Cop. Asb.	1		6088
	Mani. set (1-3052)	Stl. Asb.	1		MS-2570
	Cyl. hd. cov. set (1-C5166)	Cork	1		CV-647
	Push rod cov. set (1-C1344)	Cork	1		CV-614
	Oil pan set (1-C3027, 1-C1339, 2-C1348)	Cork	1		CS-2353
	Wat. jkt. cov. set (1-C3032)	Cork	1		CW-39
DE5035	Manifold	Stl. Asb.	1		3052
DE5402	Mani. outlet elbow	Stl. Asb.	1		S-3095
LE245	Mani. outlet elbow flg.	Cop. Asb.	1		1731

(Continued on Next Page)

Buda Motor, 4. Model 4D-186—Continued




McCord No. 3032




McCord No. S-2900

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
DE5040	Mani. cov. (marine)	Cork	1	C-5167
DE5038	Mani. blind flg. (marine)	Stl. Asb.	1	2900
DE5038	Mani. outlet flg. (marine)	Stl. Asb.	1	2900
GE144	Mani. wat. outlet (marine)	Vell.	1	V-5303
DE5002	Cyl. hd. cov.	Cork	1	C-5166
3033	Push rod cov. pl.	Cork	1	C-1344
3539	Oil pan, sides	Cork	2	C-1348
1540	Oil pan, front	Cork	1	C-3027
1541	Oil pan, rear	Cork	1	C-1339
1546	Oil pump to C/C	Vell.	1	V-9092
1508	Oil pump cov.	Vell.	1	V-9090
1526	Oil suction bracket	Vell.	1	V-9089
DE5188	Oil filter head	Cork	1	C-5168
DE4067	Gov. flg.	Tr. Paper	1	30516
DE5208	Fuel pump flg.	Asb.	1	16194
1424	Fuel pump drive brg.	Vell.	1	V-9395
DE583	Fuel injector nozzle holder	Sol. Cop.	4	3092
DE5358	Wat. pump cov.	Tr. Paper	1	30512
DE4087	Wat. pump to engine	Tr. Paper	1	30513
DE5365	Wat. pump inlet	Tr. Paper	1	30514
3058	Wat. jkt. cov.	Cork	1	C-3032
1625	Wat. jkt. inlet	Vell.	1	V-9091
DE4059	Wat. jkt. to hd.	Tr. Paper	1	30515
DE5268	C/C side cov.	Asb.	1	16197
DE5307	Cyl. front supp. pl.	Asb.	1	16191
DE5386	Gear case cov.	Tr. Paper	1	36060


Buda Motor, 4. (Diesel) Models 4DT-196, 4LD-196



McCord No. 6089




McCord No. 3057




McCord No. 3053


Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
DE55229	Cyl. hd. 4DT196	Stlplk.	1	S-6089
DE55408	Cyl. hd. 4DT196	Stl. Asb.	1	6089
DE55407				
DE55029-2	Cyl. hd. (5/64" thick)	Stlplk.	1	S-6090
	4LD196	Stlplk.	1	S-6090
	Mani. set 4DT196	Stl. Asb.	1	MS-2583
	(1-3057)			
	Mani. set 4LD196	Stl. Asb.	1	MS-2582
	(1-3053)			
DE55011	Manifold 4DT196	Stl. Asb.	1	3057
DE55187	Manifold 4LD196	Stl. Asb.	1	3053

Buda Motor, 6. (Diesel) Model 6D-377
Models 6D-415, 6DM-415, 6DMR-415


McCord No. 5981



McCord No. 5982



McCord No. 2901




McCord No. S3096

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
DE4119-1	Cyl. hd. (1/8" thick)	Cop. Asb.	1	5981
DE4796-2	Cyl. hd. (5/64" thick)	Cop. Asb.	1	5982
	Mani. set (1-3090)	Stl. Asb.	1	MS-2593
	Cyl. hd. cov. set	Cork	1	CV-560
	(1-C4717)			
	Push rod cov. set	Cork	1	CV-114
	(1-C3033)			
	Oil pan set (2-C3035, 2-C3036)	Cork	1	CS-2284
	Wat. jkt. cov. set	Cork	1	CW-40
	(2-C3034)			
DE50101	Exh. pipe outlet elbow	Stlplk.	1	S-3096
DE4192				
DE4025	Manifold	Stl. Asb.	1	3090
DE546	Exh. and int. flg.	Cop. Asb.	2	1759
1353	Exh. and int. flg. (industrial)	Cop. Asb.	1	1945
DE4016	Exh. and int. cov. (marine)	Cork	3	C-5165
DE4058	Exh. and int. flg. (marine)	Cop. Asb.	2	2901
DE4057	Cyl. hd. cov.	Cork	1	C-4717
DE4059	Cyl. hd. wat. cov.	Tr. Paper	1	30515
4033	Push rod cov.	Cork	1	C-3033
4539	Oil pan, sides	Cork	2	C-3035
4541	Oil pan, ends	Cork	2	C-3036
1508	Oil pump cov.	Vell.	1	V-9090
1546	Oil pump to C/C	Vell.	1	V-9092
1525	Oil pump suction cov.	Cork	1	C-3029

(Continued on Next Page)

Buda Motor, 4. Model 4DT-196—Continued




McCord No. 3090

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1526	Oil pump suction bracket	Vell.	1		V-9089
DE4067	Gov. flg.	Tr. Paper	1		30516
DE4086	Wat. pump cov.	Tr. Paper	1		30517
4867	Wat. pump cov. (marine)	Paper	1		30518
4886	Wat. pump flg. (marine)	Paper	1		30519
4635	Wat. pump conn. flg. (marine)	Tr. Paper	1		30520
DE4059	Wat. pump to cyl. hd.	Tr. Paper	1		30515
DE4295	Wat. pump inlet	Tr. Paper	1		30521
4058	Wat. jkt. cov.	Cork	2		C-3034
1625	Wat. jkt. cov. to inlet	Vell.	1		V-9091
MA265	Wat. outlet pipe	Tr. Paper	4		30522

Buda Motor, 6. Model 6D-1742, McCord No. 5986. See Page No. 32.

Buda Motor, 4. Models ET350-ET380

4 1/2 x 5 1/2"



McCord No. 6101

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
CUE984	Cyl. hd.	Cop. Asb.	1		6101

NOTE—For other Gasket see ETU Motor Listing, Page No. 19, in Guide A.


Buda Motor, 6. Models GL-GM-GM572

4 1/2 x 6"

Models GF-GF638-GM638, GM-638R

4 3/4 x 6"


Models Marine GM-GMF-GMR-GMFR



McCord No. 5263




McCord No. 1544



McCord No. 1735



McCord No. 1736



McCord No. 1974

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
GSE5	Cyl. hd.	Cop. Asb.	1		5263
	Man. set (1-1544)	Cop. Asb.	1		MS-2457
GSE65	Valve cov. (3 pcs.)	Vell.	1		ES-2223
GSE71	Oil pan set (1 pc.)	Vell.	1		ES-956
GSE72	Gear cov. (1 pc.)	Vell.	1		ES-1117
GSE73	Cyl. base set, early models (1 pc.)	Vell.	1		ES-3851
GSE73A	Cyl. base set, late models (1 pc.)	Vell.	1		ES-3866
GSE234	Exh. flg.	Cop. Asb.	3		1974
GSE53	Manifold	Cop. Asb.	1		1544
GSE13	Int. hot spot, upper	Asb.	1		1736
GSE52	Int. hot spot, lower	Asb.	1		1735
GSE74	Wat. jkt. cov.	Asb.	1		16081
ASE113	Wat. pump to drive hsg.	Vell.	2		V-5551

Buda Motor, 4. Models H173-HM173 Marine

3 1/2 x 4 1/2"

Models H199-HM199 Marine


3 3/4 x 4 1/2"

Models H205-HP205, HPM205 Marine


3 1/8 x 4 1/2"

Models H217-HP217

3 1/8 x 4 1/2"



McCord No. 5613



McCord No. 2126



McCord No. 2123




McCord No. 1731

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
3061	Cyl. hd.	Cop. Asb.	1		5613
	Mani. set (1-2126, 2-2123)	Cop. Asb.	1		MS-2455
3033	Valve cov. set (2 pcs.)	Vell.	1		ES-1992
	Oil pan set (2-C1348, 2-C1339)	Cork	1		CS-2273
3539}	Oil pan set (4 pcs.)	Vell.	1		ES-6
1541}					
3058	Wat. jkt. cov. set (1 pc.)	Vell.	1		ES-1987
1055	Gear cov. set (1 pc.)	Vell.	1		ES-1534
1044	Front supp. pl. set (1 pc.)	Vell.	1		ES-1274
LE245	Exh. pipe flg.	Cop. Asb.	1		1731
3316}	Mani., center	Cop. Asb.	1		2126
1317}	Mani., ends	Cop. Asb.	2		2123
3539}	Oil pan, sides	Cork	2		C-1348
1541}	Oil pan, ends	Cork	2		C-1339
1508	Oil pump cov.	Vell.	1		V-9090
1546	Oil pump to case	Vell.	1		V-9092
1627	Wat. pump	Vell.	1		V-9367
1626	Wat. pump thrust cov.	Vell.	1		V-9061
1625	Wat. pump to jkt.	Vell.	2		V-9091
1639	Wat. outlet pipe	Vell.	1		V-5371
1645	Wat. inlet pipe	Vell.	1		V-5221

Buda Motor, 6. Models H260-HP260
Models H298-HP298-HP326
Models Marine HM260-HPM260-HM298-HPM293


3 1/2 x 4 1/2 "
3 3/4 x 4 1/2 "




McCord No. 5615




McCord No. 2123



McCord No. 2125

McCord
No. 1945

McCord No. 2164




McCord No. 2130


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1061	Cyl. hd.	Cop. Asb.	1		5615
	Mani. set (2-2125, 4-2123)	Cop. Asb.	1		MS-208
1033	Valve cov. set (2 pcs.)	Vell.	1		ES-2169
	Oil pan set (2-C1338, 2-C1339)	Cork	1		CS-2287
1055	Gear cov. set (1 pc.)	Vell.	1		ES-1534
1044	Front motor supp. set (1 pc.)	Vell.	1		ES-1274
1058	Wat. jkt. cov. set (1 pc.)	Vell.	1		ES-2194
1321	Exh. pipe flg.	Cop. Asb.	1		2130
1353	Exh. pipe flg. (industrial)	Cop. Asb.	1		1945
1376	Exh. mani. outlet flg.	Asb.	2		2464
1316	Exh. and int. port	Cop. Asb.	2		2125
1317	Exh. port	Cop. Asb.	4		2123
1539	Oil pan, sides	Cork	2		C-1338
1541	Oil pan, ends	Cork	2		C-1339
1508	Oil pump cov.	Vell.	1		V-9090
1546	Oil pump to case	Vell.	1		V-9092
1627	Wat. pump body	Vell.	1		V-9367
1626	Wat. pump thrust cov.	Vell.	1		V-9061
1625	Wat. pump to jkt.	Vell.	2		V-9091
1639	Wat. outlet pipe	Vell.	1		V-5371
1645	Wat. inlet pipe	Vell.	1		V-5221

Buda Motor, 6. Model J214


3 3/8 x 4"




McCord No. 5614





McCord No. 2122




McCord No. 2124

McCord
No. 2341

McCord No. 2342

McCord
No. 2343McCord
No. 1731

McCord No. C-1340




McCord No. C-1345




McCord No. C-1347

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
2061	Cyl. hd.	Cop. Asb.	1		5614
	Mani. set (2-2124, 4-2122)	Cop. Asb.	1		MS-209
	Mani. set (Reo-Checker Cab) (2-2341, 2-2342, 2-2343)	Stl. Asb.	1		MS-210
	Valve cov set (2-C1340)	Cork	1		CV-112
	Valve cov. set (2 pcs.)	Vell.	1		ES-2168
	Oil pan set (2-C1345, 1-C1346, 1-C1347)	Cork	1		CS-2253
2539-40- 41	Oil pan set (4 pcs.)	Vell.	1		ES-82
2058	Wat. jkt. cov. set (1 pc.)	Vell.	1		ES-2193
2055	Gear cov. set (1 pc.)	Vell.	1		ES-1535
LE-245	Exh. pipe flg.	Cop. Asb.	1		1731
2316	Exh. and int. port	Cop. Asb.	2		2124
2317	Exh. port	Cop. Asb.	4		2122
2377	Exh. and int. port (Reo-Checker Cab)	Stl. Asb.	2		2341
2378	Exh. port (Reo-Checker Cab)	Stl. Asb.	2		2342
2379	Exh. port (Reo-Checker Cab)	Stl. Asb.	2		2343
2033	Valve cov.	Cork	2		C-1340
2539	Oil pan, sides	Cork	2		C-1345
2540	Oil pan, front	Cork	1		C-1346
2541	Oil pan, rear	Cork	1		C-1347
1627	Wat. pump body	Vell.	1		V-9367
1626	Wat. pump thrust cov.	Vell.	1		V-9061
1625	Wat. pump to wat. jkt.	Vell.	1		V-9091
1639	Wat. outlet	Vell.	1		V-5371
1645	Wat. inlet	Vell.	1		V-5221

Buda Motors, 4-6. Models JK4, 6x7 $\frac{1}{8}$ "; JK6, 6x7 $\frac{1}{4}$ "; JL4, 5 $\frac{3}{4}$ x7 $\frac{1}{8}$ "; JL877, 6 $\frac{1}{4}$ x7 $\frac{1}{8}$ "; JX4.....5 $\frac{3}{4}$ x7 $\frac{1}{8}$ "



McCord No. 5314




McCord No. 5343


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
IE 11	Cyl. hd. 5 $\frac{3}{4}$ " bore motors	Cop. Asb.	2-3		5314
IE 144	Cyl. hd. 6-6 $\frac{1}{4}$ " bore motors	Cop. Asb.	2-3		5343

NOTE—For other gaskets for 5 $\frac{3}{4}$ " bore motor see JV series listed on Page No. 22 in Guide A. For other gaskets for 6-6 $\frac{1}{4}$ " bore motors see JH series listed on Page No. 22 in Guide A.


Buda Motor, 6. Models K325, 3 $\frac{1}{8}$ x4 $\frac{3}{4}$ "; K336, K358, 4x4 $\frac{3}{4}$ "; K369, 4 $\frac{1}{8}$ x4 $\frac{3}{4}$ "; K381, 4 $\frac{1}{8}$ x4 $\frac{3}{4}$ "; K393, 4 $\frac{1}{8}$ x4 $\frac{3}{4}$ "; K404, K428, 4 $\frac{3}{8}$ x4 $\frac{3}{4}$ "; L468, LO468, 4 $\frac{1}{4}$ x5 $\frac{1}{2}$ "; L525.....4 $\frac{1}{2}$ x5 $\frac{1}{2}$ "
Models Marine KM369, KM369R, KM393, KM393R, KM428, KM428R, LM451, LM468, LM468R, LM504, LM 525, LM525R.




McCord No. 5725




McCord No. 5805



McCord No. 2519



McCord No. 2520




McCord No. 2518


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
4061	Cyl. hd. (K Series)	Cop. Asb.	1		5725
5061R	Cyl. hd. (L Series)	Cop. Asb.	1		5805
	Mani. set				
	(1-2519, 2-2518, 2-2520)	Stl. Asb.	1		MS-211
	Valve cov. set (1-C3033)	Cork	1		CV-114
	Oil pan set				
	(2-C3035, 2-C3036)	Cork	1		CS-2284
4058	Wat. jkt. cov. set (1 pc.)	Vell.	1		ES-2386
4044	Gear hsg. set (K Series) (1 pc.)	Vell.	1		ES-1275
5044	Gear hsg. set (L Series) (1 pc.)	Vell.	1		ES-1278
4055	Gear cov. set (K Series) (1 pc.)	Vell.	1		ES-1536
5055	Gear cov. set (L Series) (1 pc.)	Vell.	1		ES-1539
GE546	Exh. pipe pack.	Cop. Asb.	1		1759
4317	Exh. and int. port	Stl. Asb.	2		2518
4316	Exh. port, middle	Stl. Asb.	1		2519
4318	Exh. port	Stl. Asb.	2		2520
4033	Valve cov.	Cork	1		C-3033
4539	Oil pan, sides	Cork	2		C-3035
4541	Oil pan, ends	Cork	2		C-3036
1508	Oil pump cov.	Vell.	1		V-9090
1627	Wat. pump	Vell.	1		V-9367
1626	Wat. pump thrust cov.	Vell.	1		V-9061
1625	Wat. pump to wat. jkt.	Vell.	2		V-9091
1639	Wat. outlet	Vell.	1		V-5371
1645	Wat. inlet	Vell.	1		V-5221

Buda Motor, 4. Model KT281, 4 $\frac{1}{8}$ x5 $\frac{1}{4}$ "; McCord No. 5251. For other gaskets see GTU Motor Listing Page No. 20 in A Guide.


Buda Motor, 6. (Diesel) Model LO525.....4 $\frac{1}{2}$ x5 $\frac{1}{2}$ "




McCord No. S-6028




McCord No. S-2948



McCord No. S-2949



McCord No. S-2950





McCord No. S-2951

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
5350	Cyl. hd.	Stlpk.	1		S-6028
	Mani. set (1-S2948, 1-S2949, 1-S2950, 1-S2951)	Stlpk.	1		SMS-2500
	Rock. arm cov. set (1-C4717)	Cork	1		CV-560
	Valve door cov. set (1-C3033)	Cork	1		CV-114
	Oil pan set (2-C3035, 2-C3036)	Cork	1		CS-2284
5367	Exh. pipe elbow to mani.	Stlpk.	1		S-2950
5359	Exh. pipe elbow to pipe	Stlpk.	1		S-2949
5353	Manifold	Stlpk.	1		S-2948
4057	Rock. arm cov.	Cork	1		C-4717
4033	Valve door cov.	Cork	1		C-3033
40142	Push rod cov. strip	Cork	1		C-4718
4539	Oil pan, sides	Cork	2		C-3035
4541	Oil pan, ends	Cork	2		C-3036
5356	Hot spot	Stlpk.	1		S-2951

Buda Motor, 6. (Diesel) Model 6LD275

3 1/2 x 4 3/4"

McCord No. S-6091
McCord No. S-6092


McCord No. 2988

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
DE50173	Cyl. hd. (1/8" thick)	Stlplk.	1		S-6091
DE50174	Cyl. hd. (5/64" thick)	Stlplk.	1		S-6092
	Mani. set (1-2988)	Cop. Asb.	1		MS-2558
	Cyl. hd. cov. set (1-C5169)	Cork	1		CV-645
	Push rod cov. set (1-C1343)	Cork	1		CV-615
	Oil pan set (2-C1338, 1-C1339, 1-C3027)	Cork	1		CS-2354
	Wat. jkt. cov. set (2-C3025)	Cork	1		CW-44
DE4192 }	Exh. outlet elbow	Stlplk.	1		S-3096
DE50101 }	Exh. outlet flg.	Cop. Asb.	1		2130
1321	Manifold	Cop. Asb.	1		2988
DE50057	Cyl. hd. minor	Cork	1		C-5171C
DE50016	Cyl. hd. cov.	Cork	1		C-5169
1033	Push rod cov.	Cork	1		C-1343
1539	Oil pan, sides	Cork	2		C-1338
1540	Oil pan, front	Cork	1		C-3027
1541	Oil pan, rear	Cork	1		C-1339
1546	Oil pump body	Vell.	1		V-9092
1508	Oil pump cov.	Vell.	1		V-9090
1526	Oil suction bracket	Vell.	1		V-9089
1525	Oil suction cov.	Cork	1		C-3029
1424	Fuel pump drive hsg.	Tr. Paper	1		30523
DE5056	Fuel pump drive cov.	Tr. Paper	1		30524
DE50209	Vacuum pump bracket	Tr. Paper	1		30525
DE5358	Wat. pump body cov.	Tr. Paper	1		30512
DE4087	Wat. pump to engine	Tr. Paper	1		30513
DE5365	Wat. pump inlet	Tr. Paper	1		30514
MA265	Wat. outlet	Tr. Paper	4		30522
MA265	Wat. mani.	Tr. Paper	3		30522
1058	Wat. jkt. cov.	Cork	2		C-3025
DE5307	Front supp. pl.	Asb.	1		16191
DE5386	Gear cov.	Tr. Paper	1		36060


Buda Motor, 6. (Diesel) Models 6LD415-6LDM415
Models 6LD468-ULDM468

4x5 1/2"

4 1/4 x 5 1/2"



McCord No. S-6093-No. S-6094



McCord No. S-6095-No. S-6096



McCord No. 2987

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
DE40417-1	Cyl. hd. 6LD415 (1/8" thick)	Stlplk.	1		S-6093
DE40418-2	Cyl. hd. 6LD415 (5/64" thick)	Stlplk.	1		S-6094
DE40419	Cyl. hd. 6LD468 (1/8" thick)	Stlplk.	1		S-6095
DE40420	Cyl. hd. 6LD468 (5/64" thick)	Stlplk.	1		S-6096
DE40859	Cyl. hd. 6LD468 (1/8" thick)	Cop. Asb.	1		6095
DE40860	Cyl. hd. 6LD468 (5/64" thick)	Cop. Asb.	1		6096
	Mani. set (1-2987)	Cop. Asb.	1		MS-2565
	Cyl. hd. cov. set (1-C4717)	Cork	1		CV-560
	Push rod cov. set (1-C3033)	Cork	1		CV-114
	Oil pan set (2-C3035, 2-C3036)	Cork	1		CS-2284
	Wat. jkt. cov. set (2-C3034)	Cork	1		CW-40
GE546	Exh. pipe elbow flg.	Cop. Asb.	2		1759
DE40019	Manifold	Cop. Asb.	1		2987
DE4057	Cyl. hd. cov.	Cork	1		C-4717
DE40142 }	Cyl. hd. cork	Cork	1		C-4718
DE40878 }					
4033	Push rod cov.	Cork	1		C-3033
4539	Oil pan, sides	Cork	2		C-3035
4541	Oil pan, ends	Cork	2		C-3036
1508	Oil pump cov.	Vell.	1		V-9090
1546	Oil pump body	Vell.	1		V-9092
5581	Oil filter	Tr. Paper	1		30526
DE4067	Gov. flg.	Tr. Paper	1		30516
DE4063	Fuel pump drive hsg.	Tr. Paper	1		30527


(Continued on Next Page)




Buda Motor, 6. Models 6LD415, 6LD468—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
DE3136	Fuel pump drive hsg. cov.	Tr. Paper	1		30528
DE5358	Wat. pump cov.	Tr. Paper	1		30512
DE4087	Wat. pump to engine	Tr. Paper	1		30513
DE5365	Wat. pump inlet	Tr. Paper	1		30514
MA265	Wat. mani.	Tr. Paper	3		30522
4058	Wat. jkt. cov.	Cork	2		C-3034
ASE167	Cyl. base hand hole cov.	Vell.	6		V-9514
5044	Gear hsg.	Vell.	1		ES-1278
DE4065	Gear cov.	Tr. Paper	1		30529


Buda Motor, 6. (Diesel) Models 6LD691; Marine 6LDM691..... 4 3/4 x 6 1/2"



McCord No. S-6097-No. S-6098




McCord No. 3054



McCord No. 3055

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
DE60221	Cyl. hd. (1/8" thick)	Stlpk.	2		S-6097
DE60239	Cyl. hd. (5/64" thick)	Stlpk.	2		S-6098
DE60336	Exh. mani. outlet	Stl. Asb.	2		3054
DE60144	Exh. to int. mani.	Stl. Asb.	1		3055

Buda Motor, 6. (Diesel) Models 6LD909-6LDM909..... 5 1/4 x 7"




McCord No. 6013




McCord No. 2897

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
DE30203	Cyl. hd. (1/8" thick)	Cop. Asb.	3		6013
DE30005	Cyl. hd. (5/64" thick)	Cop. Asb.	3		5987
	Mani. set (3-2896, 6-2897, 1-S2957)	Stl. & Cop.	1		MS-2473
	Cyl. hd. cov. set (3-16193)	Asb.	1		CV-632
	Push rod cov. set (3-C5164)	Cork	1		CV-644
DE3070	Exh. mani. flg.	Cop. Asb.	1		2904
DE30414	Muffler exh. tube flg.	Stlpk.	1		S-2957
DE3066	Exh. mani.	Stl. Asb.	3		2896
DE30037	Inlet pipe	Cop. Asb.	6		2897
DE3711	Inlet to exh.	Stlpk.	1		S-2958
DE3040	Cyl. hd. cov.	Asb.	3		16193
DE3152	Push rod cov.	Cork	3		C-5164
ISE434	Wat. pump cov.	Paper	1		30530
DE145	Wat. pump inlet	Tr. Paper	1		30531
DE3073	Wat. outlet pipe	Tr. Paper	6		30532
MA265	Wat. outlet flg.	Tr. Paper	3		30522
DP94	Cyl. base hand hole cov.	Tr. Paper	6		30533
DE3139	Hand hole cov., large	Cork	3		C-5163
DE3140	Hand hole cov., small	Tr. Paper	3		30534


Buda Motor, 6. (Diesel) Model 6LD1611-6D1742..... 6 1/4 x 8 3/4"



McCord No. 5986



McCord No. 2899





McCord No. 3094

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
DE2011	Cyl. hd.		3		5986
	Cyl. hd. cov. set (3-C5158)	Cork	1		CV-646
	Push rod cov. set (3-34017)	Tr. Paper	1		CV-650
	Oil pan set (1-C5159, 1-C5160, 2-C5161, 2-C5162)	Cork	1		CS-2363
DE246	Exh. pipe	Cop. Asb.	3		2899
DE257	Inlet pipe	Cop. Asb.	6		3094
DE1153	Cyl. hd. cov.	Cork	3		C-5158
DE2228	Push rod cov.	Tr. Paper	3		34017
DE20406	Oil pan, rear sides	Cork	2		C-5161
DE20407	Oil pan, front sides	Cork	2		C-5162
DE2537	Oil pan, front	Cork	1		C-5159
DE2538	Oil pan, rear	Cork	1		C-5160
DE3741	Oil pan cov. pl.	Asb.	2		16195
DE2231	Gear hsg., large	Asb.	1		16190
DE2232	Gear hsg., small	Asb.	1		16198
DE2233	Gear hsg. cov.	Tr. Paper	1		30535
DE664	Gear hsg. cov. pl.	Tr. Paper	1		30536
DE1542	Wat. pump cov.	Asb.	1		16196
DE1541	Wat. pump to gear case	Asb.	2		16199
DE145	Wat. pump inlet and outlet	Tr. Paper	2		30531
DE2227	C/C hand hole cov.	Tr. Paper	3		30537
DE2238	C/C cleanout cov.	Tr. Paper	3		30538

Buda Motor, 6. (Diesel) Model 6LD1742

6 1/4 x 8 3/4"

McCord No. S-6099
McCord No. S-6100


McCord No. 3093



McCord No. 2899

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
DE10220-1	Cyl. hd. (1 1/8" thick)	Stlpk.	3	S-6099
DE10221-2	Cyl. hd. (5/8" thick)	Stlpk.	3	S-6100
	Mani. set			
	(6-3093, 3-2899)	Cop. Asb.	1	MS-2594
	Cyl. hd. cov. set			
	(3-16192)	Asb.	1	CV-631
	Push rod cov. set			
	(3-34017)	Tr. Paper	1	CV-650
	Oil pan set (2-C5162, 2-C5161, 1-C5159, 1-C5160)	Cork	1	CS-2363
AP-1084	Exh. outlet flg.	Asb.	1	2898
DE246	Exh. mani.	Cop. Asb.	3	2899
DE10018	Int. mani.	Cop. Asb.	6	3093
DE10099	Cyl. hd. cov.	Asb.	3	16192
DE2228	Push rod cov.	Tr. Paper	3	34017
DE20406	Oil pan, rear side	Cork	2	C-5161
DE20407	Oil pan, front side	Cork	2	C-5162
DE2537	Oil pan, front	Cork	1	C-5159
DE2538	Oil pan, rear	Cork	1	C-5160
DE3741	Oil pan cov. pl.	Asb.	2	16195
DP94	C/C hand hole cov.	Tr. Paper	4	30533
DE2238	C/C cleanout cov.	Tr. Paper	3	30538
DE1542	Wat. pump cov.	Asb.	1	16196
DE1541	Wat. pump to gear case	Asb.	1	16199
DE145	Wat. pump inlet and outlet	Tr. Paper	2	30531
DE2231	Gear hsg., large	Asb.	1	16190
DE2232	Gear hsg., small	Asb.	1	16198
DE2233	Gear hsg. cov.	Tr. Paper	1	30535
DE664	Gear hsg. pl.	Tr. Paper	1	30536

Buda Motor, 6. (Diesel) M707, M766




McCord No. S-6102

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
M60027	Cyl. hd.	Stlpk.	2	S-6102

Buda Motor, 4. Models YRC-YRH-YR425

4 3/4 x 6"



McCord No. 5892



McCord No. 1538

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
GE-782	Cyl. hd.	Cop. Asb.	1	5892
	Mani. set (2-1538)	Cop. Asb.	1	MS-2456
GE-576	Manifold	Cop. Asb.	2	1538

Buda Motor, 4. Model YT381, McCord No. 5192


4 1/2 x 6"

NOTE—For other gaskets see XTU Motor Listing on Page 21 in Guide A.

Buda—For older Models see Guide A.

Buffalo Motor, 4-6-8. (Marine) Models ATT4-ATT6-ATT8

8 1/4 x 9"




McCord No. 5893

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
ATT-51	Cyl. hd.	Cop. Asb.	4-6-8	5893

Buick Motor, 6. Passenger Model Standard 1928. See Page No. 27 in Guide A.

Buick Motor, 6. Passenger Model Series 116. Standard 1929
Model Series 40. Standard 1930

3 1/8 x 4 5/8"
3 7/8 x 4 5/8"




McCord No. 5486A



McCord No. 2678



McCord No. C-772



McCord No. 1886




McCord No. 1890




McCord No. 2011A



McCord No. C-766



McCord No. C-767










McCord No. C-771

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
214743	Cyl. hd.	Cop. Asb.	1	5486A
	Valve grinding set (1-5486A, 1-870C, 1-872C, 2-2678, 1-1890, 1-C771, 2-C772, 1-2011A, 1-2014)		1	9402
1399681	Mani. set (1-1890, 2-2678)	Stl. Asb.	1	MS-306
1399681	Mani. set (1-S1890, 2-S2678)	Stl. Asb.	1	SMS-306
	Rock. arm cov. set (1-C771)	Cork	1	CV-121
	Push rod cov. set (2-C772)	Cork	1	CV-122
	Oil pan set (1-C766, 1-C767, 2-C341)	Cork	1	CS-2180
	Oil pan set (1-P357, 1-P358, 2-C341)	Vell.	1	ES-357
226581	Cyl. base set (1 pc.)	Vell.	1	ES-3422
214700	Gear cov. set (1 pc.)	Vell.	1	ES-1318
	Diff. carr. set (1-V4224)	Vell.	1	ES-4224
	Axle hsg. set (1-V4224)	Vell.	1	ES-4224
211918	Exh. pipe flg.	Stl. Asb.	1	870C
211918	Exh. pipe flg.	Stl. Asb.	1	S-870C
211919	Exh. mani. valve body	Stl. Asb.	1	872C
211919	Exh. mani. valve body	Stl. Asb.	1	S-872C
1289022	Mani., front and center	Stl. Asb.	2	2678
215603	Mani., rear	Stl. Asb.	1	1890
710061-2	Mani., front and center	Stl. Asb.	2	S-2678
710063	Mani., rear	Stl. Asb.	1	S-1890
215724	Rock. arm cov.	Cork	1	C-771
215725	Push rod cov.	Cork	2	C-772
214734	Oil pan, right	Cork	1	C-766
214735	Oil pan, left	Cork	1	C-767
187246	Oil pan, ends	Cork	2	C-341
214734	Oil pan, R.H. (1-P357)	Vell.	1	P-357 set
214735	Oil pan, L.H. (1P-358)	Vell.		
187246	Oil pan, ends (2-C341)	Cork		
105453	Oil outlet	Cop. Asb.	2	507B
173976	Oil pump outlet fitting	Stl. Asb.	1	800AO
165552	Oil pipe flg. (main brg.)	Stl. Asb.	4	800AN
30271	Oil drain plug	Cop. Asb.	1	29 505A
840277	Oil drain plug	Cop. Asb.	1	30 510E
16-61	Carb. to riser	Stl. Asb.	1	29 850A
16-158	Carb. to riser	Stl. Asb.	1	30 866
16-158	Carb. to riser	Stl. Asb.	1	30 S-866
215463	Carb. riser to int.	Stl. Asb.	1	1886
219724	Exh. mani. to heat riser	Stl. Asb.	1	2011A
845003	Gasoline filter	Cork	1	C-928
194576	Wat. pump cov.	Vell.	1	V-9405
215495	Wat. inlet	Asb.	1	2223
206796	Wat. outlet	Asb.	1	2014
215485	Axle hsg.	Cork	1	C-699
215485	Axle hsg.	Vell.	1	V-4224
215485	Diff. carr.	Cork	1	C-699
215485	Diff. carr.	Vell.	1	V-4224
228042	Rear main brg.	Cork	2	C-915
105457	Vent and C/C	Cop. Asb.	1	103
197777	Rear wheel brg. oil seal	Cork	2	C-773
6081	Headlamp lens	Cork	2	C-7006

Buick Motor, 6. Passenger Model Master 1928. See Page No. 25 in Guide A.



Buick Motor, 6. Passenger Models Series 121-129, Master 1929
Models Series 50-60 Master, 1930

3 5/8 x 5"
3 3/4 x 5"

	Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
	214745	Cyl. hd.	Cop. Asb.	1	5485
McCord No. 5485		Valve grinding set (1-5485, 1-875B, 1-879A, 3-2679, 1-C764, 2-C765, 1-2011A, 4-V5036)		1	9401
	1399693	Mani. set (3-2679)	Cop. Asb.	1	MS-303
McCord No. 2679		Rock. arm cov. set (1-C764)	Cork	1	CV-117
		Push rod cov. set (2-C765)	Cork	1	CV-118
McCord No. 1885		Oil pan set (1-C768, 1-C769, 2-C341)	Cork	1	CS-2179
	228405	Oil pan set (1-P359, 1-P360, 2-C341)	Vell.	1	ES-359
McCord No. 2011A	214792	Cyl. base set (1 pc.)	Vell.	1	ES-3423
	212213	Gear cov. set (1 pc.)	Vell.	1	ES-1408
McCord No. C-765	212213	Diff. carr. set (1 pc.)	Vell.	1	ES-4223
	212213	Axle hsg. set (1 pc.)	Vell.	1	ES-4223
McCord No. C-768	211910	Exh. pipe fig.	Stl. Asb.	1	875B
	211911	Exh. mani. valve body	Stl. Asb.	1	879A
McCord No. C-769	1289023	Manifold	Stl. Asb.	3	2679
	214642	Rock. arm cov.	Cork	1	C-764
McCord No. C-769	214727	Push rod cov.	Cork	2	C-765
	188066	Push rod cov. screw	Cop. Asb.	8	2641
McCord No. C-768	214736	Oil pan, right	Cork	1	C-768
	214737	Oil pan, left	Cork	1	C-769
McCord No. C-341	187246	Oil pan, ends	Cork	2	C-341
	214736	Oil pan, right (1-P359)	Vell.	1	P-359 set
McCord No. C-341	214737	Oil pan, left (1-P360)	Vell.	1	P-359 set
	187246	Oil pan, ends (2-C341)	Cork	2	P-359 set
McCord No. C-768	105543	Oil outlet	Cop. Asb.	2	507B
	173976	Oil pump outlet fitting	Stl. Asb.	1	800AO
McCord No. C-768	165552	Oil pipe fig. (main brg.)	Stl. Asb.	4	800AN
	30271	Oil drain plug	Cop. Asb.	1 29	505A
McCord No. C-769	840277	Oil drain plug	Cop. Asb.	1 30	510E
	219724	Exh. mani. to heat riser	Stl. Asb.	1	2011A
McCord No. C-769	16-40	Carb. to riser	Stl. Asb.	1	866A
	16-40	Carb. to riser	Stl. Asb.	1	866A
McCord No. C-769	215462	Carb. riser to int.	Stl. Asb.	1	1885
	845003	Gasoline filter (A. C.)	Cork	1	C-928
McCord No. C-928	194576	Wat. pump cov.	Vell.	1	V-9405
	215495	Wat. inlet	Asb.	1	2223
McCord No. C-769	167243	Wat. outlet	Asb.	4	1737
	167243	Wat. outlet	Vell.	4	V-5036
McCord No. C-769	217040	Radiator cap	Cop. Asb.	1	1868
	212213	Axle hsg. and diff. carr.	Cork	2	C-698
McCord No. C-769	228042	Rear main brg., inner	Cork	2	C-915
	6081	Headlamp lens	Cork	2	C-7006

Buick Motor, 8. Passenger Model—Series 8-40, 1934-36
Model—Series 8-40, 1937-40
Model—Series 8-50, 1940

3 3/8 x 3 7/8"
3 3/8 x 4 1/8"
3 3/8 x 4 1/8"

	Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
	1303962	Cyl. hd.	Cop. Asb.	1	6037
McCord No. 6037	1303962	Cyl. hd.	Stl. Asb.	1	S-6037
		Valve grinding set (1-6037, 1-2170, 2-2171, 1-S2663, 1-S2563, 1-C3744, 1-C3798)		1 34-36	9028
		Valve grinding set (1-6037, 1-2170, 2-2171, 1-S2663, 1-S2563, 1-C3744, 1-C4308)		1 37-40	9029
McCord No. S-2661	1399499	Mani. set (1-2170, 2-2171)	Cop. Asb.	1	MS-309
	1399499	Mani. set (1-S2170, 2-S2171)	Stl. Asb.	1	SMS-309
McCord No. S-2840	1394889	Mani. set (4-307A, 8-601B)	Cop. Asb.	1	MS-2611
		Rock. arm cov. set (1-C3744)	Cork	1	CV-129
		Push rod cov. set (1-C3798)	Cork	1 34-36	CV-130

(Continued on Next Page)


Buick Motor, 8. Model 8-40—Continued



McCord No. 2170



McCord No. S-2663




McCord No. 2171




McCord No. S-2563




McCord No. S-2709




McCord No. S-3010




McCord No. C-3744



McCord No. C-3752



McCord No. C-3798



McCord No. C-3743

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	Push rod cov. set (1-C4308)	Cork	1	37-40	CV-533
	Oil pan set (1-C3752)	Cork	1	34-37	CS-2279
	Oil pan set (1-C4611)	Cork	1	38-40	CS-2308
	Oil pan set (1-P911)	Vell.	1	34-40	ES-911
	Wat. jkt. cov. set (1-C3800)	Cork	1		CW-30
	Wat. jkt. cov. set (1-V2178)	Vell.	1		ES-2178
	Front end supp. pl. set (1 pc.)	Vell.	1		ES-1020
	Gear cov. set (1-V1143)	Vell.	1		ES-1143
	Diff. carr. set (1-V4126)	Vell.	1	34-37	ES-4126
	Diff. carr. set (1-V4165)	Vell.	1	38	ES-4165
	Diff. carr. set (1-V4126)	Vell.	1	39-40	ES-4126
	Axle hsg. set (1-V4125)	Vell.	1	34-35	ES-4125
	Axle hsg. set (1-V4141)	Vell.	1	36-37	ES-4141
	Trans. set (automatic trans.) (1-V9738, 1-V9603, 1-V8283, 1-V8282, 1-V8284, 1-V8285, 2-V8286)	Vell.	1	38-39	VT-245
495390	Exh. pipe flg.	Stlpk.	1		S-2563
1283612	Exh. mani. valve body	Stlpk.	1		S-2663
1240006	Mani., center	Cop. Asb.	1		2170
1240007	Mani., ends	Cop. Asb.	2		2171
1283373	Mani., center	Stlpk.	1		S-2170
1283372	Mani., ends	Stlpk.	2		S-2171
1315295	Int. mani.	Cop. Asb.	4		307A
1315297	Exh. mani.	Cop. Asb.	8		601B
1266796	Rock. arm cov.	Cork	1		C-3744
1266979	Push rod cov.	Cork	1	34-36	C-3798
1296224	Push rod cov.	Cork	1	37-40	C-4308
1266798	Oil pan	Cork	1	34-37	C-3752
1300926	Oil pan	Cork	1	38-40	C-4611
1266798	Oil pan	Vell.	1	34-40	P-911
1300926	Oil pump body	Vell.	1		V-9221
843350	Oil drain and spark plug	Cop. Asb.	1-8		AM-510A
1286751	Carburetor	Stlpk.	1	34-35	S-2661
1288697	Carburetor	Stlpk.	1	36-38	S-2840
1310760	Carburetor	Stlpk.	1	39-40	S-3010
1286877	Automatic choke	Stlpk.	1	34-35	S-2709
854003	Gas filter bowl	Cork	1	34	C-928
1286148	Fuel pump	Vell.	1	34-37	V-8963
1305418	Fuel pump	Vell.	1	38-40	V-8308
1291772	Wat. jkt. cov.	Cork	1		C-3800
1291772	Wat. jkt. cov.	Vell.	1		V-2178
	Wat. jkt. cov. stud washer	Cop.	4		482
1266924	Wat. pump cov.	Vell.	1		V-9185
1285783	Wat. pump to C/C	Vell.	1		V-5097
1266927	Thermostat hsg.	Vell.	1		V-8417
1271686	Radiator inlet	Asb.	1		16110
1235437	Rear main brg. oil seal	Cork	2		C-1133
1266803	Gear cov.	Cork	1		C-3743
1266803	Gear cov.	Vell.	1		V-1143
486399	Diff. carr.	Vell.	1	34-37	V-4126
1302800	Diff. carr.	Vell.	138	40	V-4165
486399	Diff. carr.	Vell.	1	39	V-4126
486397	Axle hsg.	Cork	1	34-35	C-388
486397	Axle hsg.	Vell.	1	34-35	V-4125
230971	Axle hsg.	Cork	1	36-37	C-1066
230971	Axle hsg.	Vell.	1	36-37	V-4141
1302798	Axle hsg.	Cork	1	38	C-4598
1309770	Axle hsg.	Cork	1	39-40	C-4881
1307892	Trans. cov.	Cork	1	39-40	C-4788
1299720	Trans. control cov. bush.	Vell.	2	38-39	V-8286
1299666	Trans. side pl. to case	Vell.	1	38-39	V-9603
1299645	Trans. oil pan to case	Vell.	1	38-39	V-9738
1301648	Trans. oil pump body to cov.	Vell.	1	38-39	V-8282
1299623	Trans. oil pump inlet pipe	Vell.	1	38-39	V-8284
1299609	Trans. oil pump to case	Vell.	1	38-39	V-8285
1301601	Trans. rear brg. ret.	Vell.	1	38-39	V-8283
6084	Headlamp lens	Cork	2	34-36	C-7002
6085	Headlamp lens	Cork	2	37	C-7005
6084	Headlamp lens	Cork	2	38	C-7002
6085	Headlamp lens	Cork	2	39	C-7005

Buick Motor, 8. Passenger. Model Series 8-50, 1931


2 7/8 x 4 1/4"

Model Series 8-50, 1932-33

2 1/8 x 4 1/4"

Model Series 8-50, 1934-35

2 31/32 x 4 1/4"



McCord No. 5624A-5701



McCord No. 2169




McCord No. 2227



McCord No. 2228




McCord No. 2252



McCord No. 2254




McCord No. S-2604




McCord No. 2483




McCord No. 16017




McCord No. C-1135



McCord No. C-1083



McCord No. C-1080



McCord No. C-1081

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1254940	Cyl. hd.	Cop. Asb.	1		5624A
1283368	Cyl. hd.	Stlpk.	1		S-5624A
1257102	Cyl. hd. (low comp.)	Cop. Asb.	1		5701
	Valve grinding set				
	(1-5624A, 1-2227,				
	1-2228, 1-859H,				
	1-871BA, 1-860B,				
	2-C1081, 1-C1135) (late)		1	31-35	9030
	Mani. set (early) (2-2169)	Cop. Asb.	1	31	MS-307
	Mani. set (late)				
	(1-2227, 1-2228)	Cop. Asb.	1	31-35	MS-308
	Mani. set (late)				
	(1-S2227, 1-S2228)	Stlpk.	1	31-35	SMS-308
	Rock. arm cov. set				
	(1-C1135)	Cork	1		CV-123
	Push rod cov. set				
	(2-C1081)	Cork	1		CV-124
	Oil pan set (1-C1080)	Cork	1		CS-2209
	Oil pan set (1-P829)	Vell.	1		ES-829
	Wat. jkt. cov. set				
	(1-C1083)	Cork	1		CW-1
	Wat. jkt. cov. set				
	(1-V2192)	Vell.	1		ES-2192
1239920	Gear cov. set (1 pc.)	Vell.	1		ES-1259
	Diff. carr. set (1-V4126)	Vell.	1		ES-4126
	Axle hsg. set (1-V4125)	Vell.	1		ES-4125
1240514	Exh. pipe fig.	Cop. Asb.	1		860B
1283404	Exh. pipe fig.	Stlpk.	1		S-860B
1248704	Exh. valve body	Cop. Asb.	1	31-32	871BA
1271975	Exh. valve cov.	Cop. Asb.	1	33-35	859H
1239868	Mani. (early)	Cop. Asb.	2	31	2169
1253255	Mani., front (late)	Cop. Asb.	1	31-35	2228
1253004	Mani., rear (late)	Cop. Asb.	1	31-35	2227
1283371	Mani., front (late)	Stlpk.	1	31-35	S-2228
1283400	Mani., rear (late)	Stlpk.	1	31-35	S-2227
1239808	Rock. arm cov.	Cork	1		C-1135
1239807	Push rod cov.	Cork	2		C-1081
188066	Push rod cov. screw	Cop. Asb.	8		2641
1239654	Oil pan	Cork	1		C-1080
1239654	Oil pan	Vell.	1		P-829
1239894	Oil temperature reg.	Asb.	2	31	2180
1256274	Oil temperature reg.	Asb.	1	32-35	16017
840277	Oil drain and spark plug	Cop. Asb.	1-8		510E
16-225	Carb. to riser	Asb.	1	31	2254
16-199	Carb. to riser	Asb.	1	32-35	2252
1245918	Carb. riser to int.	Cop. Asb.	1	31	823E
1245918	Carb. riser to int.	Stlpk.	1	31	S-823E
1255141	Carb. riser to int.	Cop. Asb.	1	32-35	2483
1269296	Carb. riser to exh.	Stlpk.	1	33-35	S-2604
854003	Gas filter bowl	Cork	1		C-928
855229	Fuel pump bottom cov.	Cork	1	31-33	C-2303
856229	Fuel pump bottom cov.	Cork	1	34-35	C-3008
1230112	Fuel pump	Vell.	1	31-33	V-5667
1263184	Fuel pump	Vell.	1	34-35	V-9239
1248886	Wat. pump cov.	Vell.	1		V-5739
1253961	Wat. outlet	Asb.	2		2529
1266893	Wat. jkt. cov.	Cork	1		C-1083
1266893	Wat. jkt. cov.	Vell.	1		V-2192
	Wat. jkt. cov. stud washer	Cop.	32		465
486399	Diff. carr.	Vell.	1		V-4126
486397	Axle hsg.	Cork	1		C-399
486397	Axle hsg.	Vell.	1		V-4125
1240646	Rear main brg.	Cork	2	31-32	C-1138
1240647	Rear main brg.	Cork	2	33-35	C-1139
1239931	Rear brg. oil seal	Cork	2	31-32	C-1136
1235437	Rear brg. oil seal	Cork	2	33-35	C-1133
6082	Headlamp lens	Cork	2	31	C-7007
6081	Headlamp lens	Cork	2	32-33	C-7006
6083	Headlamp lens	Cork	2	34-35	C-7003


Buick Motor, 8. Passenger Model Series 8-50, 1940. McCord No. 6037. See Page No. 35.

Buick Motor, 8. Passenger Model Series 8-60, 1931-33

3 1/8" x 4 5/8"

Model Series 8-60, 1934-35

3 3/32" x 4 5/8"



McCord No. 5595A-5703



McCord No. 2170




McCord No. 2174




McCord No. 2171




McCord No. 2252




McCord No. 2118




McCord No. 16009




McCord No. C-1057



McCord No. C-1140



McCord No. C-1058



McCord No. C-1059

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1254729	Cyl. hd.	Cop. Asb.	1		5595A
1283369	Cyl. hd.	Stlpk.	1		S-5595A
1257103	Cyl. hd. (low-comp)	Cop. Asb.	1		5703
	Valve grinding set				
	(1-5595A, 1-2170,				
	2-2171, 1-877A, 1-869P,				
	1-870C, 1-C1057,				
	2-C1059)		1		9031
1399499	Mani. set (1-2170, 2-2171)	Cop. Asb.	1		MS-309
1399499	Mani. set (1-S2170,				
	2-S2171)	Stlpk.	1		SMS-309
	Rock. arm cov. set				
	(1-C1057)	Cork	1		CV-125
	Push rod cov. set				
	(2-C1059)	Cork	1		CV-126
	Oil pan set (1-C1140)	Cork	1		CS-2210
	Oil pan set (1-P944)	Vell.	1		ES-944
	Wat. jkt. cov. set				
	(1-C1058)	Cork	1		CW-2
	Wat. jkt. cov. set				
	(1-V2261)	Vell.	1		ES-2261
1241644	Gear cov. set (1 pc.)	Vell.	1		ES-1351
	Diff. carr. set (1-V4224)	Vell.	1		ES-4224
	Axle hsg. set (1-V4224)	Vell.	1		ES-4224
211918	Exh. pipe flg.	Stl. Asb.	1		870C
1283405	Exh. pipe flg.	Stlpk.	1		S-870C
1248705	Exh. mani. valve body	Cop. Asb.	1	31-32	877A
1248705	Exh. mani. valve body	Stlpk.	1	31-32	S-877A
1271976	Exh. mani. valve cov.	Cop. Asb.	1	33	869P
1305604	Exh. mani. valve cov.	Stlpk.	1	33	S-869P
1240006	Mani., center	Cop. Asb.	1		2170
1240007	Mani., ends	Cop. Asb.	2		2171
1283373	Mani., center	Stlpk.	1		S-2170
1283372	Mani., ends	Stlpk.	2		S-2171
1241658	Rock. arm cov.	Cork	1		C-1057
1236881	Push rod cov.	Cork	2		C-1059
188066	Push rod cov. screw	Cop. Asb.	8		2641
1241656	Oil pan	Cork	1		C-1140
1241656	Oil pan	Vell.	1		P-944
1234205	Oil pump valve body	Cop. Asb.	1		800G
1234661	Oil line front	Cop. Asb.	1		800AD
165552	Oil line, center	Stl. Asb.	3		800AN
1236980	Oil line, rear	Cop. Asb.	1		2118
840277	Oil drain and spark plug	Cop. Asb.	1-8		510E
1234124	Oil temperature reg.	Stl. Asb.	1	31	2298
1256273	Oil temperature reg.	Asb.	1	32-35	16009
16-199	Carb. to riser	Asb.	1		2252
1242436	Carb. riser to int.	Cop. Asb.	1		2174
1242436	Carb. riser to int.	Stlpk.	1		S-2174
1269296	Carb. riser to exh.	Stlpk.	1	33-35	S-2604
854003	Gasoline filter bowl	Cork	1		C-928
1230957	Fuel pump	Vell.	1	31	V-5672
1259857	Fuel pump	Vell.	1	32-35	V-5665
855229	Fuel pump bottom cov.	Cork	1	31	C-2303
856229	Fuel pump bottom cov.	Cork	1	32-35	C-3008
1234198	Wat. pump cov.	Vell.	1		V-5740
1266894	Wat. jkt. cov.	Cork	1		C-1058
1266894	Wat. jkt. cov.	Vell.	1		V-2261
	Wat. jkt. cov. stud	Cop.	34		465
1234849	Wat. outlet	Asb.	4		2181
215485	Diff. carr.	Cork	1		C-699
215485	Diff. carr.	Vell.	1		V-4224
215485	Axle hsg.	Cork	1		C-699
215485	Axle hsg.	Vell.	1		V-4224
1240646	Rear main brg. cork	Cork	2	31-32	C-1138
1240647	Rear main brg. cork	Cork	2	33-35	C-1139
394030	Rear brg. oil seal	Cork	2	31-32	C-914
1235437	Rear brg. oil seal	Cork	2	33-35	C-1133
197777	Rear wheel brg. oil seal	Cork	2		C-773
6081	Headlamp lens	Cork	2	31-33	C-7006
6083	Headlamp lens	Cork	2	34-35	C-7003


Buick Motor, 8. Passenger Model 8-70, 1940. McCord No. 5958. See Page No. 40.

Buick Motor, 8. Passenger Model Series 8-80, 1931-33


3 1/8 x 5"

Model Series 8-90, 1931-35


3 1/8 x 5"



McCord No. 5625A-5702



McCord No. 2117




McCord No. 2529



McCord No. 2172




McCord No. 2253




McCord No. 2173




McCord No. 8-2604




McCord No. C-1087



McCord No. C-1086



McCord No. C-1082




McCord No. C-1094

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1254941	Cyl. hd.	Cop. Asb.	1		5625A
1283370	Cyl. hd.	Stlplk.	1		S-5625A
1257104	Cyl. hd. (low-compression)	Cop. Asb.	1		5702
	Valve grinding set (1-5625A, 1-2117, 2-2172, 1-881A, 1-874F, 1-875B, 1-C1094, 2-C1087)		1		9032
1399500	Mani. set (1-2117, 2-2172)	Cop. Asb.	1		MS-310
1399500	Mani. set (1-S2117, 2-S2172)	Stlplk.	1		SMS-310
	Rock. arm cov. set (1-C1094)	Cork	1		CV-127
	Push rod cov. set (2-C1087)	Cork	1		CV-128
	Oil pan set (1-C1082)	Cork	1		CS-2211
	Oil pan set (1-P989)	Vell.	1		ES-989
	Wat. jkt. cov. set (1-C1086)	Cork	1		CW-7
	Wat. jkt. cov. set (1-V2309)	Vell.	1		ES-2309
1237160	Gear cov. set (1 pc.)	Vell.	1		ES-1529
	Diff. carr. and axle hsg. sets (1-V4223)	Vell.	2		ES-4223
211910	Exh. pipe flg.	Stl. Asb.	1		875B
1283406	Exh. pipe flg.	Stlplk.	1		S-875B
1248706	Exh. mani. valve body	Cop. Asb.	1	31-32	881A
1248706	Exh. mani. valve body	Stlplk.	1	31-32	S-881A
1271977	Exh. mani. valve cov.	Cop. Asb.	1	33	874F
1271977	Exh. mani. valve cov.	Stlplk.	1	33	S-874F
1234137	Mani., center	Cop. Asb.	1		2117
1236298	Mani., ends	Cop. Asb.	2		2172
1283375	Mani., center	Stlplk.	1		S-2117
1283374	Mani., ends	Stlplk.	2		S-2172
1234228	Rock. arm cov.	Cork	1		C-1094
1235257	Push rod cov.	Cork	2		C-1087
188066	Push rod cov. screw	Cop. Asb.	8		2641
1237179	Oil pan	Cork	1		C-1082
1237179	Oil pan	Vell.	1		P-989
1234661	Oil line, front	Stl. Asb.	1		800AD
165552	Oil line, center	Stl. Asb.	3		800AN
1236271	Oil line, rear	Cop. Asb.	1		2344
1234205	Oil pump valve body	Cop. Asb.	1		800G
1234124	Oil temperature reg.	Asb.	1		2298
1256273	Oil temperature reg.	Asb.	1	32-35	16009
840277	Oil drain and spark plug	Cop. Asb.	1-8		510E
16-205	Carb. to riser	Asb.	1		2253
1241793	Carb. riser to int.	Cop. Asb.	1		2173
1241793	Carb. riser to int.	Stlplk.	1		S-2173
1269296	Carb. riser to exh.	Stlplk.	1	33-35	S-2604
854003	Gasoline filter bowl	Cork	1		C-928
1230957	Fuel pump	Vell.	1	31	V-5672
1259857	Fuel pump	Vell.	1	32-35	V-5665
855229	Fuel pump bottom cov.	Cork	1	31	C-2303
856229	Fuel pump bottom cov.	Cork	1	32-35	C-3008
1234198	Wat. pump cov.	Vell.	1		V-5740
1266895	Wat. jkt. cov.	Cork	1		C-1086
1266895	Wat. jkt. cov.	Vell.	1		V-2309
	Wat. jkt cov. stud	Cop.	36		462
1234216	Wat. outlet	Asb.	6		2182
212213	Diff. carr. and axle hsg.	Cork	2		C-698
212213	Diff. carr. and axle hsg.	Vell.	2		V-4223
1240647	Rear main brg. cork	Cork	2		C-1139
1235437	Rear brg. oil seal	Cork	2		C-1133
184833	Rear wheel brg.	Cork	2		C-715
6081	Headlamp lens	Cork	2	31-33	C-7006
6083	Headlamp lens	Cork	2	34-35	C-7003

Buick Motor, 8. Passenger Model Series 8-60, 1936-40

Model Series 8-70, 1940

Models Series 8-80-90, 1936-40




McCord No. 5958




McCord Nos. 2832-S2832




McCord Nos. 2831-S2831




McCord No. S-2833



McCord No. S-2830




McCord No. C-699




McCord No. C-4101



McCord No. S-3009



McCord No. C-4044





McCord No. C-4103

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1298221	Cyl. hd.	Cop. Asb.	1		5958
1297992	Cyl. hd.	Stlplk.	1		S-5958
	Valve grinding set				
	(1-5958, 1-2831, 2-2832,				
	1-S2833, 1-870C,				
	1-C4044, 1-C4103)		1	36	9033
	Valve grinding set				
	(1-5958, 1-2831, 2-2832,				
	1-S2833, 1-870C,				
	1-C4044, 1-C4343,				
	1-V8416)		1	37-40	9034
1399779	Mani. set (1-2831, 2-2832)	Cop. Asb.	1		MS-311
1399779	Mani. set (1-S2831,				
	2-S2832)	Stlplk.	1		SMS-311
1394890	Mani. set (4-310A, 8-602A)	Cop. Asb.	1		MS-2612
	Rock. arm cov. set				
	(1-C4044)	Cork	1		CV-131
	Push rod cov. set				
	(1-C4103)	Cork	1	36	CV-132
	Push rod cov. set				
	(1-C4343)	Cork	1	37-40	CV-534
	Oil pan set (1-C4045)	Cork	1		CS-2293
	Oil pan set (1-P895)	Vell.	1		ES-895
	Gear cov. set (1-V1154)	Vell.	1		ES-1154
1289096	Ft. sup. pl. set (1 pc.)	Vell.	1		ES-1645
	Diff. carr. set 60-80				
	(1-V4154)	Vell.	1	36	ES-4154
	Diff. carr. set 60				
	(1-V4126)	Vell.	1	37	ES-4126
	Diff. carr. set 60				
	(1-V4165)	Vell.	1	38	ES-4165
	Diff. carr. set 60-70				
	(1-V4126)	Vell.	1	39-40	ES-4126
	Diff. carr. set 90				
	(1-V4224)	Vell.	1	36	ES-4224
	Diff. carr. set 80-90				
	(1-V4154)	Vell.	1	37-40	ES-4154
	Axle hsg. set 60-80				
	(1-V4155)	Vell.	1	36	ES-4155
	Axle hsg. set 60				
	(1-V4141)	Vell.	1	37	ES-4141
	Axle hsg. set 60				
	(1-V4164)	Vell.	1	38	ES-4164
	Axle hsg. set 90				
	(1-V4224)	Vell.	1	36	ES-4224
	Axle hsg. set 80-90				
	(1-V4155)	Vell.	1	37-40	ES-4155
211918	Exh. pipe flg.	Stl. Asb.	1		870C
1283405	Exh. pipe flg.	Stlplk.	1		S-870C
1287545	Exh. mani. valve	Stlplk.	1		S-2833
1297055	Mani., center	Cop. Asb.	1		2831
1297050	Mani., ends	Cop. Asb.	2		2832
1288762	Mani., center	Stlplk.	1		S-2831
1288763	Mani., ends	Stlplk.	2		S-2832
1315296	Int. mani.	Cop. Asb.	4		310A
1315298	Exh. mani.	Cop. Asb.	8		602A
1288741	Rock. arm cov.	Cork	1		C-4044
1288743	Push rod cov.	Cork	1	36	C-4103
1298009	Push rod cov.	Cork	1	37-40	C-4343
1288750	Oil pan	Cork	1		C-4045
1288750	Oil pan	Vell.	1		P-895
1287617	Oil pump body	Vell.	1		V-8427
843350	Oil drain and spark plug	Cop.	1-8		AM-510A
1292642	Carb. to int.	Stlplk.	1	36-38	S-2830
1310278	Carb. to int.	Stlplk.	1	39-40	S-3009
1289450	Fuel pump	Vell.	1		V-8429
1289529	Wat. pump cov.	Vell.	1		V-8814
1290062	Wat. pump cov. to body	Vell.	1		V-8428
1286880	Wat. pump to C/C	Vell.	1		V-5157
1289527	Thermostat hsg.	Vell.	1		V-8416
1287381	Gear cov.	Cork	1		C-3961
1287381	Gear cov.	Vell.	1		V-1154
1286968	Diff. carr. 60-80	Vell.	1	36	V-4154
486399	Diff. carr. 60	Vell.	1	37	V-4126
1302800	Diff. carr. 60	Vell.	1	38	V-4165

(Continued on Next Page)











Buick Motor, 8. Models Series 8-60-80-90—Continued

	Part No.	Name of Gasket	Type	Used Per Motor		Year	McCord No.
	486399	Diff. carr. 60-70	Vell.	1	39-40		V-4126
	214485	Diff. carr. 90	Vell.	1	36		V-4224
	1286968	Diff. carr. 80-90	Vell.	1	37-40		V-4154
	1302801						
	1286967	Axle hsg. 60-80	Cork	1	36		C-4101
	1286967	Axle hsg. 60-80	Vell.	1	36		V-4155
	230971	Axle hsg. 60	Cork	1	37		C-1066
	230971	Axle hsg. 60	Vell.	1	37		V-4141
	1302798	Axle hsg. 60	Cork	1	38		C-4598
	1302798	Axle hsg. 60	Vell.	1	38		V-4164
	1309770	Axle hsg. 60-70	Cork	1	39-40		C-4881
	215485	Axle hsg. 90	Cork	1	36		C-699
	215485	Axle hsg. 90	Vell.	1	36		V-4224
	1286967	Axle hsg. 80-90	Cork	1	37		C-4101
	1302799	Axle hsg. 80-90	Cork	1	38-40		C-4631
	1286967	Axle hsg. 80-90	Vell.	1	38-40		V-4155
	1302799						
	6084	Headlamp lens	Cork	2	36+38		C-7002
	6085	Headlamp lens	Cork	2	37+39		C-7005

McCord No. C-4045

McCord No. C-3961

Cadillac Motor, V8. Passenger.	Models Series 341A-341B, 1927-29	3 $\frac{5}{8}$ x 4 $\frac{1}{8}$ "
	Models Series 353, 1929-30; 355A, 1930-31; 355B, 1932	3 $\frac{5}{8}$ x 4 $\frac{1}{8}$ "
	Models Series 355C, 1933; 355D, 1934-35	3 $\frac{5}{8}$ x 4 $\frac{1}{8}$ "
	Models LaSalle Series 340, 1929-30	3 $\frac{5}{8}$ x 4 $\frac{1}{8}$ "
	Models LaSalle Series 345A, 1930-31; 345B, 1932; 345C, 1933	3 $\frac{5}{8}$ x 4 $\frac{1}{8}$ "
Bus.	Models Yellow Coach W365, 366, 603	3 $\frac{5}{8}$ x 4 $\frac{1}{8}$ "

	Part No.	Name of Gasket	Type	Used Per Motor		Year	McCord No.
	890470	Cyl. hd.	Cop. Asb.	2			5618B
	890470	Cyl. hd.	Stlpl.	2			S-5618B
		Mani. set (2-1807, 2-1809A, 4-1808, 4-2024)	Cop. Asb.	1	27-31		MS-403
		Mani. set (2-S1807, 2-S1809A, 4-S1808, 4-S2024)					
		Mani. set (2-2402, 2-2389A, 4-2403)	Cop. Asb.	1	32-35		MS-407
		Mani. set (2-S2402, 2-S2389B, 4-S2403A)					
		Valve cov. set (2-V2072)	Vell.	1			ES-2072
		Oil pan set (1-C629)	Cork	1			CS-2171
		Oil pan set (1-P726)	Vell.	1			ES-726
	874090	Cyl. base set (1 pc.)	Vell.	1			ES-3404
	874172	Gear cov. set (1 pc.)	Vell.	1			ES-1246
	886004	C/C front cov. set (2 pcs.)	Vell.	1			ES-1353
	876033	Axle hsg. set (1 pc.)	Vell.	1	27-30		ES-4203
	890078	Axle hsg. set (1 pc.)	Vell.	1	31-35		ES-4255
	876498	Exh. pipe flg.	Cop. Asb.	2			1812
	876498	Exh. pipe flg.	Stlpl.	2			S-1812
	876419	Exh., center	Cop. Asb.	2	27-31		1807
	876420	Exh., front and rear	Cop. Asb.	4	27-31		1808
	885631	Exh. to cross pipe	Cop. Asb.	2	27-31		1809A
	872764	Int. mani.	Cop. Asb.	4	27-31		2024
	876419	Exh., center	Stlpl.	2	27-31		S-1807
	876420	Exh., front and rear	Stlpl.	4	27-31		S-1808
	885631	Exh. to cross pipe	Stlpl.	2	27-31		S-1809A
	872764	Int. mani.	Stlpl.	4	27-31		S-2024
	890169	Mani., ends	Cop. Asb.	4	32-35		2403
	890203	Int. mani.	Cop. Asb.	2	32-35		2389A
	890195	Exh. mani. to header	Cop. Asb.	2	32-35		2402
	890169	Mani., ends	Stlpl.	4	32-35		S-2403A
	890203	Int. mani.	Stlpl.	2	32-35		S-2389B
	890195	Exh. mani. to header	Stlpl.	2	32-35		S-2402
	876435	Exh. heat control valve flg.	Asb.	1	27-28		16059
	872232	Valve cov.	Vell.	2			V-2072
	887337	Oil pan	Cork	1			C-629
	887337	Oil pan	Vell.	1			P-726
	30437	Oil drain plug	Cop. Asb.	1			418BN
	886095	Induction pipe cov.	Asb.	1			16071
	874114	Induction pipe to cyl.	Cop. Asb.	2			1601
	874114	Induction pipe to cyl.	Stlpl.	2			S-1601
	872395	Induction pipe to int.	Cop. Asb.	1	27-31		2006
	872395	Induction pipe to int.	Stlpl.	1	27-31		S-2006

McCord No. 1808

McCord No. 1807

McCord No. 1809A


McCord No. 2024

McCord No. 2403

McCord No. 2389A

(Continued on Next Page)


Cadillac Motor, V8. Models 341A thru 355D—Continued



McCord No. 2402



McCord No. 1722




McCord No. 2597




McCord No. 16059

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
876418	Induction pipe exh. tube flg.	Cop. Asb.	2		1806
876418	Induction pipe exh. tube flg.	Stlplk.	2		S-1806
50737	Carburetor	Sol. Cop.	1		2597
50736	Carb. bowl to body top	Cork	1	28-32	C-1386
50732	Carb. bowl to body bottom	Cork	1	28-32	C-361
891160	Carb. bottom bowl, small	Cork	1	32-35	C-3968
891176	Carb. bowl to body	Cork	1	32-35	C-3969
877337	Gascolator	Cork	1		C-918
854003	Gascolator bowl (A.C.)	Cork	1		C-928
882890	Gascolator bowl (St. Warner)	Cork	1		C-3338
119937	Gasoline inlet nipple	Cop. Asb.	1		503A
76401	Wat. pump cov.	Vell.	1		V-9469
76400	Wat. pump outlet	Vell.	1		V-9033
884270	Wat. outlet (cylinder)	Vell.	2		V-9470
874093	Wat. inlet (cylinder)	Vell.	2		V-5066
881012	Wat. pipe	Vell.	6		V-5115
879082	Radiator outlet	Vell.	1		V-9031
876954	Trans. top cov.	Vell.	1		V-9525
890514	Trans. cov.	Vell.	1	32-35	V-9719
6081	Headlamp lens	Cork	2	32-33	C-7006
6085	Headlamp lens	Cork	2	34-35	C-7005

Cadillac Motor, V8. Passenger. Models 36-60, 1936	3 3/8 x 4 1/2"
Models 36-70-75, 1936	3 1/2 x 4 1/2"
Models 37-60-65-70-75, 1937	3 1/2 x 4 1/2"
Models 38-60-60S-65-75, 1938	3 1/2 x 4 1/2"
Models 39-60S-61-75, 1939	3 1/2 x 4 1/2"
Models 40-60S-62-72-75, 1940	3 1/2 x 4 1/2"



McCord Nos. 5934-5935




McCord No. 5954

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1412661	Cyl. hd. 60	Cop. Asb.	2	36	5934
1412662	Cyl. hd. 70-75	Cop. Asb.	2	36	5935
1419759	Cyl. hd.	Stl. Asb.	2	37-40	5954
	Mani. set, all but 38-65-75.				
	39-75. 40-75. (2-S2836, 2-S2917)	Stlplk.	1	36-40	SMS-2440
	Mani. set 38-65-75. 39-75.				
	40-75. (2-S2917, 2-S847L)	Stlplk.	1	38-40	SMS-2492
	Valve cov. set (2-C4228)	Cork	1		CV-139
1096473	Oil pan set (2-C4225, 1-C4226, 1-C4227)	Cork	1	36-38	CS-2294
1096473	Oil pan set (2-P469, 1-P470, 1-P471)	Vell.	1	36-38	ES-469
1096473	Oil pan set (1 pc., 1-P764)	Vell.	1	36-38	ES-764
1097023	Oil pan set (2-C4225, 1-C4227, 1-C4951)	Cork	1	39-40	CS-2340
1097023	Oil pan set (2-P469, 1-P471, 1-P472)	Vell.	1	39-40	ES-472
1413272	Gear cov. set (1 pc.)	Vell.	1		ES-1289
1411263	Diff. carr. set (1 pc.)				
	36-60-70-75. 37-65-70-75 Vell.		1	36-37	ES-4329
	Diff. carr. set (1-V4167)				
	37-60. 38-60-60S-65. 39-60S-61. 40-60S-62-72 Vell.		1	37-40	ES-4167
1423573	Diff. carr. set (1 pc.)				
	38-65-75. 39-75. 40-75. Vell.		1	38-40	ES-4168
1426577	Exh. pipe flg. 36-60-70-75. 37-65-70-75. 38-65-75. 39-75. 40-75.	Stlplk.	2	36-40	S-2964
1419216	Exh. pipe flg. 37-60. 38-60-60S-65. 39-60S-61. 40-60S-62-72.	Stlplk.	1	37-40	S-2918
1419158	Manifold	Stlplk.	2	36-40	S-2917
1411133	Exh. mani. to cross mani. all but 38-65-75. 39-75. 40-75.	Stlplk.	2	36-40	S-2836
1424476	Exh. mani. to cross mani. 38-65-75. 39-75. 40-75.	Stlplk.	2	38-40	S-847L


(Continued on Next Page)

Cadillac Motor, V8. Models 36-60 thru 40-75—Continued


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1411420	Valve cov.	Cork	2	36-40	C-4228
1415048	Valve lifter guide chamber cov.	Vell.	4	36	V-9480
1410670	Oil pan, sides	Cork	2	36-40	C-4225
1413241	Oil pan, front	Cork	1	36-40	C-4227
1410671	Oil pan, rear	Cork	1	36-38	C-4226
1429132	Oil pan, rear	Cork	1	39-40	C-4951
1410670	Oil pan, sides (2-P469)	Vell.	1	36-38	P-469 set
1413241	Oil pan, front (1-P471)	Vell.			
1410671	Oil pan, rear (1-P470)	Vell.			
1410670-1	Oil pan (1 pc.)	Vell.	1	36-38	P-764
1413241	Oil pan, sides (2-P469)	Vell.	1	39-40	P-472 set
1413241	Oil pan, front (1-P471)	Vell.			
1429132	Oil pan, rear (1-P472)	Vell.			
1411095	Carburetor	Stlplk.	1		S-2580
854003	Gasolator and fuel pump bowl	Cork	1		C-928
1411094	Fuel pump	Vell.	1		V-8426
1411203	Wat. pump body	Vell.	1		V-9575
1411274	Wat. outlet	Vell.	2		V-5156
1418741	Diff. carr. 37-60, 38-60, 60S-65, 39-60S-61, 40-60S-62-72.	Vell.	1	37-40	V-4167
6083	Headlamp lens	Cork	2	36	C-7003
6084	Headlamp lens	Cork	2	37	C-7002
922299	Headlamp lens	Cork	2	38-39	C-7004




McCord No. S-2836




McCord No. S-2580




McCord No. C-4228



McCord No. C-4225



McCord No. C-4226




McCord No. C-4227

Cadillac. For older V8 models see Guide A.

Cadillac Motor, V12. Passenger Models 370A, 1930-31; 370B, 1932; 370C, 1933; 370D, 1934-35. 3 1/8 x 4"

Models 36-80-85, 1936; 37-85, 1937. 3 1/8 x 4"



McCord No. 5591A-5724




McCord No. 2094A




McCord No. 2179A




McCord No. 2176




McCord No. 1812



McCord No. S-2964



McCord No. S-2834




McCord No. 2835



McCord No. S-2052

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
889361	Cyl. hd.	Cop. Asb.	2		5591A
889361	Cyl. hd.	Stlplk.	2		S-5591A
894339	Cyl. hd. (.050 steel core)	Cop. Asb.	2		5724
894392	Cyl. hd. (.094 steel core)	Cop. Asb.	2		5724A
889408	Cyl. hd. (.142 steel core)	Cop. Asb.	2		5724B
	Mani. set (2-2176, 2-2179A, 4-2094A)	Cop. Asb.	1	31-35	MS-404
	Mani. set (2-S2176, 2-S2179A, 4-S2094A)	Stlplk.	1	31-35	SMS-404
	Mani. set (2-S2179A, 2-S2834, 4-S2094A)	Stlplk.	1	36-37	SMS-409
888009	Oil pan set (1 pc.)	Vell.	1		ES-831
888040	Cyl. hd. cov. set (2 pcs.)	Vell.	1		ES-2263
888014	Cyl. base set (2 pcs.)	Vell.	1		ES-3426
881184	Gear cov. set (1 pc.)	Vell.	1		ES-1703
57646	Diff. carr. set (1 pc.)	Vell.	1	31-35	ES-4202
1411263	Diff. carr. set (1 pc.)	Vell.	1	36-37	ES-4329
890078	Axle hsg. set (1 pc.)	Vell.	1		ES-4225
1426577	Exh. pipe flg. to mani. 370A-B-C, 36-80-85	Stlplk.	2	30-36	S-2964
876498	Exh. pipe flg. 370D	Cop. Asb.	2	32	1812
1413559	Exh. pipe flg. 36-80-85, 37-85.	Cop. Asb.	1		2835
881346	Mani., ends	Cop. Asb.	4		2094A
888059	Mani., center	Cop. Asb.	2		2179A
888058	Int. to exh.	Cop. Asb.	2	31-35	2176
881346	Mani., ends	Stlplk.	4		S-2094A
888059	Mani., center	Stlplk.	2		S-2179A
888058	Int. to exh.	Stlplk.	2	31-35	S-2176
894191	Int. to exh.	Stlplk.	2	36-37	S-2834
881304	Carburetor	Cop. Asb.	2		2052
894207	Carburetor	Stlplk.	2		S-2052
50736	Carb. bowl to body top 370	Cork	1		C-1386
50732	Carb. bowl to body bottom	Cork	1		C-361
854003	Gasolator bowl	Cork	1		C-928
882890	Gasolator bowl	Cork	1		C-3338
890010	Fuel pump	Vell.	1		V-8425
881012	Wat. pipe	Vell.	5		V-5115
890514	Trans. top cov.	Vell.	1		V-9719
6081	Headlamp lens	Cork	2	32-33	C-7006
6085	Headlamp lens	Cork	2	34-35	C-7005
6083	Headlamp lens	Cork	2	36	C-7003
6084	Headlamp lens	Cork	2	37	C-7002


Cadillac Motor, V16. Passenger Models 452A, 1930-31; 452B, 1932; 452C, 1933; 452D, 1934-35 3x4"
 Models 36-90, 1936; 37-90, 1937 3x4"



McCord No. 5519-5723



McCord No. 2094A



McCord No. 2095A




McCord No. 2053




McCord No. S-2669



McCord No. 2052




McCord No. 1812




McCord No. 2093

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
881027	Cyl. hd.	Cop. Asb.	2	5519
896450	Cyl. hd. (.050 steel core)	Cop. Asb.	2	5723
896503	Cyl. hd. (.078 steel core)	Cop. Asb.	2	5723A
883609	Cyl. hd. (.106 steel core)	Cop. Asb.	2	5723C
883608	Cyl. hd. (.134 steel core)	Cop. Asb.	2	5723B
	Mani. set (2-2053, 4-2094A, 4-2095A)	Cop. Asb.	1 30-31	MS-405
	Mani. set (2-S2053, 4-S2094A, 4-S2095A)	Stlplk.	1 30-31	SMS-405
	Mani. set (4-2094A, 4-2095A, 2-S2669)	Cop. Asb.	1 32-37	MS-406
	Mani. set (4-S2094A, 4-S2095A, 2-S2669)	Stlplk.	1 32-37	SMS-406
881239	Cyl. hd. cov. set (2 pcs.)	Vell.	1	ES-2332
881021	Oil pan set (1 pc.)	Vell.	1	ES-984
881183	Cyl. base set (2 pcs.)	Vell.	1	ES-3857
881184	Gear cov. set (1 pc.)	Vell.	1	ES-1703
57646	Diff. carr. set (1 pc.)	Vell.	1	ES-4202
881484	Exh. pipe fig.	Cop. Asb.	2 30-33	2093
881484	Exh. pipe fig.	Stlplk.	2 30-33	S-2093
876498	Exh. pipe fig.	Cop. Asb.	2 34-37	1812
876498	Exh. pipe fig.	Stlplk.	2 34-37	S-1812
881346	Mani., ends	Cop. Asb.	4	2094A
881387	Mani., center	Cop. Asb.	4	2095A
881355	Int. to exh.	Cop. Asb.	2 30-31	2053
881346	Mani., ends	Stlplk.	4	S-2094A
881387	Mani., center	Stlplk.	4	S-2095A
881355	Int. to exh.	Stlplk.	2 30-31	S-2053
896335	Int. to exh.	Stlplk.	2 32-37	S-2669
881304	Carb. to induction pipe	Cop. Asb.	2	2052
881304	Carb. to induction pipe	Stlplk.	2	S-2052
50736	Carb. bowl to body top 452	Cork	1	C-1386
50732	Carb. bowl to body bot- tom 452	Cork	1	C-361
6081	Headlamp lens	Cork	2 32-33	C-7006
6085	Headlamp lens	Cork	2 34-37	C-7005


Cadillac Motor, V16. Passenger Models 38-90, 1938; 39-90, 1939 3 1/4 x 3 1/4"




McCord No. 6023



McCord No. S-2966



McCord No. S-2967

McCord
No. S-2964

McCord No. S-2580

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
1423619	Cyl. hd.	Cop. Asb.	2	6023
	Mani. set (2-S851D, 2-S2966, 4-S2967)	Stlplk.	1	SMS-2567
1096909	Valve cov. set (2-C5081, 1-C5082, 1-C5083, 2-C5084)	Cork	1	CV-620
1096892	Oil pan set (1-C4625, 1-C4626, 2-C4627)	Cork	1	CS-2356
1423514	Gear cov. set (1 pc.)	Vell.	1	ES-1179
1423573	Diff. carr. set (1 pc.)	Vell.	1	ES-4168
1426577	Exh. pipe fig.	Stlplk.	2	S-2964
1425938	Mani., ends	Stlplk.	4	S-2967
1425939	Mani., center	Stlplk.	2	S-2966
1423768	Cross mani. to exh. mani.	Stlplk.	2	S-851D
1425928	Valve cov., left side front	Cork	1	C-5084
1425928	Valve cov., right side rear	Cork	1	
1425925	Valve cov., right side front	Cork	1	C-5081
1425925	Valve cov., left side rear	Cork	1	
1425926	Valve cov., front end	Cork	1	C-5082
1425927	Valve cov., rear end	Cork	1	C-5083
1423282	Oil pan, sides	Cork	2	C-4627
1423281	Oil pan, front	Cork	1	C-4626
1423280	Oil pan, rear	Cork	1	C-4625
1411095	Carburetor	Stlplk.	4	S-2580
1411094	Fuel pump	Vell.	2	V-8426
854003	Fuel pump bowl	Cork	2	C-928
1426786	Wat. pump	Vell.	2	V-9279
1426413	Wat. outlet	Vell.	2	V-5414
922299	Headlamp lens	Cork	2	C-7004



Carburetor Gaskets—Carter.


Name of Gasket	Car Make and Model	Type	Carter No.	Part No.	McCord No.
Carb. to mani.	Plymouth 1935-39	Stlpl.	1A-30	637192	S-2807
Carb. to mani.	Chrysler 1937-39	Stlpl.	1A-31	637191	S-2829
Carb. pump cyl.	Chevrolet-Studebaker	Cork	20-29	836680	C-3977
Carb. bowl ring	Chevrolet 4-6, 1928-31	Paper	23A-14	342134	30066
Carb. bowl cov.	Chevrolet	Vell.	121-12	836660	V-5751
Carb. air horn and body	Dodge-Plymouth	Tr. Paper	121-17	313214	30063
Carb. body flg.	Dodge-Plymouth 1933-34	Asb.	121-20		16044
Carb. body flg.	Dodge-Plymouth 1935-39	Asb.	121-37		16113
Carb. body flg.	Chrysler 1933-36	Stlpl.	121-38	324833	S-2829

Carburetor Gaskets—Marvel.


Name of Gasket	Car Make and Model	Marvel No.	Part No.	McCord No.
Int. mani. to riser	Nash Adv. 6, 1929	16-37	70917	1940
Carb. flg.	Buick 6, Master	16-40		866-A
Carb. flg.	Buick 6, Master	16-40		S-832-N
Carb. to riser	Buick 6, Master	16-42	171566	1549
Riser to int.	Buick 6, Master	16-45	170734	832-N
Carb. riser to int.	Buick 6, Master	16-45	170734	S-832-N
Riser to exh.	Buick 6, Std.	16-46	221391	1920
Carb. to riser	Buick 6, Std.	16-56		1921
Carb. to riser	Buick 6, Master	16-60		1548
Carb. to riser	Buick 6, 116, Nash Adv. 6, 26-28	16-61		850-A
Riser to int.	Buick 6, Std.	16-63	173802	1234
Riser to int.	Buick 6, Master	16-64	180972	1236
Int. to riser	Nash 6, Adv.	16-68	57695	1335
Riser to exh.	Nash 6, Spl.	16-69	ML-6219	1444
Exh. mani. valve body	Buick 6, Master	16-93	162611	875-A
Exh. mani. valve body	Buick 6, Master	16-93	162611	S-875-A
Exh. to riser	Hudson 6, 1927	16-114	29336	1343
Int. to riser	Hudson 6, 1927	16-115	29335	1342
Exh. mani. valve body	Hudson, 1927-29	16-116	29363	1344
Int. to riser	Hudson 6, 1927-29	16-126	29921	1714
Exh. to riser	Hudson 6, 1927-29	16-127	29922	1695
Carb. to riser	Nash 6, 431	16-136		850-A
Carb. to riser	Nash Adv. 6, 1929	16-136	57693	S-850-A
Int. to riser	Nash 6, 461-468	16-137	70917	1940
Riser to exh.	Buick 6, 121-129	16-139	213539	1879
Riser to int.	Buick 6, 40-116	16-140	215463	1886
Riser to int.	Buick 6, 121-129	16-141	215462	1885
Carb. to elbow	Essex 6, Nash 6	16-145		2018
Carb. to riser	Essex 6, 1929, Nash 6	16-145		S-2018
Carb. to riser	Hudson 6, 1927-29	16-146		S-2019
Carb. to elbow	Hudson 6, 1929	16-146		2019
Carb. to riser	Essex 6, Marquette 6	16-150		2165
Carb. to riser	Essex 6, 1930-31, Marquette 6	16-150		S-2165
Mani. valve	Nash Light 6, 1927-32	16-154	17122	847-E
Int. to riser	Nash 6, Std.	16-155	18292	2042
Mani. to mani.	Nash Light 6, 1927-28	16-156	17123	1843
Carb. to riser	Buick 6, 116-40	16-158		866
Carb. to riser	Buick 6, 40	16-158		S-866
Carb. to riser	Buick 6	16-161		847-D
Carb. to riser	Hudson 8	16-168		2057
Carb. to riser	Hudson 8, 1930-33	16-168		S-2057
Carb. to riser	Essex 6	16-171	63552	1910
Exh. mani. valve cov.	Marquette 6	16-176	226487	2029-A
Int. to riser	Marquette 6	16-177	226326	2033
Int. to exh. mani.	Marquette 6	16-178	226324	2030-A
Carb. to header	Oakland 8	16-180		865-A
Carb. to header	Oakland 8, Pontiac V8	16-180		S-865-A
Int. mani. to carb. riser	Essex 6, 1930-31	16-193	65564	2068
Carb. to riser	Buick 8-50, 1932-34, 8-60, 1931-34	16-199		2252
Carb. to riser	Buick 8-80, 90, 1931-34	16-205		2253
Carb. to riser	Buick 8-50, 1931	16-225		2254
Carb. riser to int.	Buick 8-50, 1931	16-244	1245918	823-E
Exh. mani. valve body	Buick 8-60, 1931-32	16-245	1248705	877-A
Exh. mani. valve body	Buick 8-50, 1931-32	16-246	1248704	871-B
Carb. riser to int.	Buick 8-80-90, 1931-32	16-247	1241793	2173
Exh. mani. valve body	Buick 8-80-90, 1931-32	16-248	1248706	881-A
Carb. riser to int.	Buick 8-60, 1931-32	16-249	1242436	2174
Carb. flg.	Pontiac 6, 1932	16-305	494214	S-839-J



Chandler Motor, 6. Passenger Models Standard 6, 1927, 3x4 1/4"; Special 6, 1928, Model 65, 1929 3 1/8 x 4 1/4"




McCord No. 5504




McCord No. 1366

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
4223	Cyl. hd.	Cop. Asb.	1	27	5186
41323	Cyl. hd.	Cop. Asb.	1	28-29	5504
	Mani. set (2-1366)	Cop. Asb.	1		MS-525
	Valve cov. set (2-C285)	Cork	1		CV-151
	Oil pan set (1-C283)	Cork	1		CS-2114
2773	Manifold	Cop. Asb.	2		1366
11041	Valve cov.	Cork	2		C-285
2769	Oil pan	Cork	1		C-283
3466	Chain case cov.	Cork	1		C-284


Chandler Motor, 6. Passenger Models 33-35-35A-SS "Pikes Peak" Big 6, 1923-29 3 1/2 x 5"-3 3/4 x 5"



McCord No. 5097-A




McCord No. 2200



McCord No. C-108

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
4434 }	Cyl. hd.	Cop. Asb.	1		5097A
41363 }	Mani. set (9-1739)	Cop. Asb.	1		MS-529
	Valve cov. set (3-C108)	Cork	1	23-26	CV-150
	Valve cov. set (3-C504)	Cork	1	27-29	CV-155
	Oil pan set (1-C106, 1-C107, 1-C95)	Cork	1		CS-2109
3858	Chain cov. set (1 pc.)	Vell.	1		ES-1300
14647	Exh. pipe flg.	Cop. Asb.	1		2200
12903	Manifold	Cop. Asb.	9		1739
20128	Valve cov.	Cork	3	23-26	C-108
20128	Valve cov.	Cork	3	27-29	C-504
3861 }	Oil pan, right	Cork	1		C-106
3860 }	Oil pan, left	Cork	1		C-107
12809 }	Oil pan, rear	Cork	1		C-95
1507	Carburetor	Vell.	1		V-103A
3858	Chain case cov.	Cork	1		C-94

Chandler Motor, 8. Passenger Model Royal 75, 1929 3x4 1/2"




McCord No. 5491



McCord No. 1923

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
41581	Cyl. hd.	Cop. Asb.	1		5491
	Mani. set (4-1923)	Cop. Asb.	1		MS-528
	Valve cov. set (1-C789)	Cork	1		CV-154
	Oil pan set (1-C791, 1-C790)	Cork	1		CS-2226
18209	Manifold	Cop. Asb.	4		1923
18106	Valve cov.	Cork	1		C-789
33523 }	Oil pan	Cork	1		C-791
18188 }	Oil pan, front	Cork	1		C-790


Chandler, 8. Passenger Model Royal 85, 1927-29 3 3/8 x 4 3/4", 3 1/4 x 4 3/4", 3 3/8 x 4 3/4"



McCord No. 5352-A



McCord No. 1553



McCord No. 1554

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
7390	Cyl. hd.	Cop. Asb.	1		5352A
	Mani. set (4-1553)	Cop. Asb.	1		MS-527
	Valve cov. set (2-C570)	Cork	1		CV-153
	Oil pan set (1-C568, 1-C571)	Cork	1		CS-2183
15682	Manifold	Cop. Asb.	4		1553
15637	Exh. outlet	Cop. Asb.	1		1554
15733	Valve cov.	Cork	2		C-570
30703 }	Oil pan	Cork	1		C-568
15854 }	Oil pan, front	Cork	1		C-571
1507	Carburetor	Vell.	1		V-5217
30708	Gear cov.	Cork	1		C-573

Chandler—For older Models see Guide A.


Checker Taxicab, 4-6-8.

Model	No. Cyl.	Motor	McCord No.	See Page No.	Model	No. Cyl.	Motor	McCord No.	See Page No.	Model	No. Cyl.	Motor	McCord No.	See Page No.
.....	4	Buda WTU	5117A	*	M6	6	Buda J214	5614	29	Y8	8	Lyc. GF	5843	163
K6	6	Buda CS	5344	*	T8	8	Lyc. GU	5388A	163					

NOTE—*Indicates that these motors are listed in Guide A.

Chevrolet Motor, 4 to 1928. See Guide A.


Chevrolet Motor, 6. Passenger Models AC, 1929; AD, 1930; AE, 1931; BA, 1932 3 5/8 x 4 3/4"
 Sedan Delivery Models, 1929-31; BB, 1932 3 5/8 x 4 3/4"
 Truck Models LO, 1929; LR-LS, 1930; LT and M Series, 1931, N Series, 1932 3 5/8 x 4 3/4"




McCord Nos. 5480B-5644



McCord No. 1896-A



McCord No. 1897-A




McCord No. 2186-A



McCord No. 1898



McCord No. 2067-B



McCord No. S-2477



McCord No. 2514



McCord No. S-2644

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
836493	Cyl. hd.	Stl. Asb.	1	5480B
836493	Cyl. hd.	Stlplk.	1	S-5480B
363825	Cyl. hd.	Cop. Asb.	1	5644
364135	Valve grinding set (1-5480B, 2-S2591, 1-S2590, 1-S2644, 1-C3596, 1-C2996, 1-30050)		1	9005
	Mani. set (1-1896A, 2-1897A, 1-S2644)	Stl. Asb.	1	MS-554
364104	Mani. set (1-S2590, 2-S2591, 1-S2644)	Stlplk.	1	SMS-554
	Mani. set (1 pc.) (1-2186A)	Stl. Asb.	1	MS-2506
	Mani. set (1 pc.) (1-S2186A)	Stlplk.	1	SMS-2506
	Valve cov. set (3/8" thick) (1-C3596)	Cork	1	CV-163
	Valve cov. set (1/4" thick) (1-C930T)	Cork	1	CV-165
	Push rod cov. set (1-C2996)	Cork	1	CV-166
364161	Oil pan set (1-C797A, 1-C798A, 2-C3194)	Cork	1 29-31	CS-2184
364161	Oil pan set (1-P77, 1-P78, 2-C3194)	Vell.	1 29-31	ES-77
364126	Oil pan set (1-C3192, 1-C3193, 1-C3194, 1-C3195)	Cork	1 32	CS-2250
364126	Oil pan set (1-P85, 1-P86, 1-C3194, 1-C3195)	Vell.	1 32	ES-85
	Gear cov. set (1-V1123)	Vell.	1	ES-1123
	Gear cov. pl. set (1-V1021)	Vell.	1	ES-1021
	Diff. carr. set (1-V4102)	Vell.	1	ES-4102
	Axle hsg. cov. set (1-V4104)	Vell.	1	ES-4104
	Trans. set (pass.) (1-V5881, 1-V5673, 1-V5692, 1-V9408, 1-V9901C)	Vell.	1 29-30	VTS-102
	Trans. set (pass.) (1-V9424, 1-V9261, 1-V8827, 1-V9408, 1-V5692, 1-C683)	Vell.	1 31-32	VTS-104
356870	Exh. pipe pack.	Asb.	1	2302
355560	Exh. pipe flg.	Cop. Asb.	1	1887A
372029	Exh. pipe flg.	Stlplk.	1	S-2644
836828}	Mani., center	Stl. Asb.	1	1896A
836829}	Mani., ends	Stl. Asb.	2	1897A
	Manifold (1 pc.)	Stl. Asb.	1	2186A
837182}	Mani., center	Stlplk.	1	S-2590
837183}	Mani., ends	Stlplk.	2	S-2591
	Manifold (1 pc.)	Stlplk.	1	S-2186A
600120	Valve cov. (3/8" thick)	Cork	1	C-3596
363351	Valve cov. (1/4" thick)	Cork	1	C-930T
835677	Rock. arm wick (1/4" x 1 1/8")	Felt	12 29-31	10002
	Rock. arm pad (4" x 2 1/2" x 3/8")	Felt	1	10330
363701	Push rod cov.	Cork	1	C-2996
836204	Push rod cov. seal	Felt	6 29-30	10045
836425	Push rod cov. seal	Cork	6 31	C-2909
836738	Push rod cov. seal	Cork	6 32	C-3003
835604}	Oil pan, right	Cork	1 29-31	C-797A
835605}	Oil pan, left	Cork	1 29-31	C-798A
364396}	Oil pan, ends	Cork	2 29-31	C-3194
835604	Oil pan, right (1-P77)	Vell.		
835605	Oil pan, left (1-P78)	Vell.	1 29-31	P-77 set
364396	Oil pan, ends (2-C3194)	Cork		

(Continued on Next Page)

Chevrolet Motor, 6. 1929-32—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
364138	Oil pan, right	Cork	1	32	C-3193
364137	Oil pan, left	Cork	1	32	C-3192
364396	Oil pan, front	Cork	1	32	C-3194
364397	Oil pan, rear	Cork	1	32	C-3195
364138	Oil pan, right (1-P85)	Vell.	1	32	P-85 set
364137	Oil pan, left (1-P86)	Vell.			
364396	Oil pan, front (1-C3194)	Cork			
364397	Oil pan, rear (1-C3195)	Cork			
344690	Oil drain plug	Cop. Asb.	1		503B
836892	Oil pump cov.	Vell.	1		V-5597
105451	Oil dist. body	Cop. Asb.	1		500E
837953	Oil dist. cov.	Cork	1		C-4137
835905	Oil dist. valve cap	Cop. Asb.	1		511E
105450	Oil dist. pipe, rear	Cop. Asb.	8		500AA
114569	Oil dist. relay pipe	Cop. Asb.	1		500BA
835741	Int. to exh. (prior Nov.)	Cop. Asb.	1	29	1898
836344	Int. to exh. (after Nov.)	Cop. Asb.	1	29-31	2067B
836344	Int. to exh. (after Nov.)	Stlpk.	1	29-31	S-2067B
836727	Int. to exh.	Stlpk.	1	32	S-2477
836730	Int. to riser	Asb.	1	32	2514
326528	Carburetor	Vell.	1	29-31	V-5117
326528	Carburetor	Asb.	1	29-31	V-5117CA
326528	Carburetor (export only)	Asb.	1	29-31	16115
836732	Carburetor	Asb.	1	32	2515
836732	Carburetor	Stlpk.	1	32	S-2515
342134	Carb. bowl ring	Paper	1	29-31	30066
836660	Carb. bowl cov.	Vell.	1	32	V-5751
835683	Fuel pump flg.	Vell.	1		V-5500
854003	Fuel pump bowl	Cork	1		C-928
855559	Fuel pump diaphragm	Cork	1		C-1388
855229	Fuel pump bottom cov.	Cork	1		C-2303
346678	Gas tank filler cap	Cork	1		C-871
835526	Wat. pump body	Vell.	1		V-5613
346833	Wat. pump cov.	Vell.	1		V-5597
835614	Wat. outlet	Tr. Paper	1		30050
348931	Thermostat spacer	Vell.	1		V-9457
3053280	Thermostat hsg.	Vell.	1		V-8277
473721	Gear cov.	Paper	1		36006
473721	Gear cov.	Vell.	1		V-1123
836596	Gear cov. pl.	Paper	1		36007
836596	Gear cov. pl.	Vell.	1		V-1021
357496	Diff. carr.	Vell.	1		V-4102
344018	Axle hsg.	Cork	1		C-45
344018	Axle hsg.	Vell.	1		V-4104
365673	Front and rear wheel oil deflector	Vell.	4		V-9448
344072	Rear axle brg. washer	Cork	2		C-857
344042	Axle shaft brg. ret.	Paper	2	29	30031
357970	Axle shaft brg. ret.	Paper	2	30-32	30030
328683	Trans. case cov.	Chip Bd.	1	29-31	30068
328683	Trans. case cov.	Vell.	1	29-31	V-5881
590590	Trans. case cov. (syncro-mesh)	Chip Bd.	1	32	30069
590590	Trans. case cov. (syncro-mesh)	Vell.	1	32	V-9424
590580	Trans. case to free- wheeling case	Vell.	1	32	V-8827
590210	Main drive gear brg. ret.	Vell.	1	29-31	V-5673
590549	Main drive gear brg. ret.	Vell.	1	32	V-9261
348259	Univ. joint ball oil seal	Cork	2		C-683
348129	Univ. joint ball ret. shim	Vell.	1		V-9408
328684	Rear brg. ball ret.	Vell.	1	29-31	V-5692
590580	Rear brg. ball ret.	Vell.	1	32	V-8827
259258	Steering gear hsg.	Cork	1		C-4039
041121	Shock absorber cov.	Cork	4		C-2308
041117	Shock absorber pack.	Cork	4		C-1389
6084	Headlamp lens	Cork	2		C-7002

NOTE—Following gaskets are used on Chevrolet 1929-32 Trucks only.
Other gaskets are the same as those listed above.

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
359548	Diff. carr. set (1 pc.)	Vell.	1		ES-4234
345715	Axle hsg. cov. set (1 pc.)	Vell.	1		ES-4204

(Continued on Next Page)

Chevrolet, 6. 1929-32 Truck—Continued


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	Trans. set (1-V9540, 1-V9590, 1-V9591, 1-V9408, 1-V9285, 1-C683)	Vell.	1	31-32	VTS-106
345715	Axle hsg.	Cork	1		C-355
345773	Axle shaft brg. ret.	Paper	1	29-30	30029
359394	Axle shaft brg. ret.	Paper	1	30-32	30032
590366	Trans. case cov.	Chip Bd.	1	29-31	30071
590520	Trans. case cov.	Chip Bd.	1	31-32	30072
590520	Trans. case cov.	Vell.	1	31-32	V-9540
590508	Power takeoff (3 speed)	Vell.	1	31-32	V-8838
550719	Power takeoff (4 speed)	Vell.	1	30-32	V-9066
551932	Main drive gear brg. ret. (4 speed)	Vell.	1	29-31	V-8836
590480	Main drive gear brg. ret. (4 speed)	Vell.	1	32	V-8837
590487	Univ. joint ball ret.	Vell.	1	32	V-9285
365192	Front prop. shaft brg. supp. seal, front	Cork	1		C-3530
365208	Front prop. shaft brg. supp. seal, rear	Cork	1		C-3531
348129	Univ. joint ball ret. shim	Vell.	1		V-9408
348259	Univ. joint oil seal	Cork	1		C-683

Chevrolet Motor, 6. Passenger. Models Standard—CC-DC, 1933-34 3½x3½"

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
364836	Cyl. hd.	Stlplk.	1	33	S-5796
837405	Cyl. hd.	Stlplk.	1	34	S-5828
364825	Valve grinding set (1-S5796, 1-S2590, 2-S2591, 1-S2644, 1-C3514, 1-C3596, 1-30050)		1	33	9007
600527	Valve grinding set (1-S5828, 1-S2621, 1-S2622, 1-S2623, 1-S2801, 1-C3514, 1-C3596, 1-30050)		1	34	9013
	Mani. set (1-1896A, 2-1897A, 1-S2644)	Stl. Asb.	1	33	MS-554
364104	Mani. set (1-S2590, 2-S2591, 1-S2644)	Stlplk.	1	33	SMS-554
	Mani. set (1 pc.) (1-2186A)	Stl. Asb.	1	33	MS-2506
	Mani. set (1 pc.) (1-S2186A)	Stlplk.	1	33	SMS-2506
600460	Mani. set (1-S2621, 1-S2622, 1-S2623, 1-S2801)	Stlplk.	1	34	SMS-555
	Mani. set (1 pc.) (1-S2843)	Stlplk.	1	34	SMS-2504
	Valve cov. set (⅜" thick) (1-C3596)	Cork	1		CV-163
	Valve cov. set (¼" thick) (1-C930T)	Cork	1		CV-165
	Push rod cov. set (1-C3514)	Cork	1		CV-168
364956	Oil pan set (1-C3194, 1-C3195, 1-C3543, 1-C3555)	Cork	1		CS-2262
364956	Oil pan set (1-P89, 1-P91, 1-C3194, 1-C3195)	Vell.	1		ES-91
	Gear cov. set (1-V1123)	Vell.	1		ES-1123
	Gear cov. pl. set (1-V1021)	Vell.	1		ES-1021
	Diff. carr. set (1-V4025)	Vell.	1		ES-4025
	Axle hsg. set (1-V4025A)	Vell.	1		ES-4025A
	Trans. set (1-V9294, 1-V9444, 1-V9453, 1-V8826, 1-C3485)	Vell.	1		VTS-103
356870	Exh. pipe pack.	Cop. Asb.	1		2302
355560	Exh. pipe fig.	Cop. Asb.	1	33	1887A
372029	Exh. pipe fig.	Stlplk.	1	33	S-2644
377125	Exh. pipe fig.	Stlplk.	1	34	S-2801

(Continued on Next Page)


Chevrolet Motor, 6. Standard, 1933-34—Continued




McCord No. S-2477




McCord No. S-2801




McCord No. C-3596




McCord No. C-3514



McCord No. C-3355



McCord No. C-3543




McCord No. C-3535


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
836828	Mani., center	Stl. Asb.	1	33	1896A
836829	Mani., ends	Stl. Asb.	2	33	1897A
	Manifold (1 pc.)	Stl. Asb.	1	33	2186A
837182	Mani., center	Stl. Asb.	1	33	S-2590
837183	Mani., ends	Stl. Asb.	2	33	S-2591
	Manifold (1 pc.)	Stl. Asb.	1	33	S-2186A
837304	Mani., front	Stl. Asb.	1	34	S-2622
837305	Mani., center	Stl. Asb.	1	34	S-2621
837306	Mani., rear	Stl. Asb.	1	34	S-2623
	Manifold (1 pc.)	Stl. Asb.	1	34	S-2843
600120	Valve cov. ($\frac{1}{8}$ " thick)	Cork	1		C-3596
363351	Valve cov. ($\frac{1}{4}$ " thick)	Cork	1		C-930T
364820	Push rod cov.	Cork	1		C-3514
836994	Push rod cov. seal	Cork	6		C-3524
364316	Oil pan, right	Cork	1		C-3355
364957	Oil pan, left	Cork	1		C-3543
364396	Oil pan, front	Cork	1		C-3194
364397	Oil pan, rear	Cork	1		C-3195
364316	Oil pan, right (1-P89)	Vell.			
364957	Oil pan, left (1-P91)	Vell.			
364396	Oil pan, front (1-C3194)	Cork	1		P-91 set
364397	Oil pan, rear (1-C3195)	Cork			
837088	Oil pump cov.	Vell.	1		V-5989
344690	Oil pan drain plug	Cop. Asb.	1		503B
837953	Oil dist. cov.	Cork	1		C-4137
836727	Int. to exh.	Stl. Asb.	1	32-34	S-2477
836730	Int. mani. riser	Asb.	1	33	2514
601348	Carb. to mani.	Stl. Asb.	1	33	S-839N
837487	Carb. insulator	Stl. Asb.	1	34	S-2672
836660	Carb. bowl	Vell.	1		V-5751
836680	Carb. pump cyl., upper	Cork	1		C-3977
855559	Fuel pump diaphragm	Cork	1	33	C-1388
854004	Fuel pump bowl	Cork	1		C-928
855229	Fuel pump bottom cov.	Cork	1		C-2303
1521480	Fuel pump cov. pl.	Cork	1	34	C-3745
835683	Fuel pump	Vell.	1	33	V-5500
837526	Fuel pump	Paper	1	34	30144
837526	Fuel pump	Vell.	1	34	V-8963
1521472	Fuel pump valve pl.	Vell.	1	34	V-9186
1521480	Fuel pump cov. pl.	Cork	1	34	C-3745
346678	Gas tank filler cap	Cork	1		C-871
835526	Wat. pump body	Vell.	1		V-5613
473671	Wat. pump cov.	Vell.	1		V-5988
835614	Wat. outlet	Tr. paper	1		30050
348931	Thermostat outlet	Vell.	1		V-9457
473721	Gear cov.	Paper	1		36006
473721	Gear cov.	Vell.	1		V-1123
836596	Gear cov. pl.	Paper	1		36007
836596	Gear cov. pl.	Vell.	1		V-1021
472609	Diff. carr.	Vell.	1		V-4025
472608	Axle hsg.	Cork	1		C-3535
472608	Axle hsg.	Vell.	1		V-4025A
344072	Axle brg.	Cork	1		C-857
472942	Trans. case cov.	Chipbd.	1		30070
472942	Trans. case cov.	Vell.	1		V-9444
473216	Main drive gear brg. ret.	Vell.	1		V-9294
473047	Univ. joint ball oil seal	Cork	1		C-3485
472939	Univ. joint ball ret.	Vell.	1		V-8826
473046	Univ. joint ball ret. shim	Vell.	1		V-9453
259258	Steering gear hsg.	Cork	1		C-4039
472598	Front and rear hub oil deflector	Vell.	4		V-9472
6085	Headlamp lens	Cork	2		C-7005




Chevrolet Motor, 6. Passenger. Models Master CA-DA, 1933-34; EA-ED, 1935; FA-FD, 1936..... 3 1/8 x 4"
 Passenger. Models Standard EC, 1935; FC, 1936..... 3 1/8 x 4"
 Truck. Models CB-O Series, 1933; DB-P Series, 1934..... 3 1/8 x 4"
 Truck. Models EB-Q Series, 1935; FB-R Series, 1936..... 3 1/8 x 4"




McCord No. 5480B, 5644



McCord No. 5839




McCord No. 5870



McCord No. S-2621



McCord No. S-2622



McCord No. S-2623



McCord No. S-2843



McCord No. 1896A



McCord No. 1897A



McCord No. S-2671



McCord No. S-2670

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
836493	Cyl. hd.	Stl. Asb.	1	33	5480B
836493	Cyl. hd.	Stlpk.	1	33	S-5480B
363825	Cyl. hd.	Cop. Asb.	1	33	5644
837574	Cyl. hd.	Stl. Asb.	1	34	5839
837574	Cyl. hd.	Stlpk.	1	34	S-5839A
837574	Cyl. hd.	Cop. Asb.	1	34	5839C
837873	Cyl. hd.	Stl. Asb.	1	35-36	*5870
837723	Cyl. hd.	Stlpk.	1	35-36	*S-5870
837723	Cyl. hd.	Cop. Asb.	1	35-36	*5870C
*NOTE—For first 150,000 (1935) Std. model use McCord No. 5839, No. 5839C or No. S5839A.					
364338	Valve grinding set (1-5480B, 2-S2591, 1-S2590, 1-S2644, 1-C3596, 1-C3390, 1-30050)		1	33	9008
600526	Valve grinding set (1-5839, 1-S2621, 1-S2622, 1-S2623, 1-S2801, 1-C3949, 1-C3868, 1-30050)		1	34	9012
601411	Valve grinding set (1-5870, 1-S2621, 1-S2622, 1-S2623, 1-S2801, 1-C3868, 1-C3949, 1-30050)		1	35-36	*9017
*NOTE—For first 150,000 (1935) Std. model remove head gasket No. 5870 and use No. 5839.					
364104	Mani. set (1-1896A, 2-1897A, 1-S2644)	Stl. Asb.	1	33	MS-554
	Mani. set (1-S2590, 2-S2591, 1-S2644)	Stlpk.	1	33	SMS-554
600460	Mani. set (1 pc.) (1-2186A)	Stl. Asb.	1	33	MS-2506
	Mani. set (1 pc.) (1-S2186A)	Stlpk.	1	33	SMS-2506
364104	Mani. set (1-S2621, 1-S2622, 1-S2623, 1-S2801)	Stlpk.	1	34-36	SMS-555
	Mani. set (1 pc.) (1-S2843)	Stlpk.	1	34-36	SMS-2504
364104	Valve cov. set (1/8" thick) (1-C3596)	Cork	1	33	CV-163
	Valve cov. set (1/4" thick) (1-C930T)	Cork	1	33	CV-165
364104	Valve cov. set (3/8" thick) (1-C3868)	Cork	1	34-36	CV-170
	Valve cov. set (1/2" thick) (1-C3868T)	Cork	1	34-36	CV-172
364104	Push rod cov. set (1-C3390)	Cork	1	33	CV-167
	Push rod cov. set (1-C3949)	Cork	1	34-36	CV-171
364317	Oil pan set (1-C3194, 1-C3195, 1-C3354, 1-C3355)	Cork	1		CS-2259
364317	Oil pan set (1-P89, 1-P90, 1-C3194, 1-C3195)	Vell.	1		ES-89
364317	Gear cov. pl. set (1-V1023)	Vell.	1	33-34	ES-1023
	Gear cov. pl. set (1-V1025)	Vell.	1	35-36	ES-1025
364317	Gear cov. set (1-V1148)	Vell.	1		ES-1148
	Diff. carr. set (mast.) (1-V4142)	Vell.	1	33-36	ES-4142
364317	Diff. carr. set (std.) (1-V4025)	Vell.	1	34-36	ES-4025
	Axle hsg. set (mast.) (1-V4142A)	Vell.	1	33-36	ES-4142A
364317	Axle hsg. set (std.) (1-V4025A)	Vell.	1	35-36	ES-4025A

(Continued on Next Page)

Chevrolet Motor, 6. Master, 1933-36; Standard, 1935-36—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	Trans. set (mast.) (1-V5692, 1-V9261, 1-V9408, 1-V9424, 1-V8827, 1-C683)	Vell.	1	33-36	VTS-104
	Trans. set (std.) (1-V9294, 1-V9444, 1-V9453, 1-V9577, 1-C3485)	Vell.	1	35-36	VTS-103
356870	Exh. pipe pack.	Asb.	1	33	2302
355560	Exh. pipe flg.	Cop. Asb.	1	33	1887A
372029	Exh. pipe flg.	Stlpk.	1	33	S-2644
377125	Exh. pipe flg.	Stlpk.	1	34-36	S-2801
836828	Mani., center	Stl. Asb.	1	33	1896A
836329	Mani., ends	Stl. Asb.	2	33	1897A
	Manifold (1 pc.)	Stl. Asb.	1	33	2186A
837182	Mani., center	Stlpk.	1	33	S-2590
837183	Mani., ends	Stlpk.	2	33	S-2591
	Manifold (1 pc.)	Stlpk.	1	33	S-2186A
837304	Mani., front	Stlpk.	1	34-36	S-2622
837305	Mani., center	Stlpk.	1	34-36	S-2621
837306	Mani., rear	Stlpk.	1	34-36	S-2623
	Manifold (1 pc.)	Stlpk.	1	34-36	S-2843
600120	Valve cov. ($\frac{1}{8}$ " thick)	Cork	1	33	C-3596
363351	Valve cov. ($\frac{1}{4}$ " thick)	Cork	1	33	C-930T
601160	Valve cov. ($\frac{1}{8}$ " thick)	Cork	1	34-36	C-3868
601160	Valve cov. ($\frac{1}{4}$ " thick)	Cork	1	34-36	C-3868T
364330	Push rod cov.	Cork	1	33	C-3390
601278	Push rod cov.	Cork	1	34-36	C-3949
836994	Push rod cov. seal	Cork	6	33	C-3524
837264	Push rod cov. seal	Cork	6	34-36	C-3637
837854	Push rod cov. seal	Cork	6	35	C-4035
364316	Oil pan, right	Cork	1		C-3355
364315	Oil pan, left	Cork	1		C-3354
364396	Oil pan, front	Cork	1		C-3194
364397	Oil pan, rear	Cork	1		C-3195
364316	Oil pan, right (1-P89)	Vell.	1		P-89 set
364315	Oil pan, left (1-P90)	Vell.			
364396	Oil pan, front (1-C3194)	Cork			
364397	Oil pan, rear (1-C3195)	Cork			
837088	Oil pump cov.	Vell.	1	33-34	V-5989
837673	Oil pump cov.	Vell.	1	35-36	V-8965
837953	Oil dist. body	Cork	1	35-36	C-4137
344690	Oil drain plug	Cop. Asb.	1		503B
836730	Int. mani. riser	Asb.	1	33	2514
836727	Int. to exh.	Stlpk.	1	33-36	S-2477
836732	Carb. to mani.	Asb.	1	33	2515
836732	Carb. to mani.	Stlpk.	1	33	S-2515
601348	Carb. to mani.	Stlpk.	1	33-36	S-839J
837485	Carb. insulator	Stlpk.	1	34-35	S-2670
837487	Carb. insulator	Stlpk.	1	36	S-2672
836660	Carb. bowl	Vell.	1		V-5751
835683	Fuel pump flg.	Vell.	1	33	V-5500
837526	Fuel pump flg.	Paper	1	34-36	30144
837526	Fuel pump flg.	Vell.	1	34-36	V-8963
855559	Fuel pump diaphragm	Cork	1		C-1388
854003	Fuel pump bowl	Cork	1		C-928
835934	Fuel pump bottom cov.	Cork	1		C-2303
1521480	Fuel pump cov. pl.	Cork	1	34	C-3745
1521472	Fuel pump valve pl.	Vell.	1	34	V-9186
346678	Gas tank cap	Cork	1		C-871
835526	Wat. pump body	Vell.	1	33-34	V-5613
837893	Wat. pump body	Vell.	1	35	V-9356
836080	Wat. pump body	Vell.	1	36	V-8433
835614	Wat. outlet	Tr. Paper	1		30050
3053280	Thermostat hsg.	Vell.	1		V-8277
836988	Gear cov. pl.	Paper	1	33-34	36009
836988	Gear cov. pl.	Vell.	1	33-34	V-1023
837651	Gear cov. pl.	Paper	1	35-36	36023
837651	Gear cov. pl.	Vell.	1	35-36	V-1025
837186	Gear cov.	Paper	1		36008
837186	Gear cov.	Vell.	1		V-1148
837656	Gear cov. seal	Cork	1	35-36	C-4502
472609	Diff. carr. (std.)	Vell.	1	34-36	V-4025
370246	Diff. carr. (mast.)	Vell.	1	33-36	V-4142
472608	Axle hsg. (std.)	Cork	1	35-36	C-3535
472608	Axle hsg. (std.)	Vell.	1	35-36	V-4025A

(Continued on Next Page)




Chevrolet Motor, 6. Master 1933-36; Standard, 1935-36—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
370245	Axle hsg. (mast.)	Cork	1	33-36	C-3528
370245	Axle hsg. (mast.)	Vell.	1	33-36	V-4142A
472942	Trans. case cov. (std.)	Chipbd.	1	35-36	30070
472942	Trans. case cov.	Vell.	1	35-36	V-9444
476260	Trans. case cov. (mast.)	Vell.	1	35-36	V-8914
590590	Trans. case cov. (syncromesh)	Chipbd.	1	33-36	30069
473216	Main drive gear brg. ret. (std.)	Vell.	1	35-36	V-9294
590549	Main drive gear brg. ret. (mast.)	Vell.	1		V-9261
476558	Trans. rear brg. ret.	Paper	1	35-36	30427
348259	Univ. joint oil seal	Cork	1		C-683
472939	Univ. joint ball ret. (std.)	Vell.	1		V-8826
590580	Univ. joint ball ret. (mast.)	Vell.	1		V-8827
328684	Uni. joint ball ret.	Vell.	1		V-5692
473046	Univ. joint ball ret. shim (std.)	Vell.	1		V-9453
348129	Univ. joint ball ret. shim (mast.)	Vell.	1		V-9408
473047	Univ. joint ball collar oil seal	Cork	1		C-3485
476518	Front brake drum (mast.)	Vell.	2	36	V-9628
475550	Rear brake drum (std.)	Tr. Paper	2	36	30383
344072	Rear axle brg.	Cork	2		C-857
365673	Rear hub oil deflector (mast.)	Vell.	2		V-9448
476516	Rear brake drum (mast.)	Vell.	2	36	V-8839
593705	Rear spring shackle pin	Cork	16		C-4532
259258	Steering gear hsg.	Cork	1		C-4039
6085	Headlamp lens	Cork	2		C-7005

NOTE—Following gaskets are used on 1933-36 Chevrolet trucks only. Other gaskets are the same as those listed above.

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	Diff. carr. set (1-V4247)	Vell.	1		ES-4247
	Axle hsg. set (1-V4247A)	Vell.	1		ES-4247A
	Trans. set (1-V9285, 1-V9408, 1-V9540, 1-V8837, 1-V8838, 1-C683)	Vell.	1		VTS-106
837486	Carb. insulator	Stlplk.	1	34-36	S-2671
370449	Diff. carr.	Vell.	1		V-4247
370451	Diff. carr. to prop. shaft hsg.	Vell.	1	33-36	V-9491
370448	Axle hsg.	Cork	1		C-3357
370448	Axle hsg.	Vell.	1		V-4247A
595645	Rear wheel hub (1½ ton)	Tr. Paper	2	36	30215
359394	Axle shaft brg. ret.	Paper	2	30-35	30032
590520	Trans. case cov.	Chipbd.	1		30072
590508	Trans. power take-off	Vell.	1		V-8838
590480	Main drive gear brg. ret.	Vell.	1		V-8837
348259	Univ. joint oil seal	Cork	1		C-683
590487	Univ. joint ball ret.	Vell.	1		V-9285
348129	Univ. joint ball ret. shim	Vell.	1		V-9408
373342	Univ. rear joint hsg.	Vell.	1	34-36	V-9449

Chevrolet Motor, 6. Passenger Models Master GA-GB, 1937; HA-HB, 1938; JA-JB, 1939; KA-KB, 1940 . . . 3 1/2 x 3 3/4"
Truck Models GC, 1/2 ton—GD, 3/4 ton—GE, 1 ton—SA, SB, SC, SD, 1 1/2 ton, 1937 . . . 3 1/2 x 3 3/4"
Models HC, 1/2 ton—HD, 3/4 ton—HE, 1 ton—TA, TB, TC, TD, 1 1/2 ton, 1938 . . . 3 1/2 x 3 3/4"
Models JC, 1/2 ton—JD, 3/4 ton—JE, 1 ton—VA, VB, VC, VD, 1 1/2 ton, 1939 . . . 3 1/2 x 3 3/4"
Models KC, 1/2 ton—KD, 3/4 ton—KE, 1 ton—WA, WB, WC, 1 1/2 ton, 1940 . . . 3 1/2 x 3 3/4"
Models WD, WE, WF, 1 1/2 ton (Cab Over Engine), 1940 . . . 3 1/2 x 3 3/4"



McCord No. 5960



McCord No. S-2980




McCord No. S-2962



McCord No. S-2963



McCord No. S-2907



McCord No. S-2906

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
838227	Cyl. hd.	Stl. Asb.	1		5960
838227	Cyl. hd.	Stlpk.	1		S-5960
838227	Cyl. hd.	Cop. Asb.	1		5960C
602512	Valve grinding set (1-5960, 1-S2862, 2-S2863, 1-S2907, 1-C4422, 1-C4425, 1-30151)		1		9019
602483	Mani. set (1-S2862, 2-S2863, 1-S2907)	Stlpk.	1		SMS-2439
	Mani. set (1 pc.) (1-S2980)	Stlpk.	1		SMS-2514
	Valve cov. set (5/32" thick) (1-C4422)	Cork	1		CV-535
	Valve cov. set (1/4" thick) (1-C4422T)	Cork	1		CV-535T
	Push rod cov. set (1-C4425)	Cork	1		CV-536
602373	Oil pan set (1-C4423, 1-C4424, 2-C4366M)	Cork	1		CS-2298
602373	Oil pan set (1-P46, 1-P47, 2-C4366M)	Vell.	1		ES-46
	Gear cov. pl. set (1-V1031)	Vell.	1		ES-1031
	Gear cov. set (1-V1027)	Vell.	1		ES-1027
	Diff. carr. set (1-V4032)	Vell.	1		ES-4032
	Axle hsg. set (1-V4031)	Vell.	1		ES-4031
	Trans. set (1-V8329, 1-V9251, 1-V9408, 1-V9496, 1-C683)	Vell.	1		VTs-105
593606	Exh. pipe flg.	Stlpk.	1		S-2907
838287	Mani., center	Stlpk.	1		S-2862
838288	Mani., ends	Stlpk.	2		S-2863
	Mani. (1 pc.)	Stlpk.	1		S-2980
838337	Valve cov. (5/32" thick)	Cork	1		C-4422
838337	Valve cov. (1/4" thick)	Cork	1		C-4422T
602336	Push rod cov.	Cork	1		C-4425
838210	Push rod cov. seal	Cork	6		C-4421
602372	Oil pan, right	Cork	1		C-4424
602371	Oil pan, left	Cork	1		C-4423
602374	Oil pan, front and rear	Cork	2		C-4366M
602372	Oil pan, right (1-P47)	Vell.			
602371	Oil pan, left (1-P46)	Vell.	1		P-46 set
602374	Oil pan, front and rear (2-C4366M)	Cork			
838398	Oil dist. body	Vell.	1		V-8961
838451	Oil pump cov.	Vell.	1		V-8326
344690	Oil drain plug	Cop. Asb.	1		503B
838290	Int. to exh.	Stlpk.	1		S-2906
596268	Int. to exh. (Canadian Series 18)	Stlpk.	1	39-40	S-3046
837485	Carb. insulator	Stlpk.	1	37-38	S-2670
838895	Carb. bowl cov.	Vell.	1	37-40	V-8177F
838263	Fuel pump	Vell.	1		V-8325
1523096	Fuel pump bowl	Cork	1		C-4492
1523096	Vacuum booster bowl	Cork	1		C-4492
838137	Wat. pump to case	Vell.	1		V-9293
838150	Wat. pump body	Vell.	1		V-9295
838341	Wat. outlet	Tr. Paper	1		30151
838297	Thermostat hsg.	Vell.	1		V-8373
838196	Gear cov. pl.	Vell.	1		V-1031
838206	Gear cov.	Vell.	1		V-1027
593012	Diff. carr.	Vell.	1		V-4032
593017	Axle hsg.	Cork	1		C-4235
593017	Axle hsg.	Vell.	1		V-4031
590862	Trans. cov.	Vell.	1		V-9496
590864	Gear shift ball hsg.	Vell.	1		V-8329
590850	Main drive gear brg. ret.	Vell.	1		V-9251
348259	Univ. joint ball collar seal	Cork	1		C-683
348129	Univ. joint ball ret. shim	Vell.	1		V-9408
476518	Front brake drum	Vell.	2		V-9628
476516	Rear brake drum	Vell.	2		V-8839

(Continued on Next Page)



Chevrolet Motor, 6. 1937-40—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
476124	Front brake drum oil deflector GA-HA-JA	Vell.	2		V-8915
370959	Front brake drum oil deflector GB-HB-JB	Vell.	2		V-9451
365673	Rear brake drum oil deflector	Vell.	2		V-9448
263590	Steering gear hsg. end cov.	Paper	1		30435
263591	Steering gear hsg. side cov.	Paper	1		30434
593705	Rear spring shackle pin	Cork	16		C-4532
6085	Headlamp lens	Cork	2	37	C-7005
6084	Headlamp lens	Cork	2	38	C-7002
922299	Headlamp lens	Cork	2	39-40	C-7004

NOTE—The following gaskets are used on 1937-40 Chevrolet trucks only. Other gaskets are the same as those listed above.


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	Diff. carr. set ($\frac{1}{2}$ - $\frac{3}{4}$ -1 ton) (1-V4142)	Vell.	1		ES-4142
	Diff. carr. set (1 $\frac{1}{2}$ ton) (1-V4247)	Vell.	1		ES-4247
	Axle hsg. set ($\frac{1}{2}$ - $\frac{3}{4}$ -1 ton) (1-V4142A)	Vell.	1		ES-4142A
	Axle hsg. set (1 $\frac{1}{2}$ ton) (1-V4247A)	Vell.	1		ES-4247A
	Trans. set ($\frac{1}{2}$ -1 $\frac{1}{2}$ ton) (1-V9285, 1-V9408, 1-V9540, 1-V8837, 1-V8838, 1-C683)	Vell.	1		VTs-106
370246	Diff. carr. ($\frac{1}{2}$ - $\frac{3}{4}$ -1 ton)	Vell.	1		V-4142
370449	Diff. carr. (1 $\frac{1}{2}$ ton)	Vell.	1		V-4247
370451	Diff. carr. to prop. shaft hsg.	Vell.	1		V-9491
370245	Axle hsg. ($\frac{1}{2}$ - $\frac{3}{4}$ -1 ton)	Cork	1		C-3528
370245	Axle hsg. ($\frac{1}{2}$ - $\frac{3}{4}$ -1 ton)	Vell.	1		V-4142A
370448	Axle hsg. (1 $\frac{1}{2}$ ton)	Cork	1		C-3357
370448	Axle hsg. (1 $\frac{1}{2}$ ton)	Vell.	1		V-4247A
590520	Trans. cov.	Chipbd.	1		30072
590520	Trans. cov.	Vell.	1		V-9540
590480	Main drive gear brg. ret.	Vell.	1		V-8837
590487	Univ. joint ball ret.	Vell.	1		V-9285
348129	Univ. joint ball ret. shim	Vell.	1		V-9408
348259	Univ. joint oil seal	Cork	1		C-683
590508	Power take-off	Vell.	1		V-8838
370959	Front brake drum oil deflector ($\frac{1}{2}$ - $\frac{3}{4}$ -1 ton)	Vell.	2		V-9451
365673	Rear brake drum oil deflector	Vell.	2		V-9448
595645	Rear wheel hub (1 $\frac{1}{2}$ ton)	Tr. Paper	2		30215
359428	Rear hub oil deflector (1 $\frac{1}{2}$ ton) disc and dual wheels	Vell.	2		V-8879
6085 } 918677 }	Headlamp lens	Cork	2		C-7005

Chicago, 4-6. Truck


Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
XA	1	Wauk. X	5258A	252	1-76C	5-10	Wauk. AB	5260A	239	30V	1-2½	Wauk. V	5264	249
1-15A	2	Wauk. 6ZK	5916	254	15A	1-2½	Wauk. V	5264	249	31B	3-3½	Wauk. CU	5238	*
1-15E	2	Wauk. 6ZK	5916	254	15V	1-2½	Wauk. V	5264	249	32B	3	Wauk. KU	5473B	245
1-17A	2	Wauk. 6TL	5603	248	16A	1-2½	Wauk. XK	5516	253	35C	3-3½	Wauk. CU	5238	*
1-18A	2	Wauk. 6TL	5603	248	20A	1-2½	Wauk. V	5264	249	36D	3	Wauk. KU	5473B	245
1-20A	2	Wauk. 6TL	5603	248	20V	1-2½	Wauk. V	5264	249	40C	4-5½	Wauk. EU	82	*
1-24A	2-3	Wauk. 6ML	5761	247	20XL	1-2½	Wauk. XK	5516	253	46D	3	Wauk. KU	5473B	245
1-26A	2-3	Wauk. 6MK	5761	247	21A	1-2½	Wauk. XK	5516	253	50	4-5½	Wauk. EU	82	*
1-30A	2-3	Wauk. 6ML	5761	247	25A	1-2½	Wauk. V	5264	249	56D	4	Wauk. 6SRL	5549	247
1-30E	2-3	Wauk. 6MK	5761	247	25V	1-2½	Wauk. V	5264	249	64D	4-5½	Wauk. EU	82	*
1-35E	2-3	Wauk. 6MK	5761	247	26A	1-2½	Wauk. XK	5516	253	66D	5-10	Wauk. AB	5260A	239
1-50B	4	Wauk. 6SRL	5549	247	30	3-3½	Wauk. CU	5238	*	70	4-5½	Wauk. EU	82	*
1-56D	4	Wauk. 6SRL	5549	247	30B	1-2½	Wauk. V	5264	249	70C	4-5½	Wauk. EU	82	*

NOTE—* Indicates that these motors are listed in Guide A. For older models see Guide A.

Chicago Motor Coach, 4. Bus



McCord No. 5668



McCord No. 2354



McCord No. 2355

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
1019	Cyl. hd.	Cop. Asb.	2	5668
1007	Manifold	Cop. Asb.	2	2355
1006	Hot spot	Cop. Asb.	1	2354


Chris-Craft Marine Motors, 4-6-8

Model	H.P.	Motor	McCord No.	See Page No.	Model	H.P.	Motor	McCord No.	See Page No.	Model	H.P.	Motor	McCord No.	See Page No.
A70	225	Chris-Craft	5607	56	H	75	Herc. QXB	5992	128	LE	125	Herc. JXB	5674	126
A120	250	Chris-Craft	5607	56	K	85	Herc. QXC	6038	128	LR	110	Herc. JXB	5674	126
A120A	350	Chris-Craft	5607	56	KA	95	Herc. QXC	6038	128	M	130	Herc. JXD	5910	126
B	55	Herc. IXA	5800	126	KR	85	Herc. QXC	6038	128	MR	130	Herc. JXD	5910	126
BB	55	Herc. IXA	5800	126	L	110	Herc. JXB	5674	126	201		Chrys. 6	5581	60
BR	55	Herc. IXA	5800	126	LA	125	Herc. JXB	5674	126	225	225	Chrys. 6	5581	60
C	45	Herc. IXA	5800	126										

Chris-Craft Motor, 8. Marine Models A-70, 225 H.P.; A-120, 250 H.P.; A-120A, 350 H.P. 51½x5¼"



McCord No. S2338



McCord No. 5607




McCord No. S2339

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
X-163	Cyl. hd.	Cop. Asb.	4	5607
X-162	Exh. mani.	Stlpk.	8	S-2339
971	Exh. mani. to cyl.	Stlpk.	8	S-2338
X-161	Int. mani.	Stl. Asb.	4	865C
1176	Exh. mani. to int. mani. heat tube flg.	Cop. Asb.	8	804



Chrysler Motor, 4. Passenger Models "4", "4F", 50-52-58. McCord Nos. 5448-5464. See Guide A.

Chrysler-Plymouth, 4. Passenger. See Plymouth 4, Page No. 203.

Chrysler Motor, 6. Passenger. Models 60-62, 1926-28 3x4 1/4"
 Models 65-66, 1929-30 3 1/8 x 4 1/4"
 Model 70 to Dec. 31, 1929 3 1/8 x 4 3/4"



McCord No. 5174

McCord No. 5471
McCord No. 5471

McCord No. 1309




McCord No. 1310




McCord No. 1311




McCord No. 2027




McCord No. 2027




McCord No. C-423




McCord No. C-461



McCord No. C-476



McCord No. C-477




McCord No. C-478


Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
56523	Cyl. hd., 60-62	Cop. Asb.	1. 26-28	5174
78103	Cyl. hd., 65-66-70	Cop. Asb.	1. 29-30	5471
	Mani. set (1-1309, 2-1310, 2-1311)	Stl. Asb.	1. 26-29	MS-601
	Mani. set 66-70 (1-1309, 2-1310, 2-2007)	Stl. Asb.	1. 30	MS-602
	Valve cov. set (2-C423, 4-30419)	Cork	1.	CV-176
	Oil pan set (1-C476, 1-C477, 2-C478)	Cork	1.	CS-2160
	Oil pan set (1-P202, 1-P203, 2-C478)	Vell.	1.	ES-202
	Wat. jkt. set (2-C461)	Cork	1.	CW-3
	Wat. jkt. set (2-V2073)	Vell.	1.	ES-2073
56536	Gear cov. set 60-62 (1 pc.)	Vell.	1. 26-28	ES-1240
40638	Gear cov. set 65-66-70 (1 pc.)	Vell.	1. 29-30	ES-1257
38461-62	Diff. carr. and axle hsg. set, early 60 (1 pc.)	Vell.	1. 26	ES-4117
50442-62	Diff. carr. and axle hsg. set, late 60, early 62 (1 pc.)	Vell.	1. 26-27	ES-4122
76246-62	Diff. carr. and axle hsg. set, late 62-65 (1 pc.)	Vell.	1. 27-28	ES-4308
41295	Diff. carr. set 66 (1 pc.)	Vell.	1. 29-30	ES-4121
303844	Diff. carr. set 70 (1 pc.)	Vell.	1. 29	ES-4137
	Axle hsg. set 66 (1-V4118)	Vell.	1. 29-30	ES-4118
303843	Axle hsg. set 70 (1 pc.)	Vell.	1. 29	ES-4145
56514	Exh. pipe flg.	Stl. Asb.	1.	845A
56548	Exh. center	Stl. Asb.	1.	1309
56547	Exh. ends	Stl. Asb.	2.	1310
56546	Int. mani.	Stl. Asb.	2. 26-29	1311
301961	Int. mani. 66-70	Stl. Asb.	2. 30	2007
56553	Valve cov.	Cork	2.	C-423
53170	Valve cov. stud	Tr. Paper	4.	30419
56568	Oil pan, right	Cork	1.	C-476
56569	Oil pan, left	Cork	1.	C-477
56570	Oil pan, ends	Cork	2.	C-478
56568	Oil pan, right (1-P202)	Vell.	1.	P-202 set
56569	Oil pan, left (1-P203)	Vell.	1.	P-202 set
56570	Oil pan, ends (2-C478)	Cork	1.	P-202 set
105456	Oil drain plug	All Metal	1.	AM-515
306318	Int. to exh. 66-70	Stl. Asb.	1. 30	2027
54820	Mani. heat control	Asb.	1.	1740
5131	Carburetor 60-62	Tr. Paper	1. 26-28	30036
51986	Carburetor 65-66-70	Vell.	1. 29-30	V-5240
50744	Oil pump body	Vell.	1.	V-9068
78718	Vacuum tank partition pl. 65	Cork	1.	C-1807
56518	Wat. jkt. cov.	Cork	2.	C-461
56518	Wat. jkt. cov.	Vell.	2.	V-2073
51019	Wat. jkt. cov. stud washer	Cop.	12.	462
50867	Wat. pump body	Vell.	1.	V-5694
50082	Wat. outlet	Tr. Paper	1.	30057
71718	Cam shaft sprocket screw	Cop. Asb.	1.	1491
311661	Gear cov. oil seal 70	Cork	1.	C-1145
38462	Axle hsg., early 60	Cork	1. 26	C-422
50462	Axle hsg., late 60-early 62	Cork	1. 26-27	C-302
76246	Axle hsg., late 62-65	Cork	1. 27-28	C-636
41274	Axle hsg. 66	Cork	1. 29-30	C-455
41274	Axle hsg. 66	Vell.	1. 29-30	V-4118
303843	Axle hsg. 70	Cork	1. 29	C-900
44648	C/S rear brg. oil seal	Asb.	2.	16152




Chrysler Motor, 6. Passenger Models B-70, 1924-27, 3x4 3/4"; 72, 1927-28, 3 1/8x4 3/4"; 75, 1928-29 3 1/4x5"
 Model 70 after Dec. 31, 1929-31; 77, 1931 3 3/8x5"
 Marine Model Royal 3 1/4x5"




McCord No. 5444




McCord No. 5426



McCord No. 5560



McCord No. 1248



McCord No. 1832



McCord No. 1247




McCord No. 1249




McCord No. 1813



McCord No. 2008



McCord No. 1831-A




McCord No. 1838



McCord No. C-303



McCord No. C-304




McCord No. C-299



McCord No. C-300

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
75659	Cyl. hd. 70	Cop. Asb.	1	24-27	5444
74396	Cyl. hd. 72-75 (Marine)	Cop. Asb.	1	28-29	5426
303287	Cyl. hd. 70-77	Cop. Asb.	1	30-31	5560
	Mani. set 70 (1-1248, 2-1247, 2-1249)	Stl. Asb.	1	24-27	MS-603
	Mani. set 72-75-77-70 (1-1248, 2-1249, 2-1813)	Stl. Asb.	1	28-31	MS-604
	Valve cov. set (2-C303)	Cork	1		CV-177
	Oil pan set B-70 (1-C299, 1-C300, 2-C301)	Cork	1	24-27	CS-2112
51115-16	Oil pan set (2 pcs.)	Vell.	1		ES-50
	Oil pan set 72-75-77-70 (1-C299, 1-C300, 2-C481)	Cork	1	28-31	CS-2168
	Wat. jkt. cov. set (2-C304)	Cork	1		CW-4
	Wat. jkt. cov. set (2-V2099)	Vell.	1		ES-2099
303964	Chain cov. pl. set (1 pc.)	Vell.	1	30	ES-1273
51294	Chain cov. set 70-72 (1 pc.)	Vell.	1	24-28	ES-1212
303692	Chain cov. set 75-77-70 (1 pc.)	Vell.	1	28-31	ES-1256
50442-62	Diff. carr. and axle hsg. set 70 (1 pc.)	Vell.	1	24-27	ES-4122
76246-62	Diff. carr. and axle hsg. set 72-75 (1 pc.)	Vell.	1	27-29	ES-4308
303844	Diff. carr. set 77-70 (1 pc.)	Vell.	1	29-31	ES-4137
303843	Axle hsg. set 77-70 (1 pc.)	Vell.	1	29-31	ES-4145
50066	Exh. pipe flg.	Stl. Asb.	1	24-29	855C
304303	Exh. pipe flg.	Stl. Asb.	1	30-31	868A
E-1447M	Exh. pipe flg. Marine	Cop. Asb.	1		1832
50642	Exh., center	Stl. Asb.	1		1248
50643	Exh., ends	Stl. Asb.	2		1249
50644	Int., ends 70	Stl. Asb.	2	24-27	1247
74408	Int., ends 72-75-77-70	Stl. Asb.	2	28-31	1813
E-1428M	Exh., ends Marine	Cop. Asb.	2		1831A
50494	Valve cov.	Cork	2		C-303
51115	Oil pan, right	Cork	1		C-300
51116	Oil pan, left	Cork	1		C-299
51113	Oil pan, ends B-70	Cork	2	24-27	C-301
55122	Oil pan, ends 72-75-77-70	Cork	2	28-31	C-481
50744	Oil pump cov.	Vell.	1		V-9068
105457	Oil pressure relief valve	Cop. Asb.	1		103
105456	Oil drain and spark plug	Cop. Asb.	1-6		515
303679	Int. to exh. 77-70	Stl. Asb.	1	30-31	2008
E-977M	Int. to exh. Marine	Cop. Asb.	1		1838
54820	Heat control	Stl. Asb.	1	26-31	1740
51986	Carburetor 70-72-75	Vell.	1	24-29	V-5240
307701	Carburetor 77-70	Stl. Asb.	1	29-31	2320
300564	Fuel pump flg.	Vell.	1	30	V-8987
78718	Vacuum tank partition pl.	Cork	1	28-29	C-1807
71718	Camshaft sprocket screw	Cop. Asb.			1491
50089	Wat. jkt. cov.	Cork	2		C-304
50089	Wat. jkt. cov.	Vell.	2		V-2099
51019	Wat. jkt. cov. stud washer	Cop.	14		462
50867	Wat. pump body	Vell.	1		V-5694
50082	Wat. outlet	Tr. Paper	1		30057
311661	Chain cov. oil seal	Cork	1		C-1145
50462	Axle hsg. cov. B-70	Cork	1	24-27	C-302
76246	Axle hsg. cov. 72-75	Cork	1	27-29	C-636
303843	Axle hsg. cov. 77-70	Cork	1	29-31	C-900
51496	{Wheel cyl. inlet conn.}	Cop. Asb.	4		1380
44648	{Brake tube conn.}	Asb.	2		16152
	C/S rear brg. oil seal				

Chrysler Motor, 6. Passenger Models "Imperial 80, 1926-27, 3 1/2 x 5"; 1928-30	3 5/8 x 5"
Truck Models Dodge F40-41-42-60-61-62; K50-50V-51-51V-52-52V	3 5/8 x 5"
Truck Models Dodge K60V-61V-62V-70-71-72-72VX-72GX	3 5/8 x 5"
Marine Models "Imperial" A-C-CR-AM-AMR	3 5/8 x 5"



McCord No. 5179B



McCord No. 1300




McCord No. 1299




McCord No. 1301




McCord No. 2356



McCord No. 2359



McCord No. 1815



McCord No. C-456


Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
76333	Cyl. hd.	Cop. Asb.	1	5179B
780466	Mani. set (1-1300, 2-1299, 2-1301)	Stl. Asb.	1	MS-605
780466	Mani. set (1-S1300, 2-S1299, 2-S1301)	Stlplk.	1	SMS-605
	Valve cov. set (2-C456)	Cork	1	CV-178
	Oil pan set (1-C479, 1-C480, 2-C481)	Cork	1	CS-2161
	Oil pan set (4 pcs.)	Vell.	1	ES-204
	Wat. jkt. cov. set (2-C304)	Cork	1	CW-4
	Wat. jkt. cov. set (2-V2099)	Vell.	1	ES-2099
55106	Chain cov. set (1 pc.)	Vell.	1	ES-1341
55148	Exh. pipe flg.	Stl. Asb.	1	1815
E-6362M	Exh. pipe flg. Marine	Cop. Asb.	1	2359
55143	Exh., center	Stl. Asb.	1	1300
55144	Exh., ends	Stl. Asb.	2	1299
55145	Int., ends	Stl. Asb.	2	1301
322744	Exh., center	Stlplk.	1	S-1300
322741	Exh., ends	Stlplk.	2	S-1299
322742	Int., ends	Stlplk.	2	S-1301
E-1074M	Exh., ends Marine	Cop. Asb.	2	1811
E-6361M	Int., ends Marine	Cop. Asb.	2	2356
55054	Valve cov.	Cork	2	C-456
53170	Valve cov. stud nut	Tr. Paper	4	30419
55121	Oil pan, right	Cork	1	C-480
55120	Oil pan, left	Cork	1	C-479
55122	Oil pan, ends	Cork	2	C-481
A55201	Oil pressure relief valve	Cop. Asb.	2	107AA
55237	Mani. heat control	Asb.	1	16061
E-977M	Int. to exh. Marine	Cop. Asb.	1	1838
55146	Carburetor	Vell.	1 26-27	V-104A
77653	Carburetor	Vell.	1 28-30	V-105
300564	Fuel pump flg.	Vell.	1	V-8987
50089	Wat. jkt. cov.	Cork	2	C-304
50089	Wat. jkt. cov.	Vell.	2	V-2099
51019	Wat. jkt. stud washer	Cop.	30	462
55035	Wat. pump	Vell.	1	V-5744
50082	Wat. outlet	Tr. Paper	1	30057
76831-32	Diff. carr. and axle hsg.	Cork	1	C-637

NOTE—The following gaskets are used on Dodge F and K Series Trucks that are equipped with the above motor. Other gaskets are the same as those listed above.


Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
536774	Diff. carr. set, Wisconsin axle only K70-71-72	Paper	1	37018
572552	Diff. carr. set K50V-51V-52V-K60V-61V-62V	Vell.	1	ES-4331
527930	Axle shaft flg. F40-41-42-K50-51-52V	Paper	2	30441
530160	Axle shaft flg. F60-61-62-K70-71-72	Paper	2	30442
571947	Axle shaft flg. K50V-51V-52V-K60V-K61V-62V	Vell.	2	30508




Chrysler Motor, 6. Passenger Model CJ, 1930	3 1/8 x 4 1/2"
Model CM, 1931-32	3 1/4 x 4 3/8"
Models CI, 1932; CO, 1933	3 1/4 x 4 1/2"
Models CA-CB, 1934; C6, 1935; C7, 1936	3 3/8 x 4 1/2"
Export Models CIX-COX-CMX, 1931-33; CAX-CBX, 1934	2 7/8" Bore
Truck Models Dodge K22-K22V-K22VX; K35-K35V-K36-K36V-K37-K37V-K38-K38V; K45-K45V-K46-K46V-K47-K48-K48V; LG-LH Series	3 3/8 x 4 1/2"
Marine Models Crown-AC-ACE-CM-CR	3 1/8 x 4 1/2" - 3 1/4 x 4 3/8"




McCord No. 5581



McCord No. 5642-5476A



McCord No. 5830



McCord No. 5918A




McCord No. 1873


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
309895	Cyl. hd. CJ	Cop. Asb.	1	30	5581
320033	Cyl. hd. CM-CI-CO	Cop. Asb.	1	31-33	5642
619040	Cyl. hd. CA-CB	Cop. Asb.	1	34	5830
640727	Cyl. hd. C6-C7	Cop. Asb.	1	35-36	5918A
322117	Cyl. hd. (export only)	Cop. Asb.	1		5476A
	Valve grinding set CA-CB (1-5830, 1-1873, 4-821A, 1-859J, 2-C830, 1-V8423)		1	34	9022
	Valve grinding set C6 (1-5918A, 1-1873, 4-821A, 1-859J, 2-C830, 1-V8423)		1	35	9023
	Valve grinding set C7 (1-5918A, 1-1873, 4-821A, 1-859J, 2-C4237, 1-V8423)		1	36	9024
	Mani. set (1-1873, 4-821A)	Stl. Asb.	1		MS-800
780461	Mani. set (1-S1873, 4-S821A)	Stlplk.	1		SMS-800
780472	Valve cov. set (2-C830, 4-30419, 4-30420)	Cork	1	30-35	CV-230
780473	Valve cov. set (2-C4237, 4-30420)	Cork	1	36	CV-181
40894	Oil pan set (1-C815)	Cork	1		CS-2181
40894	Oil pan set (1-P734)	Vell.	1		ES-734
	Front motor supp. set (1-V1122)	Vell.	1		ES-1122
	Gear cov. set (1-V1124)	Vell.	1		ES-1124
41295	Diff. carr. set (1 pc.)	Vell.	1	30	ES-4121
	Diff. carr. set (1-V4138)	Vell.	1	31-32	ES-4138
	Diff. carr. set (1-V4146)	Vell.	1	33-36	ES-4146
	Axle hsg. set (1-V4138A)	Vell.	1	31-32	ES-4138A
41058	Exh. pipe fig.	Stl. Asb.	1	30-32	837D
316591	Exh. pipe fig.	Stlplk.	1	30-32	S-837D
50066	Exh. pipe fig.	Stl. Asb.	1	33	855C
316588	Exh. pipe fig.	Stlplk.	1	33	S-855C
620956	Exh. pipe fig.	Stl. Asb.	1	34-36	859J
623361	Exh. pipe fig.	Stlplk.	1	34-36	S-859J
40920	Exh., center	Stl. Asb.	1		1873
40919	Int. and exh., ends	Stl. Asb.	4		821A
318041	Exh., center	Stlplk.	1		S-1873
318042	Int. and exh., ends	Stlplk.	4		S-821A
E6080M } E30207M }	Int. and exh., ends, marine	Cop. Asb.	4		2357
40814	Valve cov.	Cork	2	30-35	C-830
650195	Valve cov.	Cork	2	36	C-4237
53170	Valve cov. stud washer	Tr. Paper	4	30-33	30419
381542	Valve cov. stud washer	Tr. Paper	4	33-36	30420
40894	Oil pan	Cork	1		C-815
40894	Oil pan	Vell.	1		P-734
105456	Oil drain plug	All metal	1		AM-515
40884	Oil pump to block	Tr. Paper	1		30065
50744	Oil pump cov.	Vell.	1		V-9068

(Continued on Next Page)


Chrysler Motor 6. Models CJ, 1930 to C7, 1936—Continued



McCord No. 1872



McCord No. 2104




McCord No. S-2625




McCord No. 2598

McCord
No. S-2638McCord
No. S-2626McCord
No. 30065


McCord No. 2357




McCord No. 1815



McCord No. C-3310



McCord No. C-830




McCord No. C-815

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
54820	Mani. heat control valve	Asb.	1		1740
43801	Int. to exh.	Stl. Asb.	1	30	1872
318043	Int. to exh.	Stlpk.	1	30	S-1872
313178	Int. to exh.	Stl. Asb.	1	31-32	2104
318044	Int. to exh.	Stlpk.	1	31-32	S-2104
661050	Int. to exh.	Stl. Asb.	1	33-36	2598
661050	Int. to exh.	Stlpk.	1	33-36	S-2598
5131	Carburetor	Tr. Paper	1	30	30036
51986	Carburetor	Vell.	1	31-32	V-5240
324833	Carburetor	Stlpk.	1	33-34	S-2638
637191	Carburetor	Stlpk.	2	35-36	S-2829
78718	Vacuum tank partition pl.	Cork	1		C-1807
50867	Wat. pump body	Vell.	1	30-31	V-5694
605767	Wat. pump body	Vell.	1	33-35	V-8993
637440	Wat. pump body	Vell.	1	36	V-8979
626322	Wat. pump body cov.	Vell.	1	34-35	V-9471
637439	Wat. pump body cov.	Vell.	1	36	V-8978
622772	Wat. pump by-pass elbow	Vell.	1		V-8423
50082	Wat. outlet	Tr. Paper	1		30057
300564	Fuel pump flg.	Vell.	1	30-34	V-8987
634704	Fuel pump flg.	Vell.	1	35-36	V-8382
40841	Front motor supp.	Vell.	1		V-1122
40844	Gear cov.	Vell.	1		V-1124
311611	Gear cov. oil seal	Cork	1		C-1145
44648	C/S rear brg. oil seal	Asb.	2		16152
308248	Diff. carr.	Vell.	1	31-32	V-4138
600212	Diff. carr.	Paper	1	33-36	37000
600212	Diff. carr.	Vell.	1	33-36	V-4146
41274	Axle hsg.	Cork	1	30	C-455
308257	Axle hsg.	Cork	1	31-32	C-1043
308257	Axle hsg.	Vell.	1	31-32	V-4138A
600356	Trans. case cov.	Cork	1		C-3310
637077	Gearshift hsg.	Cork	1	36	C-4166


NOTE—The following gaskets are used on Dodge K-LG-LH series trucks equipped with above motor. Other gaskets are the same as those listed above.

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	Diff. carr. set (1-V4326)	Vell.	1		ES-4326
	Axle hsg. cov. set (1-V4327)	Vell.	1		ES-4327
620956	Exh. pipe flg. (K series)	Stl. Asb.	1		859J
632361	Exh. pipe flg. (K series)	Stlpk.	1		S-859J
55148	Exh. pipe flg. (LG-LH series)		1		1815
562221	Carburetor	Stlpk.	1		S-2680
563618	Diff. carr.	Vell.	1		V-4326
563617	Axle hsg.	Cork	1		C-4273
563617	Axle hsg.	Vell.	1		V-4327
565911	Axle shaft flg., disc wheel	Paper	2		30539
563747	Axle shaft flg., steel wheel	Paper	2		30540

Chrysler Motor, 6.	Passenger. Models C16, 1937, 3 $\frac{3}{8}$ x 4 $\frac{1}{4}$ "; C18, 1938; C22, 1939; C25, 1940	3 $\frac{3}{8}$ x 4 $\frac{1}{2}$ "
	Passenger. Export Models C16X, 1937; C22X, 1939; C25X, 1940	2 $\frac{7}{8}$ " bore
	Truck Models. Dodge MC-MD-ME series, 1937	3 $\frac{3}{8}$ x 4 $\frac{1}{8}$ "
	MF-MG-MHS Series, 1937	3 $\frac{3}{8}$ x 4 $\frac{1}{2}$ "
	RC-RD-RE Series, 1938	3 $\frac{3}{8}$ x 4 $\frac{1}{8}$ "
	RF-RG-RH Series, 1938	3 $\frac{3}{8}$ x 4 $\frac{1}{2}$ "
	TE, 1939	3 $\frac{3}{8}$ x 4 $\frac{1}{8}$ "
	TF-TG-TH Series, 1939	3 $\frac{3}{8}$ x 4 $\frac{1}{2}$ "
	Marine Models. Crown—M2	3 $\frac{3}{8}$ x 4 $\frac{1}{2}$ "
	Truck Models. Dodge Export MCX-MDX Series, 1937	2 $\frac{7}{8}$ " bore
	MF38X-MH49X, 1937	3 $\frac{3}{8}$ " bore
	RXC-RXD Series, 1938	2 $\frac{7}{8}$ " bore
	RXFD38-RXF39, 1938	3 $\frac{3}{8}$ " bore
	TXE-TXF-TXH, 1939	3 $\frac{3}{8}$ " bore




McCord No. 5969




McCord No. S-2861



McCord No. 3063

McCord
No. S-2864

McCord No. 3061



McCord No. S-2829


Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
666011	Cyl. hd.	Cop. Asb.	1	5969
666011	Cyl. hd.	Stl. Asb.	1	6117
667799	Cyl. hd. (export only, 2 $\frac{7}{8}$ " bore)	Cop. Asb.	1	6017
	Valve grinding set (1-6117, 1-S2861, 4-S830G, 1-859J, 2-C4373, 1-V8423)		1	9025
780462	Mani. set (1-S2861, 4-S830G)	Stl. Asb.	1	SMS-2443
780475	Valve cov. set (2-C4373, 4-30419)	Cork	1	CV-537
780478	Oil pan set (1-C4418, 1-C4419, 2-C3635)	Cork	1	CS-2299
780478	Oil pan set (1-P43, 1-P44, 2-C3635)	Vell.	1	ES-43
	Rear main brg. oil seal set (2-16152, 2-3011, 1-30327, 1-V8167)		1	CS-2299A
	Gear cov. pl. set (1-V1138)	Vell.	1	ES-1138
	Gear cov. set (1-V1137)	Vell.	1	ES-1137
	Diff. carr. set (all but 7- pass.) (1-V4033)	Vell.	1	ES-4033
	Diff. carr. set (7-pass.) (1-V4146)	Vell.	1	ES-4146
620956	Exh. pipe flg.	Stl. Asb.	1	859J
679023	Exh. pipe flg.	Stl. Asb.	1	S-859J
666353	Mani., center	Stl. Asb.	1	S-2861
666354	Mani., ends	Stl. Asb.	4	S-830G
E42122M	Mani., ends, marine	Cop. Asb.	2	3061
E42121M	Mani., center, marine	Cop. Asb.	1	3063
665690	Valve cov.	Cork	2	C-4373
53170	Valve cov. stud washer	Tr. Paper	4	37-38 30419
693959	Valve cov. stud washer	Tr. Paper	4	39-40 30422
665802	Oil pan, right	Cork	1	C-4418
665803	Oil pan, left	Cork	1	C-4419
600760	Oil pan, ends	Cork	2	C-3635
665802	Oil pan, right (1-P44)	Vell.	1	P-43 set
665803	Oil pan, left (1-P43)	Vell.	1	P-43 set
600760	Oil pan, ends (2-C3635)	Cork	1	P-43 set
600773	Oil pump body	Tr. Paper	1	37-38 30064
695442	Oil pump body	Asb.	1	39-40 16172
50744	Oil pump body cov.	Vell.	1	V-9068
105456	Oil drain plug	All metal	1	AM-515
666352	Int. to exh.	Stl. Asb.	1	S-2860
647834	Automatic choke	Stl. Asb.	1	S-2864
637191	Carburetor	Stl. Asb.	1	37-38 S-2829
662781	Carburetor (without gov.)	Stl. Asb.	1	39-40 S-3056
662811	Carburetor (with gov.)	Stl. Asb.	1	39-40 S-2680

(Continued on Next Page)

Chrysler Motor, 6. Models C16, 1937 to C22, 1939—Continued

634704	Fuel pump	Vell.	1	37	V-8382
683417	Fuel pump	Vell.	1	38	V-8305
688482	Fuel pump (without booster)	Vell.	1	39-40	V-8202
688481	Fuel pump (with booster)	Vell.	1	39-40	V-8201
639110	Fuel pump strainer	Cork	1	37-38	C-928
689504	Fuel pump strainer	Cork	1	39-40	C-4492
637440	Wat. pump to cyl.	Vell.	1		V-8979
637439	Wat. pump body cov.	Vell.	1		V-8978
622772	Wat. pump by-pass elbow	Vell.	1		V-8423
50082	Wat. outlet	Tr. Paper	1		30057
600752	Gear cov.	Vell.	1		V-1137
670489					
600749	Gear cov. pl.	Vell.	1		V-1138
695441					
663474	Diff. carr. (all but 7-pass.)	Vell.	1		V-4033
600212	Diff. carr. (7-pass.)	Paper	1		37000
600212	Diff. carr. (7-pass.)	Vell.	1		V-4146
637077	Gearshift hsg.	Cork	1		C-4166
44648	Rear main brg. pack.	Asb.	2		16152
606312	Rear main brg. oil seal	Rubber	2		3011
671154	Rear main brg. cap, L.H.	Tr. Paper	1		30327
669012	Rear main brg. cap, R.H.	Vell.	1		V-8167
668362	Headlamp lens	Cork	2		C-7001


NOTE—The following gaskets are used on Dodge M-R-T series trucks equipped with above motor. Other gaskets are the same as those listed above.




McCord No. 1815

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	Diff. carr. set MC-RC series (1-V4033)	Vell.	1		ES-4033
	Diff. carr. set MD-RD series (1-V4138)	Vell.	1		ES-4138
567211	Diff. carr. set ME-RE-TE series (1 pc.)	Vell.	1		ES-4261
	Diff. carr. set MF-MG-MH-RF-RG-RH-TF-TG-TH series (1-V4326)	Vell.	1		ES-4326
55148	Exh. pipe flg.		1		1815
637192	Carb. to mani. MC-MD-ME-RC-RD-RE series	Stlplk.	1		S-2807
637191	Carb. to mani. RF-TE-TF series	Stlplk.	1		S-2829
562221	Carb. to mani. MF-MH-RG-RH-TG-TH series	Stlplk.	1		S-2680
662811	Carb. to mani. MF-MH-RH series	Stlplk.	1		S-3056
561378	Carb. to gov. MC-MD-ME-RC-RD-RE series	Stlplk.	1		S-2625
562221	Carb. to gov. MF-MH-RF-RG-RH-TE-TF-TG-TH series	Stlplk.	1		S-2680
662811	Diff. carr. MC-RC series	Vell.	1		V-4033
308248	Diff. carr. MD-RD series	Vell.	1		V-4138
563618	Diff. carr. MF-MG-MH-RF-RG-RH-TF-TG-TH series	Vell.	1		V-4326
316459	Axle hsg. ME-RE-TE series	Cork	1		C-1290
563617	Axle hsg. MF-MG-MH-RF-RG-RH-TF-TG-TH series	Cork	1		C-4273
570541	Axle shaft flg. ME-MF-RE-RF-TE-TF series	Tr. Paper	2		30507
565911	Axle shaft flg. MG-MH-RG-RH-TG-TH series	Tr. Paper	2		30539

Chrysler Motor, 8. Passenger. Model CD, 1930	3x4 1/4"
Model Standard 8, 1931	3 1/8 x 4 1/4"
Model CD, 1931 Deluxe	3 1/4 x 4 1/4"
Model CP, 1932	3 1/4 x 4 1/2"
Models CT, 1933, 3 1/4 x 4 1/8"; CQ, 1933	3 1/4 x 4 1/2"
Models CU, 1934, 3 1/4 x 4 1/2"; CV, 1934	3 1/4 x 4 7/8"
Models CZ, 1935, 3 1/4 x 4 1/8"; C1-C2-C3, 1935	3 1/4 x 4 7/8"
Models C8, 1936, 3 1/4 x 4 1/8"; C9-C10-C11, 1936	3 1/4 x 4 7/8"
Models C14, 1937, 3 1/4 x 4 1/8"; C15-C17, 1937	3 1/4 x 4 7/8"
Models C19, 1938, 3 1/4 x 4 1/8"; C20, 1938	3 1/4 x 4 7/8"
Models C23-C24, 1939; C26-C27, 1940	3 1/4 x 4 7/8"
Marine Models Royal CF-CR-M3	3 1/4 x 4 7/8"



McCord No. 5585A



McCord No. 5662B




McCord No. 2087



McCord No. 2088



McCord No. 2089



McCord No. 2086




McCord No. 2886




McCord No. 16015



McCord No. S-2817



McCord No. 2841



McCord No. S-2919






McCord No. S-2864

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
320418	Cyl. hd.	Cop. Asb.	1	30	5585A
860126	Cyl. hd.	Cop. Asb.	1	31-40	5662B
	Valve grinding set				
	(1-5662B, 1-2087, 2-2088, 2-2089, 1-S855C, 1-869Q, 2-C1024, 1-V8423)		1	31-40	9026
	Mani. set (1-2087, 2-2088, 2-2089)	Stl. Asb.	1		MS-801
780463	Mani. set (1-S2087, 2-S2088, 2-S2089)	Stl. Asb.	1		SMS-801
780470	Valve cov. set (2-C1024, 4-30419, 4-30420)	Cork	1		CV-179
308309	Oil pan set (1-C1044)	Cork	1		CS-2202
308309	Oil pan set (1-P828)	Vell.	1		ES-828
	Gear cov. set (1-V1124)	Vell.	1		ES-1124
	Front motor supp. set (1-V1122)	Vell.	1		ES-1122
	Diff. carr. set (1-V4138)				
	CD-CP-CT-CO-CU-CV-C1-2-3-C9-10-11-C17	Vell.	1	30-37	ES-4138
	Diff. carr. set (1-V4146)				
	CZ-C8-C14-C19-C23-C26	Vell.	1	35-40	ES-4146
	Diff. carr. set (1-V4163)				
	C15-C20-C24-C27	Vell.	1	37-40	ES-4163
	Axle hsg. set (1-V4138A)				
	CD-CO-CQ	Vell.	1	30-33	ES-4138A
50066	Exh. pipe flg.	Stl. Asb.	1	30-33	855C
316588	Exh. pipe flg.	Stl. Asb.	1	30-33	S-855C
620964	Exh. pipe flg.	Stl. Asb.	1	34-40	869Q
683429	Exh. pipe flg.	Stl. Asb.	1	34-40	869Q
309601	Mani., center	Stl. Asb.	1		2087
309603	Mani., inter.	Stl. Asb.	2		2089
309602	Mani., ends	Stl. Asb.	2		2088
316950	Mani., center	Stl. Asb.	1		S-2087
316951	Mani., inter.	Stl. Asb.	2		S-2089
316949	Mani., ends	Stl. Asb.	2		S-2088
E13569M	Mani., center, marine	Cop. Asb.	1		3062
E13571M	Int. mani., marine	Cop. Asb.	2		3060
308304	Valve cov.	Cork	2		C-1024
53170	Valve cov. stud	Tr. Paper	4		30419
381542	Valve cov. stud	Tr. Paper	4		30420
308309	Oil pan	Cork	1		C-1044
308309	Oil pan	Vell.	1		P-828
105456	Oil drain plug	All metal	1		AM-515
40884	Oil pump body	Tr. Paper	1		30065
50744	Oil pump cov.	Vell.	1		V-9068
309600	Int. to exh.	Stl. Asb.	1	30-33	2086
316948	Int. to exh.	Stl. Asb.	1	30-33	S-2086


(Continued on Next Page)

Chrysler Motor, 8. Models CD, 1930 thru C24, 1939—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
622517	Int. to exh.	Stl. Asb.	1	34-35	2686
654787	Int. to exh. C8-9-10-11-17	Stl. Asb.	1	36-37	2841
667787	Int. to exh. C8-9-10-11-17	Stltpk.	1	36-37	S-2841
671172	Int. to exh. C14-15-19-20-23-24-26-27	Stltpk.	1	37-40	S-2919
E13570M	Int. to exh., marine	Cop. Asb.	1		3059
309604	Mani. heat control valve	Asb.	1	30-35	16015
647834	Automatic choke	Stltpk.	1	37-40	S-2864
324833	Carburetor	Stltpk.	1	30-33	S-2638
622518	Carburetor CU-CV	Stltpk.	1	34	S-2617
	Carburetor C2-C3	Stltpk.	2	35	S-2617
637191	Carburetor CZ-C1	Stltpk.	2	35	S-2829
	Carburetor C9-C10-C11	Stltpk.	2	36	S-2829
	Carburetor C14	Stltpk.	2	37	S-2617
622518	Carburetor C15-C17-C19-C20-C23-C24-C26-C27	Stltpk.	1	37-40	S-2617
300564	Fuel pump fig. CD-CP-CQ-CU-CV	Vell.	1	30-34	V-8987
634704	Fuel pump fig. CZ-C1-C8-C9-C14-C19-C20	Vell.	1	35-37	V-8382
634705	Fuel pump fig. C2-C3-C10-C11-C14-C15-C17	Vell.	1	35-38	V-8386
688481	Fuel pump fig. C23-C24-C26-C27	Vell.	1	39-40	V-8201
663831	Fuel and vacuum pump fig. C19-C23-C24-C26-C27	Vell.	1	38-40	V-8367
50867	Wat. pump body	Vell.	1	30	V-5694
323186	Wat. pump body CD	Tr. Paper	1	31	30440
382988	Wat. pump body	Vell.	1	32-40	V-8993
605767	Wat. pump bracket CP	Vell.	1	32	V-8993
382988	Wat. pump body cov.	Vell.	1	35-37	V-9471
626322	CZ-C8-C14-C15	Vell.	1	35-36	V-8993
605767	Wat. pump body spacer CZ-C8	Vell.	1	35-36	V-8993
684251	Wat. pump body spacer C19-C20	Vell.	1	38	V-8916
637439	Wat. pump body spacer C23-C24-C26-C27	Vell.	1	39-40	V-8978
50082	Wat. outlet CZ-C8-C14-C15-C19-C20	Tr. Paper	1	35-38	30057
622754	Wat. outlet CU-C1-C2-C3-C9-C10-C11-C17	Vell.	1	35-37	V-8384
622755	Wat. outlet spacer CU-C1-C2-C3-C9-C10-C11-C17	Vell.	1	35-37	V-8383
622772	Wat. pump by-pass	Vell.	1		V-8423
308353	C/S rear bearing oil seal	Cork	1		C-1045
40844	Gear cov.	Vell.	1		V-1124
311611	Gear cov. oil seal	Cork	1		C-1145
40841	Front motor supp.	Vell.	1		V-1122
308248	Diff. carr. CD-CP-CT-CO-CU-CV-C1-C2-C3-C9-C10-C11-C17	Vell.	1	30-37	V-4138
600212	Diff. carr. CZ-C8-C14-C19-C23-C26	Paper	1	35-40	37000
600212	Diff. carr. CZ-C8-C14-C19-C23-C26	Vell.	1	35-40	V-4146
668098	Diff. carr. C15-C20-C24-C27	Vell.	1	37-40	V-4163
308257	Axle hsg. CD-CP-CO	Cork	1	30-33	C-1043
308257	Axle hsg. CD-CP-CO	Vell.	1	30-33	V-4138A
637077	Gearshift hsg. C14	Cork	1	37	C-4166
637266	Gearshift hsg. C15-C17-C20	Vell.	1	37-38	V-8368
44648	C/S rear main brg. pack.	Asb.	2		16152
311062	Trans. case cov., lower	Cork	1	30-31	C-1286
388497	Trans. case cov.	Vell.	1	32-36	V-9547
668362	Headlamp lens C14-C15	Cork	2	37	C-7001



Chrysler Motor, 8. Passenger Models CG, 1930-31; CH, 1932; CL, 1932-33; CW, 1934-35 3 1/2 x 5"
 Truck Models Dodge G80-G81-G82-G83 3 1/2 x 5"
 Marine Models Majestic C-CMR 3 1/2 x 5"




McCord No. 5584-C




McCord No. 2082



McCord No. 2083




McCord No. 2084




McCord Nos. 2085-A




McCord No. 18042




McCord No. 1815




McCord No. 2272




McCord No. 2358



McCord No. C-1041



McCord No. C-1042



McCord No. C-1054

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
601015 629171	Cyl. hd.	Cop. Asb.	1		5584C
	Valve grinding set (1-5584C, 1-2082, 2-2083, 2-2084, 2-837G, 2-C1042, 1-1815, 1-V8423)		1		9027
	Mani. set (1-2082, 2-2083, 2-2084, 2-837G)	Cop. Asb.	1		MS-606
	Mani. set (1-S2082, 2-S2083, 2-S2084, 2-S837G)	Stl. Asb.	1		SMS-606
	Valve cov. set (2-C1042)	Cork	1		CV-180
	Oil pan set (1-C1054)	Cork	1		CS-2208
	Wat. jkt. cov. set (1-C1041)	Cork	1	31-32	CW-21
306421	Wat. jkt. cov. set (1 pc.)	Vell.	1	31-32	ES-2315
	Wat. jkt. cov. set (1-C3386)	Cork	1	33-35	CW-32
304889	Chain case cov. set (1 pc.)	Vell.	1		ES-1267
304887	Chain case cov. pl. set (1 pc.)	Vell.	1		ES-1268
316467	Diff. carr. and axle hsg. set (1 pc.)	Vell.	2		ES-4251
316459	Exh. pipe flg.	Stl. Asb.	1		1815
55148	Mani., center	Cop. Asb.	1		2082
306826	Mani., inter.	Cop. Asb.	2		2084
306828	Mani., ends	Cop. Asb.	2		2083
306827	Int. mani.	Stl. Asb.	2		837G
306825	Mani., inter., marine	Cop. Asb.	2		2358
E6781M	Mani., center	Stl. Asb.	1		S-2082
316598	Mani., inter.	Stl. Asb.	2		S-2084
316593	Mani., ends	Stl. Asb.	2		S-2083
316594	Int. mani.	Stl. Asb.	2		S-837G
316597	Valve cov.	Cork	2		C-1042
319644	Valve cov. stud	Tr. Paper	4		30419
53170	Oil pan	Cork	1		C-1054
304858	Oil drain plug	All metal	1		AM-515
105456	Int. to exh.	Stl. Asb.	1	30-31	S-2085A
316596	Int. to exh.	Cop. Asb.	2	32-35	2085A
306829	Mani. heat control valve cov.	Asb.	1	30-33	16042
309303	Carburetor (to early 31)	Asb.	1	31	16032
308571	Carburetor (start early 31)	Asb.	1	31-35	2272
391676	Fuel pump flg.	Vell.	1	30-31	V-8987
300564	Fuel pump flg.	Vell.	1	32-34	V-8430
384386	Fuel pump flg.	Vell.	1	35	V-8382
634705	Wat. jkt. cov.	Cork	1	31-32	C-1041
306421	Wat. jkt. cov.	Cork	1	33-35	C-3386
601287	Wat. jkt. cov. stud washer	Cop.	34		470
622772	Wat. pump by-pass	Vell.	1		V-8423
50082	Wat. outlet	Tr. Paper	1	30-33	30057
625195	Wat. outlet elbow CW	Vell.	1	34-35	V-8990
625317	Wat. outlet elbow spacer CW	Vell.	1	34-35	V-8989
44648	Rear main brg. pack.	Asb.	2		16152
316459	Axle hsg.	Cork	1		C-1290

NOTE—The following gaskets are used on Dodge G series trucks equipped with above motor. Other gaskets are the same as those listed above.

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	Wat. jkt. cov. set (to Serial 8850025) (1-C1041)	Cork	1		CW-21
	Wat. jkt. cov. set (after Serial 8850025) (1-C3386)	Cork	1		CW-32
306829	Int. to exh.	Cop. Asb.	2		2085A
316596	Int. to exh.	Stl. Asb.	2		S-2085A
50867	Wat. pump body	Vell.	1		V-5694
306421	Wat. jkt. cov. (to Serial 8850025)	Cork	1		C-1041
601287	Wat. jkt. cov. (after Serial 8850025)	Cork	1		C-3386



Clark Bros., 4. Gas engine Model M2 8 1/2" bore

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
5978B	Cyl. hd.	Cop. Asb.	4.	6030

Clinton, 4-6. Truck and Bus.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
20	1-1 1/2	Buda WTU	5117A	*	65	2 1/2-3	Wauk. CU	5238	*	90M	3-4	Buda YTU	5192	*
20	1-1 1/2	Wauk. V	5264	249	65B	Bus	Buda ETU	5236	*	90M	4	Wauk. DU	81	241
20B	1-1 1/2	Buda WTU	5117A	*	65B	Bus	Buda YTU	5192	*	120	5-7	Buda BTU	5290	*
20B	1-1 1/2	Wauk. V	5264	249	65BS	Bus	Buda YTU	5192	*	120L	5-7	Buda BTU	5290	*
32	1-1 1/2	Buda WTU	5117A	*	65BS	Bus	Wauk. 6Q	5260A	239	120L	5	Wauk. EU	82	*
32	1-1 1/2	Wauk. V	5264	249	65-6	2 1/2-3	Buda DW	5345	*	120LM	5-7	Buda BTU	5290	*
45	1 1/2-2	Buda GTU	5251	*	75	3 1/2-4	Buda BUS	5346	*	120LM	5	Wauk. EU	82	*
45	1 1/2-2	Wauk. V	5264	249	85	3 1/2-4	Buda BUS	5346	*	120SM	5-7	Buda BTU	5290	*
55-6	2 1/2-3	Buda DW	5345	*	90	3 1/2-4	Buda YTU	5192	*	120SM	5	Wauk. EU	82	*
65	2 1/2-3	Buda ETU	5236	*	90	4	Wauk. DU	81	241					

NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.

Clydesdale, 4-6. Truck.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
B4	3-8	Cont. B7	5168	69	10A	1 1/2	Cont. J4	5004	*	80D	3-5	Buda 6D377	5981	27
2	3-8	Cont. B7	5168	69	12	1 1/2	Cont. 8R	68	*	90D	3-5	Buda 6D377	5981	27
4	3-8	Cont. B7	5168	69	14	1 1/2	Cont. 8R	68	*	90D	4-6	B'da 6LD415	S6093	31
4X	3-5	Cont. L4	5167	*	30D	1 1/2	Buda 4D186	5983	26	105D	3-5	Buda 6LD468	6095	31
6X	2-3 1/2	Cont. K4	5001	*	32C	1-1 1/2	Herc. CU2	5235	*	120	3-8	Cont. B5	5168	69
6X	3-5	Cont. L4	5167	*	32X	1-1 1/2	Herc. CU2	5235	*	120B	5	Herc. T2	5289	*
8X	2-3 1/2	Cont. K4	5001	*	34D	1-1 1/2	Buda 4LD196	6089	27	120B	3-5	Cont. L4	5167	*
9A	1-2	Cont. S4	5156	*	42	1-1 1/2	Herc. CU2	5235	*	120C	5	Herc. T2	5289	*
9X	2-3 1/2	Cont. K4	5001	*	42C	1-1 1/2	Herc. CU2	5235	*	120C	3-5	Cont. L4	5167	*
10A	1-2	Cont. S4	5156	*	75D	3-3 1/2	B'da 6LD275	S6091	31	150D	10-15	B'da 6LD691	S6097	32

NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.

Coleman, 6. Truck.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
A68	10	Buda GF6	5263	28	E55	4-6	Buda L525	5805	30	E58	6-7 1/2	Buda GF6	5263	28
E52	2 1/2-3 1/2	Buda K393	5725	30	E55S	4-6	Buda L525	5805	30	F57	7 1/2-10	Ster. L2	5753	223
E53	2 1/2-3 1/2	Buda K393	5725	30	E56	6-7 1/2	Buda GF6	5263	28	F200	7 1/2-10	Ster. L2	5753	223
E54	4-6	Buda L468	5805	30	E57	7 1/2-10	Ster. L2	5753	223					

NOTE—For older models see Guide A.

Commerce, 6. Truck.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
S11	1-2	Buda HS6	5344	*	25Z	1-2	Buda HS6	5344	*	70Z	2 1/2-5	Buda BA6	5346	*
S11X	1-2	Buda HS6	5344	*	30Z	1-2 1/2	Buda DS6	5345	*	80Z	2 1/2-5	Buda BA6	5346	*
S11Y	1-2	Buda HS6	5344	*	40Z	1-2 1/2	Buda DS6	5345	*	100	2 1/2-5	Buda BA6	5346	*
20Y	1-2	Buda HS6	5344	*	50Z	2 1/2-3	Buda BUS	5346	*	100ZB	2 1/2-5	Buda BA6	5346	*
20Z	1-2	Buda HS6	5344	*	60Z	2 1/2-3	Buda BUS	5346	*					

NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.

Concord, 6. Truck and Bus.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
GX6	2-3	Buda DW6	5345	*	JLX6	3-3 1/2	Buda BA6	5346	*	KX6	1 1/2	Buda HS6	5344	*
JBX6	3-3 1/2	Buda BUS	5346	*	JX6	3-3 1/2	Buda DW6	5345	*	BUS		Buda BA6	5346	*

NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.



Condor, 4-6. Truck.


Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
A1	1½-2	Herc. QXB	5992	128	CCV	1½-2	Cont. W11	5626	77	D1	2-4	Herc. JXA	5674	126
AWC41	1½-3	Wauk.XBKH	6006	253	CCV	2	Cont. 16C	5669	70	E1	2-4	Herc. JXA	5674	126
B1	2-4	Herc. JXA	5674	126	CCW41	1½-3	Wauk.XBKH	6006	253	F1	2-4	Herc. JXA	5674	126
C1	2-4	Herc. JXA	5674	126	CD	2-2½	Lyc. ASA	5598	161	G1	3-4½	Herc. JXC	5732	126
CAV	1-1½	Cont. 25A	5580A	68	CE	3	Lyc. TS	5390	165	H1	3-4½	Herc. JXC	5732	126
CB	1¾	Lyc. 4SL	5262	164	CEB	3-5	Cont. 21R	5534	75	J1	3½-5	Herc. JXD	5910	126
CBV	1-1½	Cont. 25A	5580A	68	CGW	3-5	Cont. 21R	5534	75	K1	3½-5	Herc. JXD	5910	126
CBV	1½-2	Cont. W10	5626	77	CHB	5	Cont. 16H	5683	*	TCB4	1½-2	Cont. W10	5626	77
CC	2-2½	Lyc. ASD	5598	161	CGB	3-5	Cont. 20R	5534	75					

NOTE—*Indicates that this motor is listed in Guide A.

Continental "Beacon" Motor, 4. Passenger Models C400, 1933; 41, 1934 (Continental C400 motor), McCord No. 5785. See Page No. 69.


Continental "Flyer" Motor, 6. Passenger Model C600, 1933 (Cont. C600 motor), McCord No. 5786. See Page No. 69.

Continental "Ace" Motor, 6. Passenger Model Big 6, 1933 (Cont. 41A motor), McCord No. 5580A. See Page No. 68.

Continental Motor, 6. Models A6225, 3.301x4¾"; A6244-25B 3 7/8 x 4 3/8"
Power Unit PA224 3 7/8 x 4 3/8"

McCord No. 5580A

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
A600A-405	Cyl. hd.	Cop. Asb.	1		5580A

Continental Motor, 6. Model 22A 3 1/4 x 4"
Models 25A-26B-30A-32A-40A-41A 3 3/8 x 4"
Models Power Unit P640 3 3/8 x 4"

McCord No. 5580-A




McCord No. 1880



McCord No. S-2319




McCord No. S-2300



McCord No. C-546



McCord No. C-1215



McCord No. C-1216


McCord No. C-2978

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
22AA-503	Cyl. hd.	Cop. Asb.	1		5580A
	Mani. set (1-1880)	Stl. Asb.	1		*MS-743
	Mani. set (1-S2319)	Stlpk.	1		**SMS-742
	Valve cov. set (2-C546)	Cork	1		CV-201
	Oil pan set (1-C1215, 1-C1216, 2-C2978)	Cork	1		CS-2207
	Oil pan set (1-P80, 1-P79, 2-C2978)	Vell.	1		ES-79
22AB-401	Chain cov. set (1 pc.)	Vell.	1		ES-1128
22AE-200	Exh. pipe flg.	Cop. Asb.	1		122EA
200221	Exh. pipe flg. (DE Vaux)	Cop. Asb.	1		132F
26AE-202	Exh. outlet elbow	Cop. Asb.	1		866G
10EE-302	Manifold	Stl. Asb.	1		*1880
41AE-300	Manifold	Stl. Asb.	1		**S-2319
15EA-300	Valve cov.	Cork	2		C-546
20AB-305	Oil pan, right	Cork	1		C-1215
20AB-304	Oil pan, left	Cork	1		C-1216
22AB-210	Oil pan, ends	Cork	2		C-2978
20AB-305	Oil pan, right (1-P80)	Vell.	1		P79 set
20AB-304	Oil pan, left (1-P79)	Vell.			
22AB-310	Oil pan, ends (2-C2978)	Cork			
40AE-202	Int. to exh.	Stlpk.	1		S-2300
22AK-205	Wat. pump cov.	Vell.	1		*V-9057
17EK-202	Wat. pump cov.	Vell.	1		**V-9055
17EK-203	Wat. pump to cyl.	Vell.	1		V-9056
20AK-203	Wat. outlet	Vell.	1		V-5369
	Carburetor	Vell.	1		V-103

NOTE—*Used on 22A-25A-26B-30A-32A Motors.

**Used on 40A-41A Motors.


Continental Motor, 4. Models B2-B5-B7. 4 3/4 x 6"; 5 x 6"
 Power Unit P52A (B7) 5 x 6"




McCord Nos. 67 and 5168



McCord No. 1054



McCord No. 1079




McCord No. 1255


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
B2A-401	Cyl. hd.	Cop. Asb.	2		67
B5A-404	Cyl. hd.	Cop. Asb.	2		5168
NOTE—Gasket No. 5168 is a heavier gasket used on late production motors and can be used in place of No. 67 on early motors of this type.					
	Valve cov. set (2-C859)				
	B2	Cork	1		CV-616
B5A-202	Valve cov. set (2 pcs.)				
	B5-B7	Vell.	1		ES-2509
B2B-306	Oil pan set (2 pcs.)	B2 Vell.	1		ES-951
B5B-303	Oil pan set (2 pcs.)	B5-B7 Vell.	1		ES-952
B2B-304	Cyl. base set (2 pcs.)	Vell.	1		ES-3705
B2B-305	Gear cov. set (1 pc.)	B2 Vell.	1		ES-1700
B5B-304	Gear cov. set (1 pc.)				
	B5-B7	Vell.	1		ES-1600
B2E-100	Exh. pipe fig.	Cop. Asb.	1		1079
L4E-202	Exh. pipe pack.	Cop. Asb.	4		143C
B2E-200	Exh. mani.	Cop. Asb.	4		866B
B2F-200	Int. mani.	Cop. Asb.	2		846A
B2A-203	Valve cov. B2	Cork	2		C-859
B2F-201	Int. heater B2	Cop. Asb.	1		1054
B5F-301	Int. heater B5-B7	Cop. Asb.	1	24-25	1255
B2K-209	Wat. pump, lower	Vell.	1		V-5910
X366	Wat. pump drain plug	Cop. Asb.	1		507
B2K-120	Fan cap	Cop. Asb.	1		133A

Continental Motor, 6. Model 26B. McCord No. 5580A. See Page No. 68.
 Continental Motor, 6. Model 27B. McCord No. 5669. See Page No. 70.
 Continental Motor, 6. Model 28B. McCord No. 5459. See Page No. 71.
 Continental Motor, 6. Model 29B. McCord No. 5751. See Page No. 71.
 Continental Motor, 6. Models 30B-31B-33B-34B. McCord No. 5534. See Page No. 75.
 Continental Motor, 6. Model 32B. McCord No. 5578. See Page No. 71.
 Continental Motor, 6. Model 35B. McCord No. 5794. See Page No. 76.
 Continental Motor, 6. Model 36B. McCord No. 5683. See Page No. 74.

Continental Motor, 4. Model C400 3 3/8 x 4"
 Models C4113, 3x4"; C4124, 3x4 3/8"; C4140, 3 3/8 x 4 3/8"; C4143 3 3/8" x 4"
 Power Units PC113, 3x4"; PC143 3 3/8 x 4"




McCord No. 5785




McCord No. S2577

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
C400A-305	Cyl. hd.	Cop. Asb.	1		5785
	Mani. set (1-S2577)	Stlpk.	1		SMS-740
	Valve cov. set (1-C3468)	Cork	1		CV-554
C400B-415	Oil pan set (4 pcs.)	Vell.	1		ES-38
C400E-203	Exh. pipe fig.	Cop. Asb.	2		110M
206122	Exh. pipe fig. (Divco)	Stlpk.	1		S-3037
C400E-301	Manifold	Stlpk.	1		S-2577
C400A-217	Valve cov.	Cork	1		C-3468
C400B-223	Oil pan ends	Cork	2		C-4959
C400K-210	Wat. outlet	Tr. Paper	1		30416
H7K-218	Wat. pump outlet	Tr. Paper	1		30417
C400B-241	Front end pl.	Tr. Paper	1		36048
C400B-221	Gear cov.	Cork	1		C-3423

Continental Motor, 6. Model C600 3x4"




McCord No. 5786




McCord No. S-2582

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
C600A-308	Cyl. hd.	Cop. Asb.	1		5786
	Mani. set (1-S2582)	Stlpk.	1		SMS-741
	Valve cov. set (1-C3461)	Cork	1		CV-282
C600B-403	Oil pan set (2 pcs.)	Vell.	1		ES-70
C600E-201	Exh. pipe fig.	Cop. Asb.	1		1881
C600E-300	Manifold	Stlpk.	1		S-2582
C600A-302	Valve cov.	Cork	1		C-3461

Continental Motor, 6. Models 12C-14C-15C-16C-18C-20C-27B $3\frac{1}{4} \times 4\frac{5}{8}$ ", $3\frac{3}{8} \times 4\frac{5}{8}$ "
 Models 8U-11U-14U-15U-18U $3\frac{1}{4} \times 4\frac{5}{8}$ ", $3\frac{3}{8} \times 4\frac{5}{8}$ "
 Power Unit P45A (14C) $3\frac{1}{4} \times 4\frac{5}{8}$ ", $3\frac{3}{8} \times 4\frac{5}{8}$ "




McCord No. 5669



McCord No. 1351




McCord No. 1970



McCord No. 1837




McCord No. 1724




McCord No. C-547

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
16CA-502	Cyl. hd.	Cop. Asb.	1		5669
	Mani. set (1-1351)	Cop. Asb.	1		MS-746
	Valve cov. set (2-C547)	Cork	1		CV-203
	Oil pan set (1-C831)	Cork	1		CS-2200
15UB-406	Oil pan set (1 pc.)	Vell.	1		ES-720
16CB-301	Chain case to C/C set (1 pc.)	Vell.	1		ES-1156
8UB-316	Gear cov. set (1 pc.) 8U to 18U	Vell.	1		ES-1242
16CB-302	Chain cov. set (1 pc.) 14C to 18C	Vell.	1		ES-1292
8UE-202	Exh. pipe fig.	Stl. Asb.	1		1724
8UE-202	Exh. pipe fig.	Stl. Asb.	1		S-1724
8UE-201	Exh. mani. pack.	Cop. Asb.	1		2729
11UE-300	Manifold	Cop. Asb.	1		1351
8UA-301	Valve cov.	Cork	2		C-547
15UB-406	Oil pan	Cork	1		C-831
14LL-213	Oil header fig.	Cop. Asb.	1		1970
15UK-203	Wat. pump body	Vell.	1		V-8834
6YK-215	Wat. outlet	Vell.	1		V-5261
2962	Fan hub	Paper	1		1837


Continental Motor, 6. Models D6170-DS6170, 3×4 "; D6184-DS6184 $3\frac{1}{8} \times 4$ "
 Models D6199, $3\frac{1}{4} \times 4$ "; D6202-DS6202 $3\frac{1}{8} \times 4\frac{3}{8}$ "
 Model D6218 $3\frac{1}{4} \times 4\frac{3}{8}$ "
 Power Units PD170, 3×4 "; PD199, $3\frac{1}{4} \times 4$ "; PD202, $3\frac{1}{8} \times 4\frac{3}{8}$ "; PD218 $3\frac{1}{4} \times 4\frac{3}{8}$ "



McCord No. 5991




McCord No. S-2981




McCord No. S-2982

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
D600A-411	Cyl. hd.	Cop. Asb.	1		5991
	Motor overhaul set (1-5991, 1-S2981, 2-C4741, 1-C4102, 2-31017, 1-30214, 1-30212, 1-30213)		1		9052
	Mani. set (1-S2981)	Stl. Asb.	1		SMS-2520
	Valve cov. set (1-C4102)	Cork	1		CV-569
	Push rod cov. set (1-C4097)	Cork	1		CV-570
	Oil pan set (early models) (2-31017, 2-C4741)	Tr. Paper	1		CS-2324
	Oil pan set (late models) (2-31017, 2-C4830)	Tr. Paper	1		CS-2355
D600E-300	Manifold	Stl. Asb.	1		S-2981
D600A-224	Valve cov.	Cork	1		C-4102
D600A-308	Push rod cov.	Cork	1		C-4097
D600B-402	Oil pan, sides	Tr. Paper	2		31017
D600B-201	Oil pan, ends (early models)	Cork	2		C-4741
D600B-214	Oil pan, ends (late models)	Cork	2		C-4830
B422	Int. to exh.	Stl. Asb.	1		S-2982
B-413	Air cleaner pipe (Hart Parr)	Tr. Paper	1		30213
D600K-312	Wat. pump	Tr. Paper	2		30214
D600K-205	Wat. outlet	Tr. Paper	1		30212
D600B-200	Rear brg. filler block	Cork	1		C-4065
D600B-309	Gear case cov. pl.	Tr. Paper	1		30333
D600B-320	Gear case cov.	Tr. Paper	1		30336

Continental Motor, 6. Models E600-29B-PE288, $3\frac{1}{4} \times 4\frac{1}{2}$ "; E601-PE318 $3\frac{7}{8} \times 4\frac{1}{2}$ "
 Models E602-32B-PE361, $4\frac{1}{8} \times 4\frac{1}{2}$ "; E603-PE383 $4\frac{1}{4} \times 4\frac{1}{2}$ "
 Power Units P651 (E600-29B); P658 (E601); P667 (602-32B); P671 (E603)



McCord Nos. 5751-5758




McCord No. 6015




McCord No. S-2556

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
E601A-404	Cyl. hd. E600-E601-29B	Cop. Asb.	1	to 36	5751
E601A-410	Cyl. hd. E600-E601-29B	Stl. Asb.	1	36 up	6015
E603A-402	Cyl. hd. E602-E603-32B	Cop. Asb.	1	to 36	5758
E603A-317	Cyl. hd. E602-E603-32B	Stl. Asb.	1	36 up	6105
	Mani. set (1-S2556)	Stlpl.	1		SMS-751
	Valve cov. set (2-C3592)	Cork	1		CV-215
E600B-413	Oil pan set (1 pc.)	Vell.	1		ES-835
E600B-313	Gear case to C/C set (1 pc.)	Vell.	1		ES-1288
E600B-308	Gear case cov. to case set (1 pc.)	Vell.	1		ES-1541
E600B-306	Gear case cov. set (1 pc.)	Vell.	1		ES-1540
B2E-100	Exh. pipe fig.	Cop. Asb.	1		1079
E600E-301	Manifold	Stlpl.	1		S-2556
E600A-206	Valve cov.	Cork	2		C-3592
E600L-215	Oil filler body	Vell.	1		V-8439
E600L-203	Oil pump body to brg.	Vell.	1		V-8440
E600S-211	Gov. hole cov.	Vell.	1		V-8811
E600V-200	Fuel pump to C/C	Vell.	1		V-8436
16EV-201	Fuel pump to C/C	Vell.	1		V-8435
E600K-211	Wat. pump body	Vell.	1		V-8809
20RK-245	Wat. pump inlet	Vell.	1		V-5243
E600K-220	Wat. pump pack. box	Vell.	1		V-8434
E600K-215	Wat. outlet	Vell.	1		V-5464
E600B-213	Gear case baffle	Vell.	1		V-8438
E600B-207	Rear brg. filler block	Vell.	1		V-8437
E600K-226	Accessory drive shaft supp.	Vell.	1		V-8810


Continental Motor, 6. Models 10E-11E, $3\frac{1}{4} \times 4$ "; 12E-14E-15E-16E-17E-18E-19E-28B $3\frac{3}{8} \times 4$ "



McCord No. 5196




McCord No. 5459




McCord No. 1880




McCord No. 1494



McCord No. 1724



McCord No. C-544




McCord No. C-546


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
10EA-502	Cyl. hd.	Cop. Asb.	1	26-27	5196
11EA-500	Cyl. hd.	Cop. Asb.	1	28-32	5459
	Mani. set (1-1494)	Stl. Asb.	1	26-27	MS-2479
	Mani. set (1-1880)	Stl. Asb.	1	28-32	MS-743
	Valve cov. set (2-C544)				
	10E-11E-12E-14E-18E	Cork	1		CV-200
	Valve cov. set (2-C546)				
	15E-16E-17E-19E	Cork	1		CV-201
	Oil pan set (2-C2648C, 2-C1212)	Cork	1		CS-2266
	Oil pan set (2-P68, 2-C1212)	Vell.	1		ES-68
	Wat. jkt. cov. set (1-C545)	Cork	1		CW-11
	Wat. jkt. cov. set (1-V2170)	Vell.	1		ES-2170
10EB-410	Gear cov. set (1 pc.) 15E	Vell.	1		ES-1252
8UE-202	Exh. pipe fig.	Stl. Asb.	1		1724
8UE-202	Exh. pipe fig.	Stlpl.	1		S-1724
10EE-301	Manifold	Stl. Asb.	1	26-27	1494
10EE-302	Manifold	Stl. Asb.	1	28-32	1880
10EA-302	Valve cov. 10E-11E-12E- 14E-18E	Cork	2		C-544
15EA-300	Valve cov. 15E-16E-17E- 19E	Cork	2		C-546
10EB-305	Oil pan, sides	Cork	2		C-2648C
11EB-203	Oil pan, ends	Cork	2		C-1212
10EB-305	Oil pan, sides (2-P68)	Vell.	1		P-68 set
11EB-203	Oil pan, ends (2-C1212)	Cork	1		
10EL-212	Oil pump to brg. cap	Cop. Asb.	1		1955
8FK-202	Wat. pump body 18E	Vell.	1		V-8994
17EK-202	Wat. pump cov.	Vell.	1		V-9055
17EK-203	Wat. pump to cyl.	Vell.	1		V-9056
10EA-300	Wat. jkt. cov.	Cork	1		C-545
10EA-300	Wat. jkt. cov.	Vell.	1		V-2170
	Wat. jkt. cov. stud	Cop.	26		462




Continental Motor, 4. Models F4124, 3x4 3/8"; F4140, 3 1/8x4 3/8"; F4162 3 7/8x4 3/8"
Power Units PF124, 3x4 3/8"; PF140, 3 1/8x4 3/8"; PF162 3 7/8x4 3/8"



McCord No. 6016



McCord No. 6066




McCord No. S-3032



McCord No. 3033




McCord No. S-3036




McCord No. S-2807

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
F400A-335	Cyl. hd. F4124-F4140				
F400A-305	3 1/8" bore	Stl. Asb.	1		6016
F400A-307	Cyl. hd. F4162 3 7/8" bore	Cop. Asb.	1		6066
F400A-336	Mani. set (1-S3032)	Stlpk.	1		SMS-2548
	Valve cov. set (1-C3468)	Cork	1		CV-554
	Oil pan set (2-P114, 2-C4815)	Vell.	1		ES-114
F600B-202	Front end pl. set (1 pc.)	Vell.	1		ES-1030
A600B-303	Gear cov. set (1 pc.)	Vell.	1		ES-1152
2106	Axle hsg. set (Reo 450-450L) (1 pc.)	Vell.	1		ES-4021
26752	Axle hsg. set (Reo 475-475L) (1 pc.)	Vell.	1		ES-4157
23785	Exh. pipe flg. (Reo, Mack)	Cop. Asb.	1		3033
3917	Exh. pipe flg. (Divco)	Stlpk.	1		S-3036
C600E-202	Manifold	Stlpk.	1		S-3032
F400E-303	Valve cov.	Cork	1		C-3468
C400A-217	Oil pan, sides (2-P114)	Vell.	1		P-114 set
F400B-401	Oil pan, ends (2-C4815)	Cork	2		C-4815
D600B-214	Oil pan, ends	Cork	2		515
W4B-108	Oil drain plug	Cop. Asb.	1		V-8252
17EL-204	Oil pump strainer to cov.	Vell.	1		S-3031
F400E-205	Int. to exh.	Stlpk.	1		S-2807
1A-251	Carburetor (Reo, Mack)	Stlpk.	1		V-5500
16EV-201	Fuel pump	Vell.	1		V-9481
F600K-311	Wat. pump to cyl.	Vell.	2		V-9482
F600K-310	Wat. pump cov.	Vell.	1		V-5410
C400K-215	Wat. outlet	Vell.	1		C-5094
D600B-217	C/S rear brg. filler block	Cork	2		

Continental Motor, 6. Models F6170, 3x4"; F6199, 3 1/4x4"; F6209, 3 3/8x4 3/8"; F6218 3 1/4x4 3/8"
Power Units PF170, 3x4"; PF199, 3 1/4x4"; PF209, 3 3/8x4 3/8"; PF218 3 1/4x4 3/8"




McCord No. 5928



McCord No. S-2816



McCord No. S-2815






McCord No. S-2807

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
F600A-309	Cyl. hd.	Cop. Asb.	1		5928
	Mani. set (1-S2816)	Stlpk.	1		SMS-976
	Valve cov. set (1-C3461)	Cork	1		CV-282
	Oil pan set (2-C4064C, 2-C4065, 2-C4066)	Cork	1	35	CS-2288
	Oil pan set (2-P253, 2-C4065, 2-C4066)	Vell.	1	35	ES-253
	Oil pan set (2-C4064C, 2-C4065, 2-C4815)	Cork	1	36-38	CS-2334
F600B-202	Front end pl. set (1 pc.)	Vell.	1		ES-1030
D600B-320	Gear cov. set (1 pc.)	Vell.	1		ES-1152
2FD-238	Diff. carr. set (1 pc.) (Reo)	Vell.	1		ES-4328
2FD-237	Axle hsg. set (1 pc.) 6AP-1A4-1C4-1L5-1LC5 (Reo)	Vell.	1		ES-4328A
2106	Axle hsg. set (1 pc.) 650-650L (Reo)	Vell.	1		ES-4021
26752	Axle hsg. set (1 pc.) 675-675L (Reo)	Vell.	1		ES-4157
2B-168	Trans. cov. set (1 pc.) 1A4-1C4-1L5-1LC5 (Reo)	Vell.	1		ES-9650
1919	Exh. pipe flg. (Reo)	Cop. Asb.	1		122EA
F600E-300	Manifold	Stlpk.	1		S-2816
C600A-302	Valve cov.	Cork	1		C-3461
D600B-402	Oil pan, sides	Cork	2		C-4064C
D600B-217	Rear brg. cap filler	Cork	2		C-4065
D600B-201	Oil pan, ends	Cork	2	35	C-4066
D600B-214	Oil pan, ends	Cork	2	36-38	C-4815
D600B-402	Oil pan, sides (2-P253)	Vell.	1		P-253 set
D600B-217	Rear brg. cap filler (2-C4065)	Cork	1	35	
D600B-201	Oil pan, ends (2-C4066)	Cork	1		515
W4B-108	Oil drain plug	Cop. Asb.	1		

(Continued on Next Page)



Continental Motor, 6. Models F6170-F6199-F6209-F6218—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
F600E-205	Int. to exh. mani.	Stlpl.	1		S-2815
1A251	Carburetor (Reo)	Stlpl.	1		S-2807
2B4A97	Fuel pump (Reo)	Vell.	1		V-5500
W4K-220	Wat. pump cov.	Vell.	1		V-9482
H7K-218	Wat. pump body	Vell.	1		V-9481
C400K-215	Wat. outlet	Vell.	2		V-5410
3BG14	Spark plug 1A4-1C4-1L5-1LC5 (Reo)	Allmetal	6		AM510A
22180	Spark plug 650-650L-675-675L (Reo)	Allmetal	6		AM504K
D600B-217	C/S rear brg. filler block	Cork	2		C-4065
2FD-237	Axle hsg. 6AP-1A4-1C4-1L5-1LC5 (Reo)	Cork	1		C-825
1D162	Axle fig. 1A4-1C4-1L5-1LC5 (Reo)	Vell.	2		V-8952

Continental Motor, 4. Models H1-H6-H7-H8-H9-W4-W5, 3 3/8 x 4 1/4"; W9
Power Units P12A-P20-P415, 3 3/8 x 4 1/4"; P27A

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
W4A-401	Cyl. hd.	Cop. Asb.	1		5066
W7A-401	Cyl. hd. (W9 only)	Cop. Asb.	1		5578
	Motor overhaul set (W9 only) (1-5578, 1-1179, 1-516A, 1-1177, 1-C600, 1-115AA, 2-V2026, 2-V2027, 1-V5588, 1-V1229)		1		9079
	Mani. set (1-1179)	Cop. Asb.	1		MS-2159
W4A-201-2	Valve cov. set (4 pcs.)	Vell.	1		ES-2026
	Oil pan set (1-C600)	Cork	1		CS-2166
W4B-308	Oil pan set (1 pc.)	Vell.	1		ES-609
W4B-314	Gear cov. set (1 pc.)	Vell.	1		ES-1229
WSE-200	Exh. pipe pack.	Cop. Asb.	1		115AA
W4E-401	Manifold	Cop. Asb.	1		1179
W4B-308	Oil pan	Cork	1		C-600
W4B-108	Oil drain plug	Cop. Asb.	1		516A
W4L-110	Oil filler screen assembly	Cop. Asb.	1		1177
1103	Int. to exh.	Asb.	1		16046
1106	Exh. damper valve cov.	Cop. Asb.	1		2715
1217	Carb. to int.	Asb.	1		16047

Continental Motor, 4. Models H15-H16-H17, Industrial Units




McCord No. 5673

McCord No. 2127

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
16HA-410	Cyl. hd.	Cop. Asb.	2		5673
	Mani. set (2-2127, 2-2133)	Cop. Asb.	1		MS-736
H16E-202	Mani., center	Cop. Asb.	2		2133
H16E-201	Mani., ends	Cop. Asb.	2		2127

Continental Motor, 4. Models H22, 5 1/4 x 6 1/2"; H23, 5 1/2 x 6 1/2"; H24



McCord No. 5695



McCord No. 2360




McCord No. 2361



McCord No. 2362

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
H24A-408	Cyl. hd.	Cop. Asb.	2		5695
	Mani. set (2-2362) (old style)	Cop. Asb.	1		MS-737
	Mani. set (new style) (2-2360, 2-2361)	Cop. Asb.	1		MS-738
H24E-301	Mani. (old style)	Cop. Asb.	2		2362
H24E-200	Mani., center (new style)	Cop. Asb.	2		2361
H24E-201	Mani., ends (new style)	Cop. Asb.	2		2360

Continental Motor, 4. Models H25, 6x7 1/2"; H26, 6 1/4 x7 1/2"; H27, 6 1/2 x7 1/2"; H28 6 3/4 x7 1/2"



McCord No. 5795




McCord No. 2588



McCord No. 2589

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
H28A-402	Cyl. hd.	Cop. Asb.	2		5795
	Mani. set (2-2588, 2-2589)	Cop. Asb.	1		MS-739
H28E-201	Exh. mani. center	Cop. Asb.	2		2589
H28E-200	Exh. mani. ends	Cop. Asb.	2		2588


Continental Motor, 6. Models 16H-36B 4 3/4 x5 3/4"



McCord No. 5683




McCord No. 1277



McCord No. 2371

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
16HA-401	Cyl. hd.	Cop. Asb.	2		5683
	Mani. set (1-2371, 2-1277, 1-1285)	Cop. Asb.	1		MS-2480
14HB-202	Oil pan set (1 pc.)	Vell.	1		ES-896
14HB-400	Gear cov. set (1 pc.)	Vell.	1		ES-1708
14HE-207	Exh. mani. pack.	Cop. Asb.	1		1285
16HE-400	Exh. mani.	Cop. Asb.	1		2371
14HF-201	Int. mani.	Cop. Asb.	2		1277



Continental Motor, 8. Models 12K-13K-14K-15K 3 3/8 x4 1/2"




McCord No. 5493A




McCord No. 1894

McCord
No. 1883McCord
No. 2078McCord
No. 2080

McCord No. 2637




McCord No. 2713




McCord No. C-678

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
14KA-500	Cyl. hd.	Cop. Asb.	1		5493A
	Mani. set (1-1894)	Cop. Asb.	1		MS-748
	Valve cov. set (2-C678)	Cork	1		CV-206
12KB-400	Oil pan set (1 pc.)	Vell.	1		ES-919
	1st. type				
	Oil pan set (1-C1384C)	Cork	1		CS-2225
	2nd. type				
9KK-402	Wat. jkt. cov. set (1 pc.)	Vell.	1		ES-2381
14KB-408	Gear cov. set (1 pc.)	Vell.	1		ES-1501
68964	Diff. carr. and axle hsg. set (1 pc.) (Graham)	Vell.	2		ES-4221
B67877	Exh. pipe flg. (Graham)	Stl. Asb.	1		1826
12KE-213	Exh. pipe flg.	Cop. Asb.	1		2637
X100336	Exh. pipe flg. (Peerless)	Cop. Asb.	1		2714
14KE-402	Manifold	Cop. Asb.	1		1894
12KA-300	Valve cov.	Cork	2		C-678
12KA-400	Oil pan, 2nd. type	Cork	1		C-1384C
12KE-208	Exh. heater conn.	Cop. Asb.	1		2713
15SE-211	Heater conn.	Cop. Asb.	1		1883
16SF-200	Int. heater conn., lower	Cop. Asb.	1		2078
12KF-205	Int. heater conn., lower	Stl. Asb.	1		S-2078
16SF-201	Int. heater conn., upper	Cop. Asb.	1		2080
12KF-206	Int. heater conn., upper	Stl. Asb.	1		S-2080
75594E	Carburetor	Stl. Asb.	1		2262
12KK-218	Wat. pump body	Vell.	1		V-8995
71258	Wat. pump pl.	Vell.	1		V-9194
75171	Wat. inlet and outlet	Cork	2		C-1035
75171	Wat. inlet and outlet	Vell.	2		V-9195

Continental Motor, 4. Models M3-M5-M7-W20 4 1/8 x4 1/4"






McCord No. 5685



McCord No. 2168

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
M3A-403	Cyl. hd.	Cop. Asb.	1		5685
	Mani. set (1-2168)	Cop. Asb.	1		MS-747
W8E-400	Manifold	Cop. Asb.	1		2168


Continental Motor, 6. Models M6253, 3 1/2 x 4 3/8"; M6271, 3 5/8 x 4 3/8"; M6290, 3 3/4 x 4 3/8"; M6300-M6330-M6338, 4 x 4 3/8"



Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
M600A-408	Cyl. hd. (3 1/2-3 5/8" bore)	Stl. Asb.	1	6056
M600A-410	Cyl. hd. (3 3/4-4" bore)	Stl. Asb.	1	6055
	Mani. set			
	(1-S2996, 1-S2997)	Stl. Asb.	1	SMS-2535
	Valve cov. set (2-C4821)	Cork	1	CV-590
	Oil pan set (2-31022)	Tr. Paper	1	CS-2338
	Exh. pipe flg.	Cop. Asb.	3	1079
	Manifold	Stl. Asb.	1	S-2996
M600A-303	Valve cov.	Cork	2	C-4821
M600B-406	Oil pan	Tr. Paper	2	31022
	Int. and vaporizer	Stl. Asb.	1	S-2997
M600K-305	Wat. pump to cyl.	Tr. Paper	1	30380
M600K-304	Wat. pump cov.	Tr. Paper	1	30381
M600B-305	Front end pl. to C/C	Tr. Paper	1	36042
M600B-307	Gear cov. to front end pl.	Tr. Paper	1	36043

Continental Motor, 4. Model PY. Power Unit P410



2 3/4 x 3 5/32"



Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
PYA-400	Cyl. hd.	Cop. Asb.	1	5684

Continental Motor, 6. Models 11R, 3 7/8 x 4 1/8"; 16R, 4 x 4 1/8"; 18R, 4 x 4 1/2"; 20R, 4 1/8 x 4 3/4"; 21R, 4 3/8 x 4 3/4"; 29R, 4 x 4 1/8"; 30B, 4 x 4 1/8"; 30R, 4 x 4 1/2"; 31B, 3 7/8 x 4 1/2"; 31R, 4 1/8 x 4 3/4"; 32R, 4 3/8 x 4 3/4"; 33B, 4 1/8 x 4 3/4"; 34B, 4 3/8 x 4 3/4".

Power Units P57A, 4 x 4 1/8"; P65A, 4 x 4 1/2"; P73A-PR381, 4 1/8 x 4 3/4"; PR428, 4 3/8 x 4 3/4"




Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
21RA-500	Cyl. hd.	Cop. Asb.	1	5534
	Mani. set (1-1979A)	Cop. Asb.	1	MS-749
	Cyl. hd. cov. set (1-C749)	Cork	1	CV-617
20RA-313	Cyl. hd. cov. set (1 pc.)	Vell.	1	ES-2801
	Valve chamber cov. set (3-C753) (to engine 8000)	Cork	1	CV-212
	Valve chamber cov. set (after engine 8000)			
	(1-C2999, 2-C2956)	Cork	1	CV-559
20RB-400	Oil pan set (1 pc.)	Vell.	1	ES-933
16RB-504	Front end pl. to C/C set (1 pc.) 16R	Vell.	1	ES-1352
16RB-503	Chain case cov. set (1 pc.) 16R	Vell.	1	ES-1707
20RB-541	Chain case to C/C set (1 pc.)	Vell.	1	ES-1460
B2E-100	Exh. pipe flg.	Cop. Asb.	1	1079
14HE-207	Exh. pipe pack.	Cop. Asb.	2	1285
20RE-503	Manifold	Cop. Asb.	1	1979A
20RA-303	Cyl. hd. cov.	Cork	1	C-749
20RA-302	Valve chamber cov. (to engine 8000)	Cork	3	C-753
22RA-303	Valve chamber cov., front (after engine 8000)	Cork	1	C-2999
22RA-309	Valve chamber cov., center and rear (after engine 8000)	Cork	2	C-2956
16RE-214	Int. heater pipe pack.	Cop. Asb.	1	2261
20RE-300	Mani. heater box cov.	Cop. Asb.	1	1980
20RE-214	Carburetor	Stl. Asb.	1	846CA
20RK-244	Wat. pump body	Vell.	1	V-9313
20RK-245	Wat. pump body to inlet	Vell.	1	V-5243
20RK-255	Wat. outlet	Vell.	1	V-9042
20RB-530	Front end pl. to C/C	Tr. Paper	1	36053
20RB-525	Chain case cov. (to engine 5000)	Tr. Paper	1	36054
20RB-513	Chain case cov. (after engine 5000)	Tr. Paper	1	36055




Continental Motor, 6. Models 22R-33R-35B; Power Unit PR501

4 1/2 x 5 1/4"



McCord No. 5794



McCord No. S-2979




McCord No. S-2614


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
22RA-411	Cyl. hd.	Stl. Asb.	1		5794
	Mani. set (1-S2614)				
	(to engine 22R1000)	Stlpk.	1		SMS-750
	Mani. set (1-S2979)				
	(after engine 22R1000)	Stlpk.	1		SMS-2534
	Valve chamber cov. set				
	(1-C2999, 2-C2956)	Cork	1		CV-559
20RB-400	Oil pan set (1 pc.)	Vell.	1		ES-933
20RB-541	Chain case to C/C set				
	(1 pc.)	Vell.	1		ES-1460
22RE-300	Mani. (to engine 22R1000)	Stlpk.	1		S-2614
22RE-304	Mani. (after engine 22R1000)	Stlpk.	1		S-2979
22RA-303	Valve chamber cov., front	Cork	1		C-2999
22RA-309	Valve chamber cov., center and rear	Cork	2		C-2956
20RK-255	Wat. outlet	Vell.	1		V-9042
22RK-206	Wat. inlet	Tr. Paper	4		30443
20RB-518	Chain case cov.	Tr. Paper	1		36056
20RB-410	Air compressor chain case	Vell.	1		V-9850

Continental Motor, 8. Models 8S-10S, 2 7/8 x 4 3/4"; 14S-15S-16S-17S-18S-21S


3x4 3/4"




McCord No. 5177




McCord No. 1882




McCord No. 1374




McCord No. 1363




McCord No. 1362




McCord No. 1956



McCord No. 2078



McCord No. 2080



McCord No. 2112



McCord No. 1828



McCord No. 1883

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
15SA-501	Cyl. hd.	Cop. Asb.	1		5177
	Mani. set				
	(1-1363, 2-1374)	Cop. Asb.	1	26-27	MS-724
	Mani. set (2-1882)	Stl. Asb.	1	28 up	MS-725
	Valve cov. set (2-C612)				
	8S-10S	Cork	1		CV-205
	Valve cov. set (2-C867)				
	14S to 21S	Cork	1		CV-213
8SB-401	Oil pan set (1 pc.)	Vell.	1		ES-918
8SE-202	Mani., center	Cop. Asb.	1	26-27	1363
8SE-300	Mani., ends	Cop. Asb.	2	26-27	1374
15SE-300	Manifold	Stl. Asb.	2	28 up	1882
10SA-301	Valve cov. 8S-10S	Cork	2		C-612
16SA-304	Valve cov. 14S to 21S	Cork	2		C-867
15SE-203	Exh. heater	Cop. Asb.	1		1828
15SE-211	Exh. heater	Cop. Asb.	1		1883
8SE-204	Exh. and int. cov.	Cop. Asb.	1	26-27	1362
15SE-201	Exh. and int. cov.	Cop. Asb.	1	28 up	1956
16SF-205	Int. heater conn., upper	Cop. Asb.	1		2080
12FK-206	Int. heater conn., upper	Stlpk.	1		S-2080
16SF-200	Int. heater conn., lower	Cop. Asb.	1		2078
12FK-205	Int. heater conn., lower	Stlpk.	1		S-2078
17SE-202	Heat control hsg. cov.	Cop. Asb.	1		2112
X374	Annular gasket	Cop. Asb.	1		2114

Continental Motor, 6. Models 8U-11U-14U-15U-18U, 3 1/4 x 4 5/8", 3 3/8 x 4 5/8". McCord No. 5669. See page No. 70.

Continental Motor, 4. Models W4-W5, McCord No. 5066. See page No. 73.


Continental Motor, 4. Model W8, McCord No. 5626. See page No. 77.

Continental Motor, 4. Model W9, McCord No. 5578. See page No. 73.




Continental Motor, 4. Models W8-W10-W11


3 7/8 x 4 1/4"




McCord No. 5626



McCord No. 2168



McCord No. C-1091



McCord No. C-2749C

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
W8A-402	Cyl. hd.	Cop. Asb.	1		5626
	Mani. set (1-2168)	Cop. Asb.	1		MS-747
	Valve cov. set (2-C1091)	Cork	1		CV-214
	Oil pan set (2-C2749C, 2-C3303)	Cork	1		CS-2227
22AE-200	Exh. pipe flg.	Cop. Asb.	1		122EA
W8E-400	Manifold	Cop. Asb.	1		2168
M3A-302	Valve cov.	Cork	2		C-1091
W8B-302	Oil pan, sides	Cork	2		C-2749C
W8B-213	Oil pan, ends	Cork	2		C-3303
10EL-221	Oil pump body	Vell.	1		V-9058
17EK-202	Wat. pump cov.	Vell.	1		V-9055
17EK-203	Wat. pump to block	Vell.	1		V-9056


Continental Motor, 4. Model W20, McCord No. 5685. See page No. 74.

Continental Motor, 4. Models Y4069, 2 1/2 x 3 1/2"; Y4091


2 7/8 x 3 1/2"

Power Units PY69, 2 1/2 x 3 1/2"; PY91


2 7/8 x 3 1/2"



McCord No. 6104



McCord No. S-3064




McCord No. S-9065


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
Y400A-412	Cyl. hd.	Stl. Asb.	1		6104
	Mani. set (1-S3064, 1-S3065)	Stlplk.	1		SMS-2590
	Valve cov. set (1-C3278)	Cork	1		CV-618
	Oil pan set (2-31034, 2-C4815)	Tr. Paper	1		CS-2361
Y400E-302	Manifold	Stlplk.	1		S-3064
Y400A-302	Valve cov.	Cork	1		C-3278
Y400B-320	Oil pan, sides	Tr. Paper	2		31034
D600B-214	Oil pan, ends	Cork	2		C-4815
Y400E-203	Int. to exh.	Stlplk.	1		S-3065
Y400B-319	Front end pl.	Tr. Paper	1		36051
Y400B-315	Gear case cov.	Tr. Paper	1		36052
D600B-217	C/S rear brg. filler block	Cork	2		C-5094

Continental Motor, 6. Models 16Z-20Z

5 1/4 x 6"



McCord No. 5602



McCord No. 2119

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
19ZA-507	Cyl. hd.	Cop. Asb.	2		5602
	Mani. set (2-2119)	Cop. Asb.	1		MS-735
18ZB-501	Oil pan set (1 pc.)	Vell.	1		ES-897
19ZE-402	Manifold	Cop. Asb.	2		2119

Continental Power Units

Model	Motor	McCord No.	See Page No.	Model	Motor	McCord No.	See Page No.	Model	Motor	McCord No.	See Page No.
P12A	H1	5066	73	P658	E601	5751	71	PF140	F4140	6016	72
P20	H9	5066	73	P667	E602	5758	71	PF162	F4162	6066	72
P27A	W9	5578	73	P671	E603	5758	71	PF170	F6170	5928	72
P45A	14C	5669	70	PA244	A6225	5580A	68	PF199	F6199	5928	72
P52A	B7	5168	69	PC113	C400	5785	69	PF209	F6209	5928	72
P57A	29R	5534	75	PC143	C400	5785	69	PF218	F6218	5928	72
P65A	30R	5534	75	PD170	D6170	5991	70	PR381	20R	5534	75
P73A	31R	5534	75	PD199	D6199	5991	70	PR428	34B	5534	75
P410	PY	5684	75	PD202	D6199	5991	70	PR501	22R	5794	76
P415	H1	5066	73	PD218	D6218	5991	70	PY69	Y4069	6104	77
P640	32A	5580A	68	PF124	F4124	6016	72	PY91	Y4091	6104	77
P651	E600	5751	71								



Corbett, 4-6-8. Truck and Bus

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
A12	2-6	Wauk. 6MS	5761	247	12FD6	2-6	Cont. E600	6015	71	24D6T	10-15	Cont. 16H	5146A	*
A15	2-6	Wauk. 6MS	5761	247	12FD6	2½-7	Cont. E602	5758	71	24D6T	8-10	Cont. 22R	5794	76
B6B6	Bus	Cont. 25A	5580A	68	12FD6	2½-7	Cont. E602	6105	71	24SB2	4-6	Wauk. 6MK	5761	247
B7B7	Bus	Cont. 16C	5669	70	12W6	2-6	Cont. E600	5751	71	24W6	4-5	Cont. 20R	5534	75
B9B6	Bus	Cont. 16C	5669	70	12W6	2-6	Cont. E600	6015	71	25SB2	4-6	Cont. M6290	6055	75
B9B6	Bus	Cont. 20C	5669	70	12W6	2-6	Cont. E601	5751	71	25SB4	4-6	Cont. M6290	6055	75
B12B6	Bus	Cont. 16R	5534	75	12W6	2-6	Cont. E601	6015	71	25SB6	4-6	Cont. M6330	6055	75
B18W6	Bus	Cont. 18R	5534	75	12WG	2-6	Cont. 16R	5534	75	26	1	Cont. 16C	5669	70
B25B6	Bus	Cont. 18R	5534	75	13B	1½-2	Cont. A6244	5580A	68	26D	4-6	Cont. E603	5758	71
D22B4T	4-5	Cum. HB	5861	79	14B	1½-2	Wauk. 6BK	5921A	240	26D	4-6	Cont. E603	6105	71
D22B6T	5-6	Cum. HB	5861	79	14BT	2-3	Wauk. 6BK	5921A	240	26SD4	4-6	Wauk. 6MZ	5750	247
D27D6T	5-6	Cum. HB	5861	79	14BT	2-3	Cont. M6290	6055	75	26SD6	4-6	Wauk. 6SRK	5717	247
F12	1½-2	Wauk. 6BL	5930A	240	15	2½-3½	Cont. E602	6105	71	27	2½-4	Wauk. 6MZ	5750	247
F12	1½-2½	Cont. A6244	5580A	68	15	2½-3½	Cont. E602	5758	71	27DT	6-7½	Cont. 22R	5794	76
F12B	1½-2	Wauk. 6BL	5930A	240	15B6	3-3½	Cont. 16R	5534	75	27D6T	6-7	Cum. HB	5861	79
F14	2-2½	Wauk. 6BK	5921A	240	15B6	3-3½	Cont. E601	5751	71	28SFD6	5-7½	Cont. 22R	5794	76
F14	2-3	Cont. 6271	6056	75	15B6	3-3½	Cont. E601	6015	71	28SW6	5-7½	Cont. 21R	5534	75
F15	2-2½	Wauk. 6BK	5921A	240	15B6T	5-8	Cont. 21R	5534	75	30SB2	6-8	Wauk. 6SRL	5549	247
F16	2½-4	Wauk. 6MK	5761	247	15B6T	5-8	Wauk. 6SRL	5549	247	33	5-7½	Cont. 21R	5534	75
F18	2½-4	Wauk. 6MK	5761	247	15FD6	3-3½	Cont. 21R	5534	75	33SD4	6-8	Wauk. 6SRL	5549	247
F18	2½-4	Cont. E602	5758	71	15W6	3-3½	Cont. 16R	5534	75	33W6	4-5	Cont. 20R	5534	75
F18	2½-4	Cont. E602	6105	71	15W6	3-3½	Cont. E601	5751	71	33W6	4-5	Cont. 21R	5534	75
F19	2½-4	Cont. M6330	6055	75	15W6	3-3½	Cont. E601	6015	71	35	3½-6	Wauk. 6SRK	5717	247
F21	3-8	Wauk. 6SRL	5549	247	16SB2	2-4	Wauk. 6BK	5921A	240	35SB2	6-8	Cont. E603	5758	71
F23	3-5	Wauk. 6SRL	5549	247	16SFD	2½-7	Cont. E602	5758	71	35SB2	6-8	Cont. E603	6105	71
F23	3-6	Cont. 20R	5534	75	16SFD	2½-7	Cont. E602	6105	71	35SB4	6-8	Cont. E603	5758	71
F27	4-7	Wauk. 6SRK	5717	247	16SFD8	2½-4	Lyc. AEF	5710	161	35SB4	6-8	Cont. E603	6105	71
F27	4-7	Cont. 21R	5534	75	17B	2-3	Cont. M6290	6055	75	36	1-2	Cont. 12C	5669	70
F32	6-10	Wauk. 6RB	5568	239	18	1½-2	Cont. 21R	5534	75	36	1-2	Cont. 15C	5669	70
F35	6-10	Wauk. 6RB	5568	239	18	2½-7	Cont. E602	5758	71	36SD2	8-10	Wauk. 6-125	5585	256
F35	6-10	Cont. 22R	5794	76	18	2½-7	Cont. E602	6105	71	36SED6	7½-10	Herc. HXB	5730	126
4B4	1½	Cont. W10	5626	77	18	2½-7	Cont. E603	5758	71	36SFD6	7½-10	Herc. HXB	5730	126
5B6	1½-2	Cont. 25A	5580A	68	18	2½-7	Cont. E603	6105	71	36SW6	7½-10	Cont. 21R	5534	75
6B6	1½-2	Cont. 25A	5580A	68	18	2-3	Wauk. 6MS	5761	247	40	5-7½	Wauk. 6SRK	5717	247
7B6	1½-1½	Cont. 18E	5459	71	18	2½-7	Wauk. 6MZ	5750	247	40SB2	8-10	Cont. 21R	5534	75
8B4	1½	Cont. W10	5626	77	18B	2½-7	Wauk. 6MZ	5750	247	40SB4	8-10	Cont. 21R	5534	75
8B6	1½-2	Cont. 25A	5580A	68	18BT	3-4	Wauk. 6MZ	5750	247	40SD4	8-10	Wauk. 6SRK	5717	247
9B6	1½-2	Cont. 16C	5669	70	18BT	3-4	Cont. E603	6105	71	40SD6	6-8	Wauk. 6RB	5568	239
9B6	1½-2	Cont. 16C	5669	70	18BT	3-4	Cont. E603	5758	71	40SD6	6-8	Cont. 22R	5794	76
9B6	1½-2	Cont. E600	5751	71	18D6T	8-10	Cont. 22R	5794	76	40SW6	10-15	Cont. 16H	5146A	*
9B6	1½-2	Cont. E600	6015	71	18D6T	8-10	Cont. 21R	5534	75	45SFD6	10-15	Herc. HXC	5729	126
9B6T	1½-2	Cont. 16C	5669	70	18D6T	8-15	Wauk. 6-125	5585	256	46	1½-2	Cont. 15C	5669	70
9B6T	1½-2	Cont. E600	5751	71	18FD6	3½-7½	Cont. 22R	5794	76	50SD6	8-10	Herc. HXC	5729	126
9B6T	1½-2	Cont. E600	6015	71	18SB2	2½-4	Cont. A6244	5580A	68	54	2-2½	Cont. K4	5001	*
9B6T	1½-2	Cont. 16C	5669	70	18SB4	2½-4	Cont. A6244	5580A	68	54SD4	10-15	Wauk. 6-125	5585	256
9B6T	1½-2	Cont. 25A	5580A	68	18SB4	2½-4	Cont. A6244	5580A	68	54SD6	8-10	Wauk. 6RB	5568	239
10B6	1½-2	Cont. 25A	5580A	68	18SB6	2½-4	Cont. A6244	5580A	68	54SD6	10-15	Wauk. HXC	5729	126
10B6T	3-5	Cont. 16C	5669	70	18SD4	2½-4	Wauk. 6MK	5761	247	64	2½-4	Cont. L4	5003	*
10FB6	1½-2	Cont. 25A	5580A	68	18SD6	2½-4	Wauk. 6MZ	5750	247	66	3-4	Cont. 18R	5534	75
12	2-6	Cont. E601	5751	71	18W6	3-4	Cont. 18R	5534	75	70	5-7	Cont. B7	5168	69
12	2-6	Cont. E601	6015	71	20	Bus	Cont. 18E	5459	71	70S	4-5	Cont. 20R	5534	75
12B	1½-2	Wauk. 6BL	5930A	240	20	1-1½	Cont. 18E	5459	71	80	3-4	Cont. L4	5003	*
12B	1½-2	Lyc. WFC	5844	166	20	1-2½	Cont. 20L	5170	*	84	3-4	Cont. L4	5003	*
12B6	2-3	Cont. 16R	5534	75	20	1-1½	Cont. 31L	5170	*	86	3-5	Cont. 18R	5534	75
12B6	2-3	Cont. E600	5751	71	20SW6	3-7½	Cont. 20R	5534	75	86	3-5	Cont. 20R	5534	75
12B6	2-3	Cont. E600	6015	71	21	1	Cont. 11U	5669	70	620	1-1½	Cont. 18E	5459	71
12B6T	4-7	Cont. 18R	5534	75	21	1½-2	Cont. 15C	5669	70	630	1½	Cont. 16C	5669	70
12B6T	4-7	Cont. E600	5751	71	21B	3-4	Cont. E602	5758	71	630	1½-2	Cont. 15C	5669	70
12B6T	4-7	Cont. E600	6015	71	21B	3-4	Cont. E602	6105	71	646	1½-2	Cont. 15C	5669	70
12B6T	4-7	Cont. E602	5758	71	22	2½-3½	Wauk. 6MK	5761	247	646	1½-2	Cont. 16C	5669	70
12B6T	4-7	Cont. E602	6105	71	22B	3-4	Wauk. 6MZ	5750	247	646	2-3	Cont. 16R	5534	75
12FB6	2-6	Cont. E600	5751	71	22BT	4-6	Cont. 21R	5534	75	646	Bus	Cont. 16C	5669	70
12FB6	2-6	Cont. E600	6015	71	24	5	Cont. 20R	5534	75	1146	1½-2	Lyc. WFC	5844	166
12FB6	2½-7	Cont. E602	5758	71	24	3½-5	Cont. E603	5758	71	1148T	3-5	Lyc. GFC	5843	163
12FB6	2½-7	Cont. E602	6105	71	24	3½-5	Cont. E603	6105	71	1348	1½-2	Lyc. GFC	5843	163
12FD6	2-6	Cont. E600	5751	71	246T	10-15	Cont. 16H	5146A	*	1348T	4-6	Lyc. GFC	5843	163


Note—*Indicates that these motors are listed in Guide A. For older models see Guide A.

Cord Motor, 8. Passenger Model L29, 1929-32

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
A1-162	Cyl. hd.	Cop. Asb.	30		5125A
H-111C	Cyl. hd.	Cop. Asb.	31-32		5620

NOTE—For other gaskets see Auburn 8, 125; Lycoming 8H. Page No. 19.

Cord Motor, V8. Passenger Models 810, 1936; 812, 1937 3 1/2 x 3 3/4"



McCord No. 6044




McCord No. S-2972

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
A90653	Cyl. hd.	Cop. Asb.	2		6044
	Mani. set (2-S2972)	Stlpk.	1		SMS-2513
	Valve cov. set (1-C4264)	Cork	1		CV-568
A90704-5	Oil pan set (2 pcs.)	Vell.	1		ES-42
A90693	Manifold	Stlpk.	2		S-2972
A90694	Valve cov.	Cork	1		C-4264
A90701	Oil filler body	Vell.	1		V-8331
A90711	Wat. pump body	Vell.	1		V-8332
A90753	Wat. pump cov.	Vell.	1		V-9297
A90781	Wat. outlet	Vell.	1		V-5470
A90748	Wat. inlet	Vell.	1		V-5041


Crown Bus, 6.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
DE90	Bus	Wauk. 6-90	5779	255	DE125	Bus	Wauk. 6-125	5885	256	TDE185	Bus	Wauk. 6BK	5921A	240
DE110	Bus	Wauk. 6-110	5777	256										


Cummins Engine, 4-6. (Diesel) Models A-AA 3 3/4 x 5", 4x5"




McCord No. 6110



McCord No. 6111




McCord No. 3100



McCord No. 3101

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
A2900	Cyl. hd., 4 cyl. A	Cop. Asb.	1		6110
A1482	Cyl. hd., 6 cyl. AA	Cop. Asb.	1		6111
	Mani. set (2-3100) 4 cyl.	Stl. Asb.	1		MS-2598
	Mani. set (3-3100) 6 cyl.	Stl. Asb.	1		MS-2599
A60743	Exh. pipe flg.	Stl. Asb.	1		3101
A60475	Manifold	Stl. Asb.	2-3		3100


Cummins Engine, 4-6. (Diesel) Models H-HA-HB 4 7/8 x 6"



McCord No. 5861




McCord No. 2676




McCord No. 3102

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
H2352-3	Cyl. hd.	Stl. Seal	2-3		5861
	Mani. set (2-2676), 4 cyl.	Stl. Asb.	1		MS-2507
	Mani. set (3-2676), 6 cyl.	Stl. Asb.	1		MS-2508
H-4798	Rock. arm hsg. set (3 pcs.)	Vell.	1		ES-2533
H-9244	Rock. arm hsg. cov. set (3 pcs.)	Vell.	1		ES-2532
H-9266	Cam roller hsg. set (3 pcs.)	Vell.	1		ES-1958
H-4820	Oil pan set (1 pc.), 4 cyl.	Vell.	1	31-34	ESP-1042
H-5093	Oil pan set (1 pc.), 4 cyl.	Vell.	1	35-38	ES-P1065
H-4799}	Oil pan set (1 pc.), 6 cyl.	Vell.	1		ES-P1043
H-5083}					
H-4793	Gear cov. set (1 pc.)	Vell.	1		ES-1715
H-4794	Rear cov. pl. set (1-V9543)	Vell.	1	33-34	ES-9543
H-9252	Manifold	Stl. Asb.	2-3		2676
S-1914	Oil filter cov.	Cop. Asb.	1		182
H-9312	Oil filter spout	Vell.	1		V-8455
H-61402	Heater pump to exh. mani.	Stl. Asb.	1		3102
H-9115	Gov. to fuel pump	Vell.	1		V-9462
H-9267	Wat. mani.	Vell.	4-6		V-9231
H-4794	Rear cov. pl.	Vell.	1		V-9543
H9218-1	Rear cov. pl. conn.	Vell.	1		V-9230
H-9354	Injector body	Vell.	1		V-9233


Cunningham Motor, 8. Passenger Models V1-V4, 1917-23; V5-V6, 1924-28; V7-V8-V9, 1929-33 3 3/4 x 5"




McCord Nos. 5307-5357



McCord No. 5562



McCord No. 1406



McCord No. 1564



McCord No. 1565



McCord No. 1566

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
VX-1003 } 10400	Cyl. hd.	Cop. Asb.	4	17-24	5357
14709	Cyl. hd.	Cop. Asb.	4	24-28	5307
19629	Cyl. hd.	Cop. Asb.	4	29-33	5562
V2-233	Exh. tube flg.	Cop. Asb.	2		1565
J2-230	Exh. mani.	Cop. Asb.	to 17		1406
V2-230	Exh., center	Cop. Asb.	4	17-33	1564
V2-230 1/2	Exh., end	Cop. Asb.	4	17-33	1566
V2-229	Admission mani.	Cop. Asb.	4		830
V2-226	Wat. pump flg.	Cop. Asb.	1		811
V2-227	Wat. inlet, large	Cop. Asb.			107D
V2-227 1/2	Wat. inlet, small	Cop. Asb.			505C

Dart, 6. Truck.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
30G	1 1/2-2	Herc. WXA2	5496	129	60G	2 1/2-4	Herc. WXC2	5649	129	150W	7-10	Herc. HXB	5730	126
30G	1 1/2-2	Herc. JXC	5732	126	60G	4	Herc. WXC3	5649	129	200W	7-10	Herc. HXB	5730	126
40G	1 1/2-2	Herc. WXB	5496	129	70DR	4	Herc. WXC3	5649	129	251	6-8	Herc. WXC3	5649	129
40G	2-3	Herc. JXC	5732	126	80	5-6	Herc. RXC	5752	130	352	7-10	Herc. RXC	5752	130
50G	2 1/2-4	Herc. WXC	5649	129	80W	2 1/2-4	Herc. WXC	5649	129	1000	5-7	Herc. JXD	5910	126
50G	2 1/2-4	Herc. JXD	5910	126	80W	4	Herc. YXC2	5526	130	1500	6-8	Herc. WXC3	5649	129
60	4	Herc. WXC3	5649	129	100W	5-6	Herc. RXC	5752	130					

NOTE—For older models see Guide A.

Davis, 6-8. Passenger. See Guide A.

Day Elder, 4-6. Truck and Bus.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
A6B	Bus	Cont. 21R	5534	75	30A	Bus	Cont. 21R	5534	75	240	5-12	Cont. 21R	5534	75
GF	1 1/2-2	Cont. 16C	5669	70	30A	Bus	Lyc. AEF	5710	161	240	5-12	Herc. RXC	5612	130
HB6	1 1/2-2	Cont. 16C	5669	70	60	1	Cont. 25A	5580A	68	240	5-12	Herc. RXC	5752	130
HF85	1 1/2-2	Cont. 16C	5669	70	60	1-3	Herc. JXA	5674	126	241	5-12	Herc. RXC	5742	130
J6	3	Cont. 6B	5135	*	75	1-3	Herc. JXA	5674	126	241	5-12	Herc. RXC	5612	130
J6	3	Buda DW6	5345	*	76	1-3	Herc. JXA	5674	126	251T	2 1/2	Herc. WXC	5649	129
JF	3	Buda DW6	5345	*	85	1-2	Cont. 16C	5669	70	281T	3-4	Herc. WXC3	5649	129
JF	3	Cont. 21R	5534	75	85	1-3	Herc. JXB	5674	126	285	5-12	Cont. 21R	5534	75
JF	2-4	Cont. 18R	5534	75	86	1-3	Herc. JXB	5674	126	285	5-12	Herc. RXC	5612	130
KF	4-10	Cont. 21R	5534	75	110	2	Cont. 16C	5669	70	285	5-12	Herc. RXC	5752	130
K6	4	Buda BA6	5346	*	110	2	Herc. JXC	5732	126	310D	3-4	Herc. WXC3	5649	129
K6	4-10	Cont. 21R	5534	75	111	2	Herc. JXC	5732	126	302	12	Cont. 16H	5683	*
L6	2 1/2-10	Cont. 21R	5534	75	130	2-10	Cont. 16R	5534	75	331D	5-12	Herc. RXC	5612	130
M	2	Cont. 12C	5669	70	130	2-10	Herc. WXC	5649	129	331D	5-12	Herc. RXC	5752	130
MF	2	Cont. 16C	5669	70	131	2 1/2	Herc. WXC	5649	129	345	2 1/2-10	Cont. 21R	5534	75
TF	2-10	Cont. 21R	5534	75	150	1-3	Herc. JXB	5674	126	345	5-12	Herc. RXC	5612	130
20	Bus	Cont. K4	5001	*	151T	1-3	Herc. JXB	5674	126	345	5-12	Herc. RXC	5752	130
20	Bus	Cont. 6B	5135	*	160	3-4	Cont. 18R	5534	75	402	12	Cont. 16H	5683	*
20	Bus	Buda KBU	5251	*	160	3-4	Herc. WXC3	5649	129	402	5-12	Herc. RXC	5612	130
25	Bus	Cont. 6B	5135	*	161	3-4	Herc. WXC3	5649	129	402	5-12	Herc. RXC	5752	130
25	Bus	Buda EBU	5236	*	200	3-4	Cont. 18R	5534	75	502	5-12	Herc. RXC	5612	130
30	Bus	Cont. 21R	5534	75	200	3-4	Herc. WXC3	5649	129	502	5-12	Herc. RXC	5752	130
30	Bus	Buda BA6	5346	*	201	3-4	Herc. WXC3	5649	129					
30	Bus	Buda YBU	5192	*	211T	2	Herc. JXC	5732	126					

NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.


Defiance, 4-6. Truck.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
B3	2½-3½	Cont. 6B	5135	*	FT1	1½-2½	Cont. 15C	5669	70	TT50C	1½-2½	Cont. 15C	5669	70
E2	1½-2½	Cont. S4	5156	*	O2	1½-2½	Cont. 15C	5669	70	TT62T	1½-2½	Cont. S4	5156	*
F	1½-2½	Cont. S4	5156	*	OX	2½-3½	Cont. 6B	5135	*					
F1	1¼	Cont. 18E	5459	71	OXH	2½	Herc. OXC	5660	127					


NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.

Denby, 4-6. Truck and Bus. See Guide A.


De Soto Motor, 6. Passenger. Models K, 1928-30, 3x4 ⅞"; CK, 1930 3 ⅞ x 4 ⅞"
 SA, 1931, 3 ¼ x 4 ⅞"; SC, 1932 3 ¼ x 4 ¼"
 SD, 1933, 3 ¼ x 4 ⅞"; SE, 1934 3 ⅞ x 4 ½"
 SF-SG, 1935, 3 ⅞ x 4 ½"; S1-S2, 1936 3 ⅞ x 4 ½"
 Export. Models SAX-SCX-SDX 2 ⅞" bore
 Truck. Models FARGO KC Packet, KI Freighter, 1929-30 3x4 ⅞"




McCord No. 5476




McCord No. 5581



McCord No. 5642-5476A



McCord No. 5830




McCord No. 5918A


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
40837	Cyl. hd. K	Cop. Asb.	1	28-30	5476
309895	Cyl. hd. CK	Cop. Asb.	1	30	5581
320033	Cyl. hd. SA-SC-SD	Cop. Asb.	1	31-33	5642
619040	Cyl. hd. SE	Cop. Asb.	1	34	5830
640727	Cyl. hd. SF-SG-S1-S2	Cop. Asb.	1	35-36	5918A
322117	Cyl. hd. (export) 2 ⅞" bore	Cop. Asb.	1	31-33	5476A
	Valve grinding set SE (1-5830, 1-1873, 4-821A, 1-859J, 2-C830, 1-V8423)		1	34	9022
	Valve grinding set SF-SG (1-5918A, 1-1873, 4-821A, 1-859J, 2-C830, 1-V8423)		1	35	9023
	Valve grinding set S1-S2 (1-5918A, 1-1873, 4-821A, 1-859J, 2-C4237, 1-V8423)		1	36	9024
780467	Mani. set (1-1873, 4-821A)	Stl. Asb.	1		MS-800
	Mani. set (1-S1873, 4-S821A)	Stl. Asb.	1		SMS-800
780472	Valve cov. set (2-C830, 4-30419, 4-30420)	Cork	1	28-35	CV-230
780473	Valve cov. set (2-C4237, 4-30420)	Cork	1	36	CV-181
40894	Oil pan set (1-C815)	Cork	1		CS-2181
40894	Oil pan set (1-P734)	Vell.	1		ES-734
	Gear cov. set (1-V1124)	Vell.	1		ES-1124
	Front motor supp. set (1-V1122)	Vell.	1		ES-1122
41295	Diff. carr. set (1 pc.)	Vell.	1	29-32	ES-4121
	Diff. carr. set SCX-SD (1-V4138)	Vell.	1	33	ES-4138
	Diff. carr. set (1-V4146)	Vell.	1	34-36	ES-4146
	Axle hsg. set (1-V4118)	Vell.	1	29-32	ES-4118
	Axle hsg. set SCX (1-V4138A)	Vell.	1		ES-4138A

(Continued on Next Page)


DeSoto Motor, 6. Models K, 1928-30 to S1-S2, 1936—Continued



McCord No. 1873



McCord No. 1872



McCord No. 2104



McCord No. S-2625




McCord No. S-2598




McCord No. S-2829




McCord No. S-2638



McCord No. C-815



McCord No. C-830



McCord No. C-4237


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
41058	Exh. pipe flg.	Stl. Asb.	1	28-30	837D
316591	Exh. pipe flg.	Stlpk.	1	28-30	S-837D
50066	Exh. pipe flg.	Stl. Asb.	1	31-33	855C
316588	Exh. pipe flg.	Stlpk.	1	31-33	S-855C
620956	Exh. pipe flg.	Stl. Asb.	1	34-36	859J
679023	Exh. pipe flg.	Stlpk.	1	34-36	S-859J
40920	Mani., center	Stl. Asb.	1		1873
40919	Mani., ends	Stl. Asb.	4		821A
318041	Mani., center	Stlpk.	1		S-1873
318042	Mani., ends	Stlpk.	4		S-821A
40814	Valve cov.	Cork	2	28-35	C-830
650195	Valve cov.	Cork	2	36	C-4237
53170	Valve cov. stud	Tr. Paper	4		30419
381542	Valve cov. stud	Tr. Paper	4		30420
40894	Oil pan	Cork	1		C-815
40894	Oil pan	Vell.	1		P-734
105456	Oil drain plug	All Metal	1		AM515
40884	Oil pump body	Tr. Paper	1		30065
50744	Oil pump cov.	Vell.	1		V-9068
54820	Heat control valve	Stl. Asb.	1		1740
43801	Int. to exh.	Stl. Asb.	1	28-30	1872
318043	Int. to exh.	Stlpk.	1	28-30	S-1872
313178	Int. to exh.	Stl. Asb.	1	31-32	2104
318044	Int. to exh.	Stlpk.	1	31-32	S-2104
661050	Int. to exh.	Stl. Asb.	1	33-36	2598
661050	Int. to exh.	Stlpk.	1	33-36	S-2598
5131	Carburetor	Tr. Paper	1	28-30	30036
51986	Carburetor	Vell.	1	31-32	V-5240
324833	Carburetor	Stlpk.	1	33-34	S-2638
562221	Carburetor SF taxi	Stlpk.	1	35	S-2680
637191	{Carburetor flg. SF-SG} {Carb. flg. spacer SG}	Stlpk.	1	35-36	S-2829
78718	Vacuum tank partition pl.	Cork	1		C-1807
300564	Fuel pump flg.	Vell.	1	29-34	V-8987
634704	Fuel pump flg.	Vell.	1	35-36	V-8382
50867	Wat. pump body	Vell.	1	28-32	V-5694
605767	Wat. pump body	Vell.	1	33-35	V-8993
637440	Wat. pump body	Vell.	1	36	V-8979
626322	Wat. pump cov.	Vell.	1	35	V-9471
637439	Wat. pump cov.	Vell.	1	36	V-8978
622772	Wat. pump by-pass elbow	Vell.	1	35-36	V-8423
50082	Wat. outlet	Tr. Paper	1	28-36	30057
618038	Wat. outlet elbow	Tr. Paper	1	34-36	30058
40844	Gear cov.	Vell.	1		V-1124
311661	Gear cov. oil seal	Cork	1	29-35	C-1145
40841	Front motor supp.	Vell.	1		V-1122
308248	Diff. carr. SD-SCX	Vell.	1	33	V-4138
600212	Diff. carr.	Paper	1	34-36	37000
600212	Diff. carr.	Vell.	1	34-36	V-4146
41274	Axle hsg. cov.	Cork	1	29-32	C-455
41274	Axle hsg. cov.	Vell.	1	29-32	V-4118
308257	Axle hsg. SCX	Cork	1	32	C-1043
308257	Axle hsg. SCX	Vell.	1	32	V-4138A
44648	Rear main brg. pack.	Asb.	2		16152
312208	Headlamp lens	Cork	2	30-31	C-7006
619576	Headlamp lens SE-SG-S2	Cork	2	34-36	C-7006
661683	Headlamp lens S1	Cork	2	36	C-7001
600356	Trans. case cov.	Cork	1	34	C-3310
637007	Trans. case cov.	Cork	1	36	C-4166

NOTE—The following Gaskets are used on Fargo K1 trucks equipped with above motor. Other Gaskets are the same as those listed above.


517226	Diff. carr. set (1 pc.) K1	Vell.	1		ES-4252
501212	Axle hsg. set (1 pc.) K1	Vell.	1		ES-4317



De Soto Motor, 6. Passenger. Models S3, 1937; S5, 1938; S6, 1939; S7, 1940 3 3/8 x 4 1/4"
 Export. Models S3X, 1937; S5X, 1938; S6X, 1939; S7X, 1940 2 7/8" bore



McCord No. 5969



McCord No. S-2861




McCord No. S-2864


Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
666011	Cyl. hd.	Cop. Asb.	1	5969
666011	Cyl. hd.	Stl. Asb.	1	6117
667799	Cyl. hd. (export only)	Cop. Asb.	1	6017
	Valve grinding set (1-6117, 1-S2861, 4-S830G, 1-859J, 2-C4373, 1-V8423)		1	9025
780462	Mani. set (1-S2861, 4-S830G)	Stl. Asb.	1	SMS-2443
780475	Valve cov. set (2-C4373, 4-30419)	Cork	1	CV-537
780478	Oil pan set (1-C4418, 1-C4419, 2-C3635)	Cork	1	CS-2299
780478	Oil pan set (1-P43, 1-P44, 2-C3635)	Vell.	1	ES-43
	Rear main brg. oil seal set (2-16152, 2-3011, 1-30327, 1-V8167)		1	CS-2299A
	Gear cov. set (1-V1137)	Vell.	1	ES-1137
	Chain case cov. pl. set (1-V1138)	Vell.	1 37-40	ES-1138
	Diff. carr. set (all but 7 pass.) (1-V4033)	Vell.	1	ES-4033
	Diff. carr. set (7 pass.) (1-V4146)	Vell.	1	ES-4146
620956	Exh. pipe flg.	Stl. Asb.	1	859J
679023	Exh. pipe flg.	Stl. Asb.	1	S-859J
666353	Mani., center	Stl. Asb.	1	S-2861
666354	Mani., ends	Stl. Asb.	4	S-830G
665690	Valve cov.	Cork	2	C-4373
53170	Valve cov. stud	Tr. Paper	4	30419
665802	Oil pan, right	Cork	1	C-4418
665803	Oil pan, left	Cork	1	C-4419
600760	Oil pan, ends	Cork	2	C-3635
665802	Oil pan, right (1-P43)	Vell.		
665803	Oil pan, left (1-P44)	Vell.	1	P-43 set
600760	Oil pan, ends (1-C3635)	Cork		
600773	Oil pump body	Tr. Paper	1	30064
50744	Oil pump body cov.	Vell.	1	V-9068
105456	Oil drain plug	All Metal	1	AM-515
666352	Int. to exh.	Stl. Asb.	1	S-2860
647834	Automatic choke	Stl. Asb.	1	S-2864
637191	Carburetor	Stl. Asb.	1	S-2829
662781	Carb. (without gov.)		1 39-40	S-3056
662811	Carb. (with gov.)		1 39-40	S-2680
634704	Fuel pump flg.	Vell.	1 37	V-8382
683417	Fuel pump flg.	Vell.	1 38	V-8305
688482	Fuel pump flg. (without booster)	Vell.	1 39-40	V-8202
688481	Fuel pump flg. (with booster)	Vell.	1 39-40	V-8201
639110	Fuel pump strainer bowl	Cork	1 37-38	C-928
689504	Fuel pump strainer bowl	Cork	1 39-40	C-4492
637440	Wat. pump to cyl.	Vell.	1	V-8979
637439	Wat. pump body cov. pl.	Vell.	1	V-8978
622772	Wat. pump body by-pass elbow	Vell.	1	V-8423
50082	Wat. outlet	Tr. Paper	1	30057
600752	Chain cov.	Vell.	1	V-1137
670489				
600749	Chain case cov. pl.	Vell.	1	V-1138
695441				
663474	Diff. carr. (all but 7 pass.)	Vell.	1	V-4033
600212	Diff. carr. (7 pass.)	Paper	1	37000
600212	Diff. carr. (7 pass.)	Vell.	1	V-4146
637077	Gearshift hsg.	Cork	1	C-4166
44648	Rear main brg. pack.	Asb.	2	16152
606312	Rear main brg. oil seal	Rub.	2	3011
671154	Rear main brg. cap, L.H.	Tr. Paper	1	30327
669102	Rear main brg. cap, R.H.	Vell.	1	V-8167
668362	Headlamp lens	Cork	2 37	C-7001

De Soto Motor, 8. Passenger. Model CF, 1930-31

2 7/8 x 4", 2 7/8 x 4 1/4"



McCord No. 5585A



McCord No. 2086




McCord No. 2087




McCord No. 2088



McCord No. 2089



McCord No. C-1044



McCord No. C-1024

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
310236) 320418)	Cyl. hd.	Cop. Asb.	1		5585A
	Mani. set (1-2087, 2-2088, 2-2089)	Stl. Asb.	1		MS-801
780463	Mani. set (1-S2087, 2-S2088, 2-S2089)	Stl. Asb.	1		SMS-801
780470	Valve cov. set (2-C1024, 4-30419, 4-30420)	Cork	1		CV-179
308309	Oil pan set (1-C1044)	Cork	1		CS-2202
309309	Oil pan set (1-P828)	Vell.	1		ES-828
	Gear cov. set (1-V1124)	Vell.	1		ES-1124
	Front motor supp. set (1-V1122)	Vell.	1		ES-1122
	Diff. carr. set (1-V4138)	Vell.	1		ES-4138
	Axle hsg. set (1-V4138A)	Vell.	1		ES-4138A
50066	Exh. pipe flg.	Stl. Asb.	1		855C
316588	Exh. pipe flg.	Stl. Asb.	1		S-855C
309601	Mani., center	Stl. Asb.	1		2087
309603	Mani., inter.	Stl. Asb.	2		2089
309602	Mani., ends	Stl. Asb.	2		2088
316950	Mani., center	Stl. Asb.	1		S-2087
316951	Mani., inter.	Stl. Asb.	2		S-2089
316949	Mani., ends	Stl. Asb.	2		S-2088
308304	Valve cov.	Cork	2		C-1024
53170	Valve cov. stud	Tr. Paper	4		30419
381542	Valve cov. stud	Tr. Paper	4		30420
308309	Oil pan	Cork	1		C-1044
308309	Oil pan	Vell.	1		P-828
105456	Oil drain plug	All Metal	1		AM-515
40884	Oil pump body	Tr. Paper	1		30065
50744	Oil pump cov.	Vell.	1		V-9068
309604	Mani. heat control valve	Asb.	1		16015
309600	Int. to exh.	Stl. Asb.	1		2086
316948	Int. to exh.	Stl. Asb.	1		S-2086
308571	Carburetor	Asb.	1		16032
300564	Fuel pump flg.	Vell.	1		V-8987
50867	Wat. pump body	Vell.	1		V-5694
50082	Wat. outlet	Tr. Paper	1		30057
40844	Gear cov.	Vell.	1		V-1124
40841	Front motor supp.	Vell.	1		V-1122
308248	Diff. carr.	Vell.	1		V-4138
308257	Axle hsg. cov.	Cork	1		C-1043
308257	Axle hsg. cov.	Vell.	1		V-4138A
308353	C/S rear brg. oil seal	Cork	1		C-1045

DeVaux Motor, 6. Passenger. Models 6-75, 1931; 6-80, 1932. Continental 41A Motor. McCord No. 5580A. See Page No. 68.



Diamond "T", 4-6. Truck.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
EL	5	Cont. L4	5003	*	244	1-4	Herc. JXA	5674	126	425	2 1/2-5	Herc. WXC	5649	129
K	2 1/2-3 1/2	Hink. HAA200	57	*	244S	1-4	Herc. JXB	5674	126	502	2 1/2-5	Herc. WXC	5649	129
KT	2 1/2-3 1/2	Hink. HAA200	57	*	260	1-4	Herc. JXB	5674	126	503	2 1/2-5	Herc. WXC	5649	129
K2	3 1/2	Herc. L	5151	*	261	1-4	Herc. JXB	5674	126	504	2 1/2-5	Herc. WXC	5649	129
K36	3-8	Herc. YXC	5526	130	262	1-4	Herc. JXB	5674	126	504	2 1/2-5	Herc. WXC	5649	129
04	1 1/2-2	Hink. HAA300	58	*	290	1	Cont. 18E	5459	71	504A	2 1/2-5	Herc. WXC	5649	129
S	5	Cont. B2	67	69	290	1 1/2-3	Herc. WXB	5496	129	505	2 1/2-5	Herc. WXC	5649	129
S	5	Hink. HA100	5372	*	290	1 1/2-3	Herc. WXA2	5496	129	506	2 1/2-5	Herc. WXC	5649	129
ST	5	Hink. HA100	5372	*	291	1 1/2-3	Herc. WXB	5496	129	506	2 1/2-5	Herc. WXC	5649	129
S2	5-5 1/2	Herc. G	5152	*	291	1 1/2-3	Herc. WXA2	5496	129	506A	2 1/2-5	Herc. WXC	5649	129
S3	3-8	Herc. YXC	5526	130	301	1-1 1/2	Herc. QXC3	6038	128	507	2-3	Herc. JXB	5674	126
S3	5-7 1/2	Buda BTU	5290	*	303	1 1/2-3	Herc. WXB	5496	129	509	2-3 1/2	Herc. JXB	5674	126
S7	5-5 1/2	Herc. G	5152	*	303	1 1/2-3	Herc. WXA2	5496	129	509C	2-3 1/2	Herc. JXB	5674	126
S7	5-5 1/2	Buda BTU	5290	*	303F	1 1/2-3	Herc. WXB	5496	129	510	2 1/2-5	Herc. WXC	5649	129
T	1 1/2-2	Hink. HA300	58	*	303F	1 1/2-3	Herc. WXA2	5496	129	511B	2 1/2-5	Herc. WXC	5649	129
TT	1 1/2-2	Hink. HA300	58	*	303FB	2 1/2-5	Herc. WXC	5649	129	511DR	2 1/2-5	Herc. WXC	5649	129
TT	2 1/2-3 1/2	Hink. HA200	57	*	304	2 1/2-5	Herc. QXC3	6038	128	512B	2 1/2-5	Herc. WXC	5649	129
TU4U	2 1/2	Herc. K	5151	*	305	2 1/2-5	Herc. QXC3	6038	128	512B	2 1/2-5	Herc. WXC	5649	129
TU5	3 1/2	Herc. L	5151	*	305C	2 1/2-5	Herc. QXC3	6038	128	512DR	2 1/2-5	Herc. WXC	5649	129
TU6	3 1/2	Herc. L	5151	*	306	1-4	Herc. QXC	6038	128	512DR	2 1/2-5	Herc. WXC	5649	129
TU56	2 1/2	Herc. YXB	5525	130	306C	1-4	Herc. QXC	6038	128	525	2 1/2-5	Herc. WXC	5649	129
T2	1 1/2-2	Hink. HA300	58	*	310	1-4	Herc. JXA	5674	126	525	2 1/2-5	Herc. WXC	5649	129
T3	3/4-2	Herc. O-OX	5084	127	311	1-4	Herc. JXA	5674	126	550	2 1/2-5	Herc. WXC	5649	129
T4	3/4-2	Herc. O-OX	5084	127	311B	1-4	Herc. JXA	5674	126	551	2 1/2-5	Herc. WXC	5649	129
T5	3/4-2	Herc. O-OX	5084	127	311C	1-4	Herc. JXA	5674	126	551B	2 1/2-5	Herc. WXC	5649	129
T76	3/4-2	Herc. O-OX	5084	127	311DR	1-4	Herc. JXA	5674	126	600	3-8	Herc. YXC	5526	130
T77	1-1 1/2	Herc. WXA	5495	129	312	2-4	Herc. JXC	5732	126	601	3-8	Herc. YXC	5526	130
T150	1-1 1/2	Herc. WXA	5495	129	312	2-4	Herc. JXB	5674	126	602	3-8	Herc. YXC	5526	130
T200	1	Buda H199	5613	28	313	1-4	Herc. JXA	5674	126	603	3-8	Herc. YXC	5526	130
T302	1 1/2-3	Herc. WXB	5496	129	313	1-4	Herc. JXB	5674	126	603A	3-8	Herc. YXC	5526	130
T302	1 1/2-3	Herc. WXA2	5496	129	316	1-4	Herc. JXA	5674	126	605	3-8	Herc. YXC	5526	130
T800	3-8	Herc. YXC	5526	130	320	2-4	Herc. JXC	5732	126	606	3-8	Herc. YXC	5526	130
U	1 1/2-2	Hink. HA300	58	*	325B	1-4	Herc. JXA	5674	126	606B	3-8	Herc. RXB	5612	130
UG5	3-8	Herc. YXC	5526	130	325DR	1-4	Herc. JXA	5674	126	606B	3-8	Herc. RXB	5752	130
75	3/4-2	Herc. O-OX	5084	127	326B	1-4	Herc. JXA	5674	126	607	2-4	Herc. JXC	5732	126
80	3/4	Herc. QXB3	5992	128	326DR	1-4	Herc. JXA	5674	126	609	2-4	Herc. JXD	5910	126
150	1-1 1/2	Herc. WXA	5495	129	350	2-4	Herc. JXC	5732	126	611	2-4	Herc. JXB	5674	126
150	1	Cont. 18E	5459	71	351	2-4	Herc. JXC	5732	126	612	2-4	Herc. JXC	5732	126
151	1	Cont. 18E	5459	71	351B	2-4	Herc. JXC	5732	126	612C	2-4	Herc. JXC	5732	126
176	3/4-2	Herc. O-OX	5084	127	351C	2-4	Herc. JXC	5732	126	613	2 1/2-4 1/2	Herc. JXC	5732	126
200	1	Buda H199	5613	28	351DR	2-4	Herc. JXC	5732	126	614	2 1/2-5	Herc. JXD	5910	126
201	1-4	Herc. QXB3	5992	128	352	2-4	Herc. JXD	5910	126	614D	2 1/2-5	Herc. JXD	5910	126
201C	1-4	Herc. QXB3	5992	128	353	2-4	Herc. JXC	5732	126	700	3-8	Herc. YXC	5526	130
210	1-4	Herc. JXA	5674	126	360	2-4	Herc. JXD	5910	126	740	3-8	Herc. RXB	5612	130
210FF	1-4	Herc. JXA	5674	126	376	2-4	Herc. JXC	5732	126	740	3-8	Herc. RXB	5752	130
210SF	1-4	Herc. JXA	5674	126	400	1 1/2-3	Herc. WXB	5496	129	740A	3-8	Herc. RXB	5612	130
211A	1-4	Herc. JXA	5674	126	400	1 1/2-3	Herc. WXA2	5496	129	740A	3-8	Herc. RXB	5752	130
211FF	1-4	Herc. JXA	5674	126	401	1 1/2-2	Herc. JXA	5674	126	750	3-8	Herc. YXC	5526	130
211SF	1-4	Herc. JXA	5674	126	402	1 1/2-2	Herc. JXA	5674	126	750	3-8	Herc. RXB	5612	130
212AS	1-4	Herc. JXA	5674	126	404	1 1/2-3	Herc. JXA	5674	126	750	3-8	Herc. RXB	5752	130
212BS	1-4	Herc. JXA	5674	126	404	1 1/2-3	Herc. JXE	5674	126	750H	3-8	Herc. RXB	5612	130
215	1	Buda J214	5614	29	404C	1 1/2-3	Herc. JXE	5674	126	750H	3-8	Herc. RXB	5752	130
216	1-4	Herc. JXA	5674	126	405	1 1/2-3	Herc. JXA	5674	126	801	3-8	Herc. YXC	5526	130
216A	1-4	Herc. JXA	5674	126	406	1 1/2-3	Herc. JXB	5674	126	803C	3-8	Herc. WXC	5649	129
216B	1-4	Herc. JXA	5674	126	406	1 1/2-3	Herc. JXC	5732	126	804C	3-8	Herc. WXC	5649	129
220	1-4	Herc. JXA	5674	126	410	1 1/2-3	Herc. WXB	5496	129	1000	3-8	Herc. YXC	5526	130
221S	1-4	Herc. JXA	5674	126	410	1 1/2-3	Herc. WXA2	5496	129	1200	3-8	Herc. YXC	5526	130
221S	1-4	Herc. JXB	5674	126	410A	1 1/2-3	Herc. WXB	5496	129	1201	3-8	Herc. RXB	5752	130
226	1-4	Herc. JXA	5674	126	410A	1 1/2-3	Herc. WXA2	5496	129	1515	7 1/2	Herc. HXB	5730	126
227	1-4	Herc. JXA	5674	126	410A	2 1/2-5	Herc. WXC	5649	129	1601	8-12	Wauk. 6RB	5568	239
228S	1-4	Herc. JXA	5674	126	411B	2 1/2-5	Herc. WXC	5649	129	1602	3-8	Herc. RXB	5612	130
240A	1-4	Herc. JXA	5674	126	411DR	2 1/2-5	Herc. WXC	5649	129	1602	3-8	Herc. RXB	5752	130
241	1-4	Herc. JXA	5674	126	412B	2 1/2-5	Herc. WXC	5649	129	1603	8-12	Wauk. 6RB	5568	239
242	1-4	Herc. JXA	5674	126	412DR	2 1/2-5	Herc. WXC	5649	129	2500	8-12	Wauk. 6RB	5568	239
243	1-4	Herc. JXA	5674	126	412DR	4-5	Herc. WXC	5649	129	16000	4-8	Herc. YXC	5612	130

NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.

Differential, 6. Truck. Lycoming ASD Motor. McCord No. 5598. See Page No. 161.

Dittmar, 6. Bus.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
BP25	Bus	Int. FBB298	5807A	143	C	Bus	Int. FBB361	5966	143	HP33	Bus	Hrc. WXC	5649	129
BT	Bus	Int. FAB241	5806	142	C25P	Bus	Hrc. WXC	5649	129	HT35	Bus	Hrc. WXC	5649	129
BT30	Bus	Int. FAB259	5806	142	C32T	Bus	Chev. 6	5960	54					



Divco, 4-6. Trucks.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
H33	1½	Cont. H8	5066	73	Q34	1½	Cont. W10	5626	77	S4	1	Cont. C400	5785	69
K33	1½	Cont. 25A	5580A	68	Q35	1½	Cont. W10	5626	77	UB	1	Cont. F4140	6016	72
K34	1½	Cont. 25A	5580A	68	R34	1½	Cont. C400	5785	69	UL	1	Cont. F4162	6066	72
M32	1½	Cont. H8	5066	73	R35	1½	Cont. C400	5785	69	UM140	1	Cont. F4140	6016	72
M33	1½	Cont. H8	5066	73	S	1	Cont. C400	5785	69	UM162	1	Cont. F4162	6066	72
M34	1½	Cont. H8	5066	73	S3	1	Cont. C400	5785	69					


NOTE—*Indicates that these motors are listed in Guide A. Page No. 54.

Dodge, 4. Passenger. Models 124-128, 1928. See Guide A.

Dodge, 4. Passenger. Model DM "Export." See Plymouth 4. McCord No. 5517A. Page No. 203.

NOTE—Complete Dodge truck model and motor reference chart follows Dodge passenger car listing.

Dodge Motor, 6. Passenger. Models Victory-Standard-DA, 1928-30 3 ⅞ x 3 ⅞"



McCord No. 5457A




McCord No. 1822




McCord No. 1869



McCord No. 2039



McCord No. C-610



McCord No. C-673


Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
436006	Cyl. hd.	Cop. Asb.	1	5457A
	Valve grinding set (1-5457A, 1-865D, 1-1822, 2-1869, 2-C673, 1-2039)		1	9403
	Mani. set (1-1822, 2-1869)	Stl. Asb.	1	MS-875
	Valve cov. set (2-C673) ..	Cork	1	CV-236
	Valve cov. set (2-V2040) ..	Vell.	1	ES-2040
	Oil pan set (1-C609, 1-C610, 1-C653)	Cork	1	CS-2169
	Oil pan set (1-P234, 1-P235, 1-P236)	Vell.	1	ES-234
	Wat. jkt. cov. set (1-35000)	Paper	1	CW-5
36011	Gear cov. set (1 pc.)	Vell.	1	ES-1442
210082	Gear cov. set DA (1 pc.) ..	Vell.	1	ES-1261
34693	Diff. carr. and axle hsg. sets (1 pc.)	Vell.	2	ES-4123
200645	Exh. pipe flg.	Stl. Asb.	1	865D
50066	Exh. pipe flg.	Stl. Asb.	1	855C
36151	Manifold	Stl. Asb.	1	1822
36152	Mani. end pl.	Stl. Asb.	2	1869
436054	Valve cov.	Cork	2	C-673
436054	Valve cov.	Vell.	2	V-2040
36143	Oil pan, right	Cork	1	C-609
36144	Oil pan, left	Cork	1	C-653
36135	Oil pan, front	Cork	1	C-610
36143	Oil pan, right (1-P234) ..	Vell.		
36144	Oil pan, left (1-P235) ..	Vell.	1	P-234 set
36135	Oil pan, front (1-P236) ..	Vell.		
36204	Oil pan, end	Felt	1	10400
210409	Int. to exh.	Stl. Asb.	1	2039
51986	Carburetor	Vell.	1	V-5240
300564	Fuel pump flg.	Vell.	1	V-8987
78718	Vacuum tank partition pl. ..	Cork	1	C-1807
210938	Wat. pump body	Vell.	1	V-9079
50082	Wat. outlet	Tr. Paper ..	1	30057
436662	Wat. jkt. cov.	Paper	1	35000
	Wat. jkt. cov. stud	Sol. Cop.	26	462
436145	C/S rear brg.	Cork	1	C-672
36011	Gear cov.	Cork	1	C-611
210082	Gear cov. DA	Cork	1	C-855

(Continued on Next Page)


Dodge Motor, 6. Models Victory-Standard-DA—Continued



McCord No. C-609



McCord No. 653



McCord No. 35000

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
436159	Flywheel dust cov.	Cork	1		C-616
34711	Rear axle dust washer	Cork	2		C-689
34693	Diff. carr. and axle hsg.	Cork	2		C-543

NOTE—The following Gaskets are used on Dodge trucks using the above motor. Other Gaskets are the same as those listed above.

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
34693	Diff. carr. set (1 pc.)				
	DA120	Vell.	1		ES-4123
517226	Diff. carr. set (1 pc.)				
	BE-IE-DA130-133-140	Vell.	1		ES-4252
303844	Diff. carr. set (1 pc.)				
	DA124	Vell.	1		ES-4137
34693	Axle hsg. set (1 pc.)				
	DA120	Vell.	1		ES-4123
501212	Axle hsg. set (1 pc.) BE-				
	IE-DA130-133-140	Vell.	1		ES-4317
510760	Axle hsg. set (1 pc.) LE-				
	ME-DA150-165-F35-F36	Vell.	1		ES-4316
200645	Exh. pipe flg.	Stl. Asb.	1		865D
34693	Diff. carr. DET-SE-DA120	Cork	1		C-543
34693	Axle hsg. DET-SE-DA120	Cork	1		C-543
303843	Axle hsg. DA124	Cork	1		C-900

Dodge Motor, 6. Passenger. Model Senior, 1927, 3 1/4 x 4 1/2"; 1928-30


Truck. Models ED-GE-HE-OD-OE-RE-TD-TE, 1927-30

Bus. Models JD-JE-YD-YE, 1927-30


3 3/8 x 4 1/2"

3 3/8 x 4 1/2"

3 3/8 x 4 1/2"



McCord No. 5198



McCord No. 5489




McCord No. 1823



McCord No. 1338



McCord No. 1891



McCord No. 1892


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
200316	Cyl. hd. (early 28)	Cop. Asb.	1	27-28	5198
201646	Cyl. hd. (late 28)	Cop. Asb.	1	28-30	5489
	Mani. set (1-1823)	Stl. Asb.	1		MS-2478
	Valve cov. set				
	(1-C566, 2-C567)	Cork	1		CV-237
	Oil pan set (1-C603)	Cork	1		CS-2164
203141	Oil pan set (1 pc.)	Vell.	1		ES-809
200231	Wat. jkt. cov. set (1 pc.)	Vell.	1		ES-2157
200226	Chain cov. set (1 pc.)	Vell.	1	27-28	ES-1416
202841	Chain cov. set (1 pc.)	Vell.	1	28-30	ES-1456
12806	Diff. carr. and axle hsg.				
	set (1 pc.)	Vell.	2	27	ES-4205
34693	Diff. carr. set (1 pc.)	Vell.	1	28-30	ES-4123
200645	Exh. pipe flg.	Stl. Asb.	1		865D
201653	Manifold	Stl. Asb.	1		1823
200207	Valve cov., center	Cork	1		C-566
200204	Valve cov., ends	Cork	2		C-567
203141	Oil pan	Cork	1		C-603
202840	Int. to exh.	Stl. Asb.	1		1891
200323	Hot spot reg. valve	Stl. Asb.	1		1338
202838	Hot spot reg. valve cov.	Stl. Asb.	1		1892
200247	Carburetor	Vell.	1		V-103
200202	Wat. pump body	Vell.	1		V-9078
200233	Wat. outlet	Vell.	1		V-5465
200246	Chain case cov. seal	Cork	1		C-691
34693	Axle hsg.	Cork	1	28-30	C-543

NOTE—The following Gaskets are used on Dodge trucks equipped with the above motor. Other Gaskets are the same as those listed above.


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
510759	Diff. carr. set (1 pc.)				
	ED-JD-JE-OD-OE-				
	YD-YE	Vell.	1	27-29	ES-4319
510760	Axle hsg. set (1 pc.)				
	ED-JD-JE-OD-OE-				
	YD-YE	Vell.	1	27-29	ES-4316




Dodge Motor, 6. Passenger. Models DD-DF (taxicab), 1930 3 1/8 x 4 1/8"
 Models DH-DJ (taxicab), 1931, 3 1/4 x 4 1/8"; DL, 1932 3 1/4 x 4 3/8"
 Export. Models DE, 1930, 3" bore; DI, 1931 2 7/8" bore
 Truck. Models F-G-H-HX Series, 1931-34



McCord No. 5476




McCord No. 5642-5476A




McCord No. 5581




McCord No. 1873




McCord No. 1872




McCord No. 2104



McCord No. C-815



McCord No. C-830



McCord No. C-1043


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
309895	Cyl. hd. DD-DF	Cop. Asb.	1	30	5581
320033	Cyl. hd. DH-DJ-DL	Cop. Asb.	1	31-32	5642
40837	Cyl. hd. DE, 3" bore				
	(export)	Cop. Asb.	1	30	5476
322117	Cyl. hd. DI, 2 1/8" bore				
	(export)	Cop. Asb.	1	30	5476A
	Mani. set				
	(1-1873, 4-821A)	Stl. Asb.	1		MS-800
780461	Mani. set				
	1-S1873, 4-S821A)	Stl. Asb.	1		SMS-800
780472	Valve cov. set (2-C830, 4-30419, 4-30420)	Cork	1		CV-230
40894	Oil pan set (1-C815)	Cork	1		CS-2181
40894	Oil pan set (1-P734)	Vell.	1		ES-734
	Motor supp. pl. set				
	(1-V1122)	Vell.	1		ES-1122
	Gear cov. set (1-V1124)	Vell.	1		ES-1124
	Diff. carr. set (1-V4138)	Vell.	1		ES-4138
	Axle hsg. set (1-V4138A)	Vell.	1		ES-4138A
41058	Exh. pipe flg.	Stl. Asb.	1	30	837D
316591	Exh. pipe flg.	Stl. Asb.	1	30	S-837D
50066	Exh. pipe flg.	Stl. Asb.	1	31-32	855C
316588	Exh. pipe flg.	Stl. Asb.	1	31-32	S-855C
40920	Mani., center	Stl. Asb.	1		1873
40919	Mani., ends	Stl. Asb.	4		821A
318041	Mani., center	Stl. Asb.	1		S-1873
318042	Mani., ends	Stl. Asb.	4		S-821A
40814	Valve cov.	Cork	2		C-830
53170	Valve cov. stud	Tr. Paper	4		30419
381542	Valve cov. stud	Tr. Paper	4		30420
40894	Oil pan	Cork	1		C-815
40894	Oil pan	Vell.	1		P-734
40884	Oil pump body	Tr. Paper	1		30065
50744	Oil pump cov.	Vell.	1		V-9068
54820	Mani. heat control valve	Asb.	1		1740
43801	Int. to exh.	Stl. Asb.	1	30	1872
318403	Int. to exh.	Stl. Asb.	1	30	S-1872
313178	Int. to exh.	Stl. Asb.	1	31-32	2104
318044	Int. to exh.	Stl. Asb.	1	31-32	S-2104
5131	Carburetor	Tr. Paper	1	30	30036
51986	Carburetor	Vell.	1	31-32	V-5240
78718	Vacuum tank partition pl.	Cork	1		C-1807
300564	Fuel pump flg.	Vell.	1		V-8987
50867	Wat. pump body	Vell.	1	30-31	V-5694
50082	Wat. outlet	Tr. Paper	1		30057
40841	Motor supp. pl.	Vell.	1		V-1122
40844	Gear cov.	Vell.	1		V-1124
311661	Gear cov. oil seal	Cork	1		C-1145
308248	Diff. carr.	Vell.	1		V-4138
308257	Axle hsg.	Cork	1		C-1043
308257	Axle hsg.	Vell.	1		V-4138A

NOTE—The following Gaskets are used on F-G-H Series Dodge trucks equipped with the above motor. Other Gaskets are the same as those listed above.


41295	Diff. carr. set (1 pc.) F10	Vell.	1		ES-4121
517226	Diff. carr. set (1 pc.) F30-31-G22-G43 to GS55-H22 to H44X	Vell.	1		ES-4252
316467	Diff. carr. set (1 pc.) G20-21-30-31	Vell.	1		ES-4251
501212	Axle hsg. set (1 pc.) F30-31-G22-G43 to GS55-H22 to H44X	Vell.	1		ES-4317
661050	Int. to exh. H22 to H44X	Stl. Asb.	1		2598
661050	Int. to exh. H22 to H44X	Stl. Asb.	1		S-2598
54820	Mani. heat control valve F and G Series to G31	Asb.	1		1740
5131	Carburetor F and G Series to G31	Tr. Paper	1		30036
50867	Wat. pump body F10 to G31	Vell.	1		V-5694
605787	Wat. pump body H22 to H44X	Vell.	1		V-8993
41274	Axle hsg. F10	Cork	1		C-455
316459	Axle hsg. G20-21-G30-31	Cork	1		C-1290

Dodge Motor, 6. Canadian production. Models D8-D9-D10, 1938 to Eng. No. D8C1001-D9C1001-D10C1001, same as 1937 Dodge 6, U.S. production. Models D8-D9-D10 after Eng. No. D8C1001-D9C1001-D10C1001; D11-D12-D13, 1939, same as Chrysler 6, 1938-39 U.S. production McCord No. 6117, Page No. 62.


Dodge Motor, 6. Passenger. Models DP-DQ, 1933 $3\frac{1}{8} \times 4\frac{3}{8}$ "
 Models DR-DS, 1934; DU, 1935; D2, 1936; D5, 1937; D8, 1938; D11, 1939 $3\frac{1}{4} \times 4\frac{3}{8}$ "
 Models D14, 1940 $3\frac{1}{4} \times 4\frac{3}{8}$ "
 Export. Models DPX-DRX-DSX-DUX-D2X-D5X-D8X-D11X ; D14X, 1940 $2\frac{7}{8}$ " bore
 Truck. Models G-H-HC-HCL-K-KC-KCL-LC-LE-LF-TC-TD Series $3\frac{1}{8} \times 4\frac{3}{8}$ ", $3\frac{1}{4} \times 4\frac{3}{8}$ "
 Export. Models KCX-KCLX-K20X-K21X, $2\frac{7}{8}$ " bore; TXC, $3\frac{1}{8} \times 4\frac{3}{8}$ "; TXD $3\frac{1}{4} \times 4\frac{3}{8}$ "




McCord No. 5766




McCord No. 5836




McCord No. 5825



McCord No. 5826



McCord No. 5841



McCord No. 5924

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
602539	Cyl. hd. (iron hd.)	Cop. Asb.	1	33	5766
621946	Cyl. hd. (alum. hd.)	Cop. Asb.	1	33	5836
621936	Cyl. hd. (alum. hd.)	Cop. Asb.	1	34	5826
620032	Cyl. hd. (iron hd.)	Cop. Asb.	1	34-40	5825
859224	Cyl. hd. (iron hd.)	Stl. Asb.	1	34-40	6085
603070	Cyl. hd. (export) $2\frac{7}{8}$ " bore	Cop. Asb.	1	33-34	5841
637175	Cyl. hd. (export) $2\frac{7}{8}$ " bore	Cop. Asb.	1	35-40	5924
	Valve grinding set (iron hd.) (1-5766, 1-S2554, 4-S821A, 1-S846D, 2-C3309, 1-V8423)		1	33	9006
	Valve grinding set (alum. hd.) (1-5836, 1-S2554, 4-S821A, 1-S846D, 2-C3309, 1-V8423)		1	33	9015
	Valve grinding set (alum. hd.) (1-5826, 1-S2554, 4-S821A, 1-859J, 2-C3309, 1-V8423)		1	34	9014
	Valve grinding set (iron hd.) (1-6085, 1-S2554, 4-S821A, 1-S846D, 1-859J, 2-C3309, 1-V8423)		1	34-40	9016
780460	Mani. set (1-S2554, 4-S821A)	Stl. Asb.	1		SMS-2031
	Mani. set (1 pc.) (1-2952)	Stl. Asb.	1		MS-2505
780469	Valve cov. set (2-C3309, 4-30419)	Cork	1		CV-441
780469	Valve cov. set (2-V1980)	Vell.	1		ES-1980
780477	Oil pan set (1-C3381, 1-C3382, 2-C3635)	Cork	1		CS-2255
780477	Oil pan set (1-P87, 1-P88, 2-C3635)	Vell.	1		ES-87
	Rear main brg. oil seal set (2-3011, 2-16152, 2-30326)		1	33-36	CS-2255A
	Rear main brg. oil seal set (2-3011, 2-16152, 1-30326, 1-30327)		1	37	CS-2255B
	Rear main brg. oil seal set (2-3011, 2-16152, 2-30326)		1	38-40	CS-2255A
	Gear cov. pl. set (1-V1138)	Vell.	1		ES-1138
	Gear cov. set (1-V1137)	Vell.	1		ES-1137
	Diff. carr. set (1-V4146)	Vell.	1	33-36	ES-4146
	Diff. carr. set (1-V4033)				
	all but 7 pass.	Vell.	1	37-40	ES-4033
	Diff. carr. set (1-V4146)	Vell.	1	37-40	ES-4146
	7 pass.				

(Continued on Next Page)



Dodge Motor, 6. Models DP, 1933 thru Models D14, 1940—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	Trans. set (1-C3310, 1-V8400, 1-V8988, 1-V9455)	Vell.	1	33-34	VTs-164
	Trans. set (1-C4166, 1-V8400, 1-V9278, 1-V8847)	Vell.	1	35-39	VTs-165
391462	Exh. pipe flg.	Stl. Asb.	1	33	846D
622997	Exh. pipe flg.	Stlpk.	1	33	S-846D
603756	Exh. pipe flg.	Stl. Asb.	1	34-40	859J
620956	Exh. pipe flg.	Stlpk.	1	34-40	S-859J
623361	Mani., center	Stlpk.	1		S-2554
601275	Mani., ends	Stlpk.	4		S-821A
318042	Manifold (1 pc.)	Stl. Asb.	1		2952
600882	Valve cov.	Cork	2		C-3309
600882	Valve cov.	Vell.	2		V-1980
53170	Valve cov. stud	Tr. Paper	4		30419
600758	Oil pan, right	Cork	1		C-3381
600759	Oil pan, left	Cork	1		C-3382
600760	Oil pan, ends	Cork	2		C-3635
600758	Oil pan, right (1-P87)	Vell.	1		P87 set
600759	Oil pan, left (1-P88)	Vell.			
600760	Oil pan, ends (2-C3635)	Cork			
105456	Oil drain plug	Allmetal	1		AM-515
50744	Oil pump cov.	Vell.	1		V-9068
600773	Oil pump to cyl.	Tr. Paper	1		30064
601420	Int. to exh.	Stlpk.	1		S-2553
601425	Carburetor (1 $\frac{15}{32}$ ")	Stlpk.	1	33-34	S-2626
623585	Carburetor (1 $\frac{1}{8}$ ")	Stlpk.	1	33-34	S-2665
637192	Carburetor	Stlpk.	1	35-36	S-2807
601425	Carburetor	Stlpk.	1	37-40	S-2626
561378	Carburetor (with gov.)	Stlpk.	1		S-2625
647834	Automatic choke	Stlpk.	1	36-40	S-2864
300564	Fuel pump flg.	Vell.	1	33-34	V-8987
634704	Fuel pump flg.	Vell.	1	35-37	V-8382
683417	Fuel pump flg.	Vell.	1	38	V-8305
688481	Fuel pump flg. with booster	Vell.	1	39-40	V-8201
688482	Fuel pump flg. without booster	Vell.	1	39-40	V-8202
600799	Wat. pump body cov. pl.	Vell.	1	33-34	V-9429
637439	Wat. pump body cov. pl.	Vell.	1	35-40	V-8978
600800	Wat. pump bracket	Vell.	1	33-34	V-9430
637440	Wat. pump bracket	Vell.	1	35-40	V-8979
622772	Wat. pump by-pass elbow	Vell.	1	34-40	V-8423
50082	Wat. outlet	Tr. Paper	1		30057
600749	Gear cov. pl.	Vell.	1		V-1138
670489	Gear cov.	Vell.	1		V-1137
600752	Gear cov. oil seal	Cork	1	33-36	C-1145
311661	Diff. carr.	Tr. Paper	1	33-36	37000
600212	Diff. carr.	Vell.	1	33-36	V-4146
663474	Diff. carr., all but 7 pass.	Vell.	1	37-40	V-4033
600212	Diff. carr., 7 pass.	Paper	1	37-40	37000
600212	Diff. carr., 7 pass.	Vell.	1	37-40	V-4146
600243	Axle shaft brg. grease ret. flg.	Paper	2	33-35	30051
600356	Trans. case cov.	Cork	1	33-34	C-3310
640335	Trans. case to clutch hsg.	Vell.	1	35-39	V-8847
670017	Trans. drive pinion brg. ret., .010	Vell.	1		V-8400
601130	Gear shift hsg.	Vell.	1	33-34	V-8988
601567	Gear shift hsg.	Cork	1	35	C-4271
631807	Gear shift hsg.	Cork	1	36-39	C-4166
637077	Hand brake supp.	Vell.	1	33-34	V-9455
601110	Hand brake supp.	Vell.	1	35-39	V-9278
637251	Rear main brg. pack.	Asb.	2		16152
44648	Rear main brg. oil seal	Rub.	2	34-38	3011
606312	Rear main brg. cap	Tr. Paper	2	36-40	30326
620102	Rear main brg. cap, left hand	Tr. Paper	1	37	30327
671154	Headlamp lens	Cork	2	33	C-7002
604488	Headlamp lens	Cork	2	34&37	C-7001
611942					
668362					

(Continued on Next Page)



Dodge, 6. Truck Series G-H-HC-HCL-K-KCL-LC-LE-LF

NOTE—The following gaskets are used on Dodge G-H-HC-HCL-K-KCL-LC-LE-LF Series trucks equipped with the above motor. Other gaskets are the same as those listed above.


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	Diff. carr. set (1-V4146)				
316467	HC-HCL-KC-KCL	Vell.	1		ES-4146
	Diff. carr. set (1 pc.)				
	G20 to G31, H20 to H31X, K20 to K31, KH15 to KH33 to Serial 8229553	Vell.	1		ES-4251
567211	Diff. carr. set (1 pc.)				
	KH15 to KH33 after Serial 8229553, also LE16 to LE32	Vell.	1		ES-4261
	Diff. carr. set (1-V4326)				
	K32 to K34, K16V to K33V, LF35 to LF37	Vell.	1		ES-4326
	Diff. carr. set (1-V4033)				
	TC-TD15	Vell.	1		ES-4033
	Diff. carr. set (1-V4138)				
	TD20-TD21	Vell.	1		ES-4138
316459	Axle hsg. set (1 pc.)				
	G20 to G31, H20 to H31X, K19 to K31, KH15 to KH33, LE16 to LE32	Vell.	1		ES-4251
	Axle hsg. set (1-V4327)				
	K32-K33-K32V-K33V	Vell.	1		ES-4327
561409	Exh. pipe flg. G20 to 31, H20 to H31X	Stl. Asb.	1		S-858E
391462	Exh. pipe flg. HC-HCL-KC-KCL-LC Series	Stl. Asb.	1		846D
603756	Exh. pipe flg. HC-HCL-KC-KCL-LC Series	Stl. Asb.	1		S-846D
620956	Exh. pipe flg. K-KH-LE-LF-TC-TD Series	Stl. Asb.	1		859J
623361	Exh. pipe flg. K-KH-LE-LF-TC-TD Series	Stl. Asb.	1		S-859J
679023	Exh. pipe flg. H-K-KH, right hand drive only	Stl. Asb.	1		855C
50066	Exh. pipe flg. H-K-KH, right hand drive only	Stl. Asb.	1		S-855C
316588	Carb. less gov. G-H-HC-HCL-KC-KCL to Serial 8048701 and 9203901	Stl. Asb.	1		S-2626
601425	Carb. less gov. KC-KCL after Serial 8048701 and 9203901	Stl. Asb.	1		S-2828
637189	Carb. less gov. K-KH-LC-LE-LF	Stl. Asb.	1		S-2807
561378	Carb. with gov.	Stl. Asb.	3		S-2625
44645	Rear main brg. oil seal				
	KC-KCL 1934 to June 1935; K30-K31-K32-K33-K34, 1934; KH30-KH31-KH32-KH33, 1935 to Eng. No. T17-7601; K32V-K33V-K34V, 1935; LF Series, 1936	Asb.	2		16152
642978	Rear main brg. oil seal				
	KC-KCL after June 1935; KH30-KH31-KH32-KH33, 1935, after eng. T17-7601; KH31V-KH32V-KH33V, 1935; LC-LE Series, 1936-37; TC Series, 1938	Asb.	2		16153
600212	Diff. carr. HC-HCL-KC-KCL	Paper	1		37000
600212	Diff. carr. HC-HCL-KC-KCL	Vell.	1		V-4146
563618	Diff. carr. K32 to 34, K16V to K33V, LF35 to LF37	Vell.	1		V-4326
663474	Diff. carr. TC-TD15	Vell.	1		V-4033

(Continued on Next Page)


Dodge, 6. Truck Series G-H-HC-HCL-K-KCL-LC-LE-LF—Continued

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
308248	Diff. carr. TD20-TD21	Vell.	1	V-4138
316459	Axle hsg. G20 to G30, H20 to H31X, K19 to K31, KH15V to K33V, KH15 to KH33, LE16 to LE32, TC-TD	Cork	1	C-1290
563617	Axle hsg. K32 to K33, K32V to K33V	Cork	1	C-4273
563617	Axle hsg. K32 to K33, K32V to K33V	Vell.	1	V-4327
548837	Axle shaft flg. G30-31- H30-31	Paper	2	30424
570541	Axle shaft flg. KH31V- K32V-K33V-K32- K33-K34	Paper	2	30507
600356	Trans. case cov. HC- HCL-KC-KCL	Cork	1	C-3310

Dodge Motor, 8. Passenger. Models DC, 1930-31, 2 7/8 x 4 1/4"; DG, 1931, 3 x 4 1/4"
Models DK, 1932, 3 1/4 x 4 1/2"; DO, 1933, 3 1/4 x 4 1/4"



McCord No. 5585A



McCord No. 5662B


Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
310236	Cyl. hd.	Cop. Asb.	1 30-31	5585A
320418	Cyl. hd.	Cop. Asb.	1 32-33	5662B
860126	Valve grinding set (1-5662B, 1-2087, 2-2088, 2-2089, 1-S855C, 1-869Q, 2-C1024, 1V8423)		1 32-33	9026
	Mani. set (1-2087, 2-2088, 2-2089)	Stl. Asb.	1	MS-801
780463	Mani. set (1-S2087, 2-S2088, 2-S2089)	Stl. Asb.	1	SMS-801
780470	Valve cov. set (2-C1024, 4-30419, 4-30420)	Cork	1	CV-179
308309	Oil pan set (1-C1044)	Cork	1	CS-2202
308309	Oil pan set (1-P828)	Vell.	1	ES-828
	Motor supp. pl. set (1-V1122)	Vell.	1	ES-1122
	Gear cov. set (1-V1124)	Vell.	1	ES-1124
	Diff. carr. set (1-V4138)	Vell.	1	ES-4138
	Axle hsg. set (1-V4138A)	Vell.	1	ES-4138A
50066	Exh. pipe flg.	Stl. Asb.	1	855C
316588	Exh. pipe flg.	Stl. Asb.	1	S-855C
309601	Mani., center	Stl. Asb.	1	2087
309603	Mani. inter.	Stl. Asb.	2	2089
309602	Mani., ends	Stl. Asb.	2	2088
316950	Mani., center	Stl. Asb.	1	S-2087
316951	Mani. inter.	Stl. Asb.	2	S-2089
316949	Mani., ends	Stl. Asb.	2	S-2088
308304	Valve cov.	Cork	2	C-1024
53170	Valve cov. stud	Tr. Paper	4	30419
381542	Valve cov. stud	Tr. Paper	4	30420
308309	Oil pan	Cork	1	C-1044
308309	Oil pan	Vell.	1	P-828
105456	Oil drain plug	Allmetal	1	AM-515
40884	Oil pump body	Tr. Paper	1	30065
50744	Oil pump cov.	Vell.	1	V-9068
309604	Mani. heat control valve	Asb.	1	16015
309600	Int. to exh.	Stl. Asb.	1	2086
316948	Int. to exh.	Stl. Asb.	1	S-2086
308571	Carburetor (to serial 7964)	Asb.	1 30-31	16032
324833	Carburetor (after serial 7964)	Stl. Asb.	1 31-33	S-2638
300564	Fuel pump	Vell.	1	V-8987
50867	Wat. pump body	Vell.	1 30-31	V-5694
605767	Wat. pump body	Vell.	1 32-33	V-8993
382988	Wat. outlet	Tr. Paper	1	30057
50082	Wat. pump by-pass elbow	Vell.	1	V-8423
622772	Motor supp. pl.	Vell.	1	V-1122
40841	Gear cov.	Vell.	1	V-1124
40844	Gear cov. oil seal	Cork	1	C-1145
311661	Diff. carr.	Vell.	1	V-4138
308248	Axle hsg.	Cork	1	C-1043
308257	Axle hsg.	Vell.	1	V-4138A
308353	C/S rear brg. oil seal	Cork	2	C-1045
321697	Headlamp lens	Cork	2 31	C-7003
610381	Headlamp lens	Cork	2 33	C-7002



McCord No. 2087




McCord No. 2089




McCord No. 2086



McCord No. 2088



McCord No. C1024



McCord No. C1044



Dodge, 4-6-8. Truck Model and Motor Reference

Model	Year	Tonnage	Motor	McCord No.	See Page No.	Model	Year	Tonnage	Motor	McCord No.	See Page No.	Model	Year	Tonnage	Motor	McCord No.	See Page No.
DA120	30-31	¾	Dodge Vic.	5457A	86	K21X	1934	1	Dodge 6 (1)	6085	89	KH21	1934	1	Dodge 6 (4)	5766	89
DA124	30-31	1	Dodge Vic.	5457A	86	K22	1934	1	Chrys. 6 (5)	5830	60	KH21	1934	1	Dodge 6 (1)	6085	89
DA130	30-31	1	Dodge Vic.	5457A	86	K22	1934	1	Chrys. 6 (6)	5918A	60	KH21V	1935	1	Dodge 6	6085	89
DA140	30-31	1	Dodge Vic.	5457A	86	K22V	1935	1	Chrys. 6	5918A	60	KH22	1934	1	Dodge 6 (4)	5766	89
DA150	30-31	1½	Dodge Vic.	5457A	86	K22VX	1935	1	Chrys. 6	5918A	60	KH22	1934	1	Dodge 6 (1)	6085	89
DA165	30-31	1½	Dodge Vic.	5457A	86	K30	1934	1½	Dodge 6 (3)	5826	89	KH22V	1935	1	Dodge 6	6085	89
ED	27-28	3	Dodge Sr. 6	5489	87	K30	1934	1½	Dodge 6 (1)	6085	89	KH23	1934	1	Dodge 6 (4)	5766	89
F10	31-32	½	Dodge 6	5581	88	K31	1934	1½	Dodge 6 (3)	5826	89	KH23	1934	1	Dodge 6 (1)	6085	89
F30	31-32	1½	Dodge 6	5581	88	K31	1934	1½	Dodge 6 (1)	6085	89	KH23V	1935	1	Dodge 6	6085	89
F31	31-32	1½	Dodge 6	5581	88	K32	1934	1½	Dodge 6 (3)	5826	89	KH30	1934	1½	Dodge 6 (4)	5766	89
F35	31-32	1½	Dodge Vic.	5457A	86	K32	1934	1½	Dodge 6 (1)	6085	89	KH30	1934	1½	Dodge 6 (1)	6085	89
F36	31-32	1½	Dodge Vic.	5457A	86	K32V	1934	1½	Dodge 6	6085	89	KH30V	1935	1½	Dodge 6	6085	89
F40	31-34	2	Chrys. 6-80	5179B	59	K33	1934	1½	Dodge 6 (3)	5826	89	KH31	1934	1½	Dodge 6 (4)	5766	89
F41	31-34	2	Chrys. 6-80	5179B	59	K33	1934	1½	Dodge 6 (1)	6085	89	KH31	1934	1½	Dodge 6 (1)	6085	89
F42	31-34	2	Chrys. 6-80	5179B	59	K33V	1935	1½	Dodge 6	6085	89	KH31V	1935	1½	Dodge 6	6085	89
F60	31-34	2	Chrys. 6-80	5179B	59	K34	1934	1½	Dodge 6 (3)	5826	89	KH32	1934	1½	Dodge 6 (4)	5766	89
F61	31-34	2	Chrys. 6-80	5179B	59	K34	1934	1½	Dodge 6 (1)	6085	89	KH32	1934	1½	Dodge 6 (1)	6085	89
F62	31-34	2	Chrys. 6-80	5179B	59	K34V	1935	1½	Dodge 6	6085	89	KH32V	1935	1½	Dodge 6	6085	89
G20	32-33	1	Dodge 6 (9)	5642	88	K34NC1	1935	1½	Dodge 6	6085	89	KH33	1934	1½	Dodge 6 (4)	5766	89
G20	32-33	1	Dodge 6 (10)	5766	89	K35	1934	1½	Chrys. 6 (5)	5830	60	KH33	1934	1½	Dodge 6 (1)	6085	89
G21	32-33	1	Dodge 6 (9)	5642	88	K35	1934	1½	Chrys. 6 (6)	5918A	60	KH33V	1935	1½	Dodge 6	6085	89
G21	32-33	1	Dodge 6 (10)	5766	89	K35V	1935	1½	Chrys. 6	5918A	60	LC	1936	¾	Dodge 6	6085	89
G22	32-33	1½	Dodge 6	5642	88	K36	1934	1½	Chrys. 6 (5)	5830	60	LE Series	1936	¾-1½	Dodge 6	6085	89
G30	32-33	1½	Dodge 6 (9)	5642	88	K36	1934	1½	Chrys. 6 (6)	5918A	60	LF Series	1936	1-1½	Dodge 6	6085	89
G30	1933	1½	Dodge 6 (10)	5766	89	K36V	1935	1½	Chrys. 6	5918A	60	LG Series	1936	1½	Chrys. 6	5918A	60
G31	32-33	1½	Dodge 6 (9)	5642	88	K37	1934	1½	Chrys. 6 (5)	5830	60	LH Series	1936	1-2	Chrys. 6	5918A	60
G31	1933	1½	Dodge 6 (10)	5766	89	K37	1934	1½	Chrys. 6 (6)	5918A	60	MC	1937	½	Chrys. 6	6117	62
G43	32-33	2	Dodge 6	5642	88	K37V	1935	1½	Chrys. 6	5918A	60	MCX	1937	½	Chrys. 6	6017	62
G44	32-33	2	Dodge 6	5642	88	K38	1934	1½	Chrys. 6 (5)	5830	60	MD15	1937	¾	Chrys. 6	6117	62
G80	32-33	4	Chrys. 8	5584C	66	K38	1934	1½	Chrys. 6 (6)	5918A	60	MD16	1937	¾	Chrys. 6	6117	62
G81	32-33	4	Chrys. 8	5584C	66	K38V	1935	1½	Chrys. 6	5918A	60	MD20	1937	1	Chrys. 6	6117	62
G82	32-33	4	Chrys. 8	5584C	66	K45	1934	2	Chrys. 6 (5)	5830	60	MD21	1937	1	Chrys. 6	6017	62
G83	32-33	4	Chrys. 8	5584C	66	K45	1934	2	Chrys. 6 (6)	5918A	60	MDX20	1937	1	Chrys. 6	6017	62
GE	28-29	2	Dodge Sr. 6	5489	87	K45V	1935	2	Chrys. 6	5918A	60	MDX21	1937	1	Chrys. 6	6017	62
HG	33-34	½	Dodge 6	5766	89	K46	1934	2	Chrys. 6 (5)	5830	60	ME Series	1937	¾-1½	Chrys. 6	6117	62
HCL	33-34	½	Dodge 6	5766	89	K46	1934	2	Chrys. 6 (6)	5918A	60	MF Series	1937	1-1½	Chrys. 6	6117	62
HE	28-29	3	Dodge Sr. 6	5489	87	K46V	1935	2	Chrys. 6	5918A	60	MG Series	1937	1½	Chrys. 6	6117	62
H20	33-34	1	Dodge 6	5766	89	K47	1934	2	Chrys. 6 (5)	5830	60	MH Series	1937	1-2	Chrys. 6	6117	62
H21	33-34	1	Dodge 6	5766	89	K47	1934	2	Chrys. 6 (6)	5918A	60	MK Series	37-38	3	Dodge 6-TR	5970	94
H22	33-34	1½	Dodge 6	5642	88	K47V	1935	2	Chrys. 6	5918A	60	ML Series	37-38	2	Dodge 6-TR	5970	94
H30	33-34	1½	Dodge 6	5766	89	K48	1934	2	Chrys. 6 (5)	5830	60	OD	27-28	2	Dodge Sr. 6	5489	87
H31	33-34	1½	Dodge 6	5766	89	K48	1934	2	Chrys. 6 (6)	5918A	60	OE	28-29	2	Dodge Sr. 6	5489	87
H31X	33-34	1½	Dodge 6	5766	89	K48V	1935	2	Chrys. 6	5918A	60	RC Series	37-38	½	Chrys. 6	6117	62
H33	33-34	1½	Dodge 6	5642	88	K50	34-35	2	Chrys. 6-80	5179B	59	RD Series	37-38	¾-1	Chrys. 6	6117	62
H34	33-34	1½	Dodge 6	5642	88	K50V	34-35	2	Chrys. 6-80	5179B	59	RE	28-29	3	Dodge Sr. 6	5489	87
H34X	33-34	1½	Dodge 6	5642	88	K51	34-35	2	Chrys. 6-80	5179B	59	RE Series	37-38	¾-1½	Chrys. 6	6117	62
H43	33-34	2	Dodge 6	5642	88	K51V	34-35	2	Chrys. 6-80	5179B	59	RF Series	37-38	1½	Chrys. 6	6117	62
H44	33-34	2	Dodge 6	5642	88	K52	34-35	2	Chrys. 6-80	5179B	59	RG Series	37-38	2	Chrys. 6	6117	62
H44X	33-34	2	Dodge 6	5642	88	K52V	34-35	2	Chrys. 6-80	5179B	59	RH Series	37-38	2	Chrys. 6	6117	62
JD	27-28	Bus	Dodge Sr. 6	5489	87	K60	1935	3	Chrys. 6-80	5179B	59	RK Series	37-38	3	Dodge 6-TR	5970	94
JE	28-29	Bus	Dodge Sr. 6	5489	87	K61V	1935	3	Chrys. 6-80	5179B	59	RL Series	37-38	2	Dodge 6-TR	5970	94
KC	1934	½	Dodge 6 (1)	6085	89	K62V	1935	3	Chrys. 6-80	5179B	59	RO Series	37-38	2	Dodge 6-TR	5970	94
KC	1934	½	Dodge 6 (2)	5836	89	K70	1934	3	Chrys. 6-80	5179B	59	RP Series	37-38	3	Dodge 6-TR	5970	94
KCL	1934	½	Dodge 6 (1)	6085	89	K71	1934	3	Chrys. 6-80	5179B	59	TC Series	1939	½	Dodge 6	6085	89
KCL	1934	½	Dodge 6 (2)	5836	89	K72	1934	3	Chrys. 6-80	5179B	59	TC Series	37-39	Canadian Production	(11)		
KCL	1934	½	Dodge 6 (3)	5826	89	K72XF	1934	4	Chrys. 6-80	5179B	59	TD Series	1939	¾	Dodge 6	6085	89
KCX	1934	½	Dodge 6	5841	89	K72XG	1934	4	Chrys. 6-80	5179B	59	TD Series	37-39	Canadian Production	(11)		
KCLX	1934	½	Dodge 6	5841	89	KH15	1934	¾	Dodge 6 (4)	5766	89	TD	27-28	2	Dodge Sr. 6	5489	87
K19	1934	¾	Dodge 6 (3)	5826	89	KH15	1934	¾	Dodge 6 (1)	6085	89	TE Series	1939	1	Chrys. 6	6117	62
K19	1934	¾	Dodge 6 (1)	6085	89	KH16	1934	¾	Dodge 6 (4)	5766	89	TE	28-29	2	Dodge Sr. 6	5489	87
K19V	1935	1	Dodge 6	6085	89	KH16	1934	¾	Dodge 6 (1)	6085	89	TF Series	1939	1½	Chrys. 6	6117	62
K20	1934	¾	Dodge 6 (3)	5826	89	KH16V	1935	¾	Dodge 6	6085	89	TG Series	1939	1½	Chrys. 6	6117	62
K20	1934	¾	Dodge 6 (1)	6085	89	KH17	1934	¾	Dodge 6 (4)	5766	89	TH Series	1939	2	Chrys. 6	6117	62
K20X	1934	1	Dodge 6 (3)	5826	89	KH17	1934	¾	Dodge 6 (1)	6085	89	U Series	30-31	¾-1	Plym. 4	5517A	203
K20X	1934	1	Dodge 6 (1)	6085	89	KH17V	1935	¾	Dodge 6	6085	89	UF Series	31-33	1½-2	Plym. 4	5517A	203
K21	1934	¾	Dodge 6 (3)	5826	89	KH18	1934	¾	Dodge 6 (4)	5766	89	UG Series	32-33	1-2	Plym. 4	5517A	203
K21	1934	¾	Dodge 6 (1)	6085	89	KH18	1934	¾	Dodge 6 (1)	6085	89	YD	27-28	Bus	Dodge Sr. 6	5489	87
K21X	1934	1	Dodge 6 (3)	5826	89	KH18V	1935	¾	Dodge 6	6085	89	YE	28-29	Bus	Dodge Sr. 6	5489	87

Dodge Truck Motor Reference Notes


- (1) Use with 620027-642448 head.
- (2) Use with 622487 head.
- (3) Use with 621935 head.
- (4) Use with 620126 head.

- (5) To engine No. T7-8964.
- (6) After engine No. T7-8964.
- (7) To engine No. T17-9601.
- (8) After engine No. T17-9601


- (9) To Serial No. 8482340.
- (10) After Serial No. 8482340.
- (11) TC-TD Series Canadian production. McCord No. 5825.



Dodge Motor, 6. Truck. Models MK-ML Series, 1937; RK-RL-RO-RP Series, 1938; TK-TL Series, 1939... 3 3/4 x 5"
Export Models RXX-TXK 3 3/4 x 5"



McCord No. 5970



McCord No. S-2857



McCord No. S-2856


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
670347	Cyl. hd.	Cop. Asb.	1		5970
	Mani. set (1-S2856, 2-S845B, 2-S846G, 1-S2857)	Stlplk.	1		SMS-2501
780476	Valve cov. set (2-C4406, 4-30420)	Cork	1		CV-561
670460	Oil pan set (1-C4420)	Cork	1		CS-2311
531752	Exh. pipe flg.	Stl. Asb.	1		2255
676588	Exh., ends	Stlplk.	2		S-845B
676589	Exh., center	Stlplk.	1		S-2856
676590	Int., ends	Stlplk.	2		S-846G
676591	Int., center	Stlplk.	1		S-2857
670332	Valve cov.	Cork	2		C-4406
381542	Valve cov. stud	Tr. Paper	4		30420
670460	Oil pan	Cork	1		C-4420
105456	Oil drain plug	Allmetal	1		AM-515
562221	Carburetor	Stlplk.	1		S-2680
300564	Fuel pump	Vell.	1		V-8987
670340	Wat. pump	Tr. Paper	1		30328
676229	Wat. pump cov. pl.	Tr. Paper	1		30329
50082	Wat. outlet	Tr. Paper	1		30057
670360	Wat. pump by-pass elbow	Vell.	1		V-8399
51986	Dist. pilot hole cov.	Vell.	1		V-5240
671174	Chain case cov.	Tr. Paper	1		36038
671176	Chain case cov. pl.	Tr. Paper	1		36039
572552	Diff. carr.	Tr. Paper	1		37004
571947	Axle shaft flg.	Tr. Paper	2		30508

Douglas, 4-6. Truck and Bus

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
A6	1	Buda J214	5614	29	CGC4	2	Buda KBU	5251	*	D6	3	Buda BA6	5346	*
B4	1 1/2	Buda WTU	5117A	*	C6	2	Buda DS	5345	*	D6	Bus	Buda BUS	5346	*
BGC4	1 1/2	Buda WTU	5117A	*	C6	Bus	Buda DW6	5345	*	D65P	3	Buda K428	5725	30
B6	1 1/2	Buda HS	5344	*	CD6	2	Buda DS	5345	*	F6	5	Buda GL6	5263	28
C4	2	Buda KBU	5251	*	CD6	Bus	Buda DW6	5345	*	F66	5	Buda GL6	5263	28
D4	3	Buda EBU	5236	*	D4	3	Buda YBU	5192	*	21P	Bus	Buda DS	5345	*

NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.

Duesenberg Motor, 8. Passenger. Models J, SJ, 1929-36... 3 3/4 x 4 3/4"



McCord No. 5533

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
J-401	Cyl. hd.	Cop. Asb.	1		5533
J-5208	Exh. pipe flg.	Cop. Asb.	1		1925

Duplex, 4-6. Truck

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
FAC	1 1/2	Buda EBUI	5263	*	M	5-7	Buda GL6	5263	28	SAC	3	Buda BUS	5346	*
GS	1 1/2	Buda HS6	5344	*	S	2	Buda DW6	5345	*	SAC	2 1/2-4	Buda K428	5725	30
K	1 1/2	Buda L525	5805	30	S	2 1/2-4	Buda K325	5725	30	SAK		Buda K428	5725	30
L	5	Buda LO525	S6028	30	SC		Buda K369	5725	30					

NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.



Du Pont, 6-8. Passenger

Model	Year	Motor	McCord No.	See Page No.	Model	Year	Motor	McCord No.	See Page No.	Model	Year	Motor	McCord No.	See Page No.
D	1925-29	Wisc. Y	5296	*	F	1925-29	Wisc. Y	5296	*	G	1928-32	Cont. 14K	5493	74
E	1925-29	Wisc. Y	5296	*										

NOTE—*Indicates that these motors are listed in Guide A.

Durant, 4. Passenger. Model 40, 1928-29. See Continental W4 Motor. McCord No. 5066. Page No. 73.

Durant, 6. Passenger. Model 55, 1928-29. See Continental 14L Motor. McCord No. 5161. Page 44 Guide A.


Durant, 6. Passenger. Models 60-65-66, 1928-29. See Continental 18L Motor. McCord No. 5170. Page 44 Guide A.

Durant, 6. Passenger. Model 70, 1929. See Continental 18E Motor. McCord No. 5459. Page No. 71.


Durant, 6. Passenger. Models 75, 1928; 617, 1930. See Continental 15U Motor. McCord No. 5669. Page No. 70.

Durant, 4. Passenger. Model 610, 1930-31. See Continental W8 Motor. McCord No. 5626. Page No. 77.

Durant, 6. Passenger. Models 612-614-615-616-619, 1930-32. 3 1/4 x 4"



McCord No. 5580A



McCord No. 1880

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
40020	Cyl. hd.	Cop. Asb.	1		5580A
	Mani. set (1-1880)	Stl. Asb.	1		MS-743
	Valve cov. set (2-C546)	Cork	1		CV-201
	Oil pan set (1-C1215, 1-C1216, 2-C2978)	Cork	1		CS-2207
40171	Exh. pipe flg.	Cop. Asb.	1		122EA
40148	Manifold	Stl. Asb.	1		1880
40029	Valve cov.	Cork	2		C-546
40118	Oil pan, right	Cork	1		C-1215
40119	Oil pan, left	Cork	1		C-1216
201167	Oil pan, ends	Cork	2		C-2978

NOTE—For other gaskets see Continental Motor 22A, Page No. 68.

Eagle, 4-6. Truck


Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
10	1 1/2-2 1/2	Cont. 18E	5459	71	25	1 1/2-2 1/2	Cont. 18E	5459	71	40	5-5 1/2	Herc. YXC	5526	130
20	3-5 1/2	Herc. WXB	5496	129	30	3-5 1/2	Herc. WXC	5649	129					

NOTE—For older models see Guide A.


Elcar, 6-8. Passenger

Model	Year	Motor	McCord No.	See Page No.	Model	Year	Motor	McCord No.	See Page No.	Model	Year	Motor	McCord No.	See Page No.
6-70	29-30	Lyc. W	5387A	166	8-82	27-30	Lyc. GT	5388A	163	8-96	27-30	Lyc. GT	5388A	163
6-75	29-30	Lyc. WS	5387A	166	8-90	25-30	Lyc. 3H	5125A	162	8-120	25-30	Lyc. 3H	5125A	162
6-75A	29-30	Lyc. WS	5387A	166	8-91	25-30	Lyc. 3H	5125A	162	8-130	30	Cont. 12K	5493A	74
8-78	27-30	Lyc. G	5388A	163	8-92	25-30	Lyc. 3H	5125A	162	8-140	30	Cont. 12K	5493A	74
8-80	25-30	Lyc. 2H	5125A	162	8-95	27-30	Lyc. GT	5388A	163					

NOTE—For older models see Guide A.

Erskine Motor, 6. Passenger. Models 50, 1927, 2 5/8 x 4 1/2"; 51, 1928; 52, 1929
Truck. Models 51B-52B, 1928-292 3/4 x 4 1/2"
2 3/4 x 4 1/2"

McCord No. 5482




McCord No. 1495


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
8FA507	Cyl. hd.	Cop. Asb.	1		5482
132902	Mani. set (1-1495)	Cop. Asb.	1		MS-2491
	Valve cov. set (1-C782)	Cork	1		CV-255
130733	Valve cov. set (1 pc.)	Vell.	1	27-28	ES-2101
133028	Valve cov. set (2 pcs.)	Vell.	1	29	ES-2043
	Oil pan set (1-C649)	Cork	1		CS-2172
130796	Oil pan set (1 pc.)	Vell.	1		ES-727

(Continued on Next Page)

Erskine Motor, 6. 1927-29—Continued



McCord No. C-649




McCord No. C-782

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
130699	Wat. jkt. cov. set (1 pc.)	Vell.	1	ES-2405
130629	Gear cov. set (1 pc.)	Vell.	1	ES-1248
130454	Exh. pipe flg.	Cop. Asb.	1	847J
130452	Manifold	Cop. Asb.	1	1495
130733	Valve cov.	Cork	1	C-782
130796	Oil pan	Cork	1	C-649
	Oil header flg.	Cop. Asb.	1	1970

Erskine Motor, 6. Passenger. Model 53, 1930

3 1/4 x 4 1/8"



McCord No. 5451A

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
172754	Cyl. hd.	Cop. Asb.	1	5451A

NOTE—For other gaskets see Studebaker Dictator 6, 1929. Page No. 225.

Esco, 6. Truck


Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
135	1-1 1/2	Cont. 20C	5669	70	236	2-2 1/2	Cont. E603	5758	71	238H	2-2 1/2	Cont. E603	5758	71
136	1-1 1/2	Cont. 20C	5669	70	236	2-2 1/2	Cont. E603	6105	71	238H	2-2 1/2	Cont. E603	6105	71
137	1-1 1/2	Cont. 20C	5669	70	236O	2-2 1/2	Cont. 21R	5534	75	335	3	Cont. 20R	5534	75
233	2-2 1/2	Cont. E603	5758	71	237	2-2 1/2	Cont. E603	5758	71	335O	3	Cont. 21R	5534	75
233	2-2 1/2	Cont. E603	6105	71	237	2-2 1/2	Cont. E603	6105	71	336	3	Cont. 21R	5534	75
234	2-2 1/2	Cont. E603	5758	71	237H	2-2 1/2	Cont. E603	5758	71	336O	3	Cont. 21R	5534	75
234	2-2 1/2	Cont. E603	6105	71	237H	2-2 1/2	Cont. E603	6105	71	337	3	Cont. 21R	5534	75
235	2-2 1/2	Cont. E603	5758	71	237O	2-2 1/2	Cont. 21R	5534	75	337O	3	Cont. 21R	5534	75
235	2-2 1/2	Cont. E603	6105	71	238	2-2 1/2	Cont. E603	5758	71	338	3	Cont. 21R	5534	75
235O	2-2 1/2	Cont. 21R	5534	75	238	2-2 1/2	Cont. E603	6105	71					

Essex Motor, 6. Passenger. Models Super 6, 1924, 2 5/8 x 4"; Super 6, 1925-28.


2 1/8 x 4 1/4"

Models Challenger, 1929-30, 2 3/4 x 4 1/2"; 1931, 2 7/8 x 4 1/2"; Pacemaker, 1932


2 1/8 x 4 3/4"




McCord No. 5114



McCord No. 5155



McCord No. 5510-A











McCord No. 5635-A

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
61331	Cyl. hd.	Cop. Asb.	1 24	5114
61622	Cyl. hd.	Cop. Asb.	1 25-28	5155
63527C	Cyl. hd.	Cop. Asb.	1 29-30	5510A
35183	Cyl. hd.	Cop. Asb.	1 31	5635A
37223	Cyl. hd.	Cop. Asb.	1 32	5709A
	Mani. set (6-8001)	Cop. Asb.	1 24-29	MS-2569
	Mani. set (1-2048, 2-2050)	Cop. Asb.	1 30-31	MS-925
	Mani. set (1-S2048, 2-S2050)	Stlpk.	1 30-31	SMS-925
	Mani. set (2-S2462, 1-S2463)	Stlpk.	1 32	SMS-926
	Valve cov. set (1-1916)	Asb.	1 24-31	CV-260
	Valve cov. set (1-V2300)	Vell.	1 24-31	ES-2300
	Valve cov. set (1-C2878)	Cork	1 32	CV-261
	Oil pan set (1-C428)	Cork	1 24-27	CS-2119
60038	Oil pan set (1 pc.)	Vell.	1 24-27	ES-602
	Oil pan set (1-C1816C)	Cork	1 28-32	*CS-2188
	Oil pan set (1-P622)	Vell.	1 28-32	*ES-622
NOTE—*From late 1929 through 1931 two (2) used.				
	Wat. jkt. cov. set (2-C858)	Cork	1 29-31	CW-6
	Wat. jkt. cov. set (2-V2088)	Vell.	1 29-31	ES-2088
	Wat. jkt. cov. set (1-C3048)	Cork	1 32	CW-26
	Wat. jkt. cov. set (1-V1973)	Vell.	1 32	ES-1973
62554	Motor supp. pl. set, front (1 pc.)	Vell.	1	ES-2748
61631	Motor supp. pl. set, rear (1 pc.)	Vell.	1	ES-2749
	Chain case cov. set (1-V1204)	Vell.	1 24-32	ES-1204
	Diff. cov. and carr. set (1-V4206)	Vell.	2 24-29	ES-4206

(Continued on Next Page)

Essex Motor, 6. 1924-32—Continued

	Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
						
McCord No. 5709A						
						
McCord No. 2048						
						
McCord No. 2050						
						
McCord No. 1910						
						
McCord No. 1911						
						
McCord No. 2068						
						
McCord No. C-821						
						
McCord No. C-822						
						
McCord No. 1916						
						
McCord No. C-428						
						
McCord No. C-430						
						
McCord No. C-858						
						
McCord No. C-3049						
						
McCord No. C-3048						
						
McCord No. C-1816-C						
	60315	Diff. cov. and carr. set (1-V4230)	Vell.	2	30-32	ES-4230
		Clutch cov. set (1 pc.)	Vell.	1	24-26	ES-2741
		Clutch cov. set (1-V2744)	Vell.	1	27-29	ES-2744
		Clutch cov. set (1-V4271)	Vell.	1	30-31	ES-4271
	33194	Exh. pipe flg.	Cop. Asb.	1	30-32	2113
	33194	Exh. pipe flg.	Stlpk.	1	30-32	S-2113
	36334	Exh. mani.	Cop. Asb.	6	24-29	8001
	60047	Exh. mani.	Asb.	6	24-29	1741
	65191	Mani., center	Cop. Asb.	1	30-31	2048
	65189	Mani., ends	Cop. Asb.	2	30-31	2050
	65191	Mani., center	Stlpk.	1	30-31	S-2048
	65189	Mani., ends	Stlpk.	2	30-31	S-2050
	38039					
	48583	Mani., center	Stlpk.	1	32	S-2463
	38038	Mani., ends	Stlpk.	2	32	S-2462
	48582					
	61615	Valve cov.	Asb.	1	24-31	1916
	61615	Valve cov.	Vell.	1	24-31	V-2300
	37144	Valve cov.	Cork	1	32	C-2878
	60038	Oil pan	Cork	1	24-27	C-428
	62544	Oil pan	Cork	1	28-32	*C-1816C
	62544	Oil pan	Chipbd.	1	28-32	*30001
	62544	Oil pan	Vell.	1	28-32	*P-622
NOTE—*From late 1929 through 1931 two (2) used.						
	33179	Oil pump body	Vell.	1	30-32	V-5143
	63551	Exh. mani. valve	Cop. Asb.	1	29-31	870D
	63551	Exh. mani. valve	Stlpk.	1	29-31	S-870D
	38090	Exh. damper cov.	Stlpk.	1	32	S-2482
	65564	Int. to riser	Cop. Asb.	1	30-31	2068
	65564	Int. to riser	Stlpk.	1	30-31	S-2068
	63550	Carburetor	Cop. Asb.	1	29	1911
	16-145	Carb. to elbow	Stl. Asb.	1	29	2018
	16-145	Carb. to elbow	Stlpk.	1	29	S-2018
	16-150	Carb. to riser	Cop. Asb.	1	30-31	2165
	16-150	Carb. to riser	Stlpk.	1	30-31	S-2165
	38007					
	48589	Carb. riser to int.	Stlpk.	1	32	S-2480
	63552	Carb. riser to exh.	Cop. Asb.	1	29-31	1910
	63552	Carb. riser to exh.	Stlpk.	1	29-31	S-1910
	38044	Carb. riser to exh.	Stlpk.	1	32	S-2481
	63542	Wat. jkt. cov.	Cork	2	29-31	C-858
	63542	Wat. jkt. cov.	Vell.	2	29-31	V-2088
	37196	Wat. jkt. cov.	Cork	1	32	C-3048
	37196	Wat. jkt. cov.	Vell.	1	32	V-1973
		Wat. jkt. cov. stud washer	Cop.	8	29-31	470
		Wat. jkt. cov. stud washer	Cop.	18	32	472
	60009	Wat. outlet	Vell.	6	25-28	V-5062
	63549	Wat. outlet	Vell.	6	29-32	V-5063
	60027	Chain case cov.	Cork	1	24-27	C-430
	60027					
	62552	Chain case cov.	Vell.	1	24-32	V-1204
	60028	Gear cov. oil seal	Felt	1		10167
	65389	Motor supp. pl., rear	Paper	1	29-32	30038
	2655	Diff. cov. and carr.	Vell.	2	24-29	V-4206
	65040	Diff. cov. and carr.	Vell.	2	30-32	V-4230
	62290	Clutch cov.	Vell.	1	27-29	V-2744
	65018	Clutch cov.	Vell.	1	30-31	V-4271
	37255	Clutch cov.	Asb.	1	32	2522
	37459	Trans. cov.	Cork	1	32	C-3049
	63591	C/S oil throw, upper	Cork	1	29-31	C-821
	35929	C/S oil throw, lower	Cork	1	29-31	C-822
	37327	C/S oil throw, upper	Cork	1	32	C-2932
	37328	C/S oil throw, lower	Cork	1	32	C-2933
	60212	Generator eccentric	Asb.	1	27-28	2201
	60212	Generator eccentric	Vell.	1	27-28	V-5659

Essex-Terraplane, 6-8. See Terraplane. Page No. 233.

Euclid Truck, 6. Waukesha 6SRK Motor. McCord No. 5717. See Page No. 247.



Fageol, 4-6. Truck and Bus

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
4-46	2½-5	Wauk. 6MS	5761	247	135B	Bus	Wauk. 6-90	5779	255	370C	5-6	Wauk. 6-125	5885	256
6-26	3-4	Wauk. 6SRL	5549	247	135BK	1½-4	Wauk. 6BK	5921A	240	370HP	5-10	Wauk. 6-125	5885	256
6-26	3-4	Wauk. 6SRK	5717	247	135HP	2-6	Wauk. 6-90	5779	255	370D	5-6	Cum. 6HB	5861	79
6-46	3-4	Wauk. 6SRL	5549	247	135RA	2-6	Wauk. 6-90	5779	255	370DC	5-6	Cum. 6HB	5861	79
6-46	5-8	Wauk. 6SRK	5717	247	135SC	2-6	Wauk. 6-90	5779	255	370RA	5-10	Wauk. 6-125	5885	256
6-66	3-7	Wauk. 6SRL	5549	247	135TL	1¼-3	Wauk. 6TL	5603	248	370RAD	5-6	Cum. 6HB	5861	79
8-26	3-4	Wauk. 6SRL	5549	247	226BK	5-6	Wauk. 6BK	5921A	240	370SR	5-8	Wauk. 6SRK	5717	247
8-26	5-8	Wauk. 6SRK	5717	247	226HP	2-6	Wauk. 6-90	5779	255	470	3-4	Wauk. 6KS	5473B	245
8-46	3-4	Wauk. 6SRL	5549	247	230	1½-2	Wauk. V	5264	249	470	3-4	Wauk. 6SRL	5549	247
8-46	5-10	Wauk. 6-125	5885	256	250	2½	Wauk. 6XK	5516	253	470	5-10	Wauk. 6-125	5885	256
8-46HP	5-10	Wauk. 6-125	5885	256	250	2½-5	Wauk. 6MS	5761	247	470HP	5-10	Wauk. 6-125	5885	256
8-46AL	5-10	Wauk. 6-125	5885	256	250	2½-8	Wauk. 6-110	5777	256	485	4-10	Wauk. 6AB	5260A	239
8-46RB	5-10	Wauk. 6-125	5885	256	250	1½-4	Wauk. 6BK	5921A	240	503	Bus	A. C. F.	5206A	14
10-26	4-10	Wauk. 6AB	5260A	239	250BK	2½-4	Wauk. 6BK	5921A	240	503	Bus	A. C. F.	5206B	14
10-46	4-10	Wauk. 6AB	5260A	239	250HP	2½-8	Wauk. 6-110	5777	256	685	4-10	Wauk. 6AB	5260A	239
10-46	8-10	Wauk. 6RB	5568	239	250MK	2½-5	Wauk. 6MK	5761	247	685RB	Bus	Wauk. 6RB	5568	239
10-46AL	4-10	Wauk. 6AB	5260A	239	250MS	2½-5	Wauk. 6MS	5761	247	846AL	8	Wauk. 6-125	5885	256
10-46AL	4-10	Wauk. 6RB	5568	239	250RA	2½-5	Wauk. 6MS	5761	247	846ALD	8	Cum. 6HB	5861	79
10-46RB	4-10	Wauk. 6RB	5568	239	250RA	2½-8	Wauk. 6-110	5777	256	846HP	8	Wauk. 6-125	5885	256
10-66	4-10	Wauk. 6AB	5260A	239	250RA	2½-4	Wauk. 6MK	5761	247	1046	Bus	Wauk. 6RB	5568	239
10-66A	4-10	Wauk. 6AB	5260A	239	250SC	2½-8	Wauk. 6-110	5777	256	1046AL	Bus	Wauk. 6RB	5568	239
10-66B	4-10	Wauk. 6AB	5260A	239	255	Bus	Wauk. 6-110	5777	256	1046ALD	10	Cum. 6HB	5861	79
10-66C	4-10	Wauk. 6AB	5260A	239	255C	Bus	Wauk. 6-125	5885	256	1046RB	Bus	Wauk. 6RB	5568	239
80	Bus	Wauk. 6RB	5568	239	300	2½-5	Wauk. 6MS	5761	247	1350	Bus	Wauk. 6BK	5921A	240
100	1¼	Wauk. XA	5258A	252	300	2½-8	Wauk. 6-110	5777	256	2500	Bus	Wauk. 6MK	5761	247
101	1½-2½	Wauk. XAK	5601	252	300HP	2½-8	Wauk. 6-110	5777	256	2985	Bus	Wauk. 6BK	5921A	240
102	1½-2½	Wauk. 6ZK	5916	254	300RA	2½-8	Wauk. 6-110	5777	256	3000	Bus	Wauk. 6-110	5777	256
106	1¼-3	Wauk. 6TS	5603	248	326HP	2½-8	Wauk. 6-110	5777	256	3000	Bus	Hall. S 135	5978	13
106BK	1½-4	Wauk. 6BK	5921A	240	340	2½-5	Wauk. 6MK	5761	247	3245	Bus	Wauk. 6MK	5761	247
106RA	1½-4	Wauk. 6BK	5921A	240	365	3-4	Wauk. 6KS	5473B	245	3890	Bus	Wauk. 6-110	5777	256
130	1½-2	Wauk. V	5264	249	370	3-4	Wauk. 6KS	5473B	245	Parlor Car	Bus	Wauk. 6AL	5260A	239
135	2	Wauk. 6XL	5515	253	370	3-4	Wauk. 6SRL	5549	247	Street Car	Bus	Wauk. 6AL	5260A	239
135	1¼-3	Wauk. 6TS	5603	248	370	5-8	Wauk. 6SRK	5717	247	Double				
135	2-6	Wauk. 6-90	5779	255	370	5-10	Wauk. 6-125	5885	256	Deck	Bus	Wauk. 6AL	5260A	239

Falcon Knight Motor, 6. Passenger Model 12, 1928. McCord No. 1794. See Guide A, Page No. 58.

Fargo, 4-6-8. Truck and Bus

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
CG2R172	Bus	Chrys. 8	5584C	66	FHD4		Chrys. 6	5969	62	KI	½	DeSoto 6	5581	81
FG1		Chrys. 6	5969	62	FXG		Chrys. 6	5969	62	KI	1½	DeSoto 6	5476	81
FG2		Chrys. 6	5969	62	FXG1		Chrys. 6	5969	62	KC	½	DeSoto 6	5476	81
FG3		Chrys. 6	5969	62	FXG2		Chrys. 6	5969	62	KC	½	DeSoto 6	5581	81
FG4		Chrys. 6	5969	62	FXG3		Chrys. 6	5969	62	PT	¾	Chrys. 65	5471	57
FG6		Chrys. 6	5969	62	FXG4		Chrys. 6	5969	62	QC	½	Plym. 4	5464	203
FGD4		Chrys. 6	5969	62	FXGD4		Chrys. 6	5969	62	80	Bus	Chrys. 80	5179B	59
FH1		Plym. 6	5825	205	FXH1		Plym. 6	5825	205	81	Bus	Chrys. 80	5179B	59
FH2		Dodge 6	5825	89	FXH2		Dodge 6	5825	89	90	Bus	Chrys. 8	5584C	66
FH3		Chrys. 6	5969	62	FXH3		Chrys. 6	5969	62	91	Bus	Chrys. 8	5584C	66
FH4		Chrys. 6	5969	62	FXH4		Chrys. 6	5969	62	94	Bus	Chrys. 8	5584C	66
FH6		Chrys. 6	5969	62	FXHD		Chrys. 6	5969	62	95	Bus	Chrys. 8	5584C	66
FH15		Dodge 6	5825	89	FXH6		Chrys. 6	5969	62					

Farr Motor, 4-6. (Marine)

Model	H.P.	Motor	McCord No.	See Page No.	Model	H.P.	Motor	McCord No.	See Page No.	Model	H.P.	Motor	McCord No.	See Page No.
4-25		Herc. IXB	5800	126	6-70		Herc. JXB	5674	126	6-92		Herc. JXB	5674	126
4-45		Herc. IXB	5800	126	6-80		Herc. JXC	5732	126	6-102		Herc. JXC	5732	126
6-60		Herc. JXB	5674	126	6-82		Herc. JXB	5674	126					

Fay & Bowen Motors, 6. (Marine)

Model	H.P.	Motor	McCord No.	See Page No.	Model	H.P.	Motor	McCord No.	See Page No.	Model	H.P.	Motor	McCord No.	See Page No.
Challenger	60	Cont. 11E	5459	71	Defender	75	Cont. 18R	5534	75	Fay Bow 6	60	Cont. 8U	5669	70
Conquerer	100	Cont. 22R	5794	76										

Federal, 4-6. Truck and Bus

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
A6	2-3½	Cont. 16C	5669	70	F8L	2	Cont. 16C	5669	70	4C6SW	4-5	Cont. 21R	5534	75
A6B	2-3½	Cont. 16C	5669	70	G5	2½	Cont. 25A	5580A	68	4FW	1	Wauk. XA	5258A	252
A6T	2-3	Cont. 16C	5669	70	GSL	2½	Cont. 25A	5580A	68	7	½-¾	Cont. F4140	6016	72
A6TW	2-3	Cont. 16C	5669	70	LD	3-3½	Cont. K4	5001	*	8	½-¾	Herc. QXB3	5992	128
A6SW	2-3	Cont. 16C	5669	70	Q9	2½-5	Wauk. 6MK	5761	247	9	¾-1	Cont. C400	5785	69
A7	2-3	Wauk. 6MS	5761	247	R	1-1½	Cont. J4	5004	*	9	¾-1	Cont. F4140	6016	72
A8	2-3	Wauk. 6MK	5761	247	S	1-1½	Cont. J4	5004	*	10	¾-1½	Herc. OOB	5597	128
A8DE	2-3	Wauk. 6MK	5761	247	SD	1-1½	Cont. J4	5004	*	11	¾-1½	Herc. QXB3	5992	128
A8DR	2-3	Wauk. 6MK	5761	247	T2B	2	Wauk. V	5264	249	11H	¾-1½	Herc. QXB3	5992	128
A600	2½-3	Cont. E600	6015	71	T2W	2	Wauk. V	5264	249	12	1½-2	Herc. QXB3	5992	128
A600	2½-3	Cont. E600	5751	71	T3W	2-2½	Wauk. V	5264	249	14	1½-2½	Herc. QXC3	6038	128
A600D	2½-3	Cont. E600	5751	71	T3WFA	2-3	Wauk. V	5264	249	15	1½	Herc. JXA	5674	126
A600D	2½-3	Cont. E600	6015	71	T6B	2	Cont. 15C	5669	70	15A	1½	Herc. JXA	5674	126
A600D	2½-3	Cont. E602	5758	71	T6W	2	Cont. 16C	5669	70	15H	1½-3	Herc. JXA	5674	126
A600D	2½-3	Cont. E602	6105	71	T7W	2	Cont. 16C	5669	70	15D	1½	Herc. JXA	5674	126
A600SW	2½-3	Cont. E600	5751	71	T8	2-2½	Cont. 16C	5669	70	15X	1½	Herc. JXA	5674	126
A600SW	2½-3	Cont. E600	6015	71	T8W	3½	Cont. 16C	5669	70	16	2½	Herc. JXA	5674	126
A600SW	2½-3	Cont. E602	5758	71	T8WF	3½-4	Cont. 16C	5669	70	17	2½	Herc. JXA	5674	126
A600SW	2½-3	Cont. E602	6105	71	T10B	2½-3	Cont. 16R	5534	75	18	2½	Herc. JXA	5674	126
A600T	2½-3	Cont. E600	5751	71	T10B	2½-3	Cont. 16C	5669	70	18	2-3	Herc. JXB	5674	126
A600T	2½-3	Cont. E600	6015	71	T10DR	3½-4	Cont. 16R	5534	75	18H	2-3	Herc. JXB	5674	126
A600TDR	2½-3	Cont. E600	5751	71	T10SW	3½-4	Cont. 18R	5534	75	18X	2½	Herc. JXA	5674	126
A600TDR	2½-3	Cont. E600	6015	71	T10W	3½-4	Cont. 16C	5669	70	20	2	Herc. JXB	5674	126
A600TW	2½-3	Cont. E600	5751	71	T10W	3½-4	Cont. 18R	5534	75	20A	2	Herc. JXB	5674	126
A600TW	2½-3	Cont. E600	6015	71	T20	2	Wauk. V	5264	249	20H	2-4	Herc. JXB	5674	126
B15	Bus	Herc. JXA	5674	126	T21	2	Wauk. V	5264	249	25	2½	Herc. JXC	5732	126
B20	Bus	Herc. JXA	5674	126	T22	2	Wauk. V	5264	249	25A	2½	Herc. JXC	5732	126
B25	Bus	Herc. JXC	5732	126	U2	3	Cont. K4	5001	*	25H	2½-4½	Herc. JXC	5732	126
C7	6	Cont. 21R	5534	75	U3	3	Cont. K4	5001	*	28	2½-3½	Herc. JXC	5732	126
C7	6	Wauk. 6SRK	5717	247	U4	3	Cont. K4	5001	*	29	3-4½	Herc. JXD	5910	126
C7W	6	Cont. 21R	5534	75	U5	3	Cont. K4	5001	*	29H	3-5	Herc. JXD	5910	126
C7W	6	Wauk. 6SRK	5717	247	U5R	2½-8	Cont. 16R	5534	75	30	2½-3	Wauk. 6MK	5761	247
C8	6	Cont. 21R	5534	75	UL5	3	Cont. L4	5167	*	36	4½	Wauk. 6MK	5761	247
C8	6	Wauk. 6SRK	5717	247	U6	3½	Cont. 21R	5534	75	37	4½	Wauk. 6MK	5761	247
C8H	7½	Wauk. 6SRK	5717	247	U6	4½-5	Cont. 20R	5534	75	40	3½-4	Wauk. 6MK	5761	247
C8W	6	Cont. 21R	5534	75	U6DR	4½-5	Cont. 20R	5534	75	40DR	3½-4	Wauk. 6MK	5761	247
C8W	6	Wauk. 6SRK	5717	247	U6SW	6	Cont. 21R	5534	75	50	4½-5	Wauk. 6MZ	5750	247
D	1-1½	Cont. W10	5626	77	U6SWA	6	Cont. 16R	5534	75	50H	5-7½	Wauk. 6MZ	5750	247
DM	¾	Cont. W10	5626	77	U6SWAB	6	Cont. 16R	5534	75	62	6-7½	Cont. 22R	5794	76
DSW	2	Cont. W10	5626	77	UL7	3½	Cont. L4	5167	*	63	6-7½	Wauk. 6SRK	5717	247
D2	2	Cont. W10	5626	77	WL	3½-4	Cont. L4	5167	*	65	6-8	Cont. 22R	5794	76
D2D	3	Cont. W10	5626	77	W2	3½-4	Cont. L4	5167	*	66	6-8	Wauk. 6SRK	5717	247
D2SW	3	Cont. W10	5626	77	W3	3½-4	Cont. L4	5167	*	75	1½-2½	Herc. JXA	5674	126
D2DL	3	Cont. W10	5626	77	W4	3½-4	Cont. L4	5167	*	75H	1½-3	Herc. JXA	5674	126
D2SW	2	Cont. W10	5626	77	XB	7½	Cont. B5	5168	69	80	2½-3½	Herc. JXB	5674	126
D2SWL	1½	Cont. W10	5626	77	XD	4	Cont. L4	5167	*	80H	2-4	Herc. JXB	5674	126
D3	1½	Cont. W10	5626	77	X8	7½	Cont. B5	5168	69	85	2½-4	Herc. JXC	5732	126
D4	1½	Cont. W10	5626	77	X8	7½	Wauk. 6SRK	5717	247	85H	2½-4	Herc. JXC	5732	126
E2	1-3	Cont. 17E	5459	71	X8DR	7½	Cont. B5	5168	69	89	3-4½	Herc. JXD	5910	126
E2D	3	Cont. 17E	5459	71	X8R	7½	Cont. 21R	5534	75	89H	3-4½	Herc. JXD	5910	126
E2DL	3	Cont. 17E	5459	71	X8RDR	7½	Cont. 21R	5534	75	202	2-4	Herc. JXB	5674	126
E2SW	3	Cont. 17E	5459	71	X8RDR	7½	Wauk. 6SRK	5717	247	204	2-4	Herc. JXB	5674	126
E2SWL	3	Cont. 17E	5459	71	2B6	3½	Cont. 6B	5135	*	252	2½-5	Herc. JXC	5732	126
E2SWL	3	Cont. W10	5626	77	2FW	1	Wauk. XA	5258A	252	254	2½-5	Herc. JXC	5732	126
E3	1½	Cont. 25A	5580A	68	2F6	1	Cont. 30L	5170	*	292	3-6	Herc. JXD	5910	126
E4	1½	Cont. 25A	5580A	68	2K	3½	Wauk. KS	5473B	245	294	3-6	Herc. JXD	5910	126
E6	3	Cont. 17E	5459	71	3C6	3-3½	Cont. 20R	5534	75	402	4-7	Wauk. 6MK	5761	247
E6SW	3	Cont. 17E	5459	71	3FW	1	Wauk. XA	5258A	252	502	5-8	Wauk. 6MZ	5750	247
FW	1	Wauk. XA	5258A	252	3F6	1	Cont. 30L	5170	*	504	5-8	Wauk. 6MZ	5750	247
F6	1	Cont. 30L	5170	*	4C6	4-5	Cont. 21R	5534	75	504A	5-8	Wauk. 6MZ	5750	247
F6	1	Cont. 17E	5459	71	4C6A	4-5	Cont. 21R	5534	75	802	2-4	Herc. JXB	5674	126
F7	1½	Cont. 16C	5669	70	4CAB	4-5	Cont. 21R	5534	75	852	2½-5	Herc. JXC	5732	126
F8	2	Cont. 16C	5669	70	4C6AB	4-5	Cont. 21R	5534	75	892	3-6	Herc. JXD	5910	126

NOTE—* Indicates that these motors are listed in Guide A. For older models see Guide A.

Fifth Ave. Coach, 4. Models J-L. McCord No. 1721. See Yellow Coach, Guide A, Page No. 140.



Fisher, 4-6. Truck


Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
B	¾-1	Cont. W10	5626	77	SPX	¾-1	Cont. W20	5685	74	31A	3	Cont. E600	5751	71
B	1½-3	Cont. 17E	5459	71	10A	1½-3	Cont. 17E	5459	71	31A	3	Cont. E600	6015	71
BX	¾-1	Cont. W10	5626	77	10AK	1½-3	Cont. 17E	5459	71	61A	2½-5	Cont. 21R	5534	75
DD	1½-3	Hall S. 101	5303	13	10AX	1½-3	Cont. 17E	5459	71	80A	2½-5	Cont. 21R	5534	75
E2DL	1½-3	Cont. 17E	5459	71	15A	1½-3	Cont. 17E	5459	71	85A	2½-5	Cont. 21R	5534	75
E2SWL	1½-3	Cont. 17E	5459	71	16A	1½-2½	Cont. 16C	5669	70	100A	2½-5	Cont. 21R	5534	75
HD6	2½-5	Cont. 11R	5534	75	20A	1½-2½	Cont. 16C	5669	70	100C	2½-5	Cont. 21R	5534	75
JR	1½-3	Cont. 17E	5459	71	22A	1½-2½	Cont. 16C	5669	70	105A	2½-5	Cont. 21R	5534	75
Junior	¾-1	Hall S. 101	5303	13	25A	1½-2½	Cont. 16C	5669	70	105C	2½-5	Cont. 21R	5534	75
JR	¾-1	Cont. W10	5626	77	30A	2½-5	Cont. 21R	5534	75	150A	2½-5	Cont. 21R	5534	75
Senior	¾-1	Hall S. 101	5303	13	31A	2½-5	Cont. 21R	5534	75					

NOTE—For older models see Guide A.


Flexible, 6-8. Bus

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
CBL6	Bus	Chev. 6	5960	54	16C78	Bus	Chev. 6	5960	54	82H2	Bus	Buick 8-80	5625A	39
C4L1	Bus	Chev. 6	5960	54	19C78	Bus	Chev. 6	5960	54	82H3-56	Bus	Buick 8-80	5625A	39
C6L1	Bus	Chev. 6	5960	54	20CL78	Bus	Chev. 6	5960	54	82H3-58	Bus	Buick 8-80	5625A	39
C7L1	Bus	Chev. 6	5960	54	25CR78	Bus	Chev. 6	5960	54	84H3-54	Bus	Buick 8-80	5625A	39
C8F2	Bus	Chev. 6	5960	54	81H2	Bus	Buick 8-80	5625A	39	84H3-58	Bus	Buick 8-80	5625A	39
HW3D	Bus	Buick 8-80	5625A	39	81H3	Bus	Buick 8-80	5625A	39	94H3-56	Bus	Buick 8-80	5625A	39

Ford Motor, 4. Passenger. Model A, 1928-31 3 7/8 x 4 1/4"
 Export Model AF, 1928-31 3 1/8 x 4 1/4"
 Truck Model AA, 1928-31 3 7/8 x 4 1/4"




McCord No. 5571



McCord No. 5458-C



McCord No. 2020-B




McCord No. S2020-B



McCord No. 2584



McCord No. 8030-A



McCord No. 2040-A

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
A-6051	Cyl. hd.	Cop. Asb.	1		5571
B-6051	Cyl. hd. (high comp.)	Cop. Asb.	1		5737
AF-6051	Cyl. hd. (export)	Cop. Asb.	1		5458C
	Valve grinding set				
	(1-5571, 2-2584, 2-2197,				
	1-S1829, 1-30026)		1		9001
B-18511	Mani. set (2-2584)	Stl. Asb.	1		MS-950
	Mani. set (1 pc.)				
	(1-2040A)	Stl. Asb.	1		MS-2509
	Valve cov. set (1-C692)	Cork	1		CV-267
	Valve cov. set (1-V2011)	Vell.	1		ES-2011
A-18512	Oil pan set (1-C693,				
	1-C694, 1-C1090M,				
	1-2203)	Cork	1		CS--2173
A-18512	Oil pan set (1-P109,				
	1-P110, 1-C1090M,				
	1-2203)	Vell.	1		ES-109
	Axle hsg. set (2-V4008)	Vell.	1		ES-4008
	Trans. set (1-30019,				
	1-V5859MTP, 1-V9236,				
	1-V5980MTP, 2-V5986)	Vell.	1		VTS-182
B-9448A	Mani. (triple "2 in 1")	Cop. Asb.	2		*8030A
(* Triple "2 in 1")	Patent No. 1824386, Sept. 22, 1931.)				
B-9448A	Manifold	Cop. Asb.	2		2020B
B-9448A	Manifold	Stl. Asb.	2		2584
B-9448A	Manifold	Stlplk.	2		S-2020B
	Mani. (1 pc.)	Stl. Asb.	1		2040A
A-6521	Valve cov.	Cork	1		C-692
A-6521	Valve cov.	Paper	1		30026
A-6521	Valve cov.	Vell.	1		V-2011
A-6710	Oil pan, right	Cork	1		C-693
A-6711	Oil pan, left	Cork	1		C-694
B-6700	Oil pan, front	Asb.	2		2203
A-6701B	Oil pan, rear	Cork	1		C-1090M
A-6710	Oil pan, right (1-P109)	Vell.			
A-6711	Oil pan, left (1-P110)	Vell.			
B-6700	Oil pan, front (1-2203)	Asb.	1		P-109 set
B-6701B	Oil pan, rear (1-C1090M)	Cork			
A-6727	Oil pan cleanout	Cork	1		C-695
A-6727	Oil pan cleanout	Vell.	1		V-5524
B-6734	Oil drain plug	Cop. Asb.	1		511
A-6619	Oil pump cov.	Vell.	1		V-5508
A-6648	Oil return pipe	Asb.	2		2197

(Continued on Next Page)

Ford Motor, 4. Model A, 1928-31—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
B-9447	Carburetor	Stl. Asb.	1		814
B-9447	Carburetor	Vell.	1		V-5153
A-9592	Carb. bowl	Tr. Paper	1		30020
A-9592	Carb. bowl	Vell.	1		V-5730
A-9174	Gasoline strainer	Cork	1		C-1276
A-8507	Wat. pump	Vell.	1		V-5525
B-8542	Wat. pump brg.	Felt	2		10012
B-8280	Wat. inlet	Cop. Asb.	1		829
B-8280-A2	Wat. inlet	Stl. Asb.	1		S-829
A-8255	Wat. outlet	Stl. Asb.	1		1829
A-8255-A2	Wat. outlet	Stl. Asb.	1		S-1829
A-8110-A2	Radiator and gas tank cap	Asb.	1		2297
B-6020	Cyl. front cov.	Paper	1		30016
B-6020	Cyl. front cov.	Vell.	1		V-5952
B-6018	Timing gear cov.	Vell.	1		V-5706
A-4035A	Axle hsg.	Tr. Paper	2		30013
A-4035A	Axle hsg.	Vell.	2		V-4008
B-6396	Flywheel hsg.	Tr. Paper	1		30148
A-7620B	Clutch hsg.	Paper	1		30017
A-7223	Gearshift hsg.	Paper	1		30018
A-7223	Gearshift hsg.	Vell.	1		V-5859
A-7051	Trans. main drive gear	brg. ret.	1	30-31	30122
A-7086	Trans. main shaft brg. ret.	Paper	1		30019
A-4515A	Univ. joint hsg.	Tr. Paper	2		30015
A-4515A	Univ. joint hsg.	Vell.	2		V-5986
B-4516A	Univ. joint cap	Cork	1		C-3807
B-13066	Headlamp lens	Cork	2		C-3168
B-18043	Shock absorber pack.	Cork	4		C-1241
3581R	Steering gear hsg.	Vell.	1		V-5553



McCord No. 1829



McCord No. C-695



McCord No. C-693



McCord No. C-694



McCord No. C-692




McCord No. 2203

NOTE—The following gaskets are used on Model AA trucks only. Other gaskets are the same as those listed above.

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
AA-4036R	Axle hsg. set (upper) (1 pc.), worm drive	Vell.	1		ES-4018
AA-4035AR	Axle hsg. set (lower) (1 pc.), worm drive	Vell.	1		ES-4244
AA-4035B	Axle hsg. set (2 pcs), gear drive	Vell.	1	28-29	ES-4246
	Axle hsg. set (1-V4322), gear drive	Vell.	1	30-36	ES-4322
BB-7620	Clutch hsg.	Vell.	1		V-9533
BB-7051	Trans. main drive gear	brg. ret.	1		30123
AA-7086	Trans. main shaft brg. ret.	Paper	1		30124
AA-4839R	Power take-off	Cork	1	28-29	C-717
BB-7166	Power take-off	Paper	1	30-31	30056
BB-7223	Trans. shift hsg.	Vell.	1		V-9534
BB-4035	Axle hsg. (gear drive)	Vell.	1	30-31	V-4322

Ford Motor, 4. Passenger. Model B, 1932..... 3 7/8 x 4 1/4"
 Truck. Models BB, 1932; 46, 1932-34..... 3 7/8 x 4 1/4"



McCord No. 5737

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
B-6051	Cyl. hd.	Cop. Asb.	1		5737
	Valve grinding set (1-5737, 2-2584, 1-30021)		1		9002
B-18511	Mani. set (2-2584)	Stl. Asb.	1		MS-950
	Mani. set (1 pc.) (1-2040A)	Stl. Asb.	1		MS-2509
	Valve cov. set (1-30021)	Tr. Paper	1		CV-268
	Valve cov. set (1-V2222)	Vell.	1		ES-2222
B18512	Oil pan set (1-C2944, 1-C3167, 1-C3165M, 1-2203)	Cork	1		CS-2248
B18512	Oil pan set (1-P429, 1-P430, 1-2203, 1-C3165M)	Vell.	1		ES-429

(Continued on Next Page)



Ford Motor, 4. Model B, 1932—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	Axle hsg. set (1-V4008)				
	.010	Vell.	2		ES-4008
	Axle hsg. set (1-V4024)				
	.004	Vell.	2		ES-4024
	Trans. set (1-V9418, 1-V9190, 1-V9260, 2-V9417, 1-V9191)	Vell.	1		VTS-184
B-9448A	Manifold	Cop. Asb.	2		2020B
B-9448A	Manifold	Stl. Asb.	2		2584
B-9448A	Manifold	Stlpk.	2		S-2020B
B-9448A	Manifold (triple "2 in 1")	Cop. Asb.	2		*8030A
	(*triple "2 in 1" patent No. 1824386, Sept. 22, 1931)				
	Manifold (1 pc.)	Stl. Asb.	1		2040A
B-6521	Valve cov.	Chipbd.	1		30021
B-6521	Valve cov.	Vell.	1		V-2222
B-6710	Oil pan, right	Cork	1		C-2944
B-6711	Oil pan, left	Cork	1		C-3167
B-6700	Oil pan, front	Asb.	1		2203
B-6701B	Oil pan, rear	Cork	1		C-3165M
B-6710	Oil pan, right (1-P429)	Vell.			
B-6711	Oil pan, left (1-P430)	Vell.			
B-6700	Oil pan, front (1-2203)	Asb.	1		P-429 set
B-6701B	Oil pan, rear (1-C3165M)	Cork			
B-6734	Oil drain plug	Cop. Asb.	1		511
B-9447	Carburetor	Stl. Asb.	1		814
B-9447	Carburetor	Vell.	1		V-5153
B-9592	Carb. bowl	Vell.	1		V-9141
B-9374	Fuel pump to block	Vell.	1		V-9120
B-9364	Fuel pump cov.	Cork	1		C-3239
B-8507	Wat. pump	Vell.	1		V-9142
B-8542	Wat. pump brg.	Felt	1		10012
B-8280A	Wat. inlet	Cop. Asb.	1		829
B-8280A	Wat. inlet	Stlpk.	1		S-829
B-6018	Timing gear cov.	Vell.	1		V-5706
B-6020	Cyl. front cov.	Paper	1		30016
B-6020	Cyl. front cov.	Vell.	1		V-5952
B-4035A	Axle hsg. .010	Tr. Paper	2		30013
B-4035A	Axle hsg. .010	Vell.	2		V-4008
B-4035B	Axle hsg. .004	Vell.	2		V-4024
B-6396	Flywheel hsg.	Vell.	1		V-5953
B-7223	Trans. shift hsg.	Vell.	1		V-9418
40-7027	Gear shift hsg. cap	Vell.	1		V-9260
B-7051	Trans. main drive gear brg. ret.	Paper	1		30125
B-7051	Trans. main drive gear brg. ret.	Vell.	1		V-9191
B-7086	Trans. main shaft brg. ret.	Paper	1		30126
B-7086	Trans. main shaft brg. ret.	Vell.	1		V-9190
B-4515	Univ. joint hsg.	Vell.	2		V-9417
B-4516A	Univ. joint cap	Cork	1		C-3807
B13066	Headlamp lens	Cork	2		C-3168
B-18043	Shock absorber pack.	Cork	2		C-1241

NOTE—The following gaskets used on Models B and 46 trucks only. Other gaskets are the same as those listed above.


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	Axle hsg. set BB (1-V4322)	Vell.	2	32	ES-4322
	Axle hsg. set 46 (1-V4148) .008	Vell.	2	32-34	ES-4148
18-4035B	Axle hsg. set 46 (1 pc.) .004	Vell.	2	32-34	ES-4119
BB-4035	Axle hsg. BB	Vell.	2	32	V-4322
18-4035A	Axle hsg. 46 .008	Vell.	2	32-34	V-4148
BB-7620	Clutch hsg.	Vell.	1		V-9533
BB-7051	Trans. main drive gear brg. ret.	Paper	1		30123
BB-7086	Trans. main shaft brg. ret.	Paper	1		30127
BB-7166	Trans. power take off	Paper	1		30056
BB-7223	Trans. gear shift hsg.	Vell.	1		V-9534
BB-4515	Univ. joint hsg. cap	Vell.	1		V-5991



McCord No. 2020B




McCord No. 2584



McCord No. 30021




McCord No. C2944



McCord No. C3167




McCord No. C3239




McCord No. 30056

Ford Motor, 4. Passenger. Export Model Y. 8 H. P. "Baby"



McCord No. 5866




McCord No. 2819




McCord No. 2820

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
Y-6051	Cyl. hd.	Cop. Asb.	1		5866
	Mani. set				
	(1-2819, 1-2820)	Cop. Asb.	1		MS-2571
	Valve cov. set (1-34000)	Tr. Paper	1		CV-619
Y-9448	Manifold	Cop. Asb.	1		2819
Y-6521	Valve cov.	Tr. Paper	1		34000
Y-9435	Int. to exh.	Cop. Asb.	1		2820
Y-9447	Carburetor	Tr. Paper	1		30146
Y-6020	Cyl. front cov.	Paper	1		30145
Y-6018	Timing gear cov.	Paper	1		36022
Y-4035	Axle hsg.	Tr. Paper	1		37001

Ford V8, Motor. Model 62 (French export)



McCord No. S-5952




McCord No. S-2847

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
62-6051	Cyl. hd. (first 3000 cars)	Stlpl.	2		S-5952
62-6521	Valve cov. (first 3000 cars)	Stlpl.	1		S-2847


Ford Motor V8. 60 H.P. Passenger. Models 74, 1937; 82A, 1938; 922A, 1939; 02A, 1940 2.600x3.200"

Commercial. Models 73, 1937; 82C, 1938; 922C, 1939 2.600x3.200"

Truck. Models 75, 1937; 82Y, 1938; 92Y, 1939 2.600x3.200"



McCord No. 5968



McCord No. S-2937

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
52-6051B	Cyl. hd.	Stlpl.	2		S-5968
52-6051B	Cyl. hd.	Cop. Asb.	2		5968
	Valve grinding set				
	2-S5968, 6-S806A,				
	2-S814A, 1-S2937)		1		9020
52-18511	Mani. set				
	(6-S806A, 2-S814A)	Stlpl.	1		SMS-2450
	Valve cov. set (1-S2937)	Stlpl.	1		CV-543
52-18512	Oil pan set				
	(1-C4493M, 1-C4516,				
	1-C4517, 1-16120)	Cork	1	37-39	CS-2305
52-18512	Oil pan set				
	(1-P446, 1-P447,				
	1-16120, 1-C4493M)	Vell.	1	37-39	ES-446
022A-18512	Oil pan set (1-C5241,				
	1-C5242, 1-16120,				
	1-16227)	Cork	1	40	CS-2372
022A-18512	Oil pan set (1-P423R,				
	1-P423L, 1-16120,				
	1-16227)	Vell.	1	40	ES-423
	Dist. set (1-2935,				
	2-30382, 1-30040)		1		9802
	Cyl. front cov. set				
	(1-V1028)	Vell.	1		ES-1028
	Axle hsg. set .004 thick				
	(1-V4149)	Vell.	2		ES-4149
	Axle hsg. set .010 thick				
	(1-V4148)	Vell.	2		ES-4148
	Trans. set (1-V9298,				
	1-V8370, 2-V9417,				
	1-V9265)	Vell.	1		VTs-187

(Continued on Next Page)




Ford Motor, V8. 60 H.P.—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
52-9450A	Exh. pipe flg.	Stlplk.	2		S-814A
52-9448A	Exh. mani.	Stlplk.	6		S-806A
52-6521B	Valve cov.	Stlplk.	1		S-2937
52-6710C	Oil pan, right	Cork	1	37-39	C-4516
52-6711C	Oil pan, left	Cork	1	37-39	C-4517
52-6700	Oil pan, front	Asb.	1		16120
52-6701	Oil pan, rear	Cork	1	37-39	C-4493M
52-6710C	Oil pan, right (1-P446)	Vell.	1	37-39	P-446 set
52-6711C	Oil pan, left (1-P447)	Vell.			
52-6700	Oil pan, front (1-16120)	Asb.			
52-6701	Oil pan, rear (1-C4493M)	Cork			
022A-6710	Oil pan right	Cork	1	40	C-5241
022A-6711	Oil pan left	Cork	1	40	C-5242
52-6700	Oil pan front	Asb.	1	37-40	16120
022A-6701	Oil pan rear	Asb.	1	40	16227
022A-6710	Oil pan right (1-P423R)	Vell.	1	40	P-423 set
022A-6711	Oil pan left (1-P423L)	Vell.			
52-6700	Oil pan front (1-16120)	Asb.			
022A-6701	Oil pan rear (1-16227)	Asb.			
B-6734	Oil drain plug	Cop. Asb.	1	37	511
52-6734	Oil drain plug	Stlplk.	1	38-40	S-3125
52-6619	Oil pump cov.	Vell.	1		V-8371
40-9447B	Carburetor	Stlplk.	1		S-2716
40-9447B	Carburetor	Vell.	1		V-9171
52-9516	Carb. throttle body	Paper	1		30199
40-9364	Fuel pump cov.	Cork	1	38-40	C-3745
40-9417	Fuel pump to adapter	Paper	1	39-40	30041
52-8541B	Wat. pump inner	Asb.	1		16189
52-8542B	Wat. pump outer	Cop. Asb.	1		132P
78-12140	Dist. coil	Rub.	1		2935
68-12143	Dist. base	Tr. Paper	1		30040
18-12108	Dist. cov.	Chipbd.	2		30382
18-12115	Dist. cap retaining ring	Rub.	2		2664
52-6020	Cyl. front cov.	Vell.	1		V-1028
18-4035B	Axle hsg. .004 thick	Vell.	2		V-4149
18-4035A	Axle hsg. .010 thick	Vell.	2		V-4148
48-4507	Torque tube to axle hsg.	Vell.	1		V-8412
B-1183	Rear wheel hub	Asb.	2	38-40	16173
74-7223	Gear shift hsg.	Vell.	1		V-9298
40-7207	Gear shift hsg. cap	Vell.	1		V-9260
74-7501	Main drive gear brg. ret.	Vell.	1		V-9265
74-7086	Main shaft brg. ret.	Vell.	1		V-8370
B4515	Univ. joint hsg.	Vell.	2-3		V-9417
B-4516A	Univ. joint hsg. cap cork	Cork	1		C-3807
78-13066	Headlamp lens	Cork	2		C-4496


NOTE—The following Gaskets are used on trucks only. Other Gaskets are the same as those listed above.

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	Axle hsg. set (1-V4322)	Vell.	2	37	ES-4322
	Axle hsg. set (1-V4273)	Vell.	2	38-40	ES-4273
BB-4035	Axle hsg.	Vell.	2	37	V-4322
61-4035	Axle hsg.	Vell.	2	38-40	V-4273
BB1144A	Axle shaft flg.	Tr. Paper	2	37	30316
61-1144A	Axle shaft flg.	Paper	2	38-40	30436
BB4509	Coupling shaft and univ. joint hsg. cap	Vell.	3		V-8805
BB-4516	Univ. joint hsg. cap	Felt	1		10009A
BB-7223	Gear shift hsg.	Vell.	1	37	V-9534
B-7223	Gear shift hsg.	Vell.	1	38-40	V-9418
BB-7051	Main drive gear brg. ret.	Paper	1	37	30123
78-7051	Main drive gear brg. ret.	Vell.	1	38-40	V-9274
BB-7086	Main shaft brg. ret.	Paper	1		30127

Ford Motor, V8, 85 H. P. Passenger. Models 18, 40, 48, 68, 78, 81A, 91A, 1932-39; 01A, 1940	3.062x3 3/4"
Commercial. Models B-46, 50, 67, 77, 81C, 91C, 1932-39	3.062x3 3/4"
Truck. Models BB, 51, 52, 79, 81T-U-W-Y, 91T-U-W-Y, 811W-Z, 817T, 911W-Z, 917T-W	3.062x3 3/4"
Bus. Models 91B-97	3.062x3 3/4"
V8, 95 H. P. Passenger. Models Mercury 99A, 1939; 09A, 1940	3.185x3 3/4"
Commercial. Model 99C, 1939	3.185x3 3/4"
Truck. Models 99T-U-W-Y, 991W-Z-997T-W, 1939	3.185x3 3/4"
Bus. Models 99B-97	3.185x3 3/4"



McCord No. 5842B




McCord No. 6043-No. 6082



McCord No. 30028



McCord No. S2640




McCord No. S2523A



McCord No. S2716



McCord No. 16005



McCord No. 30052



McCord No. 30053



McCord No. C3156



McCord No. 30041



McCord No. 30035

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
40-6051B	Cyl. hd. (21 stud hd.)	Stl. Asb.	2	32-37	5842B
40-6051B	Cyl. hd. (21 stud hd.)	Stlplk.	2	32-37	S-5842B
40-6051B	Cyl. hd. (21 stud hd.)	Cop. Asb.	2	32-37	5842C
91A-6051	Cyl. hd. 85 H.P. (24 stud hd.)	Stl. Asb.	2	38-40	6082
91A-6051	Cyl. hd. 85 H.P. (24 stud hd.)	Stlplk.	2	38-40	S-6082
91A-6051	Cyl. hd. 85 H.P. (24 stud hd.)	Cop. Asb.	2	38-40	6082A
81A-6051	Cyl. hd. 95 H.P.	Stl. Asb.	2	39-40	6043
81A-6051	Cyl. hd. 95 H.P.	Stlplk.	2	39-40	S-6043
81A-6051	Cyl. hd. 95 H.P.	Cop. Asb.	2	39-40	6043A

NOTE—Use only Copper Asbestos Gaskets for Federal Mogul Thermo Flow Head.

Motor overhaul set
(21 stud hd.) 85 H.P.

(2-5842B, 8-S836A,
1-S2523A, 1-C3158,
1-C3159, 1-C4011,
1-C4012, 1-C3157M,
2-2203, 1-C3156,
1-30421, 1-V9125,
1-V5188, 1-S2716,
1-30041, 1-30035,
1-30147, 2-30027,
2-30152, 2-30028,
2-S2640, 2-30382,
1-30040, 1-C3396,
1-2593, 1-2865,
1-2935, 1-V1017) 1 32-37 9087

Motor overhaul set
(24 stud hd.) 85 H.P.

(2-6082, 8-S836A,
1-S2523A, 1-C4011,
1-C4012, 1-C3157M,
2-2203, 1-30421,
1-V9125, 1-S2716,
1-30147, 2-30152,
2-S2640, 2-30382,
1-30040, 1-2935,
1-V1017) 1 38-40 9089

Motor overhaul set

95 H.P. (2-6043,
8-S836A, 1-S2523A,
1-C4011, 1-C4012,
1-C3157M, 2-2203,
1-30421, 1-V9125,
1-S2716, 1-30147,
2-30152, 2-S2640,
2-30382, 1-30040,
1-2935, 1-V1017) 1 39-40 9088

Valve grinding set (21 stud hd. 85 H.P.

(2-5842B, 8-S836A,
1-S2523A) 1 32-37 9018

Valve grinding set

(24 stud hd.) 85 H.P.
(2-6082, 8-S836A,
1-S2523A) 1 38-40 9412

Valve grinding set 95 H.P.

(2-6043, 8-S836A,
1-S2523A) 1 39-40 9021

(Continued on Next Page)

Ford Motor, V8. 85-95 H.P.—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
18-18511	Mani. set (8-S836A)	Stlpk.	1		SMS-955
	Valve cov. set (1-S2523A)	Stlpk.	1		CV-269
18-18512	Oil pan set (1-C3158, 1-C3159, 1-2203, 1-C3157M)	Cork	1	32-34	CS-2249
18-18512	Oil pan set (1-P427, 1-P428, 1-2203, 1-C3157M)	Vell.	1	32-34	ES-427
48-18512	Oil pan set (1-C4011, 1-C4012, 1-2203 1-C3157M)	Cork	1	35-40	CS-2283
48-18512	Oil pan set (1-P431, 1-P432, 1-2203, 1-C3157M)	Vell.	1	35-40	ES-431
	Dist. set (to July 36) 1-2593, 2-30382, 1-30040)		1	32-36	9800
	Dist. set (start July 36) (1-2865, 2-30382, 1-30040)		1	36	9801
	Dist. set (1-2935, 2-30382, 1-30040)		1	37-40	9802
	Cyl. front cov. set (1-V1017)	Vell.	1		ES-1017
	Axle hsg. set (1-V4008) to late	Vell.	2	32	ES-4008
	Axle hsg. set .004 thick (1-V4149)	Vell.	2	32-37	ES-4149
	Axle hsg. set .010 thick (1-V4148)	Vell.	2	32-40	ES-4148
	Trans. set (1-V9418, 1-V9190, 1-V9260, 2-V9417, 1-V9191)	Vell.	1	32-40	VTS-184
18-9448	Exh. pipe flg.	Stl. Asb.	2		836A
18-9448	Exh. pipe flg.	Stlpk.	2		S-836A
18-9448	Exh. mani.	Stl. Asb.	6		836A
18-9448	Exh. mani.	Stlpk.	6		S-836A
40-6521	Valve cov.	Stlpk.	1		S-2523A
18-6710	Oil pan, right	Cork	1	32-34	C-3158
18-6711	Oil pan, left	Cork	1	33-34	C-3159
B-6700	Oil pan, front	Asb.	1		2203
18-6701	Oil pan, rear	Cork	1		C-3157M
18-6710	Oil pan, right (1P-427)	Vell.			
18-6711	Oil pan, left (1P-428)	Vell.			
B6700	Oil pan, front (1-2203)	Asb.	1	32-34	P-427 set
18-6701	Oil pan, rear (1-C3157M)	Cork			
48-6710	Oil pan, right	Cork	1	35-40	C-4011
48-6711	Oil pan, left	Cork	1	35-40	C-4012
B6700	Oil pan, front	Asb.	1		2203
18-6701	Oil pan, rear	Cork	1		C-3157M
48-6710	Oil pan, right (1-P431)	Vell.			
48-6711	Oil pan, left (1-P432)	Vell.			
B-6700	Oil pan, front (1-2203)	Asb.	1	35-40	P-431 set
18-6701	Oil pan, rear (1-C3157M)	Cork			
B6734	Oil drain plug	Cop. Asb.	1	32-38	511
52-6734	Oil drain plug	Stpk.	1	39-40	S-3125
18-6659	Oil pump cov.	Vell.	1		V-9125
18-6626	Oil pump screen cov.	Cork	1	32-36	C-3156
68-6626	Oil pump screen cov.	Tr. Paper	1	37-40	30421
18-9447	Carburetor	Vell.	1	32-33	V-5188
40-9447	Carburetor	Vell.	1	34-40	V-9171
40-9447B	Carburetor	Stlpk.	1	34-40	S-2716
18-9516	Carb. throttle body	Asb.	1	32-33	16005
40-9516	Carb. throttle body (Stromberg)	Tr. Paper	1	34-38	30052
78-9516	Carb. throttle barrel (Chandler-Groves)	Vell.	1	38-40	V-8295
18-9519	Carb. upper body	Vell.	1	32-33	V-9145
48-9519	Carb. upper body (Stromberg)	Paper	1	34-38	30053
78-9519	Carb. body (Chandler- Groves)	Vell.	1	38-40	V-9277
18-9561	Carb. float bowl cov.	Vell.	1	32-33	V-9146
40-9417	Fuel pump to adapter	Paper	1	34-40	30041
18-9374	Fuel pump to int.	Paper	1	32-33	30035
18-9374	Fuel pump adapter to int.	Paper	1	34	30035
48-9374	Fuel pump adapter to int.	Tr. Paper	1	35-40	30147

(Continued on Next Page)



McCord No. C8157M



McCord No. 2593



McCord No. C3396



McCord No. 30027



Ford Motor, V8. 85-95 H.P.—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
B-9364	Fuel pump cov.	Cork	1	32-33	C-3239
40-9364	Fuel pump cov.	Cork	1	33-36	C-3745
68-9364	Fuel pump cov.	Cork	1	37-40	C-4999
B-9035A	Gas tank cap	Cork	1		C-4686
18-8507	Wat. pump hsg.	Tr. Paper	2	32-36	30027
78-8507	Wat. pump hsg.	Tr. Paper	2	37-40	30152
18-8524	Wat. pump pack.	Cork	2	32-35	C-3677
18-8280	Wat. inlet cyl.	Tr. Paper	4	32	30028
40-8280	Wat. inlet cyl.	Stlplk.	2	33-40	S-2640
18-12143	Dist. hsg.	Cork	1	32	C-3396
68-12143	Dist. base	Tr. Paper	1		30040
18-12140	Dist. coil (to July 1936) ..	Rub.	1	32-36	2593
68-12140	Dist. coil (start July 1936) ..	Rub.	1	36	2865
78-12140	Dist. coil	Rub.	1	37-40	2935
18-12108	Dist. cap cov.	Chip Bd.	2		30382
18-12115	Dist. cap ret. ring	Rub.	2		2664
18-6020	Cyl. front cov.	Vell.	1		V-1017
B-4035A	Axle hsg.	Vell.	2	32	V-4008
18-4035B	Axle hsg. .004 thick	Vell.	2	32-37	V-4149
18-4035A	Axle hsg. .010 thick	Vell.	2	32-40	V-4148
B-1183	Rear wheel hub	Asb.	2	38-40	16173
B-4507	Torque tube to axle hsg.	Vell.	1	32	V-9271
48-4507	Torque tube to axle hsg.	Vell.	1	32-40	V-8412
B-7223	Gear shift hsg.	Vell.	1		V-9418
40-7207	Gear shift hsg. cap.	Vell.	1		V-9260
B-7051	Main drive gear brg. ret.	Vell.	1		V-9191
78-7051	Main drive gear brg. ret.	Vell.	1		V-9274
B-7086	Main shaft brg. ret.	Vell.	1		V-9190
B-7086	Main shaft brg. ret.	Paper	1		30126
B-4515	Univ. joint hsg.	Vell.	2		V-9417
B-13066	Headlamp lens	Cork	2	32-36	C-7002
78-13066	Headlamp lens	Cork	2	37-40	C-7004

NOTE—The following Gaskets are used on Ford trucks. Other Gaskets are the same as those listed above.

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	Axle hsg. set (1-V4322) all but 81Y-91Y	Vell.	2	32-40	ES-4322
	Transmission set (1-V9086, 1-V9432, 1-V9533, 1-V8986, 3-V8805, 1-V9534)	Vell.	1	32-40	VT8186
68-9364	Fuel pump flg.	Cork	1	38-40	C-4999
61-4035	Axle hsg. 81Y-91Y	Tr. Paper	2	38-40	37019
BB-4035	Axle hsg. all but 81Y-91Y	Vell.	2	32-40	V-4322
BB-4662	Driving pinion brg. sleeve	Cork	1		C-3171
61-1144	Axle shaft flg. 81Y-91Y	Paper	2	38-40	30436
BB-1144A	Axle shaft flg. all but 81Y-91Y	Tr. Paper	2	32-40	30316
48-4507	Torque tube to hsg. 81Y-91Y	Vell.	1	38-40	V-8412
BB-7086	Trans. main shaft brg. ret.	Paper	1		30127
BB-7086	Trans. main shaft brg. ret.	Vell.	1		V-8986
BB-7051	Trans. main drive gear brg. ret.	Paper	1		30123
BB7051	Trans. main drive gear brg. ret.	Vell.	1		V-9086
BB7166	Trans. power take off	Paper	1		30056
BB-7166	Power take off cov.	Vell.	1		V-9432
BB-7223	Trans. gear shift hsg.	Vell.	1		V-9534
BB-5415	Univ. joint hsg. cap	Vell.	2		V-5991
BB-4509	Coupling shaft joint cap	Vell.	2		V-8805
BB-4509	Coupling shaft hsg.	Vell.	2		
BB-7620	Clutch hsg.	Vell.	1	32-34	V-9533
B-13066	Headlamp lens	Cork	2	37	C-7002

Four Wheel Drive, 4-6. See F.W.D. Page No. 110.

Franklin Motor, 6. Passenger. Series 9-9B-10-10C-11A-11B-12, 1918-29, $3\frac{1}{2} \times 4 - 3\frac{1}{2} \times 5"$
 Passenger. Series 12-B-13, 1929 $3\frac{1}{4} \times 4\frac{3}{4}"$



McCord No. 1412



McCord No. 1413



McCord No. 1019



McCord No. 30022



McCord No. 30023



McCord No. 30024




McCord No. 30025


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
26030}	Oil pan set (2 pcs.)				
26031}	Series 10-11	Vell.	1		ES-451
	Oil pan set (1-C2366)				
	Series 12-13	Cork	1		CS-2236
35078	Oil pan set (1 pc.)				
	Series 12-13	Vell.	1		ES-926
36036	Gear cov. set (1 pc.)				
	Series 10-11	Vell.	1		ES-1315
34976	Gear case set (1 pc.)				
	Series 12-13	Vell.	1		ES-1425
21693	Exh. pipe muffler	Cop. Asb.	1		828
11X38	Manifold, Series 9	Cop. Asb.	12		811B
11X311	Manifold, Series 10	Cop. Asb.	12		811B
11X312	Exh. mani., Series 10C-11-12-13	Stl. Asb.	6		827C
11X36	Int. mani., Series 6	Stl. Asb.	6		817
11X315	Int. mani., Series 11A	Stl. Asb.	6		817
85519	Int. mani., Series 11B	Cop. Asb.	6		2266
85521	Int. mani., Series 12	Cop. Asb.	6		2268
87919	Int. mani., Series 13	Cop. Asb.	6		2267
35078	Oil pan, Series 12-13	Cork	1		C-2366
26053	Cyl. base, Series 9 to 12	Paper	6		30025
40120	Cyl. base, Series 13	Paper	6		30024
21249	Valve lifter guide, Series 9 to 12	Chip Bd.	12		30022
35512	Valve lifter guide, Series 13	Paper	12		30023
26328	Valve lubricator	Felt	6		10304
11X16	Valve lifter guide, Series 9-10-12	Cop. Asb.	12		419
11X313	Exh. mani. heater, Series 10C-11	Cop. Asb.	3		857A
11X17	Int. mani. heater, Series 9	Cop. Asb.	1		303
30766	Gasoline heater to carb., Series 10	Cop. Asb.	1		1413
28484	Gasoline heater to carb., Series 10A-10B	Brass Asb.	1		1412
11X318	Gasoline heater to carb., Series 12-13	Cop. Asb.	1		866E
87814}	Gasoline heater to mani., Series 11-12-13	Cop. Asb.	1		2528
87625}		Cop. Asb.	1		809
21468	Carburetor				
11X110	Carb. drain plug, Series 9-10	Cop. Asb.	1		418A

Franklin Motor, 6. Passenger. Series 14-15-16-18-19, 1930-34

$3\frac{1}{2} \times 4\frac{3}{4}"$



McCord No. 2527



McCord No. 2609




McCord No. 2740




McCord No. 2741



McCord No. 2528



McCord No. C3346



McCord No. C2971

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
46547	Cyl. hd.	Cop. Asb.	6		5589
	Valve cov. set (6-C2971)	Cork	1		CV-276
	Valve case cov. set (6-C3346)	Cork	1		CV-277
	Oil pan set (1-C2366)	Cork	1		CS-2236
35078	Oil pan set (1 pc.)	Vell.	1		ES-926
34976	Gear cov. set (1-pc.)	Vell.	1		ES-1425
48990	Exh. pipe flg.	Cop. Asb.	1		2740
44863	Exh. mani.	Cop. Asb.	6		2136
44142	Int. mani. Series 14	Cop. Asb.	6		2135
52000	Int. mani. Series 15 to 19	Cop. Asb.	6		2609
47547	Int. to cyl. Series 14	Cop. Asb.	3		2527
11X326	Int. mani. to cyl. Series 15 to 19	Cop. Asb.	6		830F
11X322	Int. port $1\frac{1}{8}"$ C.H.	Cop. Asb.			831B
11X323	Int. port $2\frac{1}{2}"$ C.H.	Cop. Asb.			874AA
46648	Valve cov.	Cork	6		C-2971
49153	Valve case cov.	Cork	6		C-3346
35512	Valve lifter guide	Paper	12		30023
35078	Oil pan	Cork	1		C-2366
11X62	Exh. mani. to heater	Cop. Asb.	1		2131
11X325	Int. conn.	Cop. Asb.	6		831B
11X81	Gas heater to int.	Cop. Asb.	1		2741
87814}	Gas heater to carb.	Cop. Asb.	1		2528
87625}					
40126	Cyl. base	Paper	6		30024




Franklin Motor, 12. Passenger. Series 17, 1932-34 3 1/4 x 4"


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
46547	Cyl. hd.	Cop. Asb.	12		5589

Frontenac Motor, 6. Passenger. Models E; 6-70, 6-85, C400, C600. Continental 22A motor. McCord No. 5580A. See Page No. 68.

Fuller & Johnson Engine, 2. Model AB 3 3/8 x 4 1/4"




McCord No. 5747




McCord No. 2586

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
AB20-20B	Cyl. hd.	Cop. Asb.	1		5747
	Mani. set (1-2586)	Cop. Asb.	1		MS-2511
AB-127	Manifold	Cop. Asb.	1		2586

Fuller & Johnson Engine, 2. Model BB 2 3/8 x 3 1/4"




McCord No. 5833



McCord No. 2764

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
BB-20	Cyl. hd.	Cop. Asb.	1		5833
	Mani. set (1-2764)	Cop. Asb.	1		MS-2510
	Manifold	Cop. Asb.	1		2764


Fuller & Johnson Engine, 4. Models BC-BCL 2 5/8 x 3 1/4"



McCord No. 5749



McCord
No. 2739



McCord No. 2738

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
BC-20	Cyl. hd.	Cop. Asb.	1		5749
	Mani. set (1-2738)	Cop. Asb.	1		MS-2512
BC-118	Exh. pipe flg.	Cop. Asb.	1		2739
BC-127	Manifold	Cop. Asb.	1		2738

Fuller & Johnson Engine, 4. Model BD. See Waukesha FLJ Motor. McCord No. 5713. Page No. 242.

Fuller & Johnson Engine, 1. Model NB., 2 H.P., 3 1/2 x 4". McCord No. 162A

F. W. D., 4-6. Truck.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
BTL	1½-3½	Wisc. 4SU	5295	271	M5	3½-10	Wauk. 6SRS	5549	247	SUA	4-5	Wauk. 6SRL	5549	247
BTL	2-2½	Wauk. 6MS	5761	247	M5	5-15	Wauk. 6RB	5568	239	T26	6-7	Wauk. 6BK	5921A	240
CU	3-4	Wauk. 6MZ	5750	247	M5	5-12	Wauk. 6SRK	5717	247	T32		Wauk. 6MK	5761	247
CU	3½-10	Wauk. 6SRS	5549	247	M6	6-7½	Wauk. 6-125	5885	256	T32	7½-10	Wauk. 6-110	5777	256
CUA	3-4	Wauk. 6MZ	5750	247	M6X6	15	Wauk. 6RB	5568	239	T40		Wauk. 6SRK	5717	247
CU3	3½-4	Wauk. 6SRS	5549	247	M7	5-15	Wauk. 6RB	5568	239	T40	10-15	Wauk. 6-125	5885	256
CU6	3½-10	Wauk. 6SRS	5549	247	M10	10-12	Herc. HXE	5731	126	T60	15-25	Wauk. 6RB	5568	239
CU6A	3½-10	Wauk. 6SRS	5549	247	MF6	3½-5	Wauk. 6KS	5473B	245	T60	15-25	Wauk. 6-125	5885	256
FM6	5-6	Wauk. 6SRK	5717	247	MF6	5-12	Wauk. 6SRK	5717	247	T65	20-28	Wauk. 6RB	5568	239
H	1½-3½	Wisc. 4SU	5295	271	MF6	5-6	Wauk. 6AB	5260A	239	T72	25-30	Herc. HXE	5731	126
H6	2-2½	Wauk. 6MS	5761	247	MJ5	5-12	Wauk. 6SRK	5717	247	U6	3½-5	Wauk. 6KS	5473B	245
HG		Wauk. 6MK	5761	247	MJ6	6-7½	Wauk. 6-125	5885	256	X6	3½-5	Wauk. 6KS	5473B	245
HH	2-2½	Wauk. 6MS	5761	247	MJ6	6-7½	Wauk. 6SRK	5717	247	X6	5-12	Wauk. 6SRK	5717	247
HH6	2½-3	Wauk. 6MK	5761	247	MJ6X6	10	Wauk. 6SRK	5717	247	X6	10-12	Wauk. 6-125	5885	256
HM		Wauk. 6MK	5761	247	MX6	10-15	Wauk. 6RB	5568	239	YU	5-6	Wauk. 6SRK	5717	247
HS	1½	Wauk. 6BK	5921A	240	OFS	2½-3	Wauk. 6MK	5761	247	8-46	8-30	Wauk. 6-125	5885	256
HT	1½-3½	Wisc. 4SU	5295	271	SSU	3½-10	Wauk. 6SRL	5549	247	60T	8-30	Wauk. 6-125	5885	256
LBU	3½-10	Wauk. 6SRS	5549	247	SSUA	3½-10	Wauk. 6SRL	5549	247	72T	8-30	Wauk. 6-125	5885	256
LM	2-2½	Wauk. 6MK	5761	247	SU	4-5	Wauk. 6SRL	5549	247					

Gardner, 6-8. Passenger.

Model	Year	Motor	McCord No.	See Page No.	Model	Year	Motor	McCord No.	See Page No.	Model	Year	Motor	McCord No.	See Page No.
8-75	27-31	Lyc. GT	5388A	163	8-95	25-31	Lyc. MD	5125A	162	8-140	27-31	Lyc. GS	5388A	163
8-80	27-31	Lyc. GT	5388A	163	8-120	27-31	Lyc. GT	5388A	163	8-148	27-31	Lyc. GS	5388A	163
8-85	27-31	Lyc. GT	5388A	163	8-120	27-31	Lyc. GT	5388A	163	8-150	25-31	Lyc. 2H	5125A	162
8-88	27-31	Lyc. GT	5388A	163	8-130	25-31	Lyc. 2H	5125A	162	8-158	25-31	Lyc. 2H	5125A	162
8-90	25-31	Lyc. MD	5125A	162	6-136	30-31	Lyc. WR	5387A	166					




NOTE—For older models see Guide A.

Garford, 4-6. Truck and Bus. See Relay. Page No. 213.

Gar Wood Bus, 8.

Model	Year	Motor	McCord No.	See Page No.	Model	Year	Motor	McCord No.	See Page No.	Model	Year	Motor	McCord No.	See Page No.
CIF	38	Ford V8-85	6082	105	EFI	39	Ford V8-95	6043	105	EFT	39	Ford V8-95	6043	105
CTF	38	Ford V8-85	6082	105										

Gascolator Gaskets




Part No.	Name of Gasket	Size	Type	McCord No.
G985	Alemite gasoline filter	1½x1½"	Cop. Asb.	509C
G988	Washer	2½x2½x1/32x1/8"	Cork	C-918
G998	Washer	3/64x1½x1/8"	Cork	C-2826
OW222	Washer (Tillotson)	1 5/8x2x3/32"	Cork	C-3539
P-40718	Washer	.880x1 1/8x1/8"	Cork	C-919
P41679	Alemite gas strain, small	1 1/4x2 1/4x3/32x3/32"	Cork	C-920
S-988	Washer	2 1/8x2 1/4x3/32x3/32"	Cork	C-3338

G. M. C. Truck Model and Motor Reference

Series	Year	Motor Model	Motor Make	McCord No.	See Page No.	Series	Year	Motor Model	Motor Make	McCord No.	See Page No.	Series	Year	Motor Model	Motor Make	McCord No.	See Page No.
AC100	1939	228	G.M.C.	6077	113	F79	1938	450	G.M.C.	5926	115	T61	30-32	331	G.M.C.	5925	115
AC150	1939	228	G.M.C.	6077	113	K10T	25-30	89	Northway	5267	111	T61	32-37	400	G.M.C.	5925	115
AC250	1939	228	G.M.C.	6077	113	K15T	25-30	89	Northway	5267	111	T61	37-38	450	G.M.C.	5926	115
AC300	1939	228	G.M.C.	6077	113	K54	25-30	89	Northway	5267	111	T73	34-36	257	G.M.C.	5486A	112
AC350	1939	228	G.M.C.	6077	113	K56	25-30	89	Northway	5267	111	T74	34-36	331	G.M.C.	5925	115
AC400	1939	248	G.M.C.	6078	113	K72B	25-30	89	Northway	5267	111	T75	34-36	400	G.M.C.	5925	115
AC450	1939	248	G.M.C.	6078	113	K102	25-30	89	Northway	5267	111	T78	35-36	450	G.M.C.	5926	115
AC500	1939	278	G.M.C.	6075	114	T10	27-28	...	Pont. 6	5511A	207	T80	1929	331	G.M.C.	5925	115
AC550	1939	278	G.M.C.	6075	114	T11	1929	...	Pont. 6	5511A	207	T82	30-31	331	G.M.C.	5925	115
AC600	1939	308	G.M.C.	6075	114	T11	30-31	401	Pont. 6	5511B	207	T83	1931	400	G.M.C.	5925	115
AC650	1939	308	G.M.C.	6075	114	T14	1936	213	Olds 6	5824	188	T83	1932	331	G.M.C.	5925	115
AC700	1939	361	G.M.C.	6076	116	T14	1937	230	Olds 6	5957	190	T83	33-35	400	G.M.C.	5925	115
AC800	1939	426	G.M.C.	6076	116	T14	1938	223	Pont. 6	6024	208	T84	33-34	400	G.M.C.	5925	115
AC850	1939	451	G.M.C.	6376	116	T15	30-31	401	Pont. 6	5511B	207	T84	34-35	450	G.M.C.	5926	115
ADC500	1939	371	G.M.C.	L6045	117	T15	1938	223	Pont. 6	6024	208	T85	31-32	525	Yell. C.	5604A	275
ADC550	1939	371	G.M.C.	L6045	117	T16	34-36	213	Olds 6	5824	188	T85	31-32	468	Yell. C.	5604A	275
ADC600	1939	371	G.M.C.	L-6045	117	T16	37-38	230	Olds 6	5957	190	T85	1932	616	Yell. C.	5604A	275
ADC650	1939	371	G.M.C.	L-6045	117	T17	30-31	401	Pont. 6	5511B	207	T85	1932	707	Yell. C.	5604A	275
ADC700	1939	471	G.M.C.	L6046	118	T18	1931	401	Pont. 6	5511B	207	T85	1933	525	Yell. C.	5604A	275
ADC850	1939	471	G.M.C.	L-6046	118	T18	32-33	402	Pont. 6	5511B	207	T90	30-32	331	G.M.C.	5925	115
ADF500	1939	371	G.M.C.	L6045	117	T18	33-35	221	G.M.C.	5486A	112	T90	32-33	400	G.M.C.	5925	115
ADF550	1939	371	G.M.C.	L6045	117	T18	35-38	239	G.M.C.	5486A	112	T95	31-32	468	Yell. C.	5604A	275
ADF600	1939	371	G.M.C.	L-6045	117	T19	29-30	...	Pont. 6	5511A	207	T95	30-32	525	Yell. C.	5604A	275
ADF650	1939	371	G.M.C.	L-6045	117	T19	30-33	401	Pont. 6	5511B	207	T95	31-32	616	Yell. C.	5604A	275
ADF700	1939	471	G.M.C.	L6046	118	T23	32-33	402	Pont. 6	5511B	207	T95	31-32	707	Yell. C.	5604A	275
ADF800	1939	471	G.M.C.	L-6046	118	T23	34-35	221	G.M.C.	5486A	112	T96	31-32	468	Yell. C.	5604A	275
ADF850	1939	471	G.M.C.	L-6046	118	T23	37-38	257	G.M.C.	5486A	112	T96	1931	525	Yell. C.	5604A	275
AF300	1939	228	G.M.C.	6077	113	T25	30-31	257	G.M.C.	5486A	112	T96	31-32	468	Yell. C.	5604A	275
AF350	1939	228	G.M.C.	6077	113	T26	30-33	257	G.M.C.	5486A	112	T110	31-33	616	Yell. C.	5604A	275
AF400	1939	248	G.M.C.	6078	113	T30	1929	239	G.M.C.	5486A	112	T110	1932	707	Yell. C.	5604A	275
AF450	1939	248	G.M.C.	6078	113	T30	30-31	257	G.M.C.	5486A	112	T150	32-33	707	Yell. C.	5604A	275
AF500	1939	278	G.M.C.	6075	114	T31	30-33	257	G.M.C.	5486A	112	T145	1938	223	Pont. 6	6024	208
AF550	1939	278	G.M.C.	6075	114	T33	33-36	257	G.M.C.	5486A	112	T155	1938	223	Pont. 6	6024	208
AF600	1939	308	G.M.C.	6075	114	T33	36-38	286	G.M.C.	5486A	112	4189	1936	207	Chev. 6	5870	51
AF650	1939	308	G.M.C.	6075	114	T33L	33-35	221	G.M.C.	5486A	112	4272	1936	207	Chev. 6	5870	51
AF700	1939	361	G.M.C.	6076	116	T42	1929	239	G.M.C.	5486A	112	4403	1937	216	Chev. 6	5960	54
AF800	1939	426	G.M.C.	6076	116	T42	30-31	257	G.M.C.	5486A	112	4405	1937	230	Olds. 6	5957	190
AF850	1939	451	G.M.C.	6076	116	T43	33-36	257	G.M.C.	5486A	112	4407	1937	230	Olds. 6	5957	190
F16	37-38	230	Olds 6	5957	190	T43T	33-35	331	G.M.C.	5925	115	4409	1937	230	Olds. 6	5957	190
F18	37-38	239	G.M.C.	5486A	112	T44	30-31	257	G.M.C.	5486A	112	4929	1938	230	Olds. 6	5957	190
F23	37-38	257	G.M.C.	5486A	112	T44	1932	331	G.M.C.	5925	115	4930	1937	286	G.M.C.	5486A	112
F33	37-38	286	G.M.C.	5486A	112	T45	31-33	257	G.M.C.	5486A	112	4933	1938	230	Olds. 6	5957	190
F46	37-38	331	G.M.C.	5925	115	T46	34-38	331	G.M.C.	5925	115	4936	1939	228	G.M.C.	6077	113
F46	37-38	400	G.M.C.	5925	115	T51	30-36	331	G.M.C.	5925	115	4937	1939	248	G.M.C.	6078	113
F61	37-38	400	G.M.C.	5925	115	T55	30-33	331	G.M.C.	5925	115						
F61	37-38	450	G.M.C.	5926	115	T60	29-31	331	G.M.C.	5925	115						

NOTE—For older models see Guide A.

G. M. C. Motor, 4. Model 89. (Northway) 4½x6½"



McCord No. 5267




McCord No. 1582



McCord No. 2720



McCord No. 2721



McCord No. 1583




McCord No. 2723

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
656074	Cyl. hd.	Cop. Asb.	2		5267
611598}	Mani. set (2-1582) to late 1927	Cop. Asb.	1	25-27	MS-2573
	Mani. set (1-2720, 2-2721) from late 1927	Sol. Cop.	1	27-30	MS-2574
651786	Exh. fig.	Cop. Asb.	1		1583
653484	Exh. pipe fig.	Cop. Asb.	1		2729
665895	Mani. K54	Cop. Asb.	24		1805
612080	Mani., to late 1927	Cop. Asb.	2	25-27	1582
656024}	Mani., from late 1927	Sol. Cop.	2	27-30	2721
656023}	Int. to exh., from late 1927	Sol. Cop.	1	27-30	2720
656088	Gov. throttle body	Cop. Asb.	1		2723

G. M. C. Truck, 6. (Canadian Production) Models 93-94-95-96-97, 1938. See Chevrolet 6, 1938, McCord No. 5960. Page No. 54.



G. M. C. Motor, 6. Models 221, $3\frac{1}{8} \times 4\frac{5}{8}$ "; 239, $3\frac{5}{8} \times 4\frac{5}{8}$ "; 257, $3\frac{7}{8} \times 4\frac{5}{8}$ "; 286..... $3\frac{5}{8} \times 4\frac{5}{8}$ "



McCord No. 5486A



McCord No. 2283



McCord No. 2284




McCord No. 2278



McCord No. 2287



McCord No. 2285



McCord No. 2286



McCord No. S-2939



McCord No. 2970



McCord No. S-2944

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
214793	Cyl. hd.	Cop. Asb.	1		5486A
SN-2192	Mani. set (2-S2678, 1-S1890)	Stlpk.	1		SMS-306
	Mani. set (2-2678, 1-1890)	Cop. Asb.	1		MS-306
SN-2191	Mani. set (1-2278, 1-2283, 1-2284)	Sol. Cop.	1		MS-2550
	Rock. arm cov. set (1-C771)	Cork	1		CV-121
	Push rod cov. set (2-C772)	Cork	1		CV-122
	Oil pan set (1-C766, 1-C767, 2-C341)	Cork	1		CS-2180
	Oil pan set (1-P357, 1-P358, 2-C341)	Vell.	1		ES-357
226581	Cyl. base set (1-pc.) 239-257 Motor	Vell.	1		ES-3422
068833	Cyl. base set (1-pc.) 286 Motor	Vell.	1		ES-3434
	Diff. carr. set (1-V4322) T18-F18	Vell.	1		ES-3422
072449	Diff. carr. set (1-pc.) T18H-F18H-T23-F23	Vell.	1		ES-4338
246721	Diff. carr. set (1-pc.) T23H-F23H-T33-F33	Vell.	1		ES-4344
2022010	Diff. carr. set (1-pc.) T33H-F33H	Vell.	1		ES-4714
664301	Exh. pipe flg.	Sol. Cop.	1	29-34	2286
709631	Exh. pipe flg.	Cop. Asb.	1	35	132F
2017499	Exh. pipe flg.	Stlpk.	1	36-38	S-2939
211918	Exh. mani. valve body	Stlpk.	1	29-34	S-870C
211918	Exh. mani. valve body	Cop. Asb.	1	29-34	870C
664302	Exh. mani. valve body	Sol. Cop.	1	29-34	2285
066157-8	Mani. front and center	Stlpk.	2		S-2678
066159	Mani. rear	Stlpk.	1		S-1890
1289022	Mani. front and center	Cop. Asb.	2		2678
215603	Mani. rear	Cop. Asb.	1		1890
664303	Mani., front	Sol. Cop.	1		2284
664304	Mani., center	Sol. Cop.	1		2283
664305	Mani., rear	Sol. Cop.	1		2278
215724	Rock. arm cov.	Cork	1		C-771
215725	Push rod cov.	Cork	2		C-772
214734	Oil pan, right	Cork	1		C-766
214735	Oil pan, left	Cork	1		C-767
187246	Oil pan, ends	Cork	2		C-341
214734	Oil pan, right (1-P357)	Vell.	1		P-357 set
214735	Oil pan, left (1-P358)	Vell.			
187246	Oil pan, ends (2-C341)	Cork			
664300	Int. to exh.	Sol. Cop.	1	29-32	2287
066801	Int. to exh.	Sol. Cop.	1	33-35	2970
068868	Int. to exh.	Stlpk.	1	36-38	S-2944
068040	Carb. to mani. F18-F18H	Stlpk.	1		S-3042
069835	Carb. to gov. T23-T23H-T33-T33H	Asb.	2		16167
068040	Carb. to gov. F23-F23H-F33-F33H	Stlpk.	1		S-3042
401717	Gov. to mani. T23-T23H-T33-T33H	Stlpk.	2		S-832E
659388	Fuel vaporizer	Asb.	1		16168
068040	Vaporizer to gov. F23-F23H-F33-F33H	Stlpk.	1		S-3042
835683	Fuel pump	Vell.	1		V-5500
2039636	Wat. pump cov. T18-T18H-T23-T23H-T33-T33H	Vell.	1		V-9747
2039642	Wat. pump cov. F18-F18H-F23-F23H-F33H	Vell.	1		2014
066812	Wat. pump to block	Vell.	1		V-8192
206796	Wat. outlet	Asb.	1		V-8279

(Continued on Next Page)





G. M. C. Motor, 6. Models 221-239-257-286—Continued


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
066765	Gear cov.	Cork	1		C-3412
093629	Diff. carr. T18-F18	Vell.	1		V-4322
246720	Axle hsg. T23H-F23H-				
	T33-F33	Cork	1		C-2518
2022011	Axle hsg. T33H-F33H	Cork	1		C-4401
070875	Axle shaft flg. T23-F23	Vell.	2		V-8251
2019335	Axle shaft flg. T23H-				
	F33H-T33-F33	Paper	2		30475
080138	Axle shaft flg. T33H-				
	F33H	Vell.	2		V-9648

G. M. C. Motor, 6. Models 228, 3 $\frac{1}{8}$ x3 $\frac{1}{8}$ "; 248.3 $\frac{23}{32}$ x3 $\frac{1}{8}$ "


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
6107432	Cyl. hd. 228 motor	Cop. Asb.	1		6077
6107431	Cyl. hd. 248 motor	Cop. Asb.	1		6078
2078374	Mani. set				
	(2-S3044, 1-S3045)	Stlpk.	1		SMS-2552
	Cyl. hd. cov. set (1-C5041)	Cork	1		CV-610
	Push rod cov. set				
	(1-C5040)	Cork	1		CV-611
2087385	Oil pan set (1-C5042,				
	1-C5043, 2-C5044)	Cork	1		CS-2350
	Gear cov. set 1-V1027)	Vell.	1		ES-1027
	Gear cov. pl. set 1-V1031)	Vell.	1		ES-1031
370246	Diff. carr. set (1 pc.)				
	AC100-150 series	Vell.	1		ES-4122
	Diff. carr. set (1-V4322)				
	AC250-300-350-400;				
	AF-300-350-400 series	Vell.	1		ES-4322
071388	Diff. carr. set (1 pc.)				
	AC450-AF450 Series	Vell.	1		ES-4331
2017499	Exh. pipe flg.	Stlpk.	1		S-2939
	{Mani., ends	Stlpk.	2		S-3044
	{Mani., center	Stlpk.	1		S-3045
6107400	Cyl. hd. cov.	Cork	1		C-5041
6107387	Push rod cov.	Cork	1		C-5040
6107364	Oil pan, right	Cork	1		C-5042
6107365	Oil pan, left	Cork	1		C-5043
2071435	Oil pan, ends	Cork	2		C-5044
838206	Gear cov.	Vell.	1		V-1027
838196	Gear cov. pl.	Vell.	1		V-1031
838290	Int. to exh. all AC				
	Models	Stlpk.	1		S-2906
596268	Int. to exh. all AF				
	Models	Stlpk.	1		S-3046
401717	Heat insulator to mani.				
	228 motor	Stlpk.	1		S-832E
401717	Carb. to heat insulator	Stlpk.	1		
069835	Carb. to gov. 248 motor	Asb.	1		
069835	Carb. to spacer 248 motor	Asb.	1		
069835	Carb. spacer to mani. 248				
	motor	Asb.	1		16167
401717	Gov. to mani. insulator	Stlpk.	1		S-832E
069835	Gov. to mani. 248 motor	Asb.	1		16167
838263	Fuel pump	Vell.	1		V-8325
838137	Wat. pump body	Vell.	1		V-9293
838150	Wat. pump pl.	Vell.	1		V-9295
838341	Wat. outlet	Tr. Paper	1		30151
838297	Thermostat hsg.	Vell.	1		V-8373
093629	Diff. carr. AC250-300-350-				
	400; AF300-350-400				
	Series	Vell.	1		V-4322
370245	Axle hsg. AC100-150				
	Series	Cork	1		C-3528
2059663	Axle shaft flg. AC250				
	Series	Paper	2		30473
675647	Axle shaft flg. AC300-				
	AF300 Series	Paper	2		30474
070875	Axle shaft flg. AC350-				
	400; AF350-400 Series	Paper	2		30472
2079633	Axle shaft flg. AC450-				
	AF450 Series	Paper	2		30471

McCord No. 6077
McCord No. 6078

McCord No. S-3044



McCord No. S-3045



McCord No. S-3046




McCord No. S-2906



McCord No. S-2939

G. M. C. Motor, 6. Models 278, 3 $\frac{5}{8}$ x 4 $\frac{1}{2}$ "; 3083 $\frac{11}{16}$ x 4 $\frac{1}{2}$ "

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
2070853	Cyl. hd.	Cop. Asb.	1		6075
SN-2192	Mani. set (1-S1890, 2-S2678)	Stlplk.	1		SMS-306
1399681	Mani. set (1-1890, 1-2678)	Cop. Asb.	1		MS-306
	Rock. arm cov. set (1-C771)	Cork	1		CV-121
	Push rod cov. set (2-C5038)	Cork	1		CV-612
	Oil pan set (1-C4924)	Cork	1		CS-2351
2070531	Cyl. base set (1 pc.)	Vell.	1		ES-3435
2070544	Gear cov. pl. set (1 pc.)	Vell.	1		ES-1639
2070535	Flywheel hsg. set (1 pc.)	Vell.	1		ES-1175
071388	Diff. carr. set (1 pc.) AC and AF500 Series	Vell.	1		ES-4331
246721	Diff. carr. set (1 pc.) AC and AF550 Series	Vell.	1		ES-4344
2022010	Diff. carr. set (1 pc.) AC and AF600-650 Series	Vell.	1		ES-4714
2017499	Exh. pipe flg.	Stlplk.	1		S-2939
066158-9	Mani., front and center	Stlplk.	2		S-2678
066157	Mani., rear	Stlplk.	1		S-1890
1289022	Mani., front and center	Cop. Asb.	2		2678
215603	Mani., rear	Cop. Asb.	1		1890
215724	Rock. arm cov.	Cork	1		C-771
2070533	Push rod cov.	Cork	2		C-5038
2070529	Oil pan	Cork	1		C-4924
2051404	Oil pump cov.	Vell.	1		V-8165
2070575	Oil pump to case	Vell.	1		V-5028
853268	Oil filter to hsg.	Vell.	1		V-8178
2070576	Oil filter to C/C	Vell.	1		V-8941
068868	Int. to exh. AC500-550- 600-650 Series	Stlplk.	1		S-2944
659388	Int. to vaporizer, AF500- 550-600-650 Series	Asb.	1		16168
069835	Carb. to gov. spacer	Asb.	2		16167
068040	Carb. to gov.	Stlplk.	1		S-3042
401717	Gov. to mani.	Stlplk.	2		S-832E
068040	Gov. to vaporizer, AF Series	Stlplk.	1		S-3042
2050269	Fuel pump	Vell.	1		V-8180
206796	Wat. outlet	Asb.	1		2014
206796	Wat. outlet cov., rear	Asb.	1		2014
2082028	Wat. pump cov.	Vell.	1		V-8917
2070572	Wat. pump to block	Vell.	1		V-8176
2070574	Wat. pump to block	Vell.	1		V-8175
2070574	Cyl. cov., rear	Vell.	1		V-8175
2070573	Cyl. cov., side	Vell.	1		V-5162
2070543	Gear cov.	Cork	1		C-5039
246720	Axle hsg.	Cork	1		C-2518
2022011	Axle hsg.	Cork	1		C-4401
2079633	Axle shaft flg., AC and AF500 Series	Paper	2		30471
2019335	Axle shaft flg. AC and AF550-600 Series	Paper	2		30475
080138	Axle shaft flg. AC and AF650 Series	Paper	2		30476



McCord No. 6075



McCord No. 2678



McCord No. 1890




McCord No. 5-2944




G. M. C. Motor, 6. Models 331, 3 3/4 x 5"; 400, 4 1/8 x 5"; 450

4 3/8 x 5"


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
068567	Cyl. hd. 331-400	Stl. Asb.	1		5925
068568	Cyl. hd. 450	Stl. Asb.	1		5926
SN-2194	Mani. set (3-S2679)	Stlplk.	1		SMS-2502
	Mani. set (3-2679)	Cop. Asb.	1		MS-303
SN-2193	Mani. set (2-2281, 1-2282)	Sol. Cop.	1		MS-2549
	Cyl. hd. cov. set (1-C764)	Cork	1		CV-117
	Push rod cov. set (2-C765)	Cork	1		CV-118
	Oil pan set GMC trucks only (1-C768, 1-C769, 2-C341)	Cork	1		CS-2179
	Oil pan set GMC trucks only (1-P359, 1-P360, 2-C341)	Vell.	1		ES-359
	Oil pan set Yellow Coach only (1-P376, 1-P377)	Vell.	1		ES-377
228405	Cyl. base set (1 pc.) 331	Vell.	1		ES-3423
066584	Cyl. base set (1 pc.) 400	Vell.	1		ES-3432
067834	Cyl. base set (1 pc.) 450	Vell.	1		ES-3433
067160	Gear cov. set (1 pc.)	Vell.	1		ES-1290
2022010	Diff. carr. set (1 pc.) T46-F46	Vell.	1		ES-4714
664306	Exh. pipe flg. 331-400	Sol. Cop.	1		2279
2017661	Exh. pipe flg. 450	Stlplk.	1		S-3038
664307	Exh. valve body	Sol. Cop.	1		2280
066069-70	Manifold	Stlplk.	3		S-2679
1289023	Manifold	Cop. Asb.	3		2679
664308}	Mani., ends	Sol. Cop.	2		2281
664309}	Mani., center	Sol. Cop.	1		2282
214642	Cyl. hd. cov.	Cork	1		C-764
214727	Push rod cov.	Cork	2		C-765
214736}	Oil pan, right, GMC trucks	Cork	1		C-768
214737}	Oil pan, left, GMC trucks	Cork	1		C-769
187246}	Oil pan, ends, GMC trucks	Cork	2		C-341
214736	Oil pan, right (1-P359) GMC trucks	Vell.			
214737	Oil pan, left (1-P360) GMC trucks	Vell.	1		P359 set
187246	Oil pan, ends (2-C341) GMC trucks	Cork			
068633	Oil pan, right (1-P376) Yellow Coach	Vell.			
068634	Oil pan, left (1-P377) Yellow Coach	Vell.	1		P377 set
068211	Mani. hot spot	Stlplk.	1		S-2892
053868	Heat reg. valve (Dickson Laminated All Metal)	Lam. Cop.	1		L-2842
664300	Carb. riser to exh.	Sol. Cop.	1		2287
069802	Carb. to gov. 331-400	Stlplk.	1		S-3039
067932	Carb. to gov. 450	Stlplk.	1		S-2851
069802	Gov. to mani. 331-400	Stlplk.	1		S-3039
067932	Gov. to mani. 450	Stlplk.	1		S-2851
659389	Vaporizer 331-400	Asb.	1		16169
065313	Fuel pump	Vell.	1		V-5500
167243	Wat. outlet	Vell.	4		V-5036
167243	Wat. outlet	Asb.	4		1737
068687	Wat. inlet	Vell.	1		V-8401
068686	Wat. cov. pl.	Vell.	1		V-8402
067153	Wat. pump to block	Vell.	1		V-9624
067160	Gear cov.	Cork	1		C-3540
238469	Diff. carr. T61-F61	Cork	1		C-626
702806	Diff. carr. T61H-F61H	Cork	1		C-295
716579	Axle shaft flg.	Tr. Paper	2		30477



McCord No. 5926



McCord No. 5925



McCord No. 2279




McCord No. 2280




McCord No. 2281




McCord No. 2282



McCord No. S-3038



McCord No. S-2892




McCord No. L-2842



G. M. C. Motor, 6. Models 361, $4\frac{1}{8} \times 4\frac{1}{2}$ "; 426, $4\frac{1}{4} \times 5$ "; 451 $4\frac{3}{8} \times 5$ "

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
2070854	Cyl. hd.	Stl. Asb.	1		6076
SN-2194	Mani. set (3-S2679)	Stlpk.	1		SMS-2502
	Mani. set (3-2679)	Cop. Asb.	1		MS-303
SN-2193	Mani. set (2-2281, 1-2282)	Sol. Cop.	1		MS-2549
	Valve cov. set (1-C764) ..	Cork	1		CV-117
	Push rod cov. set (2-C5038)	Cork	1		CV-612
	Oil pan set (1-C4925)	Cork	1		CS-2352
2070532	Cyl. base set (1 pc.)	Vell.	1		ES-3808
2070549	Gear cov. pl. set (1 pc.) ..	Vell.	1		ES-1641
2070547	Gear cov. set (1 pc.)	Vell.	1		ES-1245
2022010	Diff. carr. set (1 pc.) AC and AF700 Series	Vell.	1		ES-4714
2017661	Exh. pipe flg.	Stlpk.	1		S-3038
066069-70	Manifold	Stlpk.	3		S-2679
1289023	Manifold	Cop. Asb.	3		2679
664308}	Mani., ends	Sol. Cop.	2		2281
664309}	Mani., center	Sol. Cop.	1		2282
214642	Valve cov.	Cork	1		C-764
2070533	Push rod cov.	Cork	2		C-5038
2070530	Oil pan	Cork	1		C-4925
2051404	Oil pump cov.	Vell.	1		V-8165
2070575	Oil pump to case	Vell.	1		V-5028
853268	Oil filter to hsg.	Vell.	1		V-8178
2070576	Oil filter to C/C	Vell.	1		V-8941
053868	Heat reg. valve (Dickson Laminated All Metal)	Lam. Cop.	1		L-2842
659389	Int. to vaporizer AF700- 800 Series	Asb.	1		16169
069802	Carb. to gov. 361-426 motor	Stlpk.	1		S-3039
067932	Carb. to gov. 451 motor	Stlpk.	1		S-2851
069802	Gov. to mani. 361 motor	Stlpk.	1		S-3039
067932	Gov. to mani. AC850	Stlpk.	1		S-2851
069802	Gov. to vaporizer AF650- 700	Stlpk.	1		S-3039
067932	Gov. to vaporizer AF850	Stlpk.	1		S-2851
2050269	Fuel pump	Vell.	1		V-8180
2070570	Wat. outlet	Vell.	2		V-8174GA
2082028	Wat. pump cov.	Vell.	1		V-8917
2070572	Wat. pump to block	Vell.	1		V-8176
2070574	Wat. pump to block	Vell.	1		V-8175
2070574	Cyl. cov., rear	Vell.	1		V-8175
2070573	Cyl. cov., side	Vell.	1		V-5162
2070536	Flywheel hsg.	Vell.	1		V-1183
238469	Diff. carr. AC and AF800 Series	Cork	1		C-626
702806	Diff. carr. AC and AF850 Series	Cork	1		C-295
2022011	Axle hsg.	Cork	1		C-4401
080138	Axle shaft flg. AC and AF700 Series	Paper	2		30476
716579	Axle shaft flg. AC and AF800 Series	Paper	2		30477
655686	Axle shaft flg. AC and AF850 Series	Paper	2		30478




McCord No. 6076



McCord No. 2281





McCord No. 2282



McCord No. S-3038

G. M. C. Motor, 3. (Diesel) Model 3-71

4 1/4 x 5"




Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
5150043	Cyl. hd. (Dickson Laminated All Metal)	Lam. Stl.	1		L-6045
5150046	Cyl. hd. to block oil outer	Cork	1		C-5132
	Mani. set (1-S3087)	Stlplk.	1		SMS-2595
	Rock. arm cov. set (1-C5103)	Cork	1		CV-629
	Oil pan set (1-C5135)	Cork	1		CS-2359
071388	Diff. carr. set (1 pc.) ADC500-ADF500	Vell.	1		ES-4331
246721	Diff. carr. set (1 pc.) ADF550	Vell.	1		ES-4344
2022010	Diff. carr. set (1 pc.) ADC550-ADC600- ADC650-ADF600 ADF650	Vell.	1		ES-4714
2017499	Exh. pipe flg.	Stlplk.	1		S-2939
2076266	Exh. pipe extension	Stlplk.	1		S-3086
5150194	Manifold	Stlplk.	1		S-3087
5150327	Rock. arm cov.	Cork	1		C-5103
5150115	Oil pan	Cork	1		C-5135
5151370	Oil pump outlet	Vellutex	2		30479
5150145	Oil by-pass to block	Tr. Paper	1		30480
5150152	Oil cooler	Vellutex	1		30481
5150155	Oil cooler hsg.	Vellutex	1		30482
5150157	Oil cooler pad cov.	Vellutex	1		30483
5150154	Oil cooler and filter adapter	Vellutex	2		30484
5151190	Oil cooler wat. by-pass cov.	Vellutex	1		30485
5150193	Fuel pump	Tr. Paper	1		30486
5151507	Fuel pump cov.	Tr. Paper	1		30488
5152643	Fuel pump valve	Vellutex	1		30487
5151506	Fuel pump valve seat hsg.	Vellutex	1		30489
5226186	Fuel injector filter cap.	Sol. Cop.	6		3117
5150235	Blower hsg. to block	Vellutex	1		30490
5150246	Blower to cov.	Tr. Paper	1		30491
5150234	Blower end pl. cov.	Tr. Paper	2		30492
5150286	Blower drive gear supp.	Tr. Paper	1		30493
5150188	Wat. pump cov.	Tr. Paper	1		30494
5150193	Wat. pump to blower	Tr. Paper	1		30486
2070512	Wat. inlet	Tr. Paper	1		30495
5150361	Wat. outlet	Tr. Paper	3		30496
061022	Wat. outlet to thermostat hsg.	Tr. Paper	1		30497
5150578	Thermostat hsg.	Tr. Paper	1		30498
5150061	Cyl. pl., front and rear	Vellutex	2		30499
5150181	Cyl. front end cov.	Tr. Paper	1		36059
5150020	Cyl. hand hole cov.	Cork	3		C-5131
5150071	Balance weight cov.	Vellutex	1		30500
5150054	Flywheel hsg., large	Vellutex	1		30501
5150055	Flywheel hsg., small	Vellutex	1		30502
246720	Axle hsg. cov. ADF550	Cork	1		C-2518
2022011	Axle hsg. cov. ADC550- ADC600-ADC650- ADF600-ADF650	Cork	1		C-4401
2079633	Axle shaft flg. ADC500- ADF500	Paper	2		30473
2019335	Axle shaft flg. ADC550- ADC600-ADF550- ADF600	Paper	2		30475
080138	Axle shaft flg. ADC650- ADF650	Paper	2		30476




G. M. C. Motor, 4. (Diesel) Model 4-71

4 1/4 x 5"


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
5150044	Cyl. hd. (Dickson Laminated All Metal)	Lam. Stl.	1		L-6046
5150047	Cyl. hd. to block oil outer.	Cork	1		C-5133
	Mani. set (2-S3088)	Stlplk.	1		SMS-2596
	Rock. arm cov. set (1-C5137)	Cork	1		CV-630
	Oil pan set (1-C4976)	Cork	1		CS-2360
2022010	Diff. carr. set (1 pc.) ADC700-ADF700	Vell.	1		ES-4714
2017661	Exh. pipe flg.	Stlplk.	1		S-3038
2076266	Exh. pipe extension	Stlplk.	1		S-3086
5150195	Manifold	Stlplk.	2		S-3088
5150328	Rock. arm cov.	Cork	1		C-5137
5150116	Oil pan	Cork	1		C-4976
5151370	Oil pump outlet	Vellutex	2		30479
5150145	Oil by-pass valve to block	Tr. Paper	1		30480
5150152	Oil cooler	Vellutex	1		30481
5150155	Oil cooler hsg.	Vellutex	1		30482
5150157	Oil cooler pad cov.	Vellutex	1		30483
5150154	Oil cooler and filter adapter	Vellutex	2		30484
5151190	Oil cooler wat. by-pass cov.	Vellutex	1		30485
5150193	Fuel pump	Tr. Paper	1		30486
5151507	Fuel pump cov.	Tr. Paper	1		30488
5152643	Fuel pump valve	Vellutex	1		30487
5151506	Fuel pump valve seat hsg.	Vellutex	1		30489
5226186	Fuel injector filter cap.	Sol. Cop.	8		3117
5150236	Blower hsg. to block	Vellutex	1		30503
5150246	Blower to cov.	Tr. Paper	1		30491
5150234	Blower end pl. cov.	Tr. Paper	2		30492
5150286	Blower drive gear supp.	Tr. Paper	1		30493
5150188	Wat. pump cov.	Tr. Paper	1		30494
5150193	Wat. pump to blower	Tr. Paper	1		30486
2070512	Wat. inlet	Tr. Paper	1		30495
5150361	Wat. outlet	Tr. Paper	4		30496
061022	Wat. outlet to ther- mostat hsg.	Tr. Paper	1		30497
5150578	Thermostat hsg.	Tr. Paper	1		30498
5150061	Cyl. pl., front and rear	Vellutex	2		30499
5150181	Cyl. front end cov.	Tr. Paper	1		36059
5150020	Cyl. hand hole cov.	Cork	4		C-5131
5150071	Balance weight cov.	Vellutex	1		30500
5150054	Flywheel hsg., large	Vellutex	1		30501
5150055	Flywheel hsg., small	Vellutex	1		30502
081642	Pinion brg. cage ADC800-ADF800	Tr. Paper	2		30504
077406	Pinion brg. cage R.H. ADC850-ADF850	Tr. Paper	1		30505
077405	Pinion brg. cage L.H. ADC850-ADF850	Tr. Paper	1		30506
238469	Diff. carr. ADC800- ADF800	Cork	1		C-626
702806	Diff. carr. ADC850- ADF850	Cork	1		C-295
2022011	Axle hsg. ADC700- ADF700	Cork	1		C-4401
080138	Axle shaft flg. ADC700- ADF700	Paper	2		30476
716579	Axle shaft flg. ADC800- ADF800	Paper	2		30477
655686	Axle shaft flg. ADC850- ADF850	Paper	2		30478




McCord No. L-6046



McCord No. S-3088



McCord No. S-3086



McCord No. S-3038

Gotfredson, 4-6. Truck and Bus.


Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
RB	1 1/4	Buda WTU	5117A	*	RW46	2-2 1/2	Buda H298	5615	29	W84A	3 1/2-4	Buda YBU	5192	*
RB26	1 1/4-1 1/2	Cont. 18E	5459	71	RW66	2 1/2-3 1/2	Buda K358	5725	30	W86A	4-5	Buda GL6	5263	28
RB26	1 1/4-1 1/2	Buda J214	5614	29	RW66A	3-5	Herc. WXC2	5649	129	36B	1 1/2-2	Buda HS	5344	*
RB34	1 1/2	Buda H199	5613	28	RW76A	2 1/2-3 1/2	Buda K428	5725	30	46	2-2 1/2	Buda BUS	5346	*
RB36	1 1/4-1 1/2	Cont. 18E	5459	71	RW86A	3-5	Herc. YXC	5526	130	50B	Bus	Buda BUS	5346	*
RB36	1 1/4-1 1/2	Buda J214	5614	29	RW86A	5-7 1/2	Herc. YXC3	5612	130	56	3	Buda BUS	5346	*
RB46	2-2 1/2	Herc. WXB	5496	129	RW104A	5-5 1/2	Buda BTU	5290	*	56B	Bus	Buda BUS	5346	*
RB46	2-2 1/2	Buda H298	5615	29	RW106A	5-7 1/2	Herc. YXC3	5612	130	66	2-3	Buda BA	5346	*
RB56	2 1/2-3 1/2	Buda K358	5725	30	RW206A	12	Buda GF6	5263	28	80	3 1/2-4	Buda YBUI	5192	*
RB56	3	Herc. WXC	5649	129	W36	1 1/2-2	Buda HS6	5344	*	86	4-5	Buda GL6	5263	28
RB66C	2 1/2-3 1/2	Buda K358	5725	30	W46	2 1/2-3	Buda DW6	5345	*	100	5-5 1/2	Buda BTU	5290	*
RD76A	2 1/2-3 1/2	Buda K428	5725	30	W56	2 1/2-3	Buda DW6	5345	*	106	4-5	Buda GL6	5263	28
RW46	2-2 1/2	Herc. WXB	5496	129	W64A	3 1/2-4	Buda YBU	5192	*					

NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.


G. P. 4-6-8 Truck. See Grass-Premier.

Graham Bros. 4-6 Truck. See Dodge Truck Motor and Model Reference Chart, Page No. 93.


Graham-Paige Motor, 6. Passenger. Models 610, 1928, 2 7/8 x 4 1/2"; 612, 1929, 3 x 4 1/2"; 614, 1928 3 1/8 x 4 1/2"
 Model 615, 1929 3 1/4 x 4 1/2"
 Graham Models Spec. 45, 1930, 3 1/4 x 4 1/2"; Std. 46, 1930, 3 x 4 1/2"; 53-54, 1931 3 1/4 x 4 1/2"
 Models Prosperity 6, 56, 1931-32, 3 1/8 x 4 1/2"; 58, 1932; 65, 1933 3 1/4 x 4 1/2"
 Models 68, 1934; 73, 1935 3 1/4 x 4 1/2"




McCord No. 5467-B



McCord No. 5927



McCord No. S-2562




McCord No. 1847




McCord No. 2635



McCord No. 2107-A



McCord No. 2111-A




McCord No. S-2634




McCord No. 2633



McCord No. 2717



McCord No. 2511A




McCord No. 2110-A

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
79534	Cyl. hd.	Cop. Asb.	1	28-33	5467B
80498	Cyl. hd.	Cop. Asb.	1	34-35	5927
79546	Cyl. hd. cov.	Stl. Asb.	1		S-2562
	Mani. set (1-1847)	Stl. Asb.	1	28-29	MS-2494
	Mani. set (1-2107A)	Stl. Asb.	1	30-33	MS-2495
	Mani. set (1-S2634)	Stl. Asb.	1	34-35	SMS-2496
	Valve cov. set (2-C632)	Cork	1		CV-280
	Valve cov. set (2-V2036)	Vell.	1		ES-2036
79111	Cyl. hd. cov. set (1 pc.)	Vell.	1		ES-2607
	Oil pan set (1-C726)	Cork	1		CS-2174
	Oil pan set (1-P816)	Vell.	1		ES-816
	Wat. jkt. cov. set (1-C727)	Cork	1		CW-15
	Wat. jkt. cov. set (1-V2182)	Vell.	1		ES-2182
67713	Gear cov. set (1 pc.)	Vell.	1	28-33	ES-1430
65392	Diff. carr. and axle hsg. set (1 pc.)	Vell.	2	28	ES-4114
70092	Diff. carr. and axle hsg. set (1 pc.)	Vell.	2	28-29	ES-4101
67809	Exh. pipe flg.	Stl. Asb.	1	28-29	1849
75780A	Exh. pipe flg.	Stl. Asb.	1	30-35	S-855D
67708	Manifold	Stl. Asb.	1	28-29	1847
75789	Manifold	Stl. Asb.	1	30-33	2107A
80243	Manifold	Stl. Asb.	1	34-35	S-2634
67768	Valve cov.	Cork	2		C-632
67768	Valve cov.	Vell.	2		V-2036
	Valve cov. stud washer	Sol. Cop.	14		472
67598	Oil pan	Cork	1		C-726
67598	Oil pan	Vell.	1		P-816
80310	Int. to exh.	Stl. Asb.	1	34-35	2633
75779	Heat control hsg. to exh.	Stl. Asb.	1	30-31	2111A
77518	Heat control hsg. to exh.	Stl. Asb.	1	32	2308
78022	Heat control hsg. to exh.	Stl. Asb.	1	33-35	2511A
75781	Heat control hsg. to int.	Stl. Asb.	1	28-31	2111A
78021	Heat control hsg. to int.	Stl. Asb.	1	31-35	2274
75769	Heat control hsg. cov.	Stl. Asb.	1	30-31	S-2303
78019	Heat control hsg. cov.	Stl. Asb.	1	32-33	S-2557
4205	Carburetor 610-612	Vell.	1	28-29	V-103
8057	Carburetor 614-615	Vell.	1	28-29	V-104
75805A	Carburetor (1 1/4")				
	46-53-54-56	Stl. Asb.	1	30-31	2109
75806	Carburetor (1 1/2")	Stl. Asb.	1	30	2108
79863	Carburetor 65	Stl. Asb.	1	33	2635
84704A	Carburetor 68	Stl. Asb.	1	34	2717
80703	Carb. to spacer	Asb.	1	35	16021
80702	Carb. spacer to mani.	Cop. Asb.	1	35	827C


(Continued on Next Page)

Graham-Graham Paige, 6. 1928-35—Continued


McCord
No. 2274McCord
No. S-2557McCord
No. 1849

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
80702	Carb. spacer to mani.	Stlplk.	1	35	S-827C
B-72701	Fuel pump	Vell.	1	28-34	V-5149
80771	Fuel pump	Vell.	1	35	V-8318
67752	Wat. pump body 610-615	Vell.	1	28-29	V-9067
67706	Wat. jkt. cov.	Cork	1		C-727
67706	Wat. jkt. cov.	Vell.	1		V-2182
	Wat. jkt. cov. stud washer	Sol. Cop.	26		472
67810	Wat. outlet	Cork	1		C-728
67713	Gear cov.	Cork	1	28-33	C-3476-C
80269	Gear cov.	Cork	1	34-35	C-5102
67710	Chain case to cyl.	Tr. Paper	1		36003
26424	Headlamp lens 73	Cork	2	35	C-7003


Graham Motor, 6. Passenger. Models 74, 1935; 80, 1936; 85, 1937. 3x4"
 Models 90-90A, 1936, 3 1/4 x 4 3/8"; 95, 1937, 3 1/4 x 4"; 96-97, 1938-39. 3 1/4 x 4 3/8"
 Models 107-108, 1940. 3 1/4 x 4 3/8"
 Models 110, 1936, 3 1/4 x 4 3/8"; 116, 1937, 3 1/4 x 4"; 120, 1937. 3 1/4 x 4 3/8"




McCord No. 5923



McCord No. 5947



McCord No. L-5947



McCord No. 6053




McCord No. S-2815




McCord No. S-2817



McCord No. S-2883



McCord No. S-2816




McCord No. S-2965

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
81570	Cyl. hd. 74-80-85	Cop. Asb.	1	35-37	5923
84169	Cyl. hd. 95	Cop. Asb.	1	37	5947
87125	Cyl. hd. 96-97-107-108	Stl. Asb.	1	38-40	6053
83023	Cyl. hd. (Dickson lam. allmetal) 90-110-116-120	Lam. Cop.	1	36-37	L-5947
	Mani. set (1-S2816)	Stlplk.	1	35-37	SMS-976
	Mani. set (1-S2965)	Stlplk.	1	38-40	SMS-2493
	Valve cov. set (1-C3461)	Cork	1		CV-282
	Oil pan set (2-C4064C, 2-C4065, 2-C4066)	Cork	1	35	CS-2288
	Oil pan set (2-P253, 2-C4065, 2-C4066)	Vell.	1	35	ES-253
	Oil pan set (2-C4064C, 2-C4065, 2-C4815)	Cork	1	36-40	CS-2334
81588	Front end pl. to C/C set (1 pc.)	Vell.	1		ES-1030
81589	Gear cov. set (1 pc.) all but 110	Vell.	1		ES-1152
82867	Gear cov. set (1 pc.) 110 only	Vell.	1		ES-1365
81594	Exh. pipe flg. 74-80-85-95	Stlplk.	1		S-2817
83030	Exh. pipe flg. 90-96	Stlplk.	1		S-2883
86608	Exh. pipe flg. 97	Cop. Asb.	1		840AA
82885	Exh. pipe flg. 110-116-120	Stl. Asb.	1		863A
81636	Manifold	Stlplk.	1	35-37	S-2816
86337	Manifold	Stlplk.	1	38-40	S-2965
81569	Valve cov.	Cork	1		C-3461
81561	Oil pan, sides	Cork	2	35-40	C-4064C
81586	Oil pan to filler block	Cork	2	35-40	C-4065
81587	Oil pan, ends	Cork	2	35	C-4066
86828	Oil pan, ends	Cork	2	36-40	C-4815
81561	Oil pan, sides (2-P253)	Vell.			
81586	Oil pan to filler block (2-C4065)	Cork	1	35	P-253 set
81587	Oil pan, ends (2-C4066)	Cork			
81884	Int. to exh.	Stlplk.	1		S-2815
80702	Carb. 74-80-85-90-95-96	Cop. Asb.	1		827C
80702	Carb. 74-80-85-90-95-96	Stlplk.	1		S-827C
80771	Fuel pump flg.	Vell.	1	35	V-8318
82079	Fuel pump flg.	Vell.	1	36-40	V-8338
81704	Wat. pump cov. 74-80-85	Vell.	1		V-8424
83008	Wat. pump cov. 90-95-110-116-120	Vell.	1		V-8911
86385	Wat. pump cov. 96-97	Vell.	1		V-8856
81585	Wat. pump to cyl. 74-80-85	Vell.	1		V-5096
83007	Wat. pump to cyl. 90-95-110-116-120	Vell.	1		V-8464
86387	Wat. pump to cyl. 96-97	Vell.	1		V-8267
81581	Wat. outlet	Vell.	1		V-5410
80019	Axle hsg. 96-97	Paper	1	38-40	37005
26680	Headlamp lens 80	Cork	2	36	C-7002
26424	Headlamp lens 90-110	Cork	2	36	C-7003
87155-6-7	Headlamp lens 96-97	Cork	8	38-40	C-7002

Graham-Paige Motor, 6. Models 619, 1928; 621, 1929; 629, 1928

3 1/2 x 5"



McCord No. 5468



McCord No. 1848



McCord No. 1826

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
67402	Cyl. hd.	Cop. Asb.	1		5468
	Mani. set (1-1848)	Stl. Asb.	1		MS-2499
	Valve cov. set (1-C724, 1-C725)	Cork	1		CV-281
67532-3	Valve cov. set (2 pcs.)	Vell.	1		ES-2510
	Oil pan set (1-C630)	Cork	1		CS-2178
67454	Oil pan set (1 pc.)	Vell.	1		ES-817
	Wat. jkt. cov. set (1-C723)	Cork	1		CW-41
67418	Wat. jkt. cov. set (1 pc.)	Vell.	1		ES-2181
67404	Gear cov. set (1 pc.)	Vell.	1		ES-1431
68963	Diff. carr. and axle hsg. set (1 pc.)	Vell.	2		ES-4220
67877	Exh. pipe flg.	Stl. Asb.	1		1826
67425	Manifold	Stl. Asb.	1		1848
67532	Valve cov., front	Cork	1		C-724
67533	Valve cov., rear	Cork	1		C-725
67454	Oil pan	Cork	1		C-630
67418	Wat. jkt. cov.	Cork	1		C-723
67489	Wat. outlet	Cork	1		C-631
67489	Wat. outlet	Vell.	1		V-5481
67404	Gear cov.	Cork	1		C-722

Graham Motor, 8. Passenger. Models 820, 1931; Bluestreak 8-57, 1932; 8-64, 1933; 8-67, 1934


3 1/8 x 4"

Models Custom 8-69, 1934, 3 1/4 x 4"; Special 8-72, 1934-35


3 1/8 x 4"

Model Custom 8-75, 1935


3 1/4 x 4"




McCord Nos. 5653-5653A-5653B-L-5653-B




McCord No. 2237



McCord No. 2238



McCord No. 2239



McCord No. 2274



McCord No. 2511A


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
76781	Cyl. hd. (1 1/8" wat. holes in upper right and left corners) (to July 32)	Cop. Asb.	1	31-32	5653
79547	Cyl. hd. (low comp.— 5/64" Asb.)	Cop. Asb.	1	32-35	5653A
80499	Cyl. hd. (high comp.— 3/64" Asb.)	Cop. Asb.	1	32-35	5653B
81370	Cyl. hd. (Dickson lam. allmetal) (all models)	Lam. Cop.	1	31-35	L-5653B
	Mani. set (1-2238, 2-2237, 2-2239)	Stl. Asb.	1		MS-975
	Mani. set (1-S2238, 2-S2237, 2-S2239)	Stlplk.	1		SMS-975
	Valve cov. set (2-C1271)	Cork	1		CV-286
	Oil pan set (1-C1398)	Cork	1		CS-2220
76648	Oil pan set (1 pc.)	Vell.	1		ES-P1004
	Wat. jkt. cov. set (1-C1385C)	Cork	1		CW-29
76663	Wat. jkt. cov. set (1 pc.)	Vell.	1		ES-2317
76658	Gear cov. set (1 pc.)	Vell.	1		ES-1450
65392	Axle hsg. set (1 pc.)	Vell.	1		ES-4114
75780	Exh. pipe flg.	Stlplk.	1	31-33	S-855D
80505	Exh. pipe flg.	Stl. Asb.	1	34-35	870H
76787	Mani., center	Stl. Asb.	1		2238
76788	Mani., inter.	Stl. Asb.	2		2239
76786	Mani., ends	Stl. Asb.	2		2237
76787A	Mani., center	Stlplk.	1		S-2238
76788A	Mani., inter.	Stlplk.	2		S-2239
76786A	Mani., ends	Stlplk.	2		S-2237
76645	Valve cov.	Cork	2		C-1271
76648	Oil pan	Cork	1		C-1398
78021D	Heat control hsg. to int.	Stl. Asb.	1		2274
78022	Heat control hsg. to exh.	Stl. Asb.	1		2511A
75518	Heat control hsg. to exh.	Stl. Asb.	1		2308
75769	Heat control hsg. cov.	Stlplk.	1		S-2303
75806	Carburetor	Stl. Asb.	1		2108
76663	Wat. jkt. cov.	Cork	1		C-1385C
	Wat. jkt. cov. stud washer	Cop.	37		472
67810	Wat. outlet	Cork	1		C-728
26424	Headlamp lens 72-75	Cork		34-35	C-7003

Graham-Paige Motor, 8. Passenger. Models 827-834-835-837, 1928-31. Continental 14K Motor. McCord No. 5493A. See Page No. 74.




Graham Motor, 8. Passenger. Models Standard-Special 822-834-842, 1930-31


3 1/4 x 1 1/2"




McCord No. 5586-B



McCord No. 2100




McCord No. 2075



McCord No. C-1033



McCord No. 2076



McCord No. C-1166

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
75039	Cyl. hd.	Cop. Asb.	1		5586B
	Mani. set (1-2100)	Stl. Asb.	1		MS-2497
	Valve cov. set (2-C1033)	Cork	1		CV-285
	Oil pan set (1-C1166)	Cork	1		CS-2219
75038	Oil pan set (1 pc.)	Vell.	1		ES-899
	Wat. jkt. cov. set (1-C1165)	Cork	1		CW-42
75036	Wat. jkt. cov. set (1 pc.)	Vell.	1		ES-2404
67713	Gear cov. set (1 pc.)	Vell.	1		ES-1430
75086	Exh. pipe flg.	Stl. Asb.	1		876B
75034	Manifold	Stl. Asb.	1		2100
75031	Valve cov.	Cork	2		C-1033
64573	Valve cov. screw	Cop. Asb.	20		500CA
75038	Oil pan	Cork	1		C-1166
75090	Heat control to exh.	Stl. Asb.	1		2075
75016	Heat control to int.	Stl. Asb.	1		2076
75017	Heat control hsg. cov.	Cop. Asb.	1		2101
75017	Heat control hsg. cov.	Stl. Asb.	1		S-2101
75594E	Carburetor	Stl. Asb.	1		2262
72701	Fuel pump	Vell.	1		V-5149
75036	Wat. jkt. cov.	Cork	1		C-1165
64573	Wat. jkt. cov. screw	Cop. Asb.	36		500CA
75171	Wat. outlet	Cork	1		C-1035
75171	Wat. outlet	Vell.	1		V-9195
67713	Gear cov.	Cork	1		C-3476C

Gramm, 4-6. Truck and Bus

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
AX4	1-2	Cont. W10	5626	77	ED	3-4 1/2	Buda D6-415	5981	27	35	2 1/2-15	Lyc. TS	5390	165
AX6	1-1 1/2	Cont. 25A	5580A	68	ED	3-4 1/2	Buda D6-415	5982	27	38	2 1/2-15	Lyc. TS	5390	165
B	1 1/2	Lyc. 4SL	5262	164	EX	5-7 1/2	Cont. E601	5751	71	40A	2 1/2-3 1/2	Herc. JXB	5674	126
B118	1-3	Lyc. 4SM	5262	164	EX	5-7 1/2	Cont. E601	6015	71	45	2 1/2-15	Lyc. TS	5390	165
B140	1-3	Lyc. 4SM	5262	164	EY190	2-7 1/2	Cont. 20R	5534	75	45A	2 1/2-3 1/2	Herc. JXB	5674	126
BF	1 1/2-4	Lyc. ASD	5598	161	EYB	2-7 1/2	Cont. 20R	5534	75	48	2 1/2-15	Lyc. TS	5390	165
BXF	1 1/2-4	Lyc. ASD	5598	161	FYB	2-7 1/2	Cont. 21R	5534	75	50A	2 1/2-3 1/2	Herc. JXB	5674	126
BX4	1-2	Cont. W10	5626	77	G	2-7 1/2	Cont. 21R	5534	75	55A	3-4 1/2	Herc. JXC	5732	126
BX6	1-1 1/2	Cont. 25A	5580A	68	GF	4-6	Herc. HXC	5729	126	60	2 1/2-15	Lyc. TS	5390	165
C	1 1/2-4	Lyc. ASB	5598	161	GW	2-7 1/2	Cont. 21R	5534	75	70A	3 1/2-4 1/2	Herc. JXC	5732	126
C	2-3	Herc. JXC	5732	126	GWD	5-7 1/2	Cum. Diesel	5861	79	75A	3 1/2-5	Herc. JXD	5910	126
C122	1 1/2-4	Lyc. ASB	5598	161	GY	2-7 1/2	Cont. 21R	5534	75	85A	4-5 1/2	Herc. JXD	5910	126
C122	2 1/2-15	Lyc. TS	5390	165	GY-120	2-7 1/2	Cont. 21R	5534	75	131	Bus	Cont. 16H	5146A	*
C160	2 1/2-15	Lyc. TS	5390	165	GYB	2-7 1/2	Cont. 21R	5534	75	175	Bus	Cont. 20R	5534	75
CF	1 1/2-4	Lyc. ASD	5598	161	GYB	5	Cont. 16H	5146A	*	178	Bus	Cont. 20R	5534	75
CXF	2-3 1/2	Cont. 20R	5534	75	HY	5	Cont. 16H	5146A	*	263N	1-2 1/2	Cont. 8R	68	*
CXH	2-3	Herc. JXC	5732	126	HYB	5	Cont. 16H	5146A	*	263N	1-3	Lyc. 4SM	5262	164
CX4	2-3	Cont. W20	5685	74	N	Bus	Lyc. 4SL	5262	164	363N	1-2 1/2	Cont. 8R	68	*
CX6	2	Cont. 20C	5669	70	O-35	3-10	Lyc. TS	5390	165	363N	1-3	Lyc. 4SM	5262	164
D	2 1/2-4	Herc. JXD	5910	126	O-45	3-10	Herc. L	5151	*	463N	1-2 1/2	Cont. 8R	68	*
D	1 1/2-4	Lyc. ASD	5598	161	O-45	2 1/2-15	Lyc. TS	5390	165	463N	1-3	Lyc. 4SM	5262	164
D122	2 1/2-15	Lyc. TS	5390	165	O-848	3-10	Herc. L	5151	*	564N	2-5	Cont. 6B	5135	*
D160	2 1/2-5	Lyc. TS	5390	165	RA	Bus	Lyc. TS	5390	165	564N	2 1/2-5	Lyc. TS	5390	165
DF	2-7 1/2	Cont. 21R	5534	75	15A	1 1/2-2	Herc. QXB3	5992	128	648	3-10	Herc. L	5151	*
DX	2 1/2-4	Wauk. 6BK	5921A	240	25A	1 1/2-2	Herc. QXB3	5992	128	668-O	2-5	Cont. 6B	5135	*
E	3-4 1/2	Herc. WXC3	5649	129	30	Bus	Buda BA6	5346	*	868-O	2-5	Cont. 6B	5135	*
E	3-4 1/2	Lyc. TS	5390	165	30	Bus	Lyc. TS	5390	165	1048	5-5 1/2	Herc. G	5152	*
E150	2 1/2-15	Lyc. TS	5390	165	30A	2-3	Herc. JXA	5674	126	1068-O	2-5	Cont. 6B	5135	*
E330	2 1/2-15	Lyc. TS	5390	165	31	Bus	Buda BA6	5346	*					
ED	3-4 1/2	Cum. Diesel	5861	79	31	Bus	Lyc. TS	5390	165					

NOTE—*Indicates that these motors are listed in Guide A. For other models see Guide A.

Gramm Bernstein, 4-6. Truck

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
A	2 1/2-5	Cont. 16R	5534	75	D	2 1/2-5	Cont. 16R	5534	75	K	2 1/2	Buda H298	5615	29
B6	2 1/2-5	Cont. 16C	5669	70	DX	2 1/2-5	Cont. 16R	5534	75	115S	2 1/2-3	Cont. 16C	5669	70
B6X	2 1/2-5	Cont. 16C	5669	70	HY	2 1/2-5	Cont. 16R	5534	75					
BX6	2 1/2-5	Cont. 16C	5669	70	J	1 1/2	Buda J214	5614	29					

NOTE—For older models see Guide A.



Grass-Premier, 4-6-8. Truck and Bus

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
32	1½	Lyc. 3S	5262	164	55-6	2-6	Lyc. ASD	5598	161	80-6	2½-3½	Wauk. 6KU	5473B	245
35-6	1½-2	Lyc. WTG	5387A	166	55-8	3-7	Lyc. HF	5620	162	82	2½-3½	Wauk. 6KU	5473B	245
35-T6	2-6	Lyc. ASD	5598	161	57	2½-3½	Wauk. 6KU	5473B	245	82-6	4-10	Wauk. 6SRL	5549	247
40	1	Lyc. CT	5067	*	57-6	4	Wauk. 6MK	5761	247	82-6SW	4-10	Wauk. 6SRL	5549	247
40	1½	Lyc. 4S	5262	164	57SW	2½-3½	Wauk. 6KU	5473B	245	85-8	3½-12	Lyc. AEC	5710	161
42	1	Lyc. CT	5067	*	57-6SW	4	Wauk. 6MK	5761	247	85-8SW	3½-12	Lyc. AEC	5710	161
42	1½	Lyc. 3S	5262	164	65-6	2-8	Lyc. TS	5390	165	95-6	7-12	Wauk. 6RB	5568	239
42-6	2	Wauk. 6TL	5603	248	65-T6	4-10	Wauk. 6SRL	5549	247	95-6SW	7-12	Wauk. 6RB	5568	239
45	1½	Lyc. 3S	5262	164	65-6SW	2-8	Lyc. TS	5390	165	100-SW	7-12	Wauk. 6RB	5568	239
45-6	2-3	Lyc. SB	5771	164	65-8	3-7	Lyc. HF	5620	162	545	3-4	Wauk. 6BK	5921A	240
45-6	2-6	Lyc. ASD	5598	161	65-8	3½-12	Lyc. AEC	5710	161	555	3½-5	Wauk. 6-110	5777	256
45-T6	2-8	Lyc. TS	5390	165	65-8SW	3-7	Lyc. HF	5620	162	565	3½-5	Wauk. 6-110	5777	256
45-8	2-3	Lyc. HD	5125A	162	65-T8	3½-12	Lyc. AEC	5710	161	575	5-7	Wauk. 6-125	5885	256
45-8	2-3	Lyc. GU	5388A	163	75	Bus	Lyc. 3H	5125A	162	635	2-3½	Wauk. 6-90	5779	255
47-6	2-3	Lyc. TH	5389	165	75-6	4-10	Wauk. 6SRL	5549	247	635	2-3	Lyc. SB	5771	164
47-8	2-3	Lyc. HD	5125A	162	75-T6	12	Wauk. 6SRK	5717	247	645	2-3½	Wauk. 6-90	5779	255
48-8	2-3	Lyc. HD	5125A	162	75-6SW	4-10	Wauk. 6SRL	5549	247	665	3½-5	Wauk. 6-110	5777	256
50	2-8	Lyc. TS	5390	165	75-8	3½-12	Lyc. AEF	5710	161	675	5-7	Wauk. 6-125	5885	256
52-6	2-8	Lyc. TS	5390	165	75-8SW	3½-12	Lyc. AEF	5710	161					
55-6	2-8	Lyc. TS	5390	165	75-T8	3½-12	Lyc. AEC	5710	161					

NOTE—* Indicates that these motors are listed in Guide A. For older models see Guide A.

Gray Marine Engines

Motor Model	No. Cyl.	Motor	McCord No.	See Page No.	Motor Model	No. Cyl.	Motor	McCord No.	See Page No.	Motor Model	No. Cyl.	Motor	McCord No.	See Page No.
Bluestreak	4	Herc. IXB	5800	126	32	4	Cont. PY	5684	75	6-71	6	Cont. F6209	5928	72
Bluest'k Jr.	4	Herc. IXL	5901	126	4-35	4	Cont. H8	5066	*	6-72	6	Cont. 16C	5669	70
Cruiser	8	Cont. 14K	5493A	74	4-37	4	Cont. H8	5066	*	75	6	Cont. 17E	5459	71
Economy 8	8	Reo	5705	216	4-40	4	Cont. C400	5785	69	75B	6	Cont. 17E	5459	71
Fisherman	4	Cont. W10	5626	77	6-40	6	Pontiac	5511A	207	81	6	Cont. 17E	5459	71
Fisherman	4	Cont. W20	5685	74	4-41	4	Cont. H8	5066	*	6-81	6	Cont. 40A	5580A	68
Flyer	4	Herc. IXB	5800	126	4-41X	4	Cont. H8	5066	*	6-90	6	Studebaker	5184	*
Hispeed	8	Cont. 14K	5493A	74	4-43	4	Cont. H8	5066	*	6-91	6	Cont. A6225	5580A	68
Light 4	4	Cont. PY	5684	75	44	4	Cont. W8	5626	77	6-91X	6	Cont. A6225	5580A	68
Phan. Lt. 6	6	Cont. C600	5786	69	4-44	4	Cont. W10	5626	77	6-93	6	Cont. 40A	5580A	68
Phan. Lt. 6	6	Cont. F6209	5928	72	4-45	4	Cont. Y4069	6104	77	6-95	6	Cont. E601	5751	71
Phantom 6	6	Cont. 40A	5580A	68	4-45	4	Cont. Y4091	6104	77	6-95	6	Cont. E601	6015	71
Phantom 8	8	Cont. 14K	5493A	74	49	4	Herc. IXB	5800	126	6-103	6	Cont. F6209	5928	72
Sea Scout 4	4	Herc. ZXB	5894	131	4-50	4	Herc. OX	5084	127	6-105	6	Cont. E603	5758	71
Sea Scout 6	6	Cont. F6209	5928	72	50	6	Pontiac	5511A	207	6-105	6	Cont. E603	6105	71
Super 6	6	Cont. A6225	5580A	68	51	6	Graham	5923	120	6-115	6	Cont. 40A	5580A	68
Thrifty 6	6	Cont. A6225	5580A	68	51	6	Graham	5947	120	6-125	6	Cont. A6225	5580A	68
Victory	4	Own	5656	*	6-51	6	Cont. C600	5786	69	4-132	4	Herc. IXB	5800	126
A6	6	Studebaker	5184	*	6-51	6	Cont. F6209	5928	72	143	4	Cont. C400	5785	69
C4	4	Cont. C400	5785	69	6-51X	6	Cont. F6209	5928	72	150	6	Cont. A6225	5580A	68
C5	4	Cont. C400	5785	69	4-55	4	Herc. IXB	5800	126	225	6	Cont. 40A	5580A	68
H50	4	Herc. OX	5084	127	55	6	Pontiac	5511A	207	260	6	Cont. 20C	5669	70
H75	4	Herc. G	5152	*	4-56	4	Cont. W20	5685	74	318	6	Cont. E601	5751	71
V	4	Gray Beall	5367	*	6-56	6	Pontiac	5511B	207	318	6	Cont. E601	6015	71
VC	4	Own	5656	*	4-60	4	Herc. OXC	5660	127	340	6	Herc. WXC	5649	129
VM	4	Own	5656	*	6-60	6	Cont. 17E	5459	71	340	6	Herc. WXC3	5649	129
Z	4	Own	5098	*	62	4	Cont. C400	5785	69	380	6	Herc. WXC3	5649	129
ZB	4	Own	5098	*	6-62	6	Cont. C600	5786	69	480	6	Herc. YXC3	5612	130
Z6	6	Studebaker	5143	*	63	6	Pontiac	5511A	207	530	6	Herc. RXC	5752	130
4-20	4	Herc. IXB	5800	126	66	6	Pontiac	5511B	207	1227	4	Cont. H8	5066	*
4-22	4	Cont. Y4069	6104	77	69	4	Cont. Y4069	6104	77					
4-22	4	Cont. Y4091	6104	77	69	4	Cont. Y4091	6104	77					
4-30	4	Cont. H8	5066	*	70	6	Cont. 17E	5459	71					

NOTE—* Indicates that these motors are listed in Guide A. For older models see Guide A.

Guilder, 4-6. Truck and Bus

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
B	1½	Buda WTU	5117A	*	E6	4	Cont. 6B	5135	*	H6	4	Herc. WXC	5649	129
B6	1½	Cont. 8R	68	*	E6	5	Buda DW6	5345	*	J	4-5	Buda YTU	5192	*
B6	2½	Buda HD	5344	*	E6	2½	Herc. WXA2	5496	129	J6	4	Herc. WXC2	5649	129
B6	1½	Herc. WXA	5495	129	EB26	Bus	Cont. 6B	5135	*	K	4-5	Buda YTU	5192	*
C6	2	Cont. 16C	5483A	70	EB26	Bus	Herc. WXC	5649	129	K5	5-7	Buda BTU	5290	*
C6	2½	Buda HD	5344	*	GB35	Bus	Herc. WXC2	5649	129	K6	5	Herc. YXC	5526	130
C6	2½	Herc. WXA2	5496	129	CB35	Bus	Herc. WXC3	5649	129	L7	5-7	Buda BTU	5290	*
CB20	Bus	Cont. 8R	68	*	CB35	Bus	Cont. 6B	5135	*	20	Bus	Cont. 8R	68	*
CB20	2½	Herc. WXB	5496	129	GB36	Bus	Buda BA6	5346	*	20	Bus	Buda HD	5344	*
CB25	4	Herc. WXC	5649	129	GB36	Bus	Herc. YXC2	5526	130	26	5	Buda DW6	5345	*
D6	1½	Cont. 8R	68	*	GB45	Bus	Herc. YXC	5526	130	30	Bus	Buda EBU	5236	*
D6	1½	Buda HD	5344	*	H	3	Buda EBUI	5236	*	35	5	Buda DW6	5345	*
E	2	Buda KBUI	5251	*	H6	2-4	Cont. 6B	5135	*	36	Bus	Buda BUS	5346	*

NOTE—* Indicates that these motors are listed in Guide A.


Hahn, 4-6. Truck and Bus (Hahn-Selden)

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
BB	Bus	Herc. OX	5084	127	M22	3½	Wauk. 6MZ	5750	247	47D	2½-5	Cont. 21R	5534	75
H9	1½	Wauk. 6BL	5930A	240	M25	4	Wauk. 6MZ	5750	247	47H	2½-5	Cont. 21R	5534	75
H11	2	Wauk. 6BL	5930A	240	M26	4-6	Wauk. 6MZ	5750	247	47HB	2½-5	Cont. 21R	5534	75
H13	2	Wauk. 6BL	5930A	240	O	Bus	Herc. OX	5084	127	47HBL	2½-5	Cont. 21R	5534	75
H18	2½	Wauk. 6BL	5930A	240	OB	Bus	Cont. 6B	5135	*	56	Bus	Cont. 6B	5135	*
H22	3	Wauk. 6BK	5921A	240	SJ6	1-2	Buda HS6	5344	*	56	2½	Cont. 6B	5135	*
HB3	2-3	Wauk. 6BK	5921A	240	17	1½	Cont. 18E	5459	71	57HB	2½-5	Cont. 21R	5534	75
HB4	2-3	Wauk. 6BK	5921A	240	17H	1½	Cont. 18E	5459	71	67H	2½-5	Cont. 16R	5534	75
HB5	2-3	Wauk. 6BK	5921A	240	20	Bus	Cont. 6B	5135	*	67HL	2½-5	Cont. 16R	5534	75
HB6	2-3	Wauk. 6BK	5921A	240	30LB	Bus	Cont. 15H	5146A	*	70	7-10	Wauk. 6SRK	5717	247
HD2	3½	Wauk. 6MZ	5750	247	36	1-2	Buda HS6	5344	*	76	3½	Herc. YXC	5526	130
HD2	4-10	Wauk. 6SRK	5717	247	37H	1½-2½	Cont. 15C	5669	70	250	3	Wauk. 6MZ	5750	247
HD3	4-6	Wauk. 6MZ	5750	247	37HL	1½-2½	Cont. 15C	5669	70	300	3½-6	Wauk. 6MZ	5750	247
HE2	5-7	Wauk. 6SRK	5717	247	39H	2½-5	Cont. 16R	5534	75	317	1½-2½	Cont. 15C	5669	70
KB	Bus	Cont. 6B	5135	*	39HL	2½-5	Cont. 16R	5534	75	317H	1½-2½	Cont. 15C	5669	70
KB	Bus	Cont. 16T	5275	*	46	1-2	Buda HS6	5344	*	440	4-10	Wauk. 6SRK	5717	247
M20	3	Wauk. 6MZ	5750	247	47B	2½-5	Cont. 21R	5534	75					

NOTE—* Indicates that these motors are listed in Guide A.

Hall-Scott Motors, 4-6. See A. C. F.


Harley Davidson. Motorcycle



McCord No. 5210



McCord No. 5554



McCord No. 5555



McCord No. 5561



McCord No. 5812

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
11-26	Cyl. hd. A & B singles	Col. Cop.	1	26-34	5210
12-26	Cyl. hd. AA & AB singles	Sol. Cop.	1	26-29	5561
11-29A	Cyl. hd. C singles	Sol. Cop.	1	29-34	5555
11-29	Cyl. hd. 45" twins	Sol. Cop.	2	29-34	5812
11-30	Cyl. hd. 74" twins	Sol. Cop.	2	30-34	5554

Headlamp Lens Cork Strips

Part No.	Car	McCord No.	Part No.	Car	McCord No.
6082	Buick 8-50, 1931	C7007	33478	Hudson 8, 1930	C7003
6085	Buick 8, all 1937 and 1939	C7005	35918	Hudson 8, 1931	C7003
6081	Buick 6, 1929-30; 8-60-80-90, 1931; all 8's, 32-33	C7006	102579	Hudson 6; Terraplane 8, 1933	C7003
6083	Buick 8-50-60-90, 1934-35	C7003	96199	Hudson 8, 1932-33	C7003
6084	Buick 8-40, 1934-35; all 1936 and 1938	C7002	109278	Hudson 8, 1934	C7005
6081	Cadillac 8-12-16, 32-33	C7006	114583	Hudson 6-8, Terraplane 6, 1935; (Corcoran-Brown)	C7003
6085	Cadillac 8-12-16, 1934-35; 16, 1936-37	C7005	114815	Hudson 6-8, Terraplane 6, 1935; Terraplane 6, 1936 to Serial 611303	C7003
6083	Cadillac 8-12, 1936; LaSalle 8, 1934-35	C7003	130253	Hudson 6-112, 1938-39	C7003
6084	Cadillac 8-12, LaSalle 8, 1937	C7002	119189	Hudson 6-8, Terraplane 6, 1936-37	C7002
922299	Cadillac 8-12-16; LaSalle 8, 1938-39	C7004	133907	Hudson 6-8, 1939	C7002
6084	Chevrolet 6, pass. & trucks, 1931-32; pass. only, 1938	C7002	129010	Hudson 6-8, 1938	C7004
6085	Chevrolet 6, all 1932-38 except 38 pass.	C7005	6085	LaSalle 8, 1936	C7005
918677	Chevrolet 6, trucks, 1939	C7005	H-13066	Lincoln Zephyr 12, 1936-37	C7002
922299	Chevrolet 6 pass., 1939	C7004	6082	Olds 6, 1930-32; 8, 1932	C7007
668362	Chrysler 6, 1937; 8-C14-15, 1937	C7001	6085	Olds 6-8, 1934-36	C7005
312208	DeSoto 6	C7006	6083	Olds 6-8, 1933	C7003
619576	DeSoto 6, SE-34; SG-35; S2-36	C7006	6084	Olds 6-8, 1937	C7002
661683	DeSoto 6-S1, 1936	C7001	922299	Olds 6-8, 1938-39	C7004
668362	DeSoto 37	C7001	202412	Packard 8, 1001-2-3-4, 1100-1-2-3-4-5, 1933-34	C7003
321697	Dodge 8, 1931	C7003	225873	Packard Super 8, 1200-1205, 1400-1405 series, 1935-36	C7003
604488	Dodge 6, 1933	C7002	225873	Packard 6, 37-39; 8 (120-1601-2-1701-2) 35-39	C7003
610381	Dodge 8, 1933	C7002	225873	Packard Super 8-12, 1500 through 1508, 1603 through 1608 series, 1937-38	C7003
611942	Dodge 6, 1934	C7001	312208	Plymouth 4, 30-31	C7006
668362	Dodge 6, 1937	C7001	668362	Plymouth 6, 1938	C7001
B-13066	Ford 4-V8, 1928-37 (except 1937 pass.)	C7002	661683	Plymouth 6, 1937	C7001
78-13066	Ford V8 pass., 1937-38	C7004	661697	Plymouth Commercial 6, 1937-38	C7002
48-13066	Ford V8 trucks, 1938	C7004	6085	Pontiac 6, 1932 and 1935-38; 8, 1932-38	C7005
26680	Graham 6-80, 1936	C7002	263515	Studebaker 6-8, 1937	C7003
26424	Graham 6-73; 8-72-75, 1935	C7003	129002	Terraplane 6, 1938	C7002
87155-56-57	Graham 6-90-110; 1936-37	C7003			
	Graham 6-96-97, 1938 (8 pcs., top, bottom and sides)	C7002			

Headlamp Lens. Cork Strip Assortment and Stocking Case. McCord No. 8574.

Quantity	Size	McCord No.	Quantity	Size	McCord No.
6	$\frac{7}{32} \times \frac{1}{8} \times 36''$	C-7001	6	$\frac{1}{4} \times \frac{1}{4} \times 36''$	C-7005
6	$\frac{7}{32} \times \frac{3}{16} \times 36''$	C-7002	6	$\frac{1}{8} \times \frac{5}{32} \times 36''$	C-7006
6	$\frac{1}{4} \times \frac{1}{8} \times 36''$	C-7003	6	$\frac{3}{8} \times \frac{5}{32} \times 36''$	C-7007
6	$\frac{1}{4} \times \frac{7}{32} \times 36''$	C-7004			


Hendrickson, 6. Truck.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
A126	2	Wauk. 6BK	5921A	240	U6	4-12	Wauk. 6SRL	5549	247	24S	4-12	Wauk. 6-125	5885	256
A165	2½	Wauk. 6BK	5921A	240	U6	4-12	Wauk. 6-125	5885	256	25D	2½-9	Wauk. 6-110	5777	256
A210	3½	Wauk. 6-110	5777	256	V6	4-6	Buda BA6	5346	*	32	5-12	Wauk. 6RB	5568	239
A210A	3	Wauk. 6BZ	6019	240	V6	5-12	Wauk. 6RB	5568	239	32D	2½-7	Wauk. 6-110	5777	256
AD240	3	Cum. 4HB	5861	79	14S	2½-9	Wauk. 6-110	5777	256	32S	4-12	Wauk. 6SRL	5549	247
A290	4	Wauk. 6-110	5777	256	15S	2-6	Wauk. 6-90	5779	255	32S	4-12	Wauk. 6RB	5568	239
A390	5	Wauk. 6-125	5885	256	15SA	2½	Wauk. 6BK	5921A	240	32S	4-12	Wauk. 6-125	5885	256
MSW	4-6	Buda BA6	5346	*	16S	2-6	Wauk. 6MK	5761	247	36D	4-12	Wauk. 6-125	5885	256
MSW	4-10	Buda GF6	5263	28	17S	2½-7	Wauk. 6-110	5777	256	36D	4-12	Wauk. 6SRL	5549	247
SW	4-10	Buda GL6	5263	28	19S	2-6	Wauk. 6MK	5761	247	36S	4-12	Wauk. 6SRL	5549	247
SW610	4-10	Buda GL6	5263	28	19S	2½-9	Wauk. 6-110	5777	256	38D	4-12	Wauk. 6SRL	5549	247
SSW	4-6	Buda BA6	5346	*	21D	2-6	Wauk. 6-90	5779	255	38D	4-12	Wauk. 6-125	5885	256
ST6	2½-3	Buda DW6	5345	*	22D	2-6	Wauk. 6MK	5761	247	40D	4-12	Wauk. 6-125	5885	256
STD6	2½-3	Buda DW6	5345	*	24	4-12	Wauk. 6-125	5885	256	44D	4-10	Buda GL6	5263	28
T6	2½-3	Buda DW6	5345	*	24	4-12	Wauk. 6SRL	5549	247	44D	5-12	Wauk. 6RB	5568	239
U4	4-10	Buda GL6	5263	28	24D	2-6	Wauk. 6MK	5761	247					
U6	4-6	Buda BA6	5346	*	24S	2½-9	Wauk. 6-110	5777	256					


NOTE—* Indicates that these motors are listed in Guide A. For older models see Guide A.



Hercules Motor, 6. Models GXA, 4 3/4 x 5 3/4"; GXB, 5 x 5 3/4"; GXC, 5 1/4 x 5 3/4"; GXD, 5 1/2 x 5 3/4"; GXE, 5 3/4 x 5 3/4"
Models HXA, 4 3/4 x 5"; HXB, 5 x 6"; HXC, 5 1/4 x 6"; HXD, 5 1/2 x 6"; HXDW, 5 5/8 x 6"; HXE, 5 3/4 x 6"



McCord Nos. 5729-5730-5731




McCord No. 2744



McCord No. 2745

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
30567C	Cyl. hd. GXA-GXB-HXA-HXB	Cop. Asb.	2		5730
30988C	Cyl. hd. GXC-HXC	Cop. Asb.	2		5729
31442C	Cyl. hd. GXD-GXE-HXD-HXDW-HXE	Cop. Asb.	2		5731
	Mani. set (2-2744)	Cop. Asb.	1		MS-1059
	Valve cov. set (2-C3810)	Cork	1		CV-594
30085-6B	Oil pan set (2 pcs.)	Vell.	1		ES-449
30065C	Bell hsg. set (1 pc.)	Vell.	1		ES-640
	Wat. jkt. cov. set (2-C4130)	Cork	1		CW-37
30024C	Gear cov. set (1 pc.)	Vell.	1		ES-1634
30028A	Exh. pipe flg. (4 3/32" C.H.)	Cop. Asb.	1		2746
30985B	Exh. pipe flg. (4 1/8" C.H.)	Cop. Asb.	1		3034
30023C	Manifold	Cop. Asb.	2		2744
30005B	Valve cov.	Cork	2		C-3810
8575A	Oil pressure relief valve	Cop. Asb.	2		511A
31245A	Oil filter drain plug	Cop. Asb.	1		110B
30902A	Heat control hsg.	Cop. Asb.	1-2		2745
22564A	Fuel pump	Vell.	1		V-8347
30173A	Wat. pump attaching	Vell.	1		V-8348
4841A	Wat. outlet	Asb.	2		16076
30363B	Wat. jkt. cov.	Cork	2		C-4130
30008C	Cyl. base	Tr. Paper	2		33015

Hercules Motor, 4. Models IX, 2 1/4 x 4"; IXA, 3 x 4"; IXB, 3 1/4 x 4"; IXL, 2 11/16 x 4"; IXT, 2 3/4 x 4"




McCord Nos. 5800-5901



McCord No. S-2596

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
27310C	Cyl. hd. IX-IXL-IXT	Cop. Asb.	1		5901
27233C	Cyl. hd. IXA-IXB	Cop. Asb.	1		5800
	Mani. set (2-S2596)	Stlplk.	1		SMS-1058
	Valve cov. set (1-C5197)	Cork	1		CV-648
27187B	Oil pan set (2 pcs.)	Vell.	1		ES-8
27064B	Bell hsg. set (1 pc.)	Vell.	1		ES-519
27066B	Bell hsg. set (1 pc.), marine	Vell.	1		ES-520
27024B	Gear cov. set (1 pc.)	Vell.	1		ES-1362
27028A	Companion flg.	Cop. Asb.	1		114D
27722A	Companion flg.	Asb.	1		16165
27799B	Manifold	Stlplk.	2		S-2596
28009B	Valve cov.	Cork	1		C-5197
4982A	Oil pan pack.	Cork	2		C-4961
27712B	Oil pan panel	Cork	1		C-4824
86A	Wat. pump inlet	Vell.	2		V-5117
A3510	Wat. outlet, twin coach	Vell.	1		V-8991
4661A	Wat. pump and accy. drive	Cork	2		C-5105
22564A	Fuel pump	Vell.	1		V-8347
14642A	Gear cov. pack.	Cork	1		C-5106
86A	Gov. valve box	Vell.	1		V-5117

Hercules Motor, 6. Models JXA, 3 3/8 x 4 1/4"; JXB, 3 5/8 x 4 1/2"; JXC-JXCT, 3 3/4 x 4 1/4"; JXD, 4 x 4 1/4"




McCord Nos. 5674-5732-5910

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
40003C	Cyl. hd. JXA-JXB	Cop. Asb.	1		5674
40103C	Cyl. hd. JXC-JXCT	Cop. Asb.	1		5732
40237C	Cyl. hd. JXD	Cop. Asb.	1		5910
	Motor overhaul set (less head gasket) (1-2130, 1-2269, 2-C3735, 1-P248, 1-C4725, 1-P247, 1-V9299, 1-V8845, 1-V8874, 1-V102, 3-V103, 1-V8463, 1-V8347, 1-V8292, 1-V8294, 1-V5258, 1-V5492, 1-V1455)		1		9092


(Continued on Next Page)

Hercules Motor, 6. JX Series—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	Mani. set (1-2269)	Cop. Asb.	1		MS-1060
	Valve cov. set (2-C3735)	Cork	1		CV-293
	Oil pan set (2-C4723, 1-C4725)	Cork	1		CS-2312
40872B	Oil pan between halves set (1 pc.) JXC-JXCT	Vell.	1		ES-766
	Oil pan set (2-P248, 1-C4725)	Vell.	1		ES-248
	Bell hsg. set (1-P247)	Vell.	1		ES-247
	Gear cov. set (1 pc.)	Vell.	1		ES-1455
22024B	Exh. pipe flg. (Indiana)	Cop. Asb.	1		2777
36139	Exh. pipe flg.	Cop. Asb.	1		2130
75293	Manifold	Cop. Asb.	1		2269
40028A	Valve cov.	Cork	2		C-3735
45789B	Oil pan, sides	Cork	2		C-4723
40005B	Oil pan, front	Cork	1		C-4725
40085B	Oil pan, sides	Vell.	2		P-248 set
4718A	Oil pan, front	Cork	1		
40085A	Oil pump body	Vell.	1		V-9299
4718A	Oil filter	Vell.	1		V-8845
22119A	Oil filter shell	Vell.	1		V-8874
40691A	Oil filter plugs	Cop. Asb.	2		511A
2452A	Bell hsg.	Vell.	1		P-247
8575A	Carburetor	Vell.	1		V-102
22065B	Gov. valve box	Vell.	1		V-103
86A	Gov. attaching	Vell.	1		V-8463
87A	Fuel pump	Vell.	1		V-8347
10471A	Wat. pump cov.	Vell.	1		V-8292
22564A	Wat. pump shaft	Cork	1		C-5105
22164A	Wat. pump outlet (with dist.)	Vell.	1		V-103
4661A	Wat. pump outlet (with mag.)	Vell.	1		V-8829
87A	Wat. inlet	Vell.	1		V-5117
40150A	Wat. inlet	Vell.	1		V-5258
86A	Wat. inlet (2 3/8" pipe)	Vell.	1		V-103
7218A	Wat. outlet	Vell.	1		V-103
87A	Wat. pump and accy. drive	Vell.	1		V-8294
87A	Gear cov. to C/S	Cork	1		C-4789
22149A	Generator flg.	Vell.	1		V-5492
4680A					
22271A					



McCord No. 2269



McCord No. C-3735




McCord No. 2777


Hercules Motor, 4. Models O-OX, 4x5"; OXC-OX3

4 1/4 x 5"

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1603D	Cyl. hd. O-OX	Cop. Asb.	1		5084
2903D	Cyl. hd. OXC-OX3	Cop. Asb.	1		5660
	Motor overhaul set O (1-5084, 2-1160, 1-2729, 2-C3971, 2-P228, 1-P639, 1-V1457)		1		9081
	Motor overhaul set OX (1-5084, 2-1160, 1-2729, 2-C3971, 2-P228, 1-P639, 1-V1412)		1		9082
	Mani. set (2-1160)	Cop. Asb.	1		MS-1054
	Valve cov. set (2-C3971)	Cork	1		CV-294
1685B	Oil pan set (2 pcs.)	Vell.	1		ES-228
1665B	Bell hsg. set (1 pc.)	Vell.	1		ES-639
1624B	Gear cov. set O-OXC (1 pc.)	Vell.	1		ES-1457
	Gear cov. set (1 pc.) OX	Vell.	1		ES-1412
2124B	Exh. pipe flg. (Available)	Cop. Asb.	1		869D
L-1095	Exh. pipe flg. (Diamond T)	Cop. Asb.	1		1073
1024R	Exh. pipe flg.	Cop. Asb.	1		2729
2030A	Manifold	Cop. Asb.	2		1160
1623B	Valve cov.	Cork	2		C-3971
1605A	Oil filter plug	Cop. Asb.	4		511A
8575A	Carburetor	Vell.	1		
87A	Int. extension	Vell.	1		V-103
87A	Gov. valve box	Vell.	1		
87A	Wat. inlet	Vell.	1		
86A	Wat. pump outlet	Vell.	1		V-5117




McCord Nos. 5084-5660




McCord No. 1160

Hercules Motor, 4. Models OOA, 3 1/2 x 4 1/2"; OOB, 3 3/4 x 4 1/2"; OOC 4x4 1/2"




McCord No. 5597




McCord No. 2138

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
22003C	Cyl. hd.	Cop. Asb.	1		5597
	Motor overhaul set (1-5597, 2-2138, 1-2137, 1-C3841, 2-P246, 1-P247, 1-V1455)		1		9083
	Mani. set (2-2138)	Cop. Asb.	1		MS-1056
	Valve cov. set (1-C3841) ..	Cork	1		CV-651
	Oil pan set (2-P246)	Vell.	1		ES-246
	Bell hsg. set (1-P247)	Vell.	1		ES-247
22024B	Gear cov. set (1 pc.)	Vell.	1		ES-1455
22328A	Exh. pipe flg.	Asb.	1		16141
22028A	Companion flg.	Cop. Asb.	1		2137
22023B	Manifold	Cop. Asb.	2		2138
22005B	Valve cov.	Cork	1		C-3841
22085B	Oil pan, sides	Vell.	2		P-246 set
22119A	Oil pump bracket	Vell.	1		V-9299
40150A	Oil filter	Vell.	1		V-8829
22065B	Bell hsg.	Vell.	1		P-247
22564A	Fuel pump	Vell.	1		V-8347
86A	Wat. inlet	Vell.	1		V-103
86A	Wat. outlet, early	Vell.	1		V-103
40150A	Wat. outlet, late	Vell.	1		V-8829
22164A	Wat. pump cov.	Vell.	1		V-8292
86A	Wat. pump outlet	Vell.	1		V-5117
4661A	Wat. pump and accy. drive pack.	Cork	2		C-5105
22149A	Wat. pump and accy. drive	Vell.	1		V-8294


Hercules Motor, 6. Models QXA-QXA3-QXA5, 3 1/8 x 4 1/8"; QXB-QXB3-QXB5, 3 1/4 x 4 1/8"; QXC-QXC5 3 3/8 x 4 1/8"




McCord No. 5992



McCord No. 6038



McCord No. S-2941




McCord No. S-3048

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
46004C	Cyl. hd. QXA-QXB Series	Cop. Asb.	1		5992
46002C	Cyl. hd. QXC Series	Cop. Asb.	1		6038
	Mani. set (1-S2941) QXA- QXB Series	Stlpk.	1		SMS-2451
	Mani. set (1-S3048) QXC Series	Stlpk.	1		SMS-2553
	Valve cov. set (2-C4581) ..	Cork	1		CV-545
	Oil pan set (2-P63, 1-C4725)	Vell.	1		ES-63
46065B	Bell hsg. set (1 pc.)	Vell.	1		ES-641
46124B	Gear cov. set (1 pc.) (3 gear engine)	Vell.	1		ES-1184
2030A	Exh. pipe flg.	Cop. Asb.	1		2729
46741B	Manifold QXA-QXB Series	Stlpk.	1		S-2941
46754B	Manifold QXC Series	Stlpk.	1		S-3048
46008B	Valve cov.	Cork	2		C-4581
46085B	Oil pan, sides	Vell.	2		P-63 set
4718A	Oil pan, end front	Cork	1		C-4725
45425B	Bell hsg. (power unit) ...	Tr. Paper	1		30470
22564A	Fuel pump	Vell.	1		V-8347
22164A	Wat. pump cov.	Vell.	1		V-8292
46662A	Wat. pump outlet	Vell.	1		V-5077
46665A	Wat. outlet top	Vell.	1		V-5438
86A	Wat. pump inlet	Vell.	1		V-5117
87A	Wat. outlet cyl.	Vell.	1		V-103
320125	Wat. outlet (White)	Vell.	1		V-8152
87A	Carb. and valve box	Vell.	2		V-103


Hercules Motor, 6. Models RXB-RXC-RXLC-RXLD. McCord No. 5612 or 5752. See Page No. 130.



Hercules Motor, 6. Models WXA, 3 3/8 x 4 1/2" WXA2, 3 1/2 x 4 1/2"; WXB, 3 3/4 x 4 1/2"; WXC 4x4 1/2"
Models WXC2, 4 1/8 x 4 1/2"; WXC3, 4 1/4 x 4 1/2"; WXL, 4x4 3/4"; WXL3 4 1/4 x 4 3/4"



McCord Nos. 5495-5496-5649




McCord No. 1959




McCord No. 3035

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
18104D	Cyl. hd. WXA	Cop. Asb.	1		5495
18003C	Cyl. hd. WXA2-WXB	Cop. Asb.	1		5496
18883C	Cyl. hd. WXC-WXLC				
	Series	Cop. Asb.	1		5649
18022AS	Motor overhaul set (less head gasket)				
	(1-1079, 1-1959, 2-C1202, 1-P931, 2-P930, 1-C3979, 1-V5675, 1-V5656, 1-V8874, 1-C3978, 1-V8156, 2-511A, 1-3035, 1-V5163, 1-V8347, 1-V5898, 2-V5967, 1-V5734, 1-V5437, 1-C5108, 1-V1446)		1		9091
	Mani. set (1-1959)	Cop. Asb.	1		MS-2482
	Valve cov. set (2-C1202)	Cork	1		CV-292
	Oil pan set (2-P930)	Vell.	1		ES-930
18024C	Gear cov. set (1 pc.)	Vell.	1		ES-1446
18065B	Bell hsg. set (1 pc.)	Vell.	1		ES-931
18028A	Exh. pipe flg.	Cop. Asb.	1		1079
643800	Exh. pipe flg. (Studebaker)	Cop. Asb.	1		2932
18846A	Exh. companion flg.	Cop. Asb.	1		2372
18023B	Manifold	Cop. Asb.	1		1959
18005B	Valve cov.	Cork	2		C-1202
18085B	Oil pan sides	Vell.	2		P-930
8146A	Oil pan strainer	Cork	1		C-3979
8129A	Oil pump cov.	Vell.	1		V-5647
15133A	Oil pump main discharge	Vell.	1		V-5675
15132B	Oil pan baffle	Vell.	1		V-5968
15132A	Oil pan baffle	Cork	1		C-3978
18249A	Oil filterator	Vell.	1		V-5656
40247A	Oil cooler	Vell.	1		V-8156
2452A	Oil filter	Vell.	1		V-8874
8575A	Oil drain plug	Cop. Asb.	2		511A
18786C	Heat control hsg.	Cop. Asb.	1		3035
87A	Gov. valve box	Vell.	1		V-103
H-1110	Carburetor	Vell.	1		V-5163
22564A	Fuel pump	Vell.	1		V-8347
18164A	Wat. pump cov.	Vell.	1		V-5898
18173A	Wat. pump to block	Vell.	1		V-5734
15149A	Wat. pump gear sleeve	Vell.	2		V-5967
829A	Wat. outlet pipe	Vell.	1		V-5437
86A	Wat. inlet	Vell.	1		V-5117
4790A	Generator ring	Cork	1		C-5108

Hercules Motor, 6. Models WXD, 3 1/2 x 4 1/2"; WXE-WXEA, 3 3/4 x 4 1/2"; WXG, 4x4 1/2"; WXLRT 4 1/4 x 4 1/2"
Models WXO, 4 1/8 x 4 1/2"; WXR-WXRT-WXT 4 1/4 x 4 1/2"



McCord No. 6067



McCord Nos. 5530-5531-5675-5666

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
21003	Cyl. hd. WXD-WXE-				
21203C	WXEA	Cop. Asb.	1		5530
21303C	Cyl. hd. WXG	Cop. Asb.	1		5531
21403C	Cyl. hd. WXO	Cop. Asb.	1		5675
19003C	Cyl. hd. (iron head)				
	WXLRT-WXR,WXRT-WXT	Cop. Asb.	1		5666
21210C	Cyl. hd. (alum. head)				
	WXLRT-WXR-WXRT-WXT	Cop. Asb.	1		6067
	Mani. set (1-1959)	Cop. Asb.	1		MS-2482
	Valve cov. set (2-C3841)				
	WXD-WXG-WXO	Cork	1		CV-290
	Valve cov. set (2-C1202)				
	WXE-WXEA-WXLRT-WXR-WXRT-WXT	Cork	1		CV-292
	Oil pan set (2-P930)	Vell.	1		ES-930

(Continued on Next Page)

Hercules Motor, 6. WX Series—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
18065B	Bell hsg. set (1 pc.)	Vell.	1		ES-931
21019C	Cyl. base set (1 pc.)				
	W XD-WXG-WXO	Vell.	1		ES-3753
19038C	Cyl. base set (1 pc.)				
	W XE-WXEA-WXLRT-				
	WXR-WXRT-WXT	Vell.	1		ES-3761
	Gear cov. set (1-V1444)	Vell.	1		ES-1444
18846A	Exh. pipe fig.	Cop.	Asb.	1	2372
18023B	Manifold	Cop.	Asb.	1	1959
22005B	Valve cov. W XD-WXG-				
	W XO	Cork	2		C-3841
18005B	Valve cov. W XE-WXEA-				
	WXLRT-WXR-				
	WXRT-WXT	Cork	2		C-1202
18056C	Oil pan, sides	Vell.	2		P-930
8146A	Oil pan strainer	Cork	1		C-3979
18249A	Oil filtrator	Vell.	1		V-5656
2452A	Oil filter	Vell.	1		V-8874
8129A	Oil pump cov.	Vell.	1		V-5647
15132A	Oil pump baffle shell	Cork	1		C-3978
15133A	Oil pump main discharge	Vell.	1		V-5675
40247A	Oil cooler	Vell.	1		V-8156
18241A	Oil regulator body	Vell.	1		V-8146
8575A	Oil drain plug	Cop.	Asb.	2	511A
18786C	Heat control cov.	Cop.	Asb.	1	3035
4110A	Carburetor	Vell.	1		V-5163
D5779	Carburetor	Asb.	1		16008
847A	Gov. to mani. WXR-WXT	Std. Asb.	1		847D
C-4345	Carb. body	Vell.	1		V-9416
22564A	Fuel pump	Vell.	1		V-8347
21233A	Gas pump	Vell.	1		V-5142
18164A	Wat. pump	Vell.	1		V-5898
16832A	Wat. pump body cov.	Vell.	1		V-9461
18173A	Wat. pump to cyl.	Vell.	1		V-5734
86A	Wat. pump inlet	Vell.	1		V-5117
15149A	Wat. pump gear sleeve	Vell.	2		V-5967
829A	Wat. outlet pipe	Vell.	1		V-5437
13949	Wat. outlet	Vell.	1		V-5737
21024D	Gear cov.	Vell.	1		V-1444




McCord No. 1959




McCord No. 3035

Hercules Motor, 6. Models YXA, 3 3/4 x 4 3/4"; YXB, 4 x 4 3/4"; YXC, 4 3/8 x 4 3/4"; YXC2, 4 1/2 x 4 3/4"
 Models YXC3, 4 5/8 x 4 3/4"; YXC4, 4 5/8 x 5 1/4"; YXD, 4 1/2 x 4 3/4"
 Models RXB, 4 1/2 x 5 1/4"; RXC-RXLC, 4 5/8 x 5 1/4"; RXLDT, 4 3/4 x 5 1/4"


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
15104C	Cyl. Hd. YXA-YXB	Cop. Asb.	2		5525
15003C	Cyl. hd. YXC-YXC2-				
15803C	YXD	Cop. Asb.	2		5526
15923C	Cyl. hd. YXC3-YXC4-				
	RXB-RXC (old stud location see note)	Cop. Asb.	2		*5612
16155C	Cyl. hd. YXC3-YXC4-				
	RXB-RXC (new stud location see note)	Cop. Asb.	2		*5752
16933C	Cyl. hd. heavy duty YXC3-YXC4-RXB (new stud location, see note)	Cop. Asb.	2		*6018
66004C	Cyl. hd. RXLC	Cop. Asb.	2		6063
66007C	Cyl. hd. RXLDT	Cop. Asb.	2		6062



McCord No. 5525-5526-5612-5752



McCord No. 6018



McCord No. 6062 (No. 6063)


NOTE—New stud locations begin on YXC3-YXC4 motors at Serial No. 119940 and on RXB and RXC motors at Serial No. 118900.

Mani. set (old style with hot spot) (1-1957, 2-1958, 1-1960, 2-1961, 2-1962, 3-842A)	Cop. Asb.	1		MS-1057
Mani. set (new style) (1-2270)		1		MS-2481
Valve cov. set (2-C1298)	Cork	1		CV-291
Oil pan set 2-P942)	Vell.	1		ES-942

(Continued on Next Page)

Hercules Motor, 6. YX-RX Series—Continued


Part No.	Name of Gasket	Type	Used Per Motor Year		McCord No.
15065B	Bell hsg. set (1 pc.)	Vell.	1		ES-943
15179B	Wat. jkt. cov. set (1 pc.)	Vell.	1		ES-2191
15024C	Gear cov. set (1 pc.)	Vell.	1		ES-1530
7028A	Exh. pipe flg.	Cop. Asb.	1		1270
16147A	Exh. companion flg. (3 bolt)	Cop. Asb.	1		2273A
7417	Exh. companion flg. RXC	Cop. Asb.	1		1758
15026A	Exh., outer	Cop. Asb.	2		1962
15023A	Exh., inner	Cop. Asb.	2		1961
15237A	Exh. mani. conn.	Cop. Asb.	2		1958
15031A	Intake	Cop. Asb.	3		842A
15236A	Exh. valve cov.	Cop. Asb.	1		1957
15036A	Hot spot	Cop. Asb.	1		1960
15028B	Mani. (new style) (1 pc. mani.)	Cop. Asb.	1		2270
18786A	Heat control cov.	Cop. Asb.	1		3035
15005B	Valve cov.	Cork	2		C-1298
15085B	Oil pan, sides	Vell.	2		P-942
19010A	Oil pan seal	Cork	1		C-4962
4680	Oil pan pack.	Cork	1		C-4789
8146A	Oil pan strainer	Cork	1		C-3979
15133A	Oil line	Vell.	8		V-5675
8129A	Oil pump cov.	Vell.	1		V-5647
15123B	Oil pump baffle	Vell.	1		V-5968
8575A	Oil filter plug	Cop. Asb.	4		511A
15164A	Wat. pump	Vell.	1		V-5861
15149A	Wat. pump gear sleeve	Vell.	2		V-5967
87A	Wat. inlet	Vell.	1		V-103
8179A	Wat. outlet	Vell.	2		V-5268
22564A	Fuel pump	Vell.	1		V-8347




McCord No. 2270




McCord No. 1957



McCord No. 1960



McCord No. 1958




McCord No. 1961



McCord No. 1962




McCord No. 2273A




McCord No. 3035

Hercules Motor, 4. Models ZXA, 2 1/2 x 3"; ZXB


2 5/8 x 3"



McCord No. 5894



McCord No. S-2908




McCord No. S-3091


Part No.	Name of Gasket	Type	Used Per Motor Year		McCord No.
58004B	Cyl. hd.	Cop. Asb.	1		5894
	Mani. set (2-S2908) ZXA	Stlpk.	1		SMS-1061
	Mani. set (1-S3091) ZXB	Stlpk.	1		SMS-2597
58085B	Oil pan set (2 pcs.)	Vell.	1		ES-13
58065B	Bell hsg. set (1 pc.)	Vell.	1		ES-475
	Valve cov. set (1-C5174)	Cork	1		CV-649
58024B	Gear cov. set (1 pc.)	Vell.	1		ES-1635
58328A	Exh. pipe flg.	Cop. Asb.	1		2261
58028A	Manifold ZXA	Stlpk.	2		S-2908
58029B	Manifold ZXB	Stlpk.	1		S-3091
14642A	Oil pan pack.	Cork	1		C-5106
58006B	Valve cov.	Cork	1		C-5174
22564A	Fuel pump	Vell.	1		V-8347
4110A	Wat. outlet	Tr. Paper	1		30036
4661A	Accy. drive	Cork	1		C-5105
14642A	Gear cov. pack.	Cork	1		C-5106

Hudson Motor, 6. Passenger. Models O-S, 1927-29

3 1/2 x 5"



McCord No. 5197



McCord No. 5429




McCord No. 1998



McCord No. 1841




McCord No. 1840




McCord No. 1842



McCord No. 1695



McCord No. 1714



McCord No. 1342



McCord No. 1343




McCord No. 1909




McCord No. 2019



McCord No. 1997



McCord No. 1931



McCord No. 1943




McCord No. 2199


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
29013	Cyl. head (to May)	Cop. Asb.	1	27	5197
29863	Cyl. hd. (after May)	Cop. Asb.	1	27-29	5429
	Mani. set (to May)				
	(4-1131, 1-1132, 2-1931)	Cop. Asb.	1	27	MS-1127
	Mani. set (after May)				
	(1-1841, 2-1840, 2-1842)	Cop. Asb.	1	27-29	MS-1128
	Mani. set (1-1998) (1 pc.)				
	after May	Cop. Asb.	1	27-29	MS-2578
	Valve cov. set				
	(1-C425, 1-C426)	Cork	1	27	CV-295
13123-4	Valve cov. set (2 pcs.)	Vell.	1	27	ES-2014
	Cyl. side pl. set				
	(1-C1916C, 1-C1917C)	Cork	1	28-29	CV-541
	Oil pan set (1-C424)	Cork	1-2		*CS-2120
13126	Oil pan set (1 pc.)	Vell.	1-2		*ES-708
	*NOTE—From late 1929 on, there are two (2) used.				
13121	Cyl. base set (1 pc.)	Vell.	1	27-28	ES-3405
29908	Cyl. base set (1 pc.)	Vell.	1	29	ES-3417
23622	Gear cov. set (1 pc.)	Vell.	1		ES-1206
19322	Diff. carr. and axle hsg. set				
	(1 pc.)	Vell.	2		ES-4209
22779	Clutch cov. set (1 pc.)	Vell.	1	27	ES-2742
29361	Clutch cov. set (1 pc.)	Vell.	1	28	ES-2745
31133	Clutch cov. set (1 pc.)	Vell.	1	29	ES-2746
23291	Exh. mani., ends (to May)	Special	4	27	1131
29072	Exh. mani., center (to May)	Special	1	27	1132
29074	Int. mani. (to May)	Asb.	2	27	1931
23291	Exh. mani., ends (to May)	Asb.	1	27	1997
29072	Exh. mani., center				
	(to May)	Asb.	1	27	1943
29363	Exh. pipe flg. and valve				
	body	Cop. Asb.	2		1344
29909	Exh. mani., ends (from				
	May)	Cop. Asb.	2	27-29	1842
29910	Exh. mani., center (from				
	May)	Cop. Asb.	2	27-29	1840
29936	Int. mani. (from May)	Cop. Asb.	1	27-29	1841
36505	Manifold (1 pc.) (from				
	May)	Cop. Asb.	2	27-29	1998
29936	Int. mani (from May)	Asb.	1	27-29	1932
13123	Valve cov., front	Cork	1	27	C-425
13124	Valve cov., rear	Cork	1	27	C-426
29866	Cyl. hd. cov.	Cork	1		C-1921C
29866	Cyl. hd. cov.	Chipbd.	1		30012
25304	Cyl. side pl., front	Cork	1		C-1916C
25305	Cyl. side pl., rear	Cork	1		C-1917C
13126	Oil pan	Chipbd.	1-2		*30002
13126	Oil pan	Cork	1-2		*C-424
	*NOTE—From late 1929 on, there are two (2) used.				
12117	Oil pump inlet	Cop. Asb.	1		503A
18243A	Oil pump body plug	Cop. Asb.	1		100
29335	Int. mani. riser (to May)	Cop. Asb.	1	27	1342
29921	Int. mani. riser (after May)	Cop. Asb.	1	27-29	1714
29336	Exh. mani. to riser (to				
	May)	Cop. Asb.	1	27	1343
29922	Exh. mani. to riser (after				
	May)	Cop. Asb.	1	27-29	1695
28369	Carburetor	Asb.	1	27-28	2199
31070	Carburetor	Cop. Asb.	1	29	1909
16-146	Carb. to elbow	Cop. Asb.	1		2019
16-146	Carb. to elbow	Stlplk.	1		S-2019
14041	Wat. Pump cov.	Vell.	1		V-5862
13127	Wat. pump to cyl.	Vell.	1		V-5532
29036	Wat. outlet	Asb.	2	27	2265
5356	Wat. outlet	Asb.	1	28-29	2264
23622	Gear cov.	Cork	1		C-427
2334	Fan lever stud	Cop. Asb.	1		108
27436	Eccentric	Asb.	3		2202

Hudson Motor, 6. Passenger. Model E, 1933.

21 1/2 x 4 3/4"



McCord No. 5709A




McCord No. S-2536



McCord No. S-2462




McCord No. S-2463




McCord No. S-2481




McCord No. S-2482




McCord No. 2522



McCord No. C-3049



McCord No. C-2878



McCord No. C-3048



McCord No. C-2932



McCord No. C-2933


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
37223	Cyl. hd.	Cop. Asb.	1		5709A
40899	Cyl. hd. cov.	Stlpk.	1		S-2536
	Mani. set				
	(1-S2463, 2-S2462)	Stlpk.	1		SMS-926
	Valve cov. set (1-C2878)	Cork	1		CV-261
	Oil pan set (1-C1816C)	Cork	1		CS-2188
	Oil pan set (1-P622)	Vell.	1		ES-622
	Wat. jkt. cov. set				
	(1-C3048)	Cork	1		CW-26
	Wat. jkt. cov. set				
	(1-V1973)	Vell.	1		ES-1973
40339	Cyl. supp. pl. set (1 pc.)	Vell.	1		ES-2752
	Gear cov. set (1-V1139)	Vell.	1		ES-1139
	Diff. carr. and axle hsg.				
	set (1-V4230)	Vell.	2		ES-4230
40412	Exh. pipe fig.	Stlpk.	1		S-861C
38038	Exh. ends	Stlpk.	2		S-2462
48582					
38039					
48583					
38090	Exh. center	Stlpk.	1		S-2463
37144	Exh. damper	Stlpk.	1		S-2482
62544	Valve cov.	Cork	1		C-2878
62544	Oil pan	Chipbd.	1		30001
62544	Oil pan	Cork	1		C-1816C
33179	Oil pan	Vell.	1		P-622
18243	Oil pump body	Vell.	1		V-5143
38044	Oil pump body plug	Cop. Asb.	2		100
37196	Carb. riser to int.	Stlpk.	1		S-2481
37196	Wat. jkt. cov.	Cork	1		C-3048
70177	Wat. jkt. cov.	Vell.	1		V-1973
40245	Wat. jkt. cov. stud washer	Sol. Cop.	18		472
40245	Wat. pump	Asb.	1		16003
40245	Wat. pump	Vell.	1		V-9024
40150	Gear cov.	Asb.	1		16004
40150	Gear cov.	Vell.	1		V-1139
65040	Diff. carr. and axle hsg.	Vell.	2		V-4230
37255	Clutch cov.	Asb.	1		2522
37459	Trans. cov.	Cork	1		C-3049
37327	C/S oil throw, upper	Cork	1		C-2932
37328	C/S oil throw, lower	Cork	1		C-2933
102579	Headlamp lens	Cork	2		C-7003

Hudson Motor, 6. Passenger. Models 40-41-43-48, 1940; 53, 1935; 63, 1936; 73, 1937; 80-81-82-83-88-89, 1938.


3x5"

Models 90-92-93-98, 1939


3x5"



McCord No. 5945



McCord No. S-5855




McCord No. 5962


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
150378	Cyl. hd.	Stl. Asb.	1	35-36	5945
152612	Cyl. hd.	Stl. Asb.	1	37-40	5962
45210	Cyl. hd. (export only)	Stlpk.	1	35-36	S-5855

(For other gaskets see Terraplane 6, 1935-38. Page No. 233.)


Hudson Motor, 8. Passenger Models Great 8, 1930, 2 3/4 x 4 1/2"; Greater 8, 1931-32, 2 7/8 x 4 1/2"; T-L, 1933, 3 x 4 1/2"



McCord No. 5575



McCord No. 5636-A




McCord No. 5708




McCord No. 2091-A



McCord No. 2047




McCord No. 2204



McCord No. 2141



McCord No. 2081




McCord No. 2057




McCord No. 2051




McCord No. 2090



McCord No. 2113



McCord No. C-1029




McCord No. C-1030


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
33156	Cyl. hd.	Cop. Asb.	2	30	5575
35184	Cyl. hd.	Cop. Asb.	2	31	5636A
37323	Cyl. hd.	Cop. Asb.	2	32-33	5708
	Mani. set (1-2091A, 2-2047, 2-2081, 2-2141, 2-823D)	Cop. Asb.	1		MS-1129
	Mani. set (1-S2091A, 2-S2047, 2-S2081, 2-S2141, 2-S823D)	Stlpk.	1		SMS-1129
	Valve cov. set (2-C1029)	Cork	1		CV-296
	Oil pan set (1-C2581C)	Cork	1-2		*CS-2224
	Oil pan set (1-P753)	Vell.	1-2		*ES-753
	*NOTE—Prior to 1933 two (2) used.				
	Wat. jkt. cov. set (1-C1030)	Cork	1		CW-16
	Wat. jkt. cov. set (1-V2188)	Vell.	1		ES-2188
62554	Supp. pl. front (1 pc.)	Vell.	1		ES-2748
	Gear cov. set (1-V1204)	Vell.	1		ES-1204
	Diff. carr. and axle hsg. set (2-V4230)	Vell.	2		ES-4230
	Clutch cov. set (1-V4271)	Vell.	1		ES-4271
33194	Exh. pipe fig.	Cop. Asb.	1		2113
33194	Exh. pipe fig.	Stlpk.	1		S-2113
33192	Exh. mani., center	Cop. Asb.	1		2091A
33190	Exh. mani., ends	Cop. Asb.	2		823D
33191	Exh. mani., inter.	Cop. Asb.	2		2047
33171	Int. mani., small	Cop. Asb.	2		2081
33172	Int. mani., large	Cop. Asb.	2		2141
48586	Exh. mani., center	Stlpk.	1		S-2091A
48584	Exh. mani., ends	Stlpk.	2		S-823D
48585	Exh. mani., inter.	Stlpk.	2		S-2047
48587	Int. mani., small	Stlpk.	2		S-2081
48588	Int. mani., large	Stlpk.	2		S-2141
33199	Exh. damper valve	Cop. Asb.	1		847F
33199	Exh. damper valve	Stlpk.	1		S-847F
38090	Exh. damper valve	Stlpk.	1		S-2482
33096	Valve cov.	Cork	2		C-1029
33204	Oil pan	Chipbd.	1		*30003
33204	Oil pan	Cork	1		*C-2581C
33204	Oil pan	Vell.	1		*P-753
	*NOTE—Prior to 1933 two (2) used.				
33179	Oil pump body	Vell.	1		V-5143
33173	Int. to exh.	Cop. Asb.	1		2090
33173	Int. to exh.	Stlpk.	1		S-2090
33176	Int. to carb. riser	Cop. Asb.	1	30	2051
35081	Int. to carb. riser	Cop. Asb.	1	31-33	2204
35081	Int. to carb. riser	Stlpk.	1	31-33	S-2204
16-168	Carb. to riser	Cop. Asb.	1		2057
16-168	Carb. to riser	Stlpk.	1		S-2057
33220	Wat. pump	Vell.	1		V-5731
33165	Wat. outlet	Vell.	4	30	V-5607
63549	Wat. outlet (to early 32)	Vell.	4	31-32	V-5063
38959	Wat. outlet (from early 32)	Asb.	4	32-33	16039
33144	Wat. jkt. cov.	Cork	1		C-1030
33144	Wat. jkt. cov.	Vell.	1		V-2188
70177	Wat. jkt. cov. stud washer	Sol. Cop.	26		472
62552	Gear cov.	Vell.	1		V-1204
65389	Supp. pl. rear	Paper	1		30038
65040	Diff. carr. and axle hsg.	Vell.	2		V-4230
65018	Clutch cov.	Vell.	1	30-31	V-4271
37255	Clutch cov.	Asb.	1	32-33	2522
37459	Trans. cov.	Cork	1	32-33	C-3049
18243	Trans. drain plug	Cop. Asb.	1		100
33478	Headlamp lens	Cork	2		C-7003
35918					
96199					




Hudson Motor, 8. Passenger. Models LL-LT, 1934; 44-47, 1940; 54-55-56, 1935; 64-65-66-67, 1936 3x4 1/2"
Models 74-75-76-77, 1937; 84-85-87, 1938; 95-97, 1939 3x4 1/2"




McCord No. 5879A



McCord No. 5936



McCord No. 5963



McCord No. S-2658




McCord No. 2091-A



McCord No. 2047



McCord No. 2081



McCord No. 2141



McCord No. S-2875



McCord No. S-2877



McCord No. S-2876



McCord No. S-2878



McCord No. S-2879



McCord No. S-2880



McCord No. S-2583



McCord No. S-2659


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
47118	Cyl. hd.	Stl. Asb.	1	34-35	5879A
150086	Cyl. hd.	Stl. Asb.	1	36	5936
152613	Cyl. hd.	Stl. Asb.	1	37	5963
152613	Cyl. hd. (std. comp.)	Stl. Asb.	1	38-40	5963
150086	Cyl. hd. (high comp.)	Stl. Asb.	1	38-40	5936
45542	Cyl. hd. cov.	Stlplk.	1	34-35	S-2658
	Valve grinding set (1-5879A, 1-2091A, 2-2047, 2-823D, 2-2081, 2-2141, 1-S870G, 1-S2482, 2-C3690)		1	34-35	9037
	Valve grinding set (1-5936, 1-2091A, 2-2047, 2-823D, 2-2081, 2-2141, 1-S870G, 1-S2482, 2-C3690)		1	36	9038
	Valve grinding set (1-5963, 1-S2875, 2-S2876, 2-S2877, 2-S2878, 2-S2879, 1-S870G, 1-S2873, 2-C3690)		1	37	9039
	Valve grinding set (std. comp.) (1-5963, 1-S2875, 2-S2876, 2-S2877, 2-S2878, 2-S2879, 1-S870G, 1-S2873, 2-C3690)		1	38-40	9039
	Valve grinding set high comp.) (1-5936, 1-S2875, 2-S2876, 2-S2877, 2-S2878, 2-S2879, 1-S870G, 1-S2873, 2-C3690)		1	38-40	9040
	Mani. set (1-2091A, 2-2047, 2-823D, 2-2081, 2-2141)	Cop. Asb.	1	34-36	MS-1129
	Mani. set (1-S2091A, 2-S2047, 2-S823D, 2-S2081, 2-S2141)	Stlplk.	1	34-36	SMS-1129
	Mani. set (1-S2875, 2-S2876, 2-S2877, 2-S2878, 2-S2879)	Stlplk.	1	37-40	SMS-2446
	Valve cov. set (2-C3690)	Cork	1		CV-264
	Oil pan set (2-C3645C)	Cork	1		*CS-2277
	Oil pan set (1-P760)	Vell.	2		*ES-760
*NOTE—1 also used for strainer.					
	Wat. jkt. cov. set (1-C1030)	Cork	1	34-38	CW-16
	Wat. jkt. cov. set (1-V2188)	Vell.	1	34-38	ES-2188
	Wat. jkt. cov. set (1-C4953C)	Cork	1	39-40	CW-36
40339	Supp. pl. front set (1 pc.)	Vell.	1		ES-2752
	Gear cov. set (1-V1139)	Vell.	1		ES-1139
	Diff. carr. set (1-V4027)	Vell.	1		ES-4027
	Exh. pipe fig.	Stlplk.	1		S-870G
42246	Exh. mani., center	Cop. Asb.	1	34-36	2091A
33192	Exh. mani., ends	Cop. Asb.	2	34-36	823D
33190	Exh. mani., inter.	Cop. Asb.	2	34-36	2047
33191	Int. mani., small	Cop. Asb.	2	34-36	2081
33171	Int. mani., large	Cop. Asb.	2	34-36	2141
33172	Exh. mani., center	Stlplk.	1	34-36	S-2091A
48586	Exh. mani., ends	Stlplk.	2	34-36	S-823D
48584	Exh. mani., inter.	Stlplk.	2	34-36	S-2047
48585	Int. mani., small	Stlplk.	2	34-36	S-2081
48587	Int. mani., large	Stlplk.	2	34-36	S-2141
48588	Exh. mani., center	Stlplk.	1	37-40	S-2875
153160	Exh. mani., ends	Stlplk.	2	37-40	S-2877
153158	Exh. mani., inter.	Stlplk.	2	37-40	S-2876
153159	Int. mani., small	Stlplk.	2	37-40	S-2878
152537	Int. mani., large	Stlplk.	2	37-40	S-2879
152538	Exh. damper cov.	Stlplk.	1	34-36	S-2482
38090	Exh. damper cov.	Stlplk.	1	37-40	S-2873
153171	Valve cov.	Cork	2		C-3690
44622					

(Continued on Next Page)

Hudson Motor, 8. 1934-40—Continued



McCord No. S-2874




McCord No. 16111




McCord No. 16112




McCord No. 16045



McCord No. 16004



McCord No. C-1030





McCord No. C-3690



McCord No. C-2932



McCord No. C-2933

McCord No.
C-3227

McCord No. C-3645-C

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
44735	Oil pan	Chipbd.	2		*31001
44735	Oil pan	Cork	2		*C-3645C
44735	Oil pan	Vell.	2		*P-760
*NOTE—1 also used for strainer.					
33179	Oil pump body	Vell.	1		V-5143
42019	Int. to exh.	Stlpl.	1	34-36	S-2583
48591	Int. to exh.	Stlpl.	1	37-40	S-2880
152530	Carburetor	Stlpl.	1	34-35	S-2659
45192	Carburetor	Stlpl.	1	36	S-837H
40710	Carburetor	Stlpl.	1	37-40	S-2874
152991	Fuel pump	Asb.	1	34-36	16045
44694	Fuel pump	Vell.	1	34-36	V-9184
44694	Fuel pump	Vell.	1	37-40	V-8372
153275	Wat. pump	Asb.	1	34-35	16003
40245	Wat. pump	Vell.	1	34-35	V-9024
40245	Wat. pump	Vell.	1	36-40	16112
150219	Wat. pump body	Asb.	1	36-40	V-8421
150219	Wat. pump body	Vell.	1	36-40	V-8420
150222	Wat. pump cov.	Vell.	1	36-40	16111
150379	Wat. outlet	Asb.	1	34-38	C-1030
33144	Wat. jkt. cov.	Cork	1	34-38	V-2188
33144	Wat. jkt. cov.	Vell.	1	39-40	C-4953C
157864	Wat. jkt. cov.	Cork	1	26	472
70177	Wat. jkt. cov. stud washer	Sol. Cop.	1		16037
45574	Radiator inlet	Asb.	1		C-3811
42349	Distributor	Cork	1		C-2932
37327	C/S oil throw, upper	Cork	1		C-2933
37328	C/S oil throw, lower	Cork	1		16004
40150	Gear cov.	Asb.	1		V-1139
40150	Gear cov.	Vell.	1		30037
40342	Supp. pl. rear	Paper	1		16038
44584	Diff. carr.	Asb.	1		V-4027
44584	Diff. carr.	Vell.	1		16010
42632	Clutch Cov.	Asb.	1		30033
40079	Trans. case	Paper	1		C-3227
40226	Trans. control cov.	Cork	1		C-7005
109278	Headlamp lens	Cork	2	34	C-7003
114583	Headlamp lens	Cork	2	35	C-7002
114815	Headlamp lens	Cork	2	36-37	C-7004
119189	Headlamp lens	Cork	2	38	C-7002
129010	Headlamp lens	Cork	2	39-40	C-7004
133907	Headlamp lens	Cork	2	39-40	C-7002


Hug, 4-6. Truck.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
D42	3-6	Bd. 6LD415	S6093	31	23S	2-3	Buda H298	5615	29	67	2½-3	Buda H298	5615	29
D43	4-8	Bd. 6LD468	6095	31	23T	2-3	Buda H298	5615	29	70	3-5	Buda K369	5725	30
D43L	6-12	Cum. HB6	5861	79	25	2-3	Buda HS6	5344	*	70K	3	Buda K369	5725	30
D70K	3-4	Bd. 6LD415	S6093	31	30	7½-10	Cat. D8800	5988	▲	83W	2½	Wauk. 6BK	5921A	240
D87Q	5-7	Bda 6LD468	6095	31	36	10-12	Cat. D8800	5988	▲	85	3½-5	Buda DS6	5345	*
D98	7½-10	Cum. HB6	5861	79	40	3½-5	Buda DS6	5345	*	85D	3½-5	Buda DS6	5345	*
D95		Cat. D8800	5988	▲	41	3½-5	Buda DS6	5345	*	85W	3½	Wauk. 6BZ	6019	240
D98	10-12	Cum. HB6	5861	79	41S	3-5	Buda K428	5725	30	86	3½-5	Buda DS6	5345	*
D99	10-12	Cum. HB6	5861	79	42	2-3	Buda H298	5615	29	87	3½-5	Buda DS6	5345	*
HC	4-6	Cat. D8800	5988	▲	42	3-6	Buda K369	5725	30	87K	3-5	Buda K428	5725	30
HD26	3½-5	Buda DS6	5345	*	42A	3-5	Buda K369	5725	30	87M	3½-5	Buda DS6	5345	*
3B	3-4	Wauk. 6BZ	6019	240	42K	3-5	Buda K369	5725	30	87Q	3-5	Buda K428	5725	30
12A	1¾-5	Wauk. 6BL	5930A	240	42T	3-5	Buda K369	5725	30	87W	3-5	Wauk. 6MZ	5750	247
12D	1¾-5	Wauk. 6BL	5930A	240	43	3-5	Buda K369	5725	30	90	3½-5	Buda DS6	5345	*
15A	1¾-2½	Wauk. 6BL	5930A	240	43	4-8	Buda K428	5725	30	92U	5-7	Wauk. 6SRK	5717	247
15D	1¾-2½	Wauk. 6BL	5930A	240	43A	3-5	Buda K428	5725	30	96	3½-5	Buda DS6	5345	*
15T	1¾-2½	Wauk. 6BL	5930A	240	43L	5-7½	Buda LS25	5805	30	97	5	Buda BA6	5346	*
16	5	Cat. D4600	6042	▲	43T	3-5	Buda K428	5725	30	97L	5-7½	Buda LS25	5805	30
19A	1¾-3	Wauk. 6BK	5921A	240	44	4-5	Wauk. 6SRL	5549	247	97LD	5-7½	Buda LS25	5805	30
19D	1¾-3	Wauk. 6BK	5921A	240	45	5-7½	Wauk. 6SRK	5717	247	98	5½-10	Buda GF6	5263	28
19T	1¾-3	Wauk. 6BK	5921A	240	46	7½-10	Wauk. 6GAL	6119	242	99	5½-10	Buda GF6	5263	28
21	1½-2	Buda HS6	5344	*	60	3½-5	Buda DW6	5345	*	99	10-12	Wauk. 6GAL	6118	242
22	1½-2	Buda HS6	5344	*	61	2-3	Buda H298	5615	29	99S	12-14	Wauk. 6GAL	6119	242
23A	2-3	Buda H298	5615	29	66	1½-2	Buda HS6	5344	*	486	3½-5	Buda DS6	5345	*


NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.

▲Indicates that these motors are listed in Tractor Guide.


Hupmobile Motor, 6. Passenger. Models A1-A2-A3-A4, 1926-27, $3\frac{1}{8} \times 4\frac{1}{4}$ "; A5-A6, 1928. $3\frac{1}{4} \times 4\frac{1}{4}$ "
 Models A, 1929; S, 1930-31, $3\frac{1}{4} \times 4\frac{1}{4}$ "; 216, 1932; 321, 1933. $3\frac{3}{8} \times 4\frac{1}{4}$ "
 Models 417W-421J, 1934; 517W-518D-521J, 1935; 618G, 1936. $3\frac{1}{2} \times 4\frac{1}{4}$ "
 Models E822, 1938; R915-922, 1939. $3\frac{1}{2} \times 4\frac{1}{4}$ "




McCord No. 5178-A
 McCord No. 5178A



McCord No. 5706-A
 McCord No. 5706-A



McCord No. S-5832
 McCord No. S-5832



McCord No. S-5922
 McCord No. S-5922




McCord No. 1293




McCord No. 1294




McCord No. 1345




McCord No. S-2570




McCord No. 1321



McCord No. 2215



McCord No. 1295



McCord No. C-437



McCord No. 1844




McCord No. 2251


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
68289	Cyl. hd.	Cop. Asb.	1	26-31	5178A
69005	Cyl. hd.	Cop. Asb.	1	32-33	5706A
88026	Cyl. hd.	Stl. Asb.	1	34	S-5832
91503	Cyl. hd.	Stl. Asb.	1	35-39	S-5922
	Mani. set (2-1345, 2-1293, 1-1294)	Stl. Asb.	1	26-32	MS-1177
	Mani. set 1-S1294, 2-S2570)	Stl. Asb.	1	33-39	SMS-1180
	Valve cov. set (2-C3078)	Cork	1	26-33	CV-312
	Valve cov. set (2-C3730)	Cork	1	34-39	CV-313
	Oil pan set (1-C434)	Cork	1		CS-2122
	Oil pan set 1-P709	Vell.	1		ES-709
	Wat. jkt. cov. set (1-C486)	Cork	1	26-36	CW-9
	Wat. jkt. cov. set (1-V2142)	Vell.	1	26-36	ES-2142
60131	Gear cov. set (1 pc.)	Vell.	1	26-36	ES-1224
87923	Gear cov. pl. set (1 pc.)	Vell.	1	38-39	ES-1185
60383	Diff. carr. and axle hsg. set (1 pc.)	Vell.	2	26-29	ES-4119
66054	Diff. carr. and axle hsg. set (1-pc.)	Vell.	2	30-36	ES-4128
92056	Exh. hsg. set (1 pc.)	Vell.	1	38-39	ES-4030
53301	Exh. pipe fig.	Stl. Asb.	1	26-29	1355
60790	Exh. pipe fig.	Stl. Asb.	1	30-31	854G
69436	Exh. pipe fig.	Cop. Asb.	1	32-36	2986
88555	Exh. pipe fig.	Asb.	1	38-39	16221
60763	Mani., center	Stl. Asb.	1	26-32	1294
60762	Mani., ends	Stl. Asb.	2	26-32	1293
62397	Int. mani.	Stl. Asb.	2	26-29	1345
62398	Int. mani.	Asb.	2	26-29	1800
69418	Mani., center	Stl. Asb.	1	33-39	S-1294
86047	Mani., ends	Stl. Asb.	2	33-39	S-2570
62393	Exh. mani. cov.	Stl. Asb.	1	26-29	1844
60041	Valve cov.	Cork	2	26-33	C-3078
87883	Valve cov.	Cork	2	34-39	C-3730
60102	Oil pan	Cork	1		C-434
60102	Oil pan	Vell.	1		P-709
60104	Oil pan cleanout pipe	Cork	1	26-36	C-437
60764	Int. to exh.	Stl. Asb.	1	26	1295
62391	Int. to exh.	Stl. Asb.	1	27-29	1321
66316	Int. to exh.	Stl. Asb.	1	30-36	2215
66316	Int. to exh.	Stl. Asb.	1	30-36	S-2215
63119	Carburetor	Asb.	1	26-27	2251
59393	Carburetor	Asb.	1	28-39	2188
60176	Wat. pump	Vell.	1	25-27	V-5745
64170	Wat. pump	Vell.	1	28-36	V-5966
91565	Wat. pump cov.	Vell.	1	38-39	V-8858
91945	Wat. inlet	Cork	1	38-39	C-5172
92549	Thermostat hsg.	Vell.	1	38-39	V-8203
60106	Wat. jkt. cov.	Cork	1	26-36	C-486
60106	Wat. jkt. cov.	Vell.	1	26-36	V-2142
60089	Wat. jkt. end cov.	Cork	1	26-36	C-490
60089	Wat. jkt. end cov.	Vell.	1	26-36	V-9158
	Wat. jkt. cov. stud washer	Sol. Cop.	25	26-36	472
60131	Gear cov.	Cork	1	26-36	C-487
87921	Gear cov.	Cork	1	38-39	C-3731




Hupmobile Motor, 8. Passenger. Models C, 1930-31; 221 "C", 1932, 3x4 3/4"; 226 "I", 1932. 3 1/8 x 4 3/4"
 Models 326 "I", 1933; 426 "I", 1934; 521 "O", 1935; 527T, 1935. 3 1/8 x 4 3/4"
 Model 621 "O", 1936. 3 1/8 x 4 3/4"



McCord No. 5556




McCord No. 5727



McCord No. 5791



McCord No. 1948-A




McCord No. 2061-A




McCord No. 2034




McCord No. S-2656




McCord No. 2022



McCord No. 2235




McCord No. C-996




McCord No. C-995

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
73254	Cyl. hd.	Cop. Asb.	1	30-31	5556
79257	Cyl. hd. (early 32)	Cop. Asb.	1	32	5727
79821	Cyl. hd. (late 32)	Cop. Asb.	1	32-36	5791
	Mani. set				
	(1-2061A, 2-1948A)	Stl. Asb.	1		MS-1179
	Valve cov. set (2-C995)	Cork	1		CV-307
73275	Valve cov. set (2 pcs.)	Vell.	1		ES-2055
73272	Valve lifter shaft bracket set (2 pcs.)	Vell.	1		ES-2058
	Oil pan set (1-C996)	Cork	1		CS-2199
	Oil pan set (1-P827)	Vell.	1		ES-827
73259	Wat. jkt. cov. set (1 pc.)	Vell.	1	30-31	ES-2089
	Wat. jkt. cov. set (2-C3050)	Cork	1	32-36	CW-18
	Wat. jkt. cov. set (2-V1972)	Vell.	1	32-36	ES-1972
73262	Gear cov. set (1 pc.)	Vell.	1		ES-1344
60383	Diff. carr. and axle hsg. set (1 pc.)	Vell.	2		ES-4119
66889	Exh. pipe flg.	Stl. Asb.	1		2034
73345	Mani., center	Stl. Asb.	1		2061A
72112	Mani., ends	Stl. Asb.	2		1948A
75695	Int. mani.	Stl. Asb.	4	30-31	S-2656
73275	Valve cov.	Cork	2		C-995
73362	Oil pan	Cork	1		C-996
73362	Oil pan	Vell.	1		P-827
15275	Oil drain plug	Allmetal	1		AM-515
73350	Heat control valve	Cop. Asb.	1		1950
70039	Int. hot spot	Asb.	1		2022
70036	Carburetor	Asb.	1		2235
72483	Carb. reduction pl.	Cop. Asb.	1		2263
89253	Carb. heat insulator	Stl. Asb.	1		S-2728
73406	Wat. pump body	Vell.	1	30-31	ES-9689
76013	Wat. pump body	Cork	1	32-36	C-3020
73405	Wat. pump cov.	Vell.	1	30-33	V-5970
89092	Wat. pump cov.	Vell.	1	34-36	V-8853
77007	Wat. jkt. cov.	Cork	2	32-36	C-3050
77007	Wat. jkt. cov.	Vell.	2	32-36	V-1972
	Wat. jkt. cov. stud washer	Sol. Cop.	16	32-36	472
73327	Wat. outlet	Vell.	1		V-5559


Hupmobile Motor, 8. Passenger. Models E-E1, 1925, 2 7/8 x 4 3/4"; E2-E3-M-MM, Century, 1926-29. 3x4 3/4"




McCord No. 5159



McCord No. 5500



McCord No. 1593









McCord No. 1354






Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
53081	Cyl. hd.	Cop. Asb.	1	25	5159
56263	Cyl. hd.	Cop. Asb.	1	26-29	5500
	Mani. set (1-1428)	Asb.	1	25	MS-2579
	Mani. set (1-1593)				
	(to early 27)	Asb.	1	26-27	MS-2580
	Mani. set (late 27)				
	(1-1963, 4-1978)	Asb.	1	27	MS-2581
	Mani. set (to early 29)				
	(1-1965, 4-1964)	Asb.	1	28-29	MS-1178
	Mani. set (late 29)				
	(2-1948A, 1-2061A)	Stl. Asb.	1	29	MS-1179
53775	Valve cov. set (1-C449)	Cork	1	25-28	CV-309
	Valve cov. set (1 pc.)	Vell.	1	25-28	ES-2256
70040	Valve cov. set (2-C617)	Cork	1	29	CV-310
70035	Valve cov. set (2 pcs.)	Vell.	1	29	ES-2037
	Valve lifter shaft bracket set (1 pc.)	Vell.	1	27-29	ES-2074
	Oil pan set (1-C433)				
	(to early 26)	Cork	1	25-26	CS-2231
	Oil pan set (1-C438)				
	(after late 26)	Cork	1	26-29	CS-2123
56692	Oil pan set (1 pc.)				
	(after late 26)	Vell.	1	26-29	ES-925

(Continued on Next Page)

Hupmobile Motor, 8. Models E-M—Continued


		Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
		56265	Wat. jkt. end cov. set (1 pc.)	Vell.	1		ES-2075
McCord No. 1948	McCord No. 1428	53087	Wat. jkt. side cov. set (1 pc.)	Vell.	1		ES-2152
		53045	Gear cov. set (1 pc.)	Vell.	1		ES-1331
		53060	Cyl. base set (1 pc.)	Vell.	1	25-28	ES-3430
		60383	Diff. carr. and axle hsg. set (1 pc.)	Vell.	2		ES-4119
		53301	Exh. pipe flg.	Stl. Asb.	1	25-26	1355
McCord No. 1949	McCord No. 1592	58318	Exh. pipe flg.	Cop. Asb.	1	27	1591
		70191	Exh. pipe flg.	Cop. Asb.	1	28-29	1859
		53228	Exh. mani.	Asb.	1	25	1428
		58309	Exh. mani. (early 27)	Asb.	1	26-27	1593
		59533	Exh. mani. (late 27)	Asb.	1	27	1963
		70015	Exh. mani. (early 29)	Asb.	1	28-29	1965
		73345	Mani., center (late 29)	Stl. Asb.	1	29	2061A
		72112	Mani., ends (late 29)	Stl. Asb.	2	29	1948A
McCord No. 1591	McCord No. 1355	72113	Mani., center (late 29)	Asb.	1	29	1949
		72112	Mani., ends (late 29)	Asb.	2	29	1948
		53222	Int. mani.	Asb.	2	25	1772
		56272	Int. mani. (to early 27)	Asb.	2	26-27	1799
		59532	Int. mani. (late 27)	Asb.	4	27	1978
		70041	Int. mani. (early 29)	Asb.	4	28-29	1964
		53775	Valve cov.	Cork	1	25-28	C-449
		70040	Valve cov.	Cork	2	29	C-617
		53773	Valve cov. stud	Cop. Asb.	5		500D
		53181	Oil pan (to early 26)	Cork	1	25-26	C-433
McCord No. 1859	McCord No. 1950	56692	Oil pan (after late 26)	Cork	1	26-29	C-438
		53183	Oil pan cleanout	Cork	1	26-29	C-439
		15275	Oil pan drain plug	Cop. Asb.	3		515
			Oil pan stud washer	Cop. Asb.	38		500C
		45079	Oil pressure relief valve	Cop. Asb.	1		511A
		53223	Int. hot spot	Cop. Asb.	1	25	1354
		58317	Int. hot spot	Cop. Asb.	1	26-27	1592
		70039	Int. hot spot	Asb.	1	28-29	2022
		70037	Heat valve bracket	Cop. Asb.	1	28-29	1821
		73350	Heat control	Cop. Asb.	1	29	1950
		59393	Carburetor E-E1	Asb.	1		2188
McCord No. 1978	McCord No. 2235	70036	Carburetor M	Asb.	1		2235
			Wat. jkt. cov. stud washer	Sol. Cop.	30		470

Hupmobile Motor, 8. Passenger. Models H-U, 1930-31; 225 "H", 1932; 237 "U", 1932..... 3 1/2 x 4 3/4"


		Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
		74112	Cyl. hd.	Cop. Asb.	1		5569B
McCord No. 2044			Mani. set (1-2044)	Stl. Asb.	1		MS-2498
			Valve cov. set (2-C997)	Cork	1		CV-311
		74042	Valve cov. set (2 pcs.)	Vell.	1		ES-2056
McCord No. 5569-B		74040	Valve lifter shaft bracket set (2 pcs.)	Vell.	1		ES-2059
			Oil pan set (1-C929)	Cork	1		CS-2204
		74053	Oil pan set (1 pc.)	Vell.	1		ES-928
		74038	Wat. jkt. cov. set (1 pc.)	Vell.	1		ES-2382
		74058	Gear cov. set (1 pc.)	Vell.	1		ES-1345
		74197	Diff. carr. and axle hsg. set (1 pc.)	Vell.	2		ES-4231
		74445	Exh. pipe flg.	Stl. Asb.	1		2043
McCord No. 2043	McCord No. 2236	74428	Manifold	Stl. Asb.	1		2044
		74455	Exh. mani. bottom pl.	Stl. Asb.	1		2250
		74042	Valve cov.	Cork	2		C-997
		74053	Oil pan	Cork	1		C-929
		74456	Int. hot spot	Stl. Asb.	1		2260
		74430	Carburetor	Asb.	1		2236
		73425	Wat. pump body	Vell.	1		V-5896
		73405	Wat. pump cov.	Vell.	1		V-5970
McCord No. 2260	McCord No. 2250	74219	Wat. outlet	Vell.	1		V-5558
		74425	Trans. case	Vell.	1		V-9545




Hupmobile Motor, 8. Passenger. Models "L" Century, 1930-31, 2 7/8 x 4 5/8"; 218 "L", 1932 2 7/8 x 4 5/8"
 Models 222 "F", 1932 2 1/8 x 4 5/8"
 Models 222 "F", 1932; 322 "F", 1933; 422 "F", 1934 3 x 4 5/8"




McCord No. 5628-A




McCord No. 5792




McCord No. 5857




McCord No. S-2708



McCord No. 2034




McCord No. 2230


McCord No.
2177McCord No.
2235McCord No.
C-8050

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
78049	Cyl. hd.	Cop. Asb.	1	30-31	5857
79050	Cyl. hd. (early 32)	Cop. Asb.	1	32	5628A
79803	Cyl. hd. (late 32)	Cop. Asb.	1	32-34	5792
	Mani. set				
	(1-S2708, 4-2177)	Stlpk.	1		SMS-1181
	Valve cov. set (2-C1168)	Cork	1		CV-308
	Oil pan set				
	(1-C1169, 1-C1170)	Cork	1		CS-2212
78089-90	Oil pan set (2 pcs.)	Vell.	1		ES-238
	Wat. jkt. cov. set				
	(1-C1167)	Cork	1	30-31	CW-33
	Wat. jkt. cov. set				
	(2-C3050)	Cork	1	32-34	CW-18
	Wat. jkt. cov. set				
	(2-V1972)	Vell.	1	32-34	ES-1972
78101	Gear cov. set (1 pc.)	Vell.	1		ES-1263
78655	Axle hsg. set (1 pc.)	Vell.	1		ES-4150
66889	Exh. pipe flg.	Stl. Asb.	1		2034
	Exh. mani.	Stlpk.	1		S-2708
78199	Int. mani.	Asb.	4		2177
78066	Valve cov.	Cork	2		C-1168
78090	Oil pan, right	Cork	1		C-1170
78089	Oil pan, left	Cork	1		C-1169
78180	Int. hot spot	Asb.	1		2230
70036	Carburetor	Asb.	1		2235
78163	Wat. pump body	Cork	1	30-31	C-3021
77023	Wat. pump body	Cork	1	32-34	C-3052
78181	Wat. pump cov.	Vell.	1		V-5982
78052	Wat. jkt. cov.	Cork	1	30-31	C-1167
77007	Wat. jkt. cov.	Cork	2	32-34	C-3050
77007	Wat. jkt. cov.	Vell.	2	32-34	V-1972
	Wat. jkt. cov. stud washer	Sol. Cop.	16		472
78128	C/S rear brg. oil seal	Cork	1		C-1172
78101	Gear cov.	Cork	1		C-1171
78655	Axle hsg.	Cork	1		C-1309


Indian Motorcycle, 2-4




McCord No. 5815



McCord No. 5816



McCord No. 5817



McCord No. 5818

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
24-C-32	Cyl. hd., G25, Scout, Prince	Cop. Asb.	2		5816
25-C-45	Cyl. hd., 37 Pony, Scout	Cop. Asb.	2		5817
27-C-24	Cyl. hd., 45 Scouts	Cop. Asb.	2		5818
27-C-74					
74022					
27-C-30					
38338	Cyl. hd., 74, 303 Chiefs	Cop. Asb.	2		5815
16-A-1	Exh. mani. (4 cyl. models)	Cop. Asb.	4		812A
	Int. mani. (4 cyl. models)	Cop. Asb.	4		316C

Indiana, 4-6. Truck and Bus.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
BC	2 1/2-4	Herc. L	5151	*	16X6	3-5 1/2	Herc. YXC	5526	130	18X4	2 1/2-5 1/2	Herc. RXC	5752	130
12SB	Bus	Herc. JXC	5732	126	17	2 1/2-3 1/2	Herc. YXC	5526	130	18X4	2 1/2-5 1/2	Herc. YXC	5526	130
12X4	1 1/2-3	Herc. JXC	5732	126	17A	2 1/2-3 1/2	Herc. WXC	5649	129	18X4A	2 1/2-3 1/2	Herc. YXC	5526	130
14B	Bus	Herc. JXC	5732	126	17B	1-1 1/2	Cont. 16C	5669	70	18X4A	2 1/2-3 1/2	Herc. YXC3	5612	130
14X4	1 1/2-3	Herc. JXC	5732	126	17DR	2 1/2-3 1/2	Herc. YXC	5526	130	18X6	4 1/2-6	Herc. RXC	5612	130
16X4	2 1/2-3	Herc. WXC	5649	129	17S	2 1/2-3 1/2	Herc. YXC	5526	130	18X6	4 1/2-6	Herc. RXC	5752	130
16X6	3-5 1/2	Herc. RXC	5612	130	17W	2 1/2-3 1/2	Herc. YXC	5526	130	19DR	2 1/2-3 1/2	Herc. YXC	5526	130
16X6	3-5 1/2	Herc. RXC	5752	130	18X4	2 1/2-5 1/2	Herc. RXC	5612	130	20X4	3-5 1/2	Herc. RXB	5752	130

(Continued on Next Page)

Indiana, 4-6. Truck and Bus—Continued

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
20X4	3-5½	Herc. RXB	5612	130	86	1½	Herc. JXB	5674	126	195	2-7½	Cont. 30B	5534	75
20X6	5	Herc. HXB	5730	126	87	2	Herc. JXB	5674	126	195B	Bus	Cont. 30B	5534	75
20X6	5	Herc. HXC	5729	126	89	1-1½	Cont. 16C	5669	70	200	1-1½	Wisc. F	5532	270
22DR	5-6½	Herc. YXC	5526	130	89	1-1½	Cont. 27B	5669	70	220	2-7½	Cont. 30B	5534	75
22X4	5-6½	Herc. HXB	5730	126	90B	Bus	Cont. 16C	5669	70	250	2-7½	Cont. 30B	5534	75
22X4	5-6½	Herc. HXC	5729	126	95	1½-3	Herc. JXC	5732	126	290	7½-10	Cont. 16H	5683	*
22X4	5-6½	Herc. YXC	5526	130	95DR	1½-3	Herc. JXC	5732	126	290	7½-10	Cont. 36B	5683	74
22X6	5-10	Herc. HXB	5730	126	95S	1½-3	Herc. JXC	5732	126	300	1-1½	Wisc. F	5532	270
22X6	5-10	Herc. HXD	5731	126	105	1½-3	Herc. JXC	5732	126	350	1½	Wisc. G	5529	270
26	2½-4	Herc. L	5151	*	106	2½-3	Herc. WXC	5649	129	400	2-2½	Wisc. Y	5296	*
41	5	Herc. G	5152	*	106DR	2½-3	Herc. WXC	5649	129	611	1¼-1½	Cont. 15C	5669	70
43DR	3-5½	Herc. RXB	5612	130	106WS	2½-3	Herc. WXC	5649	129	615	2-2½	Wisc. Y	5296	*
43DR	3-5½	Herc. RXB	5752	130	120	2-7½	Cont. 30B	5534	75	626	3-5	Wisc. H	5269	*
45DR	3-5½	Herc. RXC	5612	130	120B	Bus	Cont. 30B	5534	75	627	3-5	Wisc. H	5269	*
45DR	3-5½	Herc. RXC	5752	130	126	2½-4	Herc. L	5151	*	627A	3-5	Wisc. H	5269	*
47DR	5-7	Cum. Diesel	5861	79	127	2½-4	Herc. L	5151	*	627W	2½-3	Herc. WXC	5649	129
60	1	Cont. 26B	5580A	68	136	2-4	Herc. L	5151	*	628	3-5	Wisc. H	5269	*
64	1-1½	Cont. 16C	5669	70	138	2-4	Herc. L	5151	*	636	3-5	Wisc. H	5269	*
64	1-1½	Cont. 27B	5669	70	140	2-7½	Cont. 33B	5534	75	638	3-5	Wisc. H	5269	*
70	1½	Herc. JXB	5674	126	140B	2-7½	Cont. 33B	5534	75	640	7½-10	Cont. 16H	5146A	*
74	1½	Cont. 16C	5669	70	141	2-7½	Cont. 33B	5534	75	640	7½-10	Cont. 36B	5683	74
74	1½	Cont. 27B	5669	70	151	2½-3	Herc. WXC	5649	129	641-7	5½	Wisc. Z	5261	271
84	1-1½	Herc. OOB	5597	128	175	2-7½	Cont. 33B	5534	75	675	3-5½	Herc. RXB	5612	130
85	1½	Herc. JXB	5674	126	175B	Bus	Cont. 30B	5534	75	675	3-5½	Herc. RXB	5752	130
85DR	1½	Herc. JXB	5674	126	190	2-7½	Cont. 30B	5534	75	6111	1¼-1½	Cont. 15C	5669	70

NOTE—* Indicates that these motors are listed in Guide A. For older models see Guide A.


International Truck and Bus Model and Motor Reference

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
A1	1-1½	Wauk. XAH	5748	252	CS40	2-3	O'n FAB223	5806	142	M3	1-1½	Wauk. XAH	5748	252
A2	1-1½	Wauk. XAH	5748	252	CS40T	2-5	O'n FAB223	5806	142	Spl. Del.	¾	Wauk. X	5258A	252
A3	1½	Lyc. SAH	5835	164	CS50T	3-6	O'n FBB279	5807A	143	Spl. Del.	¾	Wauk. XA	5258A	252
A3½	1½	Lyc. SAH	5835	164	D1	½-1½	Own HD	6020	145	Spl. Del.	¾	Wauk. XK	5516	253
A4	2-3	O'n FBB279	5807A	143	D2	½-1½	Own HD174	6020	145	S24	1¼-2	Lyc. C	5067	*
A5	2-3	O'n FBB279	5807A	143	D2	½-1½	Own HD213	6020	145	S24	1¼-2	Lyc. GT	5067	*
A6	2-3	O'n FBB279	5807A	143	D5	½	Own FC132	5862	144	S26	1¼-2	Lyc. 4SL	5262	164
A7	5-7½	Own FDB	5810	144	D6	½	Own HD174	6020	145	SD36	1¼-2	Lyc. 4SL	5262	164
A8	7½	Own FEB	5810	144	D15	½-1½	O'n HD213A	6020	145	SD44	1¼-2	Lyc. C	5067	*
AL3	1¼-2	Lyc. 4SLH	5262	164	D15	½-1½	Own HD174	6020	145	SD44	1¼-2	Lyc. CF	5067	*
AR626	10-15	Own FEB	5810	144	D30	½-1½	Own HD232	6020	145	SD46	1¼-2	Lyc. 4SLH	5262	164
AW1	1½	Wauk. XA	5258A	252	D30B	½-1½	Own HD232	6020	145	SF34	1¼-2	Lyc. C	5067	*
AW2	1½	Wauk. XA	5258A	252	D35	½-2	O'n FAB241	5806	142	SF34	1¼-2	Lyc. CT	5067	*
B2	1-1½	Wauk. XAH	5748	252	D35B	1½-2	O'n FAB241	5806	142	SF36	1¼-2	Lyc. 4SL	5262	164
B3	1½-2	O'n FAB223	5806	142	D40	1½-2	O'n FAB259	5806	142	SF46	1¼-2	Lyc. 4SLH	5262	164
B4	1½-2	O'n FAB223	5806	142	D50	1½-2	O'n FBB298	5807A	143	SL	Bus	Lyc. K	27	*
C1	½-1½	Own HD	5799	145	D60	2-6	O'n FBB361	5966	143	SL	Bus	Cont. 6B	5135	*
C1	½-1½	Own HD	6020	145	D186T	1½-2	Own HD232	6020	145	SL34	1¼-2	Lyc. C	5067	*
C5	½	Own FK132	5862	144	D216T	2-4	O'n FAB241	5806	142	SL34	1¼-2	Lyc. CT	5067	*
C5	½	Own FC132	5862	144	D246F	2-4	O'n FBB298	5807A	143	SL36	1¼-2	Lyc. 4SL	5262	164
C10	1	Wauk. XAH	5748	252	D246T	2-4	O'n FBB298	5807A	143	SLC34	Bus	Lyc. C	5067	*
C12	1½	Own HD3	6020	145	D300	½-1½	O'n HD232A	6020	145	SLC36	Bus	Lyc. 4SL	5262	164
C15	½-1½	Own HD2	5799	145	D346F	3½-7	O'n FBB401	5966	143	W2	3½	Hall S. 151	5536A	14
C15	½-1½	Own HD2	6020	145	DR50	1½-2	O'n FBB298	5807A	143	W3	3½	Hall S. 151	5536A	14
C20	½-1½	Wauk. XAH	5748	252	DR60	2-6	O'n FBB361	5966	143	6SP	¾-1½	Wauk. X	5258A	252
C30	½-1½	Own HD3	5799	145	DR70	2-6	O'n FBB401	5966	143	6SP	¾-1½	Wauk. XA	5258A	252
C30	½-1½	Own HD3	6020	145	DR246T	2-4	O'n FBB298	5807A	143	15B	Bus	Lyc. 4SL	5262	164
C35	½-2	O'n FAB223	5806	142	DR346T	3½-7	O'n FBB401	5966	143	33	1½-2	Own	5120	146
C35T	½-2	O'n FAB223	5806	142	DS30	½-1½	Own HD232	6020	145	33	Bus	Own	5120	146
C40	2-5	O'n FAB223	5806	142	DS35	1½-2	O'n FAB241	5806	142	43	1½-2	Own	5120	146
C40F	3-5	O'n FAB223	5806	142	DS40	1½-2	O'n FAB259	5806	142	53	Bus	Own	6029	146
C40T	3-5	O'n FAB223	5806	142	DS50	1½-2	O'n FBB298	5807A	143	54	3-5	Own	6029	146
C50	3-6	O'n FBB279	5807A	143	DS186T	1½-2	Own HD232	6020	145	54DD	Bus	Buda BUS	5346	*
C55	3½-5	O'n FBB298	5807A	143	DS216T	2-4	O'n FAB241	5806	142	54H	1-1½	Wauk. 6AB	5260A	239
C55F	3½-7	O'n FBB298	5807A	143	DS246T	2-4	O'n FBB298	5807A	143	54H	Bus	Buda BUS	5346	*
C60	3½-5	O'n FBB298	5807A	143	DS300	½-1½	O'n HD232A	6020	145	54L	Bus	Cont. 6B	5135	*
C60T	3½-7	O'n FBB298	5807A	143	HS54	2½-6	Hall S. 151	5536A	14	54M	Bus	Buda BUS	5346	*
C300	1½	Own HD4	6020	145	HS54C	2½-6	Hall S. 151	5536A	14	63	3-5	Own	6029	146
CS30	1½	Own HD3	5799	145	HS74	3½-5	Hall S. 152	5537A	14	74	3-5	Own	6029	146
CS30	1½	Own HD3	6020	145	HS74C	3½-5	Hall S. 152	5537A	14	103	3-5	Own	6029	146
CS35	1½-4	O'n FAB223	5806	142	HS104C	3½-5	Hall S. 152	5537A	14	104	3-5	Own	6029	146
CS35T	1½-4	O'n FAB223	5806	142	M2	1-1½	Wauk. XAH	5748	252					


NOTE—* Indicates that these motors are listed in Guide A. For older models see Guide A.

International Harvester Motor, 6. Models FAB223, 3 $\frac{1}{8}$ "x4", 3 $\frac{7}{16}$ "x4"; FAB241, 3 $\frac{3}{8}$ "x4 $\frac{1}{2}$ "; FAB259..... 3 $\frac{1}{2}$ "x4 $\frac{1}{2}$ "


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
35702H	Cyl. hd.	Stl. Asb.	1		5806
	Valve grinding set (1-5806, 1-2946, 1-16157, 1-C3402, 1-C3399, 1-V9583, 1-V8336)		1		9406
	Mani. set (1-2946)	Cop. Stl. Asb.	1		MS-1231
	Cyl. hd. cov. set (1-C3402)	Cork	1		CV-316
	Push rod cov. set (1-C3399)	Cork	1		CV-317
	Oil pan set (1-C3400, 1-C3401, 1-C3519, 1-C3520, 2-C3791, 2-10305)	Cork	1		CS-2267
35701H	Gear cov. pl. set (1 pc.) ..	Vell.	1		ES-1037
35708H	Gear cov. set (1 pc.) to eng. 37807	Vell.	1		ES-1162
54831H	Gear cov. set (1 pc.) after eng. 37807	Vell.	1		ES-1036
29409H	Diff. carr. set (1 pc.) B3 ..	Vell.	1		ES-4260
	Diff. carr. and hsg. set (1 pc.) C35T to 555	Vell.	2		ES-4260
37134H	Diff. carr. set (1 pc.) B4-C40 to 595	Vell.	1		ES-4342
49429H	Diff. carr. set (1 pc.) CS35-CS35B-CS35T- CS40T-DS35-DS40 to 687	Vell.	1		ES-4712
57250H	Diff. carr. set (1 pc.) C35T after 555; C40T after 595; D35-D35B- D40	Vell.	1		ES-4343
81626H	Diff. carr. set (1 pc.) DS40 after 687	Vell.	1		ES-4716
35695HA	Manifold	Cop. Stl. Asb.	1		2946
35694H	Cyl. hd. cov.	Cork	1		C-3402
35703H	Push rod cov.	Cork	1		C-3399
35691H	Oil pan, right.	Cork	1		C-3400
35692H	Oil pan, left.	Cork	1		C-3401
35638HA	Oil pan, front.	Cork	1		C-3519
35639HA	Oil pan, rear.	Cork	1		C-3520
35636HB	C/S rear oil seal.	Cork	2		C-3791
35628H	Oil pump cov.	Vell.	1		V-8153
35659HA	Int. to exh.	Asb.	1		16157
38406H	Carburetor FAB223	Asb.	1-3		16159
66453H	Carburetor FAB241-259 ..	Asb.	1-3		16161
37453HA	Carb. spacer FAB241-259 ..	Asb.	1		16158
51346VA	Fuel pump bowl.	Cork	1		C-928
23528D	Fuel pump bottom cov.	Cork	1		C-2303
35898H	Wat. pump cov.	Vell.	1		V-9597
35896H	Wat. pump to block.	Vell.	1		V-8831
35665H	Wat. outlet, upper.	Vell.	1		V-8154
35652H	Wat. outlet, lower.	Vell.	1		V-8336
35895H	Wat. inlet	Vell.	1		V-8255
63306H	Flywheel hsg. lower cov. FAB241-259	Cork	1		C-4417
33688H	C/S oil seal felt.	Felt	2		10305
29400H	Axle hsg. B3	Cork	1		C-4183
37135H	Axle hsg. B4-C40T to 595 ..	Cork	1		C-3407
49430H	Axle hsg. CS35-CS35B- CS35T-CS40T- DS35- DS40 to 687	Cork	1		C-4183
57255H	Axle hsg. C35T after 555; C40T after 595; D35- D35B-D40	Cork	1		C-4263
81628H	Axle hsg. DS40 after 687 ..	Cork	1		C-5118
55507H	Axle shaft flg. (with disc wheels)	Tr. Paper	2		30438
33688H	Axle shaft flg. (without disc wheels) ..	Tr. Paper	2		30509




McCord No. 5806




McCord No. 2946

McCord. No C-8519
and C3520

McCord No. C-3402




McCord No. C-8400




McCord No. C-8401


International Harvester Motor, 6. Models FBB279, 3 5/8 x 4 1/2"; FBB298, 3 3/4 x 4 1/2"; FBB361, 4 1/8 x 4 1/2"; FBB401, 4 7/8 x 5"



McCord No. 5807-A




McCord No. 5966




McCord No. 2229




McCord No. 2128




McCord No. 2305




McCord No. C-938



McCord No. C-939




McCord No. C-940




McCord No. C-941

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
36132H	Cyl. hd. FBB279-FBB298	Stl. Asb.	1		5807A
61483H	Cyl. hd. FBB361-FBB401	Stl. Asb.	1		5966
16106D	Cyl. hd., upper, FBB279-FBB298	Cop. Asb.	1		2229
	Mani. set (2-2128, 1-839H)	Stl. Asb.	1		MS-1230
	Cyl. hd. cov. set (1-C938)				
	FBB279-298	Cork	1		CV-315
	Cyl. hd. cov. set (1-C4405)				
	FBB361-401	Cork	1		CV-595
	Push rod cov. set (2-C939)				
	FBB279-298	Cork	1		CV-318
	Push rod cov. set (2-C4404)	Cork	1		CV-596
	Oil pan set (1-C940, 1-C941, 1-C1173, 1-C1174)	Cork	1		CS-2232
16170D	Gear cov. pl. set (1 pc.)	Vell.	1		ES-1018
16125D	Gear cov. set (1 pc.)				
	FBB279 engine to serial 21345, FBB298-361 engine to serial 2957	Vell.	1		ES-1452
54648H	Gear cov. set (1 pc.)				
	FBB279 engine after serial 21345, FBB298-361 engine after serial 2957 for trucks without air brake	Vell.	1		ES-1171
25808D	Gear cov. set (1 pc.)				
	FBB298-361 for trucks with air brake and all 401	Vell.	1		ES-1211
	Diff. carr. set (1-V4334)				
	C50 to serial 3434	Vell.	1		ES-4334
61737H	Diff. Carr. set (1 pc.)				
	C50 after serial 3434; CS50-D50-DS50-DR50	Vell.	1		ES-4717
36580H	Diff. carr. set (1 pc.)				
	C55-C60	Vell.	1		ES-4718
68660H	Diff. carr. set (1 pc.)				
	D60-DR60-DR70	Vell.	1		ES-4348
68661H	Axle hsg. set (1 pc.)				
	D60-DR60-DR70	Vell.	1		ES-4349
16167D	Mani., center	Stl. Asb.	1		839H
31337D	Mani., ends	Stl. Asb.	2		2128
16088D	Cyl. hd. cov. FBB279-298	Cork	1		C-938
61488H	Cyl. hd. cov. FBB361-401	Cork	1		C-4405
16092D	Push rod cov. FBB279-298	Cork	2		C-939
61482H	Push rod cov. FBB361-401	Cork	2		C-4404
16140D	Oil pan, right	Cork	1		C-941
16113D	Oil pan, left	Cork	1		C-940
16085D	Oil pan, front	Cork	1		C-1173
16108DA	Oil pan, rear	Cork	1		C-1174
16079D	Oil pump body	Vell.	1		V-9149
16078D	Oil pump cov.	Vell.	1		V-8155
16144D	Int. to Exh. FBB279	Asb.	1		16070
61499H	Int. to Exh. FBB298-361-401	Stlplk.	1		S-3015
7198TA	Carburetor FBB279-298	Vell.	3		V-103
66453H	Carburetor FBB361-401	Asb.	3		16161
16786D	Fuel pump	Vell.	1		V-5385
51346VA	Fuel pump bowl	Cork	1		C-928
16072D	Wat. pump cov.	Vell.	1		V-9419
16073DA	Wat. pump to hd.	Vell.	1		V-9150
16076D	Wat. inlet	Vell.	1		V-9151
16074D	Wat. outlet	Vell.	1		V-5432
16107D	Generator fig.	Vell.	1		V-9420
16122DA	C/S rear oil ret.	Vell.	1		V-9421
34999V	Diff. carr. C50 to ser. 3434	Vell.	1		V-4334
53723V	Axle hsg. C50 to ser. 3434	Cork	1		C-2518
61741H	Axle hsg. C50 after ser. 3434, CS50-D50-DS50-DR50	Cork	1		C-4401
21793V	Axle hsg. C55-C60	Vell.	1		V-4330
61135H	Axle shaft fig. C-50-CS50-D50-DS50-DR50	Tr. Paper	2		30510
61143H	Axle shaft fig. C55-C60-D60-DR60	Tr. Paper	2		30511
61831H	Axle shaft fig. DR70	Tr. Paper	2		30439



International Harvester Motor, 4. Models FC132-FK132 (Waukesha Motor) 3 1/4 x 4"


McCord No. 5862



McCord No. S-2976

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
55644HA	Cyl. hd.	Cop. Asb.	1		5862
	Mani. set (2-S2976)	Stlpk.	2		SMS-2515
	Valve cov. set (2-C4026) ..	Cork	1		CV-547
	Oil pan set (1-C4160, 1-C4161, 2-C4027)	Cork	1		CS-2309
	Gear cov. pl. set (1-V1169) FC	Vell.	1		ES-1169
	Gear cov. pl. set (1-V1035) FK	Vell.	1		ES-1035
	Gear cov. set (1-V1034) FC	Vell.	1		ES-1034
55668	Gear cov. set (1 pc.) FK ..	Vell.	1		ES-1298
1086Y	Diff. carr. set (1 pc.)	Vell.	1		ES-4169
55595H	Manifold	Stlpk.	2		S-2976
19486D	Valve cov.	Cork	2		C-4026
19481D	Oil pan, right	Cork	1		C-4160
19482D	Oil pan, left	Cork	1		C-4161
19483D	Oil pan, ends	Cork	2		C-4027
19529D	Oil pump cov.	Tr. Paper ..	1		30343
13442V	Carburetor	Asb.	3		16177
2163Y	Fuel pump	Vell.	1		V-8264
51346VA	Fuel filter bowl	Cork	1		C-928
61633H	Wat. pump	Vell.	1		V-8233
19487D	Wat. inlet	Asb.	1		16174
59469H	Wat. outlet	Vell.	1		V-5471
5773	Gear cov. pl. FC	Vell.	1		V-1169
19444D	Gear cov. pl. FK	Vell.	1		V-1035
57776	Gear cov.	Vell.	1		V-1034
57763H	Flywheel hsg. FC	Tr. Paper ..	1		30418
19419D	Flywheel hsg. FK	Paper	1		30437
1077Y	Axle hsg.	Cork	1		C-910

International Harvester Motor, 6. Models FDB, 4 1/2 x 5 1/2": FEB 5x5 1/2"


McCord No. 5810

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
31127HA	Cyl. hd.	Cop. Asb.	2		5810
	Mani. set (4-2654, 4-2655) Stl. Asb.	1			MS-1232
	Valve cov. set (2-C3092) ..	Cork	1		CV-319
	Cyl. hd. cov. set (2-C3095) Cork	1			CV-314
	Oil pan set (1-C3827A, 1-C3827B, 1-C3828A, 1-C3828B, 1-C3090, 1-C3091)	Cork	1		CS-2328
31217H	Gear cov. pl. set (1 pc.) ..	Vell.	1		ES-1366
31215H	Gear cov. set (1 pc.)	Vell.	1		ES-1299
31494H	Mani., single	Stl. Asb.	4		2654
31495H	Mani., double	Stl. Asb.	4		2655
31168H	Valve cov.	Cork	2		C-3092
31154H	Cyl. hd. cov.	Cork	2		C-3095
32153H	Oil pan, front, mani. side	Cork	1		C-3827A
32154H	Oil pan, rear, mani. side ..	Cork	1		C-3827B
32155H	Oil pan, front, gen. side ..	Cork	1		C-3828A
32156H	Oil pan, rear, gen. side	Cork	1		C-3828B
31225H	Oil pan, front	Cork	1		C-3090
31226H	Oil pan, rear	Cork	1		C-3091
31245H	Wat. pump body cov.	Vell.	1		V-9608GA
31165H	Wat. mani.	Vell.	1		V-9835




McCord No. 2654




McCord No. 2655




International Harvester Motor, 6. Models HD-HD2-HD3-HD4, 3 $\frac{5}{8}$ x4 $\frac{1}{8}$ " ; HD174 3x4 $\frac{1}{8}$ "
 Models HD213-HD213A, 3 $\frac{1}{8}$ x4 $\frac{1}{8}$ " ; HD232-HD232A 3 $\frac{1}{8}$ x4 $\frac{1}{2}$ "




McCord No. 6020




McCord No. 5799




McCord No. 2607

McCord
No. 2606


McCord No. 2858




McCord No. 2940



McCord No. C-1256



McCord No. C-894



McCord No. C-993

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1761YB	Cyl. hd. HD motor to Serial 73924 HD2 motor to Serial 1098 HD3 motor to early 36	Cop. Asb.	1	33-36	5799
54390H	Cyl. hd. HD motor after Serial 73924 HD2 motor after Serial 1098 HD3 motor late 36 HD4-HD174-HD213- HD213A-HD232- HD232A	Cop. Asb.	1	36-39	6020
	Valve grinding set (see 5799) (1-5799, 1-2607, 1-856B, 2-C894, 1-2606)		1	33-36	9049
	Valve grinding set (see 6020) (1-6020, 1-2607, 1-856B, 2-C894, 1-2606, 1-2858)		1	36-39	9050
	Mani. set (1-2607)	Stl. Asb.	1		MS-2398
	Valve cov. set (2-C894)	Cork	1		CV-477
	Oil pan set (1-C993)	Cork	1		CS-2206
	Oil pan set (1-P752)	Vell.	1		ES-752
1933Y	Gear cov. pl. set (1 pc.) HD-HD2-HD3-HD4	Vell.	1		ES-1039
61811H	Gear cov. pl. set (1 pc.) HD174-HD213- HD213A-HD232	Vell.	1		ES-1038
1933YA	Gear cov. pl. set (1 pc.) HD232A	Vell.	1		ES-1039
1863Y	Gear cov. set (1 pc.)	Vell.	1		ES-1258
1086Y	Diff. carr. set (1 pc.) C1-D1-D2	Vell.	1		ES-4169
58525H	Diff. carr. set (1 pc.) C15-D15	Vell.	1		ES-4274
52726H	Diff. carr. set (1 pc.) C12-C30 hyd. brakes; C300-D30-D30B- D186T-D300	Vell.	1		ES-4337
29409H	Diff. carr. and axle hsg. set (1 pc.) C30 mech. brakes	Vell.	2		ES-4260
49429H	Diff. carr. set (1-pc.) CS30-DS30-DS186- DS300	Vell.	1		ES-4712
13888V	Axle hsg. set (1 pc.) C15-D15	Vell.	1		ES-4262
1281Y	Exh. pipe flg.	Cop. Asb.	1		856B
1876Y	Manifold	Stl. Asb.	1		2607
1754Y	Valve cov.	Cork	2		C-894
1783Y	Oil pan	Cork	1		C-993
1783Y	Oil pan	Vell.	1		P-752
1919Y	Oil pump cov.	Vell.	1		V-8231
1922Y	Oil pump to block	Vell.	1		V-8232
1877Y	Int. to exh. HD-HD2- HD3-HD4	Stl. Asb.	1		2606
62305H	Int. to exh. HD174- HD213-HD213A	Cop. Asb.	1		2858
60782H	Int. to exh. HD232- HD232A	Cop. Asb.	1		2940
2158Y	Carburetor	Asb.	1		16021
66453H	Carb. to gov. HD174- HD213-HD232-HD232A	Asb.	3		16161
2163Y	Fuel pump	Vell.	1		V-8264
1907Y	Wat. pump HD-HD2- HD3-HD4	Asb.	1		16176
60837H	Wat. pump HD174- HD213-HD213A- HD232-HD232A	Asb.	1		16160
1767Y	Wat. outlet HD	Cop. Asb.	1		839E
41991H	Wat. outlet all but HD	Vell.	1		V-5290


(Continued on Next Page)

International Harvester Motor, 6. HD Series—Continued


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1863Y	Gear cov.	Cork	1		C-1256
1680YA	Flywheel hsg. lower cov. HD with 3 speed trans. and C15 to Serial 1069	Cork	1		C-4125
43291H	Flywheel hsg. lower cov. HD with 4 speed trans. and C12 to 549; C30 to 35345; CS30 to 2415	Cork	1		C-3851
65191H	Flywheel hsg. lower cov. C15 after 1099	Cork	1		C-4410
61985H	Flywheel hsg. lower cov. C12 after 549; C30 after 35345; CS30 after 2415	Cork	1		C-4411
65241H	Flywheel hsg. lower cov. HD174-HD213-HD213A	Cork	1		C-4439
61989H	Flywheel hsg. lower cov. HD232	Cork	1		C-4440
1086Y	Diff. carr. C1-D2	Vell.	1		V-4169
29409H	Diff. carr. and axle hsg. C30 mech. brakes	Vell.	2		V-4260
1077Y	Axle hsg. C1-D1-D2	Cork	1		C-910
52725H	Axle hsg. C12-C30 hyd. brakes; C300-D30- D30B-D186T-D300	Cork	1		C-4189
13888V	Axle hsg. C15-D15	Vell.	1		ES-4262
49430H	Axle hsg. CS30-DS30- DS186T-DS300	Cork	1		C-4183
35388H	Axle shaft fig. not disc wheel	Vell.	2		V-8855
55507H	Axle shaft fig. disc wheel	Tr. Paper	2		30438

International Harvester, 4. Truck-Bus Models 33-43.....


3 3/4 x 5"



McCord No. 5120



McCord No. 1924




McCord No. 1215

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
10321DB	Cyl. hd. Motor overhaul set (1-5120, 1-1215, 1-36029, 1-V1316, 1-P625, 1-16058, 1-V2294, 1-865C, 1-1924, 1-16074, 1-16075, 1-V103)	Stl. Asb.	1		5120
	Mani. set (1-1215)	Stl. Asb.	1		9064
	Valve cov. set (1-V2294)	Vell.	1		MS-2522
10417D	Oil pan set (1 pc.)	Vell.	1		ES-2294
10416D	C/C front end pl. set (1 pc.)	Vell.	1		ES-625
10752VA	Exh. pipe fig.	Stl. Asb.	1		ES-1316
103788	Manifold	Stl. Asb.	1		865C
29760D	Valve cov.	Vell.	1		1215
4301D	Oil discharge elbow	Cop. Asb.	1		V-2294
7198TA-1	Carburetor (tractor)	Vell.	1		509A
12757D	Carburetor	Vell.	1		V-103
12387D	Air cleaner, top	Cop. Asb.	1		V-8397
10418D	Wat. outlet	Asb.	1		1924
12235D	Wat. inlet elbow (tractor)	Asb.	1		16058
7198TA	Wat. inlet	Asb.	1		16074
10690D	Radiator outlet	Vell.	1		16075
10415D	C/C front cov.	Tr. Paper	1		V-9371
4112D	Hand hole cov. clamp bolt	Cop. Asb.	2		36029
					503

International Harvester, 4. Truck-Bus. Models 53-54-63-74-103-104.....

4 1/4 x 5"




McCord No. 6029

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
10366DE}	Cyl. hd.	Stl. Asb.	1		6029
10366DD}	Motor overhaul set (1-6029, 1-1196, 1-1924, 1-1609, 1-876A, 1-2332, 1-P736, 1-V1451, 1-V103, 1-V2295, 1-2316, 1-36030)		1		9065


(Continued on Next Page)

International Harvester Motor, 4. Models 53 thru 104—Continued



Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	Mani. set (1-1196)	Stl. Asb.	1		MS-1233
	Valve cov. set (1-V2295)	Vell.	1		ES-2295
10421D	Oil pan set (1 pc.)	Vell.	1		ES-736
10416D	C/C front end pl. set (1 pc.)	Vell.	1		ES-1316
10419D	Gear cov. set (1 pc.)	Vell.	1		ES-1451
15330H	Exh. pipe flg.	Stl. Asb.	1		876A
10413D	Manifold	Stl. Asb.	1		1196
29761D	Valve cov.	Vell.	1		V-2295
15994D	Combination mani. baffle	Cop. Asb.	1		2945
7198TA-1	Carburetor	Vell.	1		V-103
16479D	Air cleaner body	Stl. Asb.	1		2332
12809D	Air cleaner top	Cop. Asb.	1		1609
12837D	Air cleaner top	Cop. Asb.	1		1924
15024H	Wat. inlet	Vell.	1		V-5748
15025H	Wat. outlet	Vell.	1		V-5749
15066H	Radiator to block	Vell.	1		V-5750
10422D	Wat. jkt. cov.	Asb.	1		2316
10341D	Cam shaft rear brg.	Cop. Asb.	1		310
10420D	C/C front pl.	Paper	1		36030

Johnson Motors Marine (Outboard). Models DK55-P50-S45-V45



Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
21A-257	Cyl. hd. DK55-S45	Cop. Asb.	2		5650
29A-51	Cyl. hd. P50	Cop. Asb.	2		5651
23B-241	Cyl. hd. V-45	Cop. Asb.	2		5652

Jordan, 6. Passenger. Model Light 6, 1927-29, Continental 12E-18E. McCord No. 5459. See Page No. 71.
Model E, 1929, Continental 15U. McCord No. 5483A. See Page No. 70.

Jordan, 8. Passenger. Models J-JI-JE-G70-80-90, 1926-31, Continental 15S. McCord No. 5177. See Page No. 76.
Model Z Speedway, 1930. Continental 12K-14K. McCord No. 5493A. See Page No. 74.
For older models see Guide A.

Kenworth, 4-6. Truck and Bus.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
A6	1½-2	Buda HS6	5344	*	146	3-9	Buda K393	5725	30	506		Cum. HB4	5861	79
BU21	Bus	Buda BA6	5346	*	146B	3-4	Buda K393	5725	30	507		Cum. HB4	5861	79
BU29	Bus	Buda GL6	5263	28	146SBT	3-4	Buda K393	5725	30	508		Cum. HB4	5861	79
D146	9	Buda D6-415	5981	27	165	2½-8	Herc. WXC	5649	129	509		Cum. HB4	5861	79
D146	9	Buda D6-415	5982	27	166A	3½-4	Hall S. 147	5503	13	510		Cum. HB6	5861	79
D146B	3-4	Buda D6 415	5981	27	166B	3-9	Buda K-393	5725	30	511		Cum. HB6	5861	79
D146B	3-4	Buda D6-415	5982	27	184	2½-8	Herc. WXC	5649	129	512		Cum. HB6	5861	79
D146C	3-4	Cum. HA4	5861	79	185	3-10	Herc. YXC2	5526	130	514		Cum. HB4	5861	79
D146SW	9	Buda D6-415	5982	27	186	3-10	Herc. YXC2	5526	130	519		Cum. HB6	5861	79
D146SW	9	Buda D6-415	5981	27	186SDT	3-10	Herc. WXC2	5649	129	520		Cum. HB6	5861	79
D346C	10	Cum. HB6	5861	27	186SDT	3-10	Herc. YXC2	5526	130	521		Cum. HB6	5861	79
G	3	Buda DW6	5345	*	205	3½-10	Buda GL6	5263	28	522		Cum. HB6	5861	79
NT	3-10	Buda GL6	5263	28	220	3-10	Herc. YXC	5526	130	523		Cum. HB6	5861	79
V-5	1-1½	Cont. 18E	5459	71	220	3½-10	Hall S. 160	5606	15	524		Cum. HB6	5861	79
55	1½-2	Buda HS6	5344	*	240	3-10	Herc. YXC2	5526	130	525		Buda LO525 S6028	30	
70	1-1½	Cont. 18E	5459	71	240	5	Herc. YXC3	5612	130	526		Buda LO525 S6028	30	
75	1-1½	Cont. 18E	5459	71	241	5-10	Herc. RXB	5612	130	527		Buda LO525 S6028	30	
85	1-1½	Cont. 18E	5459	71	241	5-10	Herc. RXB	5752	130	528		Buda LO525 S6028	30	
86	1½-2	Herc. JXB	5674	126	241A	3½-10	Hall S. 160	5606	15	529		Buda K428	5725	30
87	1½-2	Herc. JXB	5674	126	241B	3½-10	Buda GL6	5263	28	530		Buda K428	5725	30
88	2-7	Herc. JXC	5732	126	241C	5	Hall S. 175	5659	16	531		Buda K428	5725	30
89	2-7	Herc. JXC	5732	126	241C	5-7	Cum. HB6	5861	79	532		Buda K428	5725	30
89SBT	2-7	Herc. JXC	5732	126	241SDT	5-10	Herc. RXB	5612	130	533		Buda K393	5725	30
90	2-7	Herc. JXC	5732	126	241SDT	5-10	Herc. RXB	5752	130	534		Buda K393	5725	30
100	1½-2	Buda HS6	5344	*	336B	3½-10	Buda GL6	5263	28	535		Buda K393	5725	30
100	1½-2½	Buda H298	5615	29	345	3½-10	Hall S. 160	5606	15	536		Herc. JXC	5732	126
101B	1½-2½	Buda H298	5615	29	346A	3½-10	Hall S. 160	5606	15	537		Herc. JXC	5732	126
125	2	Herc. WXB	5496	129	346B	3½-10	Buda GF6	5263	28	538		Herc. JXC	5732	126
127	2½-3	Herc. WXC2	5649	129	346C	3½-10	Hall S. 175	5659	16	543		Cum. AA6	6111	79
127SBT	2½-8	Herc. WXC2	5649	129	385	5-10	Hall S. 175	5659	16	544		Cum. AA6	6111	79
128	3-4	Herc. WXC2	5649	129	386C	5-10	Hall S. 175	5659	16	545		Cum. AA6	6111	79
145	2½-8	Herc. WXC2	5649	129	505		Cum. HB4	5861	79					


NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.

Kermath, 4-6-8. Marine Engines.


Model	No.	Cyl.	H.P.	Motor	McCord No.	See Page No.	Model	No.	Cyl.	H.P.	Motor	McCord No.	See Page No.	Model	No.	Cyl.	H.P.	Motor	McCord No.	See Page No.
E	4	35	Own		*	148	Sea Dog	4	40	Herc. OOC	5597	128		Sea Wolf	6	225	Own		*	148
F	4	50	Own		*	148	Sea Eagle	6	60-82	Herc. WXA	5495	129			4	20	Own		5681	148
GL	6	65-100	Own		5680	148	Sea Farer	6	150	Own	5679	149		35	4	35	Own		*	148
GH	6	65-100	Own		5680	148	Sea Flyer	6	85	Herc. QXB	5992	128		50	4	50	Own		*	148
RH	6	150-200	Own		*	148	Sea Hawk	6	175	Own	*	148		70	4	70	Own		*	148
V8	8	94	Ford V8		5842C	105	Sea Man	4	50	Herc. OOB	5597	128		85	6	85	Own		5678	149
Sea Bird	4	25-50	Herc. IXB		5800	126	Sea Mate	6	90-110	Herc. WXC3	5649	129		125	6	125	Own		5678	149
Sea Captain	6	65-100	Own		5680	148	Sea Queen	6	80-102	Herc. JXC	5732	126								
Sea Cub	4	25	Herc. ZXB		5894	131	Sea Rover	6	95	Herc. WXC	5649	129								

*Refer to motor listing for correct McCord No.


Kermath Marine Engine, 4. Models E-F-35-50-70 4 3/8 x 5 1/2"




McCord No. 5681



McCord No. 5682




McCord No. 2275




McCord No. 2277

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
F-79	Cyl. hd.	Cop. Asb.	1	to 23	5682
F-79-1	Cyl. hd.	Cop. Asb.	1	23 up	5681
	Mani. set (1-2277)	Cop. Asb.	1	to 23	MS-2586
	Mani. set (1-2275)	Cop. Asb.	1	23 up	MS-2587
F-80	Manifold	Cop. Asb.	1	to 23	2277
F-80-1	Manifold	Cop. Asb.	1	23 up	2275

Kermath Marine Engine, 6. Models G-GL-GH Sea Captain 65-100 4 3/8 x 5 1/2"




McCord No. 5680




McCord No. 2276

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
G-79	Cyl. hd.	Cop. Asb.	2		5680
	Mani. set (1-2276)	Cop. Asb.	1		MS-2588
G-80	Manifold	Cop. Asb.	1		2276
G167	Cyl. hd. coupling	Cop. Asb.	4		809


Kermath Marine Engine, 6. Models 9H-Sea Hawk 150, 5x5 1/2"; RH-Sea Wolf 200 5x5 3/4"



McCord No. 5676



McCord No. 5677




McCord No. 2821

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
9-79	Cyl. hd. (1/8" asb.)	Cop. Asb.	1	to 28	5676
9-79-1	Cyl. hd. (1/8" asb.)	Cop. Asb.	1	28 up	5677
	Mani. set (3-2821)	Cop. Asb.	1		MS-2589
9-80-1	Manifold	Cop. Asb.	3		2821




Kermath Marine Engine, 6. Models L-LL-LH-150, Sea Farer (L-head) 5x5 3/4"



McCord No. 5679

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
L-79-1	Cyl. hd.	Cop. Asb.	1		5679

Kermath Marine Engine, 6. Models 85-125 4 5/8 x 5 1/2"



McCord No. 5678

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
K-79	Cyl. hd.	Cop. Asb.	1		5678

King-Zeitler, 4-6. Truck. See Guide A.

Kissel, 4. Truck. See Guide A.

Kissel, 6-8. Passenger.

Model	Year	Motor	McCord No.	See Page No.	Model	Year	Motor	McCord No.	See Page No.	Model	Year	Motor	McCord No.	See Page No.
8-65	27-30	Lyc. GR	5388A	163	8-75	25-30	Lyc. 3H	5125A	162	8-95	27-30	Lyc. G	5388A	163
6-70	28-30	Lyc. WS	5387A	166	8-80	27-30	Lyc. G	5388A	163	8-126	25-30	Lyc. 3H	5125A	162
6-73	28-30	Lyc. WS	5387A	166	8-90	25-30	Lyc. 3H	5125A	162					

Kleiber, 4-6. Truck.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
KD4	4	Cum. HB	5861	79	58	3-10	Cont. 21R	5534	75	121	3-5	Cont. 18R	5534	75
KD6	7	Cum. HB	5861	79	64	3-10	Cont. 21R	5534	75	140	3-10	Cont. 18R	5534	75
KDB6	4	Cum. HB	5861	79	66	3-10	Cont. 18R	5534	75	140	2-5	Cont. E601	5751	71
Speed	2 1/2	Cont. 6B	5135	*	80	1-2 1/2	Cont. 18E	5459	71	140	2-5	Cont. E601	6015	71
22DD	3-10	Cont. 20R	5534	75	80	1 1/2-3 1/2	Herc. JXB	5674	126	141	2-5	Cont. 21R	5534	75
28DD	3-10	Cont. 20R	5534	75	81	1 1/2-3 1/2	Herc. JXB	5674	126	210	4-6	Cont. 21R	5534	75
34DD	3-10	Cont. 20R	5534	75	100	2-3 1/2	Cont. 16C	5669	70	225	3-10	Cont. 21R	5534	75
34DDT	5	Cont. 20R	5534	75	100	2-2 1/2	Buda H298	5615	29	260	5	Cont. 21R	5534	75
34DDT	5	Buda GF6	5263	28	100	1 1/2-3 1/2	Herc. JXB	5674	126	260	5	Buda GF6	5263	28
51	1-2 1/2	Cont. 18E	5459	71	120	2 1/2-4 1/2	Cont. 16R	5534	75	280	5	Cont. 20R	5534	75
52	1-2 1/2	Cont. 18E	5459	71	120	2-5	Buda H298	5615	126	340	10	Cont. 20R	5534	75
54	2-2 1/2	Buda H298	5615	29	120	2 1/2-5 1/2	Cont. E601	5751	71	340	10	Cont. 22R	5794	76
56	2-2 1/2	Buda H260	5615	29	120	2 1/2-5 1/2	Cont. E601	6015	71					

NOTE—For older models see Guide A.

La Fayette Motor, 6. Passenger. Models 110, 1934; 3510, 1935; 3610, 1936 3 1/4 x 4 3/8"

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
25367	Cyl. hd.	Cop. Asb.	1		5776

NOTE—For other gaskets see Nash 6, 1120. Page No. 180.

La Fayette Motor, 6. Passenger. Models 3710, 1937; 3810, 1938; 3910, 1939; 4010, 1940 3 3/8 x 4 3/8"

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
28641	Cyl. hd.	Cop. Asb.	1	37-39	5895
99065	Cyl. hd.	Stlpk.	1	40	S-6125

NOTE—For other gaskets see Nash 6, 3640. Page No. 182.



La France-Republic

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
A1	Bus	Lyc. WTG	5387A	166	F2	2-3	Lyc. ASD	5598	161	MH5	6-10	Wauk. 6SRK	5717	247
AA1	Bus	Lyc. WTG	5387A	166	F3	2½-3	Lyc. ASD	5598	161	MT42C	10	Wauk. 6SRL	5549	247
AS1	Bus	Lyc. WTG	5387A	166	F3	3½-4	Wauk. 6MK	5761	247	S25W	3-4½	Wauk. CU	5238	*
C1	1½-2½	Lyc. 4SG	5262	164	F3S	2½-3	Lyc. ASD	5598	161	15W	2	Wauk. V	5264	249
C2	2-2½	Lyc. SA	5771	164	F4	2½-3	Wauk. 6MK	5761	247	25	3	Cont. 6B	5135	*
C3	2-2½	Wauk. 6BK	5921A	240	FH5	4-6	Wauk. 6MZ	5750	247	25W	3	Wauk. CU	5238	*
CHS5	12-18	Wauk. 6RB	5568	239	H1	2½-5	Lyc. TS	5390	165	25W	3	Wauk. FU	5239	*
D1	1½-2½	Lyc. 4SG	5262	164	H2	2½-5	Lyc. TS	5390	165	30W	3-3½	Wauk. CU	5238	*
D2	2-2½	Lyc. SA	5771	164	H3	3½-5	Buda K393	5725	30	35	5	Wauk. DU	81	241
D3	2½-4	Wauk. 6BK	5921A	240	H4	2½-5	Lyc. TS	5390	165	35-2	5-6	Wauk. 6AB	5260A	239
D4	2½-4	Wauk. 6BK	5921A	240	H5	4-5	Wauk. 6MZ	5750	247	35-3	5-7	Wauk. 6SRK	5717	247
E1	2½-3	Buda H260	5615	29	H6	4-5	Wauk. 6MK	5761	247	35-4	6-8	Wauk. 6-125	5885	256
E2	2½-3	Lyc. ASD	5598	161	HH7	5-8	Wauk. 6MZ	5750	247	50	1-2	Lyc. 4SG	5262	164
E3	2-4	Wauk. 6BK	5921A	240	K1	5-6	Wauk. 6SRL	5549	247	58	1-2	Lyc. 4SG	5262	164
E4	2-4	Wauk. 6BK	5921A	240	KH2	5-8	Wauk. 6SRL	5549	247	60	2-3	Lyc. TF	5389	165
EJ5	3-5	Wauk. 6BZ	6019	240	L1	2½-5	Lyc. TS	5390	165	65	2-5	Lyc. TS	5390	165
EJ6	3-5	Wauk. 6BZ	6019	240	M1	3½-4	Wauk. 6KS	5473B	245	75	1-2½	Lyc. 4SL	5262	164
ES1	2½-3	Lyc. ASD	5598	161	M2	4-6	Wauk. 6SRL	5549	247	76	1-2½	Lyc. 4SL	5262	164
F1	1-2½	Lyc. 4SG	5262	164	M3	4-6	Wauk. 6SRL	5549	247	88	1¼-2½	Lyc. 4SL	5262	164
F2	2-3	Lyc. TF	5389	165	M4	3-4½	Wauk. 6-125	5885	256	88	2	Wauk. V	5264	249

NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.

Lang, 6. Truck.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
F6	3-5	Herc. YXC2	5526	130	L	2	Herc. WXC	5649	129	S	1½-3	Herc. YXA	5525	130
F16	3-5	Herc. YXC2	5526	130	L	1-3	Herc. YXA	5525	130	T	3-5	Herc. YXC2	5526	130
H	3-5	Herc. YXC	5526	130	M	3-5	Herc. YXC	5526	130	TA	3-5	Herc. YXC2	5526	130
HI	3-5	Herc. YXA	5525	130	O	1-3	Herc. YXA	5525	130	VA	5	Herc. RXC	5752	130
HI	3-5	Herc. YXC2	5526	130	R	1½	Herc. WXB	5496	129	VA	5	Herc. RXC	5612	130
K	1-1½	Cont. 15C	5669	70	R	1½-3	Herc. YXB	5525	130					


NOTE—For older models see Guide A.

Larabee-Deyo, 6. Truck and Bus.


Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
A3	1	Cont. 12C	5669	70	30	1-1½	Cont. 16C	5669	70	55	3-4	Cont. 18R	5534	75
X83	2-3	Cont. 6B	5135	*	35	1-2	Cont. 16C	5669	70	60	3-4	Cont. 18R	5534	75
XH	2-3	Cont. 6B	5135	*	40	2-3½	Cont. 16R	5534	75	65	3-4	Cont. 18R	5534	75
6B	Bus	Cont. 21R	5534	75	41	2-3½	Cont. 16R	5534	75	70	3-5	Cont. 20R	5534	75
7B	Bus	Cont. 18R	5534	75	45	3-4	Cont. 18R	5534	75	75	3-5	Cont. 20R	5534	75
20	1-2	Cont. 16C	5669	70	50	2-3½	Cont. 16R	5534	75	80	3-5	Cont. 21R	5534	75
25	1-2	Cont. 16C	5669	70	51	3-4	Cont. 18R	5534	75					

NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.


La Salle Motor, 8. Passenger. Models 303, 1927-28, 3 ½ x 4 1 8 "; 328, 1928-29 3 ¼ x 4 1 8 "



McCord No. 5475



McCord No. 1599




McCord No. 1600


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
870600	Cyl. hd.	Cop. Asb.	2		5475
	Mani. set 303 (4-2024, 4-1598, 2-1599, 2-1600) .	Cop. Asb.	1	27-28	MS-1300
	Mani. set 328 (4-2024, 4-1808, 2-1807, 2-1809A) .	Cop. Asb.	1	28-29	MS-403
	Mani. set 328 (4-S2024, 4-S1808, 2-S1807, 2-S1809A) .	Stpk.	1	28-29	SMS-403
	Valve cov. set (2-V2072) .	Vell.	1		ES-2072
	Oil pan set (1-C629) .	Cork	1		CS-2171
	Oil pan set (1-P726) .	Vell.	1		ES-726
874090	Cyl. base set (2 pcs.) .	Vell.	1		ES-3404
874172	Chain cov. set (1 pc.) .	Vell.	1		ES-1246
876033	Axle hsg. set (1 pc.) .	Vell.	1		ES-4203
875253	Exh. pipe flg. 303 .	Cop. Asb.	1	27-28	1332
876498	Exh. pipe flg. 328 .	Cop. Asb.	1	28-29	1812

(Continued on Next Page)

La Salle Motor, 8. 1927-29—Continued



McCord No. 1601




McCord No. 1598




McCord No. 1722



McCord No. 2024



McCord No. 2597



McCord No. 1332




McCord No. 1809-A

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
875169	Exh., center 303	Cop. Asb.	2	27-28	1599
874115	Exh., ends 303	Cop. Asb.	4	27-28	1598
872764	Int. mani. 303	Cop. Asb.	4	27-28	2024
874336	Exh. mani. to cross pipe 303	Cop. Asb.	2	27-28	1600
876419	Exh., center 328	Cop. Asb.	2	28-29	1807
876420	Exh., ends 328	Cop. Asb.	4	28-29	1808
872764	Int. mani. 328	Cop. Asb.	4	28-29	2024
885631	Exh. mani. to cross pipe 328	Cop. Asb.	2	28-29	1809A
876419	Exh., center 328	Stlpk.	2	28-29	S-1807
876420	Exh., ends 328	Stlpk.	4	28-29	S-1808
872764	Int. mani. 328	Stlpk.	4	28-29	S-2024
885631	Exh. mani. to cross pipe	Stlpk.	2	28-29	S-1809A
872232	Valve cov.	Vell.	2		V-2072
887337	Oil pan	Cork	1		C-629
887337	Oil pan	Vell.	1		P-726
30437	Oil drain plug	Cop. Asb.	1		418-BN
875889	Induction pipe 303	Cop. Asb.	2	27-28	1722
876418	Induction pipe 328	Cop. Asb.	2	28-29	1806
874114	Header to int. mani.	Cop. Asb.	2		1601
886095	Header cov.	Asb.	1		16071
50737	Carburetor	Sol. Cop.	1		2597
50736	Carb. bowl to body top	Cork	1		C-1386
50732	Carb. bowl to body bottom	Cork	1		C-361
877337	Gascolator	Cork	1		C-918
119937	Gasoline inlet nipple	Cop. Asb.	1		503A
76401	Wat. pump	Vell.	1		V-9469
76400	Wat. pump outlet	Vell.	1		V-9033
881012	Wat. pipe	Vell.	6		V-5115
874093	Wat. outlet	Vell.	2		V-5066
884270	Wat. elbow and cyl. hd.	Vell.	2		V-9470


La Salle Motor, 8. Passenger. Models 340, 1930, 3 $\frac{1}{2}$ x4 $\frac{1}{8}$ "; 345A, 1931; 345B, 1932; 345C, 1933. 3 $\frac{3}{8}$ x4 $\frac{1}{8}$ "

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
890470	Cyl. hd.	Cop. Asb.	2		5618B
890470	Cyl. hd.	Stlpk.	2		S-5618B


NOTE—For other gaskets see Cadillac 8, 353 to 355C. Page No. 41.

LaSalle Motor, 8. Passenger. Models 350, 1934, 3x4 $\frac{1}{4}$ "; 35-50, 1935; 36-50, 1936. 3x4 $\frac{3}{8}$ "


McCord No. 5829




McCord No. 5900




McCord No. S-2813



McCord No. S-2818



McCord No. S-2805




McCord No. S-2814

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1405209	Cyl. hd.	Cop. Asb.	1	34	5829
1412789	Cyl. hd.	Cop. Asb.	1	35-36	5900
	Mani. set (1-S2813, 1-S2805, 1-S2806)	Stlpk.	1		SMS-1301
	Valve cov. set (2-C1334)	Cork	1		CV-419
407978	Oil pan set (1-C1329, 1-C1330, 1-C1331, 1-C4284)	Cork	1		CS-2252
407978	Oil pan set (1-P241, 1-P242, 1-P243, 1-P244)	Vell.	1		ES-241
400065-68	Oil pan set (1 pc.)	Vell.	1		ES-P1031
407232	Wat. jkt. cov. set (1-C1333)	Cork	1		CW-17
	Wat. jkt. cov. set (1-V2319)	Vell.	1		ES-2319
399037-8	Gear cov. set (1 pc.)	Vell.	1		ES-1134
	Diff. carr. set (1-V4140)	Vell.	1	34	ES-4140
1411263	Diff. carr. set (1 pc.)	Vell.	1	35-36	ES-4329
	Axle hsg. set (1-V4141)	Vell.	1	34	ES-4141
399321	Exh. pipe fig.	Cop. Asb.	1		2986
1408666	Mani., center	Stlpk.	1		S-2813
1412219	Mani., front	Stlpk.	1		S-2805
1412220	Mani., rear	Stlpk.	1		S-2806

(Continued on Next Page)




La Salle Motor, 8. 1934-36—Continued




McCord No. S-2806




McCord No. C-3709



McCord No. C-1334




McCord No. C-1333




McCord No. C-1330



McCord No. 1329



McCord No. C-1331



McCord No. C-4284

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
400205	Valve cov.	Cork	2		C-1334
400068	Oil pan, right	Cork	1		C-1329
400067	Oil pan, left	Cork	1		C-1330
400066	Oil pan, rear	Cork	1		C-1331
400065	Oil pan, front	Cork	1		C-4284
407232	Oil pan, right (1-P241)	Vell.	1		P-241 set
400068	Oil pan, left (1-P242)				
400066	Oil pan, rear (1-P244)				
400065	Oil pan, front (1-P243)				
407232	Oil pump (to Engine 2106607)	Paper	1	34	30055
399898	Oil pump (after Engine 2106607)	Vell.	1	34-36	V-8378
405952	Oil pump spacer (after Engine 2106607)	Vell.	2	34-36	V-8375
405888	Carburetor	Stlpl.	1	34	S-2818
1406745	Carburetor	Stlpl.	1	35-36	S-2814
1412516	Fuel pump to C/C	Vell.	1		V-8430
1416329	Fuel pump cov.	Cork	1		C-928
854003	Wat. pump (to Engine 2106607)	Vell.	1	34	V-9459
401892	Wat. pump cov. (to Engine 2106607)	Vell.	1	34	V-9227
401891	Wat. pump to cyl., large (after Engine 2106607)	Vell.	1	34-36	V-8431
405847	Wat. pump to cyl., small (after Engine 2106607)	Vell.	1	34-36	V-8432
405848	Wat. pump cov. (after Engine 2106607)	Vell.	1	34-36	V-9483
405846	Wat. outlet	Cork	1		C-3709
404044	Wat. jkt. cov.	Cork	1		C-1333
1408901	Wat. jkt. cov.	Vell.	1		V-2319
1408901	Wat. jkt. cov. stud washer	Sol. Cop.	35		472
394123	Diff. carr.	Vell.	1	34	V-4140
230972	Axle hsg.	Cork	1	34	C-1066
230971	Axle hsg.	Vell.	1	34	V-4141
230971	Headlamp lens	Cork	2	36	C-7005
6085					

La Salle Motor, 8. Passenger. Models 37-50, 1937; 38-50, 1938; 39-50, 1939; 40-50, 40-52, 1940 3 3/4 x 4 1/2"

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1419114	Cyl. hd.	Stl. Asb.	2		5955


NOTE—For other gaskets see Cadillac 8, 37-60, 38-60, 39-60, 40-60. Page No. 42.

Le Moon, 6-8. Truck.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
H3V	2-5	Wauk. 6KU	5473B	245	HB60	3-8	Wauk. 6SRL	5549	247	505	4-5	Wauk. 6MK	5761	247
H40	2-5	Wauk. 6KU	5473B	245	HB100	5-10	Wauk. 6AB	5260A	239	506	4-5	Wauk. 6MK	5761	247
H46	2-5	Wauk. 6KU	5473B	245	HB120	10-12	Wauk. 6RB	5568	239	507	4-5	Wauk. 6MK	5761	247
H60	2-5	Wauk. 6KU	5473B	245	150	1 1/2-3	Cont. 20C	5669	70	508	4-5	Wauk. 6-110	5777	256
H100	5 1/2-10	Wauk. 6AB	5260A	239	200	1 1/2-3	Cont. 20C	5669	70	518	4	Wauk. 6MK	5761	247
HB20	2-2 1/2	Wauk. 6XK	5516	253	206	2-4	Wauk. 6BL	5930A	240	600	3-8	Wauk. 6SRL	5549	247
HB21	2-2 1/2	Wauk. 6XK	5516	253	207	2-4	Wauk. 6BL	5930A	240	607	5-6	Wauk. 6SRL	5549	247
HB21	2-5	Wauk. 6MK	5761	247	208	2-4	Wauk. 6BL	5930A	240	610	5-6	Wauk. 6-125	5885	256
HB22	2-5	Wauk. 6MK	5761	247	218	2 1/2	Wauk. 6BL	5930A	240	700	3-8	Wauk. 6SRL	5549	247
HB25	2-2 1/2	Wauk. 6XK	5516	253	300	1 1/2-3	Cont. 20C	5669	70	701	4-7	Lyc. AEC	5710	161
HB26	2-2 1/2	Wauk. 6XK	5516	253	306	2-4	Wauk. 6BL	5930A	240	800	3-8	Wauk. 6SRL	5549	247
HB26	2-5	Wauk. 6MS	5761	247	307	2-4	Wauk. 6BL	5930A	240	801	4-7	Lyc. AEC	5710	161
HB27	2 1/2-5	Wauk. 6KU	5473B	245	308	2-4	Wauk. 6BM	5921A	240	802	3-8	Wauk. 6SRL	5549	247
HB28	2 1/2-5	Wauk. 6KU	5473B	245	318	3	Wauk. 6BM	5921A	240	806	5-10	Wauk. 6SRL	5549	247
HB28	2-5	Wauk. 6MK	5761	247	400	2-4	Wauk. 6MS	5761	247	900	3-8	Wauk. 6SRL	5549	247
HB30	2 1/2-5	Wauk. 6KU	5473B	245	406	2-4	Wauk. 6BK	5921A	240	907	7-8	Wauk. 6-125	5885	256
HB30	3-8	Wauk. 6SRL	5549	247	407	2-4	Wauk. 6BK	5921A	240	1000	5 1/2-10	Wauk. 6AB	5260A	239
HB31	2-5	Wauk. 6KU	5473B	245	408	2-4	Wauk. 6BK	5921A	240	1100	10-12	Wauk. 6RB	5568	239
HB38	4-7	Lyc. AEC	5710	161	418	3 1/2	Wauk. 6BK	5921A	240	1200	10-12	Wauk. 6RB	5568	239
HB45	3-8	Wauk. 6SRL	5549	247	500	2-5	Wauk. 6MS	5761	247	1200D	10-12	Cum. H6	5861	79
HB56	3-8	Wauk. 6SRL	5549	247	501	3-8	Wauk. 6SRL	5549	247					

NOTE—For older models see Guide A.

Le Roi Motor, 6. (Beaver).




McCord No. 5332

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
2504	Cyl. hd.	Cop. Asb.	1		5332

Le Roi Motor, 6. (Beaver) Models CK-CL

3 1/2 x 5 1/4"



McCord No. 5337



McCord No. 1522



McCord No. 1523



McCord No. 1524




McCord No. 1525

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
D-8004	Cyl. hd.	Cop. Asb.	1		5337
	Mani. set (5-1523)	Cop. Asb.	1		MS-2517
8125	Exh. pipe fig.	Cop. Asb.	1		1522
A-8035	Exh. port	Cop. Asb.	5		1523
8036	Carburetor	Cop. Asb.	4		827A
8033	Wat. inlet	Cop. Asb.	1		1524
8034	Wat. outlet	Cop. Asb.	2		1525
8041	Fan bracket stud	Cop. Asb.	1		107C

Le Roi Motor, 4. Models CR-2C

3 1/8 x 4 1/2"



McCord No. 29




McCord No. 1001


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
16-2	Cyl. hd.	Cop. Asb.	1		29
	Mani. set CR (2-1602)	Cop. Asb.	1		MS-1318
	Mani. set 2C (4-816, 1-1001)	Cop. Asb.	1		MS-1315
16-46	Oil pan set (2 pcs.)	Vell.	1		ES-3
16-47	Bell hsg. set (1 pc.)	Vell.	1		ES-634
16-36	Gear cov. set (1 pc.) CR	Vell.	1		ES-1357
16-4	Gear cov. set (1 pc.) 2C	Vell.	1		ES-1109
16-27	Exh. pipe fig.	Cop. Asb.	1		827A
16-86	Manifold CR	Cop. Asb.	2		1602
16-71	Mani., center 2C	Cop. Asb.	1		1001
16-61	Mani., ends 2C	Cop. Asb.	4		816
16-23	Oil pump fitting	Cop. Asb.	1		505A
16-12	Carburetor	Asb.	1		16030
16-115	Wat. outlet	Vell.	1		V-9065

Le Roi Motor, 4. Models CT-CTP-EP2877, 20 H.P.

3 3/8 x 4 1/2"




McCord No. 5494



McCord No. 2331



McCord No. 1895




McCord No. 2324

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
16-99	Cyl. hd.	Cop. Asb.	1		5494
	Mani. set (2-1895)	Cop. Asb.	1		MS-1316
	Mani. set (2-2324, 1-2331)	Cop. Asb.	1	30-31	MS-1317
16-120	Oil pan set (2 pcs.)	Vell.	1		ES5
16-47	Bell hsg. set (1 pc.)	Vell.	1		ES-634
16-36	Gear cov. set (1 pc.)	Vell.	1		ES-1357
16-98	Manifold	Cop. Asb.	2		1895
16-250}	Exh. mani.	Cop. Asb.	1	30-31	2331
16-251}	Int. mani.	Cop. Asb.	2	30-31	2324
16-12	Carburetor	Asb.	1		16030

Le Roi Motor, 4. Model D284, 4 1/2 x 3/4"; D318, 4 1/2 x 5"; D382, 4 1/2 x 6"; D471

5x6"




McCord No. 5994




McCord No. 2909

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
16-629	Cyl. hd.	Cop. Asb.	1		5994
	Mani. set (4-2909)	Cop. Asb.	1		MS-1324
16-631	Manifold	Cop. Asb.	4		2909


Le Roi Motor, 1 Cyl. Models FR-FHR, $3\frac{1}{2} \times 4\frac{1}{2}$ "; R-RH, $3\frac{1}{8} \times 4\frac{1}{2}$ "; RR-RHR $3\frac{1}{8} \times 4\frac{1}{2}$ "




McCord No. 5094-A



McCord No. 5594




McCord No. 5593



McCord No. 2116

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
16-87	Cyl. hd. FR-FHR	Cop. Asb.	1		5594
16-55	Cyl. hd. R-RH	Cop. Asb.	1		5094A
16-69	Cyl. hd. RR-RHR	Cop. Asb.	1		5593
	Mani. set (1-2116)	Cop. Asb.	1		MS-1321
16-35-38	Oil pan set (2 pcs.)				
	R-RH	Vell.	1		ES-9
16-36	Gear cov. set (1 pc.)	Vell.	1		ES-1357
16-56	Manifold	Cop. Asb.	1		2116
16-12	Carburetor	Asb.	1		16030

Le Roi Motor, 4. (Beaver) Models JA, $4\frac{1}{2} \times 6$ "; JB-JC-JD $4\frac{1}{4} \times 6$ "




McCord No. 5334




McCord No. 1519

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
2304	Cyl. hd.	Cop. Asb.	1		5334
2333	Exh. end	Cop. Asb.	2		1519
2334	Int. mani.	Stl. Asb.	3		846


Le Roi Motor, 4-6. (Beaver) Models JA-JAI-JAS, $4\frac{1}{2} \times 6$ "; JB-JC-JD, $4\frac{3}{4} \times 6$ "; JI $4\frac{1}{4} \times 6$ "
Models JMI-JMS, $4\frac{3}{4} \times 6$ "; JS $4\frac{1}{4} \times 6$ "



McCord No. 5335



McCord No. 5539



McCord No. 5911



McCord No. 1589

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
B6058	Cyl. hd. ($4\frac{1}{2}$ " (8 stud)	Cop. Asb.	2-3		5335
C-6150	Cyl. hd. ($4\frac{3}{4}$ " (10 stud early)	Cop. Asb.	2-3		5539
B-162	Cyl. hd. (10 stud late)	Cop. Asb.	2-3		5911
B-16-12	Exh. pipe fig. JS-JAS-JMS	Cop. Asb.	1		1729
5151	Exh. pipe fig. JI-JAI	Cop. Asb.	1		1589
B-16-8	Exh. mani.	Cop. Asb.	4-6		1971
B-16-7	Exh. mani., ends	Cop. Asb.	2		1519
B-16-5	Int. mani.	Stl. Asb.	3		846CA




McCord No. 1519




McCord No. 1971

Le Roi Motor, 4. Model K-KP3 $2\frac{3}{4} \times 4$ "



McCord No. 5386




McCord No. 1602


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
16-83	Cyl. hd.	Cop. Asb.	1		5386
	Mani. set (2-1602)	Cop. Asb.	1		MS-1318
16-80 & 81	Oil pan set (2 pcs.)	Vell.	1		ES-36
16-47	Bell hsg. set (1 pc.)	Vell.	1		ES-634
16-36	Gear cov. set (1 pc.)	Vell.	1		ES-1357
16-86	Manifold	Cop. Asb.	2		1602

Le Roi Motor, 4. Model LA


5 1/2 x 6"




McCord No. 5689



McCord No. 2328



McCord No. 2326





McCord No. 2325


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
16-100	Cyl. hd.	Cop. Asb.	2		5689
16-104	Cyl. hd. cov. set (2-C3985)	Cork	1		CV-325
16-135-6-7-8	Oil pan set (4 pcs.)	Vell.	1		ES-P1009
16-139	Bell hsg. set (1 pc.)	Vell.	1		ES-P1013
16-105	Cyl. base set (2 pcs.)	Vell.	1		ES-3614
16-141	Gear cov. set (1 pc.)	Vell.	1		ES-1712
16-102	Exh. port	Cop. Asb.	4		2328
16-152	Exh. port	Cop. Asb.			2325
16-151	Int. mani.	Cop. Asb.	2		2326
16-104	Cyl. hd. cov.	Cork	2		C-3985
16-115	Wat. outlet	Vell.	1		V-9065

Le Roi Motor, 2. Models M, 3 1/8 x 4 1/2"; MH-MHR-SH-SR, 3 1/8 x 4 1/2"; TR, 3 1/8 x 4"; TRP

3 3/8 x 4 1/2"

McCord No. 5590
McCord No. 5590

McCord No. 5292



McCord No. 5690



McCord No. 1572




McCord No. 2330

Part No.	Name of Gasket	Type	Used Per Motor	Year	No. McCord
16-33	Cyl. hd. M	Cop. Asb.	1		5292
16-48	Cyl. hd. MH-MHR-SH-SR	Cop. Asb.	1		5590
16-97	Cyl. hd. TR-TRP	Cop. Asb.	1		5690
	Mani. set (1-1572) M-MH-MHR-SH-SR	Cop. Asb.	1		MS-1322
	Mani. set (1-2330) TR-TRP	Cop. Asb.	1		MS-1323
16-35 & 38	Oil pan set (2 pcs.)				
	M-MH-MHR-SH-SR	Vell.	1		ES9
16-36	Gear cov. set (1 pc.)	Vell.	1		ES-1357
16-27	Exh. pipe flg. M	Cop. Asb.	1		827A
16-58	Manifold M-MH-MHR-SH-SR	Cop. Asb.	1		1572
16-96	Manifold TR-TRP	Cop. Asb.	1		2330
16-12	Carburetor M-TR-TRP	Asb.	1		16030

Le Roi Motor, 4. (Beaver) Model ML

3 1/2 x 5"



McCord No. 5333


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1629 }	Cyl. hd.	Cop. Asb.	1		5333
11093 }					

Le Roi Motor, 1 Cyl. Models R-RH. McCord No. 5094A. See Page No. 154.


Le Roi Motor, 4-6. (Beaver) Models RA-RB, 4 Cyl., 5 3/4 x 7"; RD-RE, 6 Cyl.
Models RB-RBS

5 3/4 x 7"

6x7"




McCord No. 5339



McCord No. 5764




McCord No. 1520




McCord No. 1521



McCord No. 2747



McCord No. 2748




McCord No. 5765


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
C-9127	Cyl. hd. RA-RB	Cop. Asb.	2-3		5336
16-156	Cyl. hd. RA-RA1-RA2	Cop. Asb.	2-3		5764
16-157	Cyl. hd. RA-Z	Cop. Asb.	2-3		5765
16-169	Exh. and int. RA-RAS	Cop. Asb.			2747
B-16-78	Exh. port flg.	Cop. Asb.			1521
B-16-11	Exh. flg.	Cop. Asb.	2-3		1520
16-170	Exh. and int. conn.	Cop. Asb.			2748
B-16-6	Inlet flg.	Stl. Asb.	2-3		868A
A-9145	Wat. outlet	Cop. Asb.	3		837A

Le Roi Motor, 1 Cyl. Models RR-RHR. McCord No. 5593. See Page No. 154.


Le Roi Motor, 4-6. (Beaver) Models RU-RX-RXS-RY, $6\frac{1}{2} \times 7$ "; RXI-RXS-RYI $6\frac{3}{4} \times 7$ "




McCord No. 5338



McCord No. 5648



McCord No. 5762




McCord No. 1729



McCord No. 2605

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
B-16-4 (9396)	Cyl. hd. $6\frac{1}{2}$ " bore	Cop. Asb.	2-3		5338
B-16-134	Cyl. hd. $6\frac{3}{4}$ " bore	Cop. Asb.	2-3		5762
16-161	Cyl. hd. RXS $6\frac{3}{4}$ " bore	Cop. Asb.	2-3		5648
	Cyl. hd. cov. set (1-C3994)	Cork	2-3		CV-324
16-131-132 } 16-133-134 }	Oil pan set (4 pcs.)	Vell.	1		ES-P1005
B-16-12	Exh. pipe flg.	Cop. Asb.	1		1729
16-320	Exh. and int. mani.	Stl. pk.			S-876CA
B-16-78	Exh. port flg.	Cop. Asb.	4-6		1521
B-16-6	Int. flg.	Stl. Asb.	2-3		868A
B16-124	Int. flg. RXS	Stl. Asb.	2-3		866F
16-118	Int. heater flg.	Cop. Asb.	1		2327
16-167	Int. heater flg.	Cop. Asb.	4		2605
B-16-132	Cyl. hd. cov.	Cork	2-3		C-3994

Le Roi Motor, 4. Models V-VR-Y-YR $2\frac{3}{4} \times 4\frac{1}{2}$ "




McCord No. 5688



McCord No. 2329

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
16-239	Cyl. hd.	Cop. Asb.	2		5688
	Mani. set (2-2329)	Cop. Asb.	1		MS-1319
16-238	Manifold	Cop. Asb.	2		2329
16-226	Bell hsg.	Tr. Paper	1		30545

Le Roi Motor, 4. Models W-WP3-WR-WW3, $2\frac{3}{4} \times 3\frac{1}{2}$ "; MP-X-XP-XRP $2\frac{7}{8} \times 3\frac{1}{2}$ "




McCord No. 5641




McCord No. 2222

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
16-316	Cyl. hd.	Cop. Asb.	1		5641
	Mani. set (1-2222)	Cop. Asb.	1		MS-1320
	Valve cov. set (1-C4908)	Cork	1		CV-582
	Oil pan set (1-31018)	Tr. Paper	1		CS-2327
16-217	Manifold	Cop. Asb.	1		2222
16-221	Valve cov.	Cork	1		C-4908
16-219	Oil pan	Tr. Paper	1		31018
16-226	Bell hsg.	Tr. Paper	1		30545
16-218	Int. flg.	Cop. Asb.	1		809J
16-587	Wat. pump	Tr. Paper	1		30541
16-588	Wat. pump	Tr. Paper	1		30542
16-545	Wat. conn.	Tr. Paper	1		30543
16-222	Engine supp.	Tr. Paper	2		30544
16-220	Gear cov.	Tr. Paper	1		36061

Lincoln Motor, 8. Passenger Models 1920-27, $3\frac{3}{8} \times 5$ "; 1928-30 $3\frac{1}{2} \times 5$ "



McCord No. 5111




McCord No. 5134

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
L-8357AR	Cyl. hd.	Cop. Asb.	2	20-22	5111
L-8357B	Cyl. hd.	Cop. Asb.	2	22-27	5134
L-8357C	Cyl. hd.	Cop. Asb.	2	28-30	5449
	Mani. set (4-1197, 2-1134, 2-1164)	Cop. Asb.	1		MS-1335

(Continued on Next Page)

Lincoln Motor, 8. 1920-30—Continued



McCord No. 5449




McCord No. 1197



McCord No. 1174



McCord No. 1134



McCord No. 1244



McCord No. 1164



McCord No. 1166-A




McCord No. 1165



McCord No. 1167

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	Valve cov. set (2-C520)	Cork	1		CV-330
	Oil pan set, upper (1-C219)	Cork	1		CS-2271
KA-3517R	Oil pan set, upper (1 pc.)	Vell.	1		ES-739
	Oil pan set, lower (1-C220)	Cork	1		CS-2272
KA-3516AR	Oil pan set, lower (1 pc.)	Vell.	1		ES-738
L-8358B	Cyl. base set (2 pcs.)	Vell.	1		ES-3312
K-3012	Gear cov. set (1 pc.)	Vell.	1		ES-1427
L-5329	Axle hsg. set (1 pc.)	Vell.	1		ES-4325
L-2387	Exh. pipe, upper	Cop. Asb.	2		1174
KA-8642A	Exh. pipe, lower	Cop. Asb.	2		1166A
L-2338AR	Inlet header	Cop. Asb.	2	20-21	1244
L-2338B	Inlet header	Cop. Asb.	2	22-30	1134
L-6127	Exh. and inlet header	Cop. Asb.	2		1164
L-2386	Exh. header	Cop. Asb.	4		1197
L-4013	Inlet header cov.	Cop. Asb.	2		1167
KA-2742AR	Valve cov.	Cork	2		C-520
KA-3517R	Oil pan, upper	Cork	1		C-219
KA-3516AR	Oil pan, lower	Cork	1		C-220
L-4547	Carburetor	Vell.	1		V-104
L-8197B	Wat. pump inlet	Vell.	2		V-5286
L-8197B	Wat. pump inlet	Cop. Asb.	2		1165
L-2384	Wat. pipe elbow	Cop. Asb.	2	20-21	2667

Lincoln Motor, 8. Passenger Model 1931-32..... 3 1/2 x 5"



McCord No. 5631




McCord No. 1166-A




McCord No. 2183-A




McCord No. 2184-A




McCord No. 2185



McCord No. C-520




McCord No. C-219




McCord No. C-220

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
KA-2724AR	Cyl. hd.	Cop. Asb.	2		5631
	Mani. set (4-2183A, 2-2184A, 4-854H, 2-2185, 2-810E)	Cop. Asb.	1		MS-1336
	Valve cov. set (2-C520)	Cork	1		CV-330
	Oil pan set, upper (1-C219)	Cork	1		CS-2271
KA-3517R	Oil pan set, upper (1 pc.)	Vell.	1		ES-739
	Oil pan set, lower (1-C220)	Cork	1		CS-2272
KA-3516AR	Oil pan set, lower (1 pc.)	Cork	1		ES-738
L-8358B	Cyl. base set (2 pcs.)	Vell.	1		ES-3312
K-3012A	Gear cov. set (1 pc.)	Vell.	1		ES-1427
KA-2911A	Exh. pipe, upper	Cop. Asb.	1		854J
KA-8642A	Exh. pipe, lower	Cop. Asb.	2		1166A
KA-2879	Exh., outer	Cop. Asb.	4		2183A
KA-2878	Exh., inner	Cop. Asb.	2		2184A
KA-3161	Int. mani. to cyl.	Cop. Asb.	4		854H
KA-3153A	Int. header to inlet	Cop. Asb.	2		2185
KA-3152A	Int. header to exh.	Cop. Asb.	2		810E
KA-2742AR	Valve cov.	Cork	2		C-520
KA-3517R	Oil pan, upper	Cork	1		C-219
KA-3516AR	Oil pan, lower	Cork	1		C-220
K-2736	Wat. outlet	Cop. Asb.	2		809H
KA-2776A	Wat. pipe elbow	Asb.	2		16077
L-8197B	Wat. pump inlet	Vell.	2		V-5286

Lincoln Motor, 12. Passenger Models 12-136, 1933, 3x4"; 12-136, 12-145, 1934-38 3 1/8 x 4 1/2"



McCord No. 5770



McCord No. 5827




McCord No. S-2558



McCord No. S-2559




McCord No. 2555



McCord No. C-3620

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
KA-2742C	Cyl. hd.	Cop. Asb.	2	33	5770
K-2724D	Cyl. hd.	Cop. Asb.	2	34-38	5827
	Mani. set (2-S2558, 4-S2559)	Stlpl.	1		SMS-2519
	Valve cov. set (2-C3619)	Cork	1		CV-332
	Oil pan set (2-C3620)	Cork	1		CS-2264
KA-2911C	Exh. pipe, upper	Cop. Asb.	1		2555
KB-8642BR	Exh. pipe, lower	Cop. Asb.	2		2444
KA-2882B}	Mani., center	Stlpl.	2		S-2558
KA-2883B}	Mani., ends	Stlpl.	4		S-2559
KA-2742C	Valve cov.	Cork	2		C-3619
KA-3516C	Oil pan	Cork	2		C-3620


Lincoln Motor, 12. Passenger Model 12-145, 1932-33 3 1/4 x 4 1/2"



McCord No. 5721




McCord No. 2387




McCord No. 2444




McCord No. 2488



McCord No. 2489




McCord No. C-2963



McCord No. C-2945

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
KB-2724BR	Cyl. hd.	Cop. Asb.	2		5721
	Mani. set (2-2488, 4-2489)	Cop. Asb.	1		MS-2518
	Mani. set (2-S2488, 4-S2489)	Stlpl.	1		SMS-2518
	Valve cov. set (2-C2963)	Cork	1		CV-331
	Oil pan set (2-C2945)	Cork	1		CS-2263
K-2911B	Exh. pipe, upper	Cop. Asb.	1		2387
K-8642B	Exh. pipe, lower	Cop. Asb.	2		2444
KB-2882}	Mani., center	Cop. Asb.	2		2488
KB-2883}	Mani., ends	Cop. Asb.	4		2489
KB-2882B}	Mani., center	Stlpl.	2		S-2488
KB-2883B}	Mani., ends	Stlpl.	4		S-2489
KB-3152B	Int. header to exh.	Cop. Asb.	1		800J
KB-3153B	Int. header to int.	Cop. Asb.	1		847H
KB-2742BR	Valve cov.	Cork	2		C-2963
KB-3516BR	Oil pan	Cork	2		C-2945

Lincoln Zephyr Motor, 12. Models 901, 1936; HB, 1937; 86H, 1938; 96H, 1939 2 3/4 x 3 3/4"; 06H, 1940 2 7/8 x 3 3/4"




McCord No. 5941A-6126

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
H-6051	Cyl. hd.	Cop. Asb.	2	36-39	5941A
06H-6051B	Cyl. hd.	Cop. Asb.	2	40	6126
	Mani. set (8-S820F)	Stlpl.	1		SMS-1337
	Valve cov. set (1-S2839)	Stlpl.	1	36-39	CV-333
	Valve cov. set (1-S3131)	Stlpl.	1	40	CV-656
	Oil pan set (1-C4514, 1-C4515, 1-C3157M, 1-16121)	Cork	1		CS-2306
	Oil pan set (1-P433, 1-P434, 1C3157M, 1-16121)	Vell.	1		ES-433
	Dist. set (1-30040, 1-2936, 2-V9266)		1		9803
H-6020	Cyl. front cov. set (1 pc.)	Vell.	1		ES-1026

(Continued on Next Page)

Lincoln Zephyr Motor, 12. 1936-40—Continued


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	Axle hsg. set (1-V4148)	Vell.	2	36-37	ES-4148
H-5222	Exh. pipe flg.	Stlpk.	2	36-37	S-851C
86H-5222	Exh. pipe flg.	Stlpk.	2	38-40	S-846K
H-9448	Manifold	Stlpk.	8		S-820F
86H-6521	Valve cov.	Stlpk.	1	36-39	S-2839
06H-6521	Valve cover	Stlpk.	1	40	S-3131
H-6710	Oil pan, right	Cork	1		C-4514
96H-6710					
H-6711	Oil pan, left	Cork	1		C-4515
96H-6711					
H-6700	Oil pan pack., front	Asb.	1		16121
18-6701	Oil pan, rear	Cork	1		C-3157M
H-6710	Oil pan, right (1-P433)	Vell.	1		P-433 set
96H-6710					
H-6711	Oil pan, left (1-P434)	Vell.	1		P-433 set
96H-6711					
H-6700	Oil pan pack., front (1-16121)	Asb.			
18-6701	Oil pan, rear (1-C3157M)	Cork			
18-6659	Oil pump drive cov.	Vell.	1	36-37	V-9125
86H-6659	Oil pump drive cov.	Vell.	1	38-40	V-8466
B-6734	Oil drain plug	Cop. Asb.	1		511
40-9516	Carb. throttle body (Bendix and Stromberg)	Tr. Paper	1		30052
48-9519	Carb. upper body (Bendix and Stromberg)	Paper	1		30053
78-9516	Carb. throttle body (Holly)	Vell.	1	38-40	V-8295
78-9519	Carb. body (Holly)	Vell.	1	38-40	V-9277F
48-9374	Fuel pump adapter	Tr. Paper	1		30147
40-9364	Fuel pump cov.	Cork	1	36	C-3745
68-9364	Fuel pump cov.	Cork	1	37-40	C-4999
H-8507	Wat. pump body	Vell.	2		V-8411
68-12143	Dist. base	Tr. Paper	1		30040
H-12140	Dist. coil	Rub.	1		2936
H-12108	Dist. cap	Vell.	2		V-9266
18-12115	Dist. cap ret. ring	Rub.	2		2664
H-6700	Cyl. front cov. pack.	Asb.	1		16121
48-4507	Torque tube to carr.	Vell.	1-2		V-8412
18-4035A	Axle hsg.	Vell.	2	36-37	V-4148
86H-4035B	Axle hsg. .004 to .008	Tr. Paper	2	38-40	37007
86H-4035A	Axle hsg. .008 to .010	Tr. Paper	2	38-40	37006
78-7051	Main drive gear brg. ret.	Vell.	1		V-9274
B-7086	Main shaft brg. ret.	Vell.	1		V-9190
B-7223	Trans. cov.	Vell.	1	36-37	V-9418
86H-7223	Trans. cov.	Vell.	1	38-40	V-8924
B-4515	Univ. joint hsg.	Vell.	4		V-9417
B-4516A	Univ. joint hsg. cap	Cork	1		C-3807
H-13066	Headlamp lens	Cork	2	36-37	C-7002




McCord No. S-2839



Locomobile Motor, 8. Passenger Models Junior 8, 1925-26; 8-66, 1927 2 1/8 x 4"



McCord No. 5316



McCord No. 1437

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
8PA-418	Cyl. hd.	Cop. Asb.	2	5316
	Mani. set (4-1437, 2-827D)	Cop. Asb.	1	MS-1351
600218	Exh. pipe flg.	Cop. Asb.	1	877B
8PF-200	Exh. pack.	Cop. Asb.	1	1438
8PE-200	Exh. and int. mani.	Cop. Asb.	4	1437
8PE-201	Exh. mani.	Cop. Asb.	2	827D
8PF-301	Int. heater pad	Cop. Asb.		1286


Locomobile Motor, 8. Passenger Models 8-70, 1928; Continental 10S. McCord No. 5177. See Page No. 76.

Passenger Model 8-77, 1929; Continental 15S. McCord No. 5177. See Page No. 76.

Passenger Model 8-80, 1927-28; Lycoming H. McCord No. 5125A. See Page No. 162.

Passenger Model 8-88, 1929-30; Lycoming H. McCord No. 5125A. See Page No. 162.

Locomobile Motor, 6. Passenger Model 90, 1926-29 3 7/8 x 5 1/4"



McCord No. 5305

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
200854	Cyl. hd.	Cop. Asb.	1	5305
	Mani. set (2-854, 1-1433, 2-1434, 1-1435)	Cop. Asb.	1	MS-1350
201463	Exh. pipe	Cop. Asb.	1	1436
200902	Exh., center	Cop. Asb.	1	1435
200903	Exh., outer	Cop. Asb.	2	1434
200907	Int., center	Cop. Asb.	1	1433
200906	Int., outer	Cop. Asb.	2	854

Lodge Motor, 8. Marine. Models 8-100 Studebaker Dict. 8. McCord No. 5508. See Page No. 229.

Models 8-135, 8-150 Studebaker Pres. 8. McCord No. 5645. See Page No. 229.

Lovejoy Shock Absorber



McCord No. C-2308



McCord No. C-1744



McCord No. C-1390



McCord No. C-1812



McCord No. C-2031



McCord No. C-3298




McCord No. C-1389



McCord No. C-2204

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
821081	Cover (1500AF)	Cork	1	C-1744
822525	Cover (1510)	Cork	1	C-1812
825481	Cover (1560AD)	Cork	1	C-2031
039030	Cover (1570-71)	Cork	1	C-2204
041121	Cover (1580)	Cork	1	C-2308
821059	Packing washer (1500AD)	Cork	4	C-1390
822542	Packing washer (1510)	Cork	4	C-1391
041117	Packing washer (1580)	Cork	4	C-1389
039586	Packing washer (1600-1610)	Cork		C-3972
824426	Packing gland (1560AD)	Cork	2	C-3298
041182	Washer	Rub.		2767
041939	Washer	Rub.		2766


Lycoming Motor, 8. Models AE-AEC-AED-AEF 3 3/4 x 4 3/4"
Marine UE-UED 3 3/4 x 4 3/4"



McCord No. 5710




McCord No. 2347



McCord No. 2348




McCord No. 2349




McCord No. 2418



McCord No. 2416




McCord No. 2417




McCord No. S-2750

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
AE-1110AC	Cyl. hd.	Cop. Asb.	1		5710
	Mani. set, AE series				
	(1-2349, 1-2348,				
	2-2347)	Stl. Asb.	1		MS-1368
	Mani. set, UE series				
	(1-2417, 2-2416)	Cop. Asb.	1		MS-1369
	Valve cov. set				
	(4-C1182)	Cork	1		CV-627
AE-4010	Oil pan set (1 pc.)	Vell.	1		ES-P1046
	Exh. pipe flg.	Cop. Asb.	1		2749
AE-2440C	Mani., center, AE series	Stl. Asb.	1		2348
AE-2410C	Mani., ends, AE series	Stl. Asb.	2		2347
AE-3610B	Int. to exh., lower,				
	AE series	Stl. Asb.	1		2349
UE-2410	Mani., center, UE series	Cop. Asb.	1		2417
UE-2440	Mani., ends, UE series	Cop. Asb.	2		2416
AF-6030	Valve cov.	Cork	4		C-1182
AE-3860B	Mani. heater valve cov. Asb.		1		2383
AE-3930	Mani. heater outlet tube Asb.		1		2350
UE-3610	Int. to exh., UE Series	Cop. Asb.	1		2418
UE-2392	Exh. mani. pl., UE series	Stl. Asb.	1		S-2750


Lycoming Motor, 4. Models AFD-AFE 3 3/4 x 4 1/2"




McCord No. 5582A



McCord No. S-2380




McCord No. 5692




McCord No. S-2381

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
AF-1110AB	Cyl. hd., trucks	Stl. Asb.	1		5582A
AF-1110YA	Cyl. hd., marine	Cop. Asb.	1		5692
	Mani. set				
	(1-S2381, 2-S2380)	Stl. Asb.	1		SMS-1361
	Valve cov. set				
	(2-C1182)	Cork	1		CV-346
	Oil pan set (1-C1181)	Cork	1		CS-2244
AF-2440	Mani., center	Stl. Asb.	1		S-2381
AF-2420B	Mani., ends	Stl. Asb.	2		S-2380
AF-6030	Valve cov.	Cork	2		C-1182
AF-4010	Oil pan	Cork	1		C-1181


Lycoming Motor, 6. Models ASA-ASB, 3 5/8 x 4 1/2"; ASD-ASE 3 3/4 x 4 1/2"




McCord No. 5598




McCord No. 2351



McCord No. 2352




McCord No. 2385A



McCord No. 2386-A



McCord No. S-3120



McCord No. S-3121

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
AS-1110AC	Cyl. hd.	Cop. Asb.	1		5598
	Mani. set ASA-ASB-				
	ASD (1-2386A,				
	2-2385A)	Stl. Asb.	1		MS-1362
	Mani. set ASE				
	(1-S3121, 2-S3120)	Stl. Asb.	1		SMS-2607
	Valve cov. set				
	(3-C1182)	Cork	1		CV-556
	Oil pan set (1-C3266)	Cork	1		CS-2245
AS-2360	Gear cov. set (1 pc.)	Vell.	1		ES-1276
A-19209	Exh. pipe flg. (Stewart)	Cop. Asb.	1		2498
AS-2440BA	Mani., center,				
	ASA-ASB-ASD	Stl. Asb.	1		2386A
AS-2410B	Mani., ends,				
	ASA-ASB-ASD	Stl. Asb.	2		2385A
AS-2410C	Mani., ends, ASE	Stl. Asb.	2		S-3120
AS-2440CA	Mani., center, ASE	Stl. Asb.	1		S-3121
AF-6030	Valve cov.	Cork	3		C-1182
AS-4010B	Oil pan	Cork	1		C-3266
AS-3610B	Int. to exh.	Stl. Asb.	1		2352
AS-3610C	Int. to exh.	Cop. Asb.	1		2351




Lycoming Motor, 12. Model BB

3 1/8 x 4 1/4"




McCord No. 5744



McCord No. 2500



McCord No. 2501




McCord No. 2502A




McCord No. 2092

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
B-1110C	Cyl. hd.	Cop. Asb.	2		5744
	Mani. set (2-2501, 4-2500, 6-2502A)	Stl. Asb.	1		MS-1371
	Valve cov. set (1-C3947)	Cork	1		CV-348
	Oil pan set (1-C3965)	Cork	1		CS-2289
	Exh. pipe fig.	Cop. Asb.	1		2092
B-2440B	Mani., center	Stl. Asb.	2		2501
B-2410B	Mani., ends	Stl. Asb.	4		2500
B-1104C	Cyl. hd. cov.	Cop. Asb.	6		2502A
	Valve cov.	Cork	1		C-3947
B-4010B	Oil pan	Cork	1		C-3965


Lycoming Motor, 8. Models FD-FDA, 3 1/4 x 4 1/2"; H, 3 x 4 1/2"; HD, 3 1/4 x 4 1/2"; HF-HFA, 3 3/8 x 4 1/2"; HM, 3 1/4 x 4 1/2"; 2H, 3 1/8 x 4 1/2"; 3H, 3 1/8 x 4 1/2"; 4H, 3 1/4 x 4 1/2"; MD-MDA, 3 1/4 x 4 1/2"; UC-UCD, 3 3/8 x 4 1/2"




McCord No. 5125-A




McCord No. 5620




McCord No. 2243A



McCord No. 2244A



McCord No. 1442



McCord No. 1440



McCord No. 1441



McCord No. 1439



McCord No. 1968




McCord No. 2345



McCord No. 2000




McCord No. 2092



McCord No. S-2712



McCord No. C-851




McCord No. C-852


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
H-111	Cyl. hd. (3"-3 1/8"-3 3/8"-3 1/2" bore)	Cop. Asb.	1		5125A
H-111C	Cyl. hd. (3 3/8" bore)	Cop. Asb.	1		5620
	Mani. set (1-1442, 2-1439, 2-1440, 1-1441)	Cop. Asb.	1	to 28	MS-1365
	Mani. set (1-S1442, 2-S1439, 2-S1440, 1-S1441)	Stl. Asb.	1	to 28	SMS-1365
	Mani. set (1-1968, 2-2243A, 1-2244A)	Stl. Asb.	1	28-33	MS-1366
	Mani. set (1-S1968, 2-S2243A, 1-S2244A)	Stl. Asb.	1	28-33	SMS-1366
	Valve cov. set (2-C392)	Cork	1		CV-343
	Oil pan set (1-C664)	Cork	1		CS-2243
H-401	H-4H-MDA Oil pan set (1 pc.)	Cork	1		ES-905
	H-4H-MDA Oil pan set FDA-HF-UC (2-C850, 2-C851, 1-C852)	Cork	1		CS-2235
H-401B	Oil pan set (5 pcs.)				
H-404-5	FDA-HF-UC Wat. jkt. cov. set (1-35001)	Vell.	1		ES-97
H-126B	Cyl. base set (1 pc.)	Paper	1		CW-12
H-236	Gear cov. set (1 pc.)	Vell.	1	27-30	ES-3854
H-236BA	Gear cov. set (1 pc.)	Vell.	1	31-33	ES-1321
	Exh. pipe fig.	Cop. Asb.	1		ES-1512
H-244B	Mani., center	Cop. Asb.	1	to 28	2092
H-245B	Exh., inter.	Cop. Asb.	2	to 28	1442
H-241B	Mani., ends	Cop. Asb.	2	to 28	1439
H-361B	Int., lower	Cop. Asb.	2	to 28	1440
H-244	Mani., center	Cop. Asb.	1	to 28	1441
H-245	Exh., inter.	Cop. Asb.	1	to 28	S-1442
H-241	Mani., ends	Stl. Asb.	2	to 28	S-1439
H-361	Int., lower	Stl. Asb.	2	to 28	S-1440
H-244D	Mani., center	Stl. Asb.	1	to 28	S-1441
H-241DA	Mani., ends	Stl. Asb.	1	to 28	2244A
H-361C	Int., lower	Stl. Asb.	2	to 28	2243A
H-244CY	Mani., center	Cop. Asb.	1	to 28	1968
H-241CY	Mani., ends	Stl. Asb.	1	to 28	S-2244A
H-242BY	Mani., ends	Stl. Asb.	2	to 28	S-2243A
H-361C	Int., lower	Stl. Asb.	1	to 28	S-1968
H-603	Valve cov.	Cork	2		C-392
H-401	Oil pan H-4H-MDA	Cork	1		C-664

(Continued on Next Page)


Lycoming Motor, 8. FD-H-MD-UC Series—Continued



McCord No. C-850



McCord No. C-392




McCord No. C-664

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
H-401B	Oil pan, sides, FDA-HF-UC	Cork	2		C-850
H-404	Oil pan spacer, FDA-HF-UC	Cork	2		C-851
H-405	Oil pan, rear, FDA-HF-UC	Cork	1		C-852
H-365B	Mani. riser	Stlplk.	1		S-2712
H-386	Mani. heater valve body	Cop. Asb.	1		2000
H-365	Carb. riser to mani.	Cop. Asb.	1		2345
H-641	Wat. outlet	Vell.	1		V-9189
H-103	Wat. jkt. cov.	Paper	1		35001
	Wat. jkt. cov. stud washer	Cop.	34		470
H-166	C/S rear brg. oil seal	Cork	2		C-3736

Lycoming Motor, 8. Models GF-GFC-GFD-GG-GGC-GH


3 1/8 x 4 3/4"




McCord No. 5843



McCord No. S-2809



McCord No. S-2651




McCord No. 2811


McCord No. S-2810



McCord No. 2092



McCord No. C-523




McCord No. C-1273

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
G-1110	Cyl. hd.	Cop. Asb.	1		5843
	Mani. set (1-S2809, 2-S2651)	Stlplk.	1		SMS-1375
	Valve cov. set (2-C1273)	Cork	1		CV-344
	Oil pan set (1-C523)	Cork	1		CS-2218
	Oil pan set (1-P813)	Vell.	1		ES-813
	Wat. jkt. cov. set (1 pc.)	Vell.	1		ES-2198
G-2360	Gear cov. set (1 pc.)	Vell.	1		ES-1280
	Exh. pipe flg.	Cop. Asb.	1		2092
	Mani., center	Stlplk.	1		S-2809
	Mani., ends	Stlplk.	2		S-2651
G-603B	Valve cov.	Cork	2		C-1273
G-401	Oil pan	Cork	1		C-523
G-401	Oil pan	Vell.	1		P-813
	Int. to exh. (standard)	Cop. Asb.	1		2811
	Int. to exh. (special)	Stlplk.	1		S-2810
	Carburetor	Asb.	1		16105
	Carburetor	Asb.	1		16079
	Wat. pump body	Vell.	1		V-9457
G-9340AA	Wat. pump to cyl.	Vell.	1		V-9226
H-641	Wat. outlet	Vell.	1		V-9189
	Wat. jkt. cov. stud washer	Sol. Cop.	28		465
H-166	C/S rear brg. pack.	Cork	2		C-3736

Lycoming Motor, 8. Models GR-GS, 2 7/8 x 4 3/4"; GT, 2 3/4 x 4 3/4"; GU


3 x 4 3/4"




McCord No. 5388-A




McCord No. 2245



McCord No. 2246



McCord No. 2140



McCord No. 2139

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
G-111AA	Cyl. hd.	Cop. Asb.	1		5388A
	Mani. set (2-2139, 1-2140, 2-1439)	Cop. Asb.	1	to 29	MS-1367
	Mani. set (2-S2139, 1-S2140, 2-S1439)	Stlplk.	1	to 29	SMS-1367
	Mani. set (1-2246, 2-2245)	Stl. Asb.	1	29-33	MS-1370
	Mani. set (1-S2246, 2-S2245)	Stlplk.	1	29-33	SMS-1370
	Valve cov. set (2-C1273)	Cork	1		CV-344
	Oil pan set (1-C523)	Cork	1		CS-2218
	Oil pan set (1-P813)	Vell.	1		ES-813
G-103	Wat. jkt. cov. set (1 pc.)	Vell.	1		ES-2172
G-236	Gear cov. set (1 pc.)	Vell.	1		ES-1410
G-244	Mani., center	Cop. Asb.	1	to 29	2140
G-281B	Mani., ends	Cop. Asb.	2	to 29	2139
H-245B	Exh., inter.	Cop. Asb.	2	to 29	1439
G-244	Mani., center	Stlplk.	1	to 29	S-2140
G-281	Mani., ends	Stlplk.	2	to 29	S-2139
H-245	Exh., inter.	Stlplk.	2	to 29	S-1439

(Continued on Next Page)

Lycoming Motor, 8. G Series—Continued




McCord No. 16050



McCord No. 1983



McCord No. 1968



McCord No. C-1273


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
G-244C	Mani., center	Stl. Asb.	1	29-33	2246
G-241C	Mani., ends	Stl. Asb.	2	29-33	2245
G-244B	Mani., center	Stlplk.	1	29-33	S-2246
G-241-2B	Mani., ends	Stlplk.	2	29-33	S-2245
G-603B	Valve cov.	Cork	2		C-1273
G-401	Oil pan	Cork	1		C-523
G-401	Oil pan	Vell.	1		P-813
H-361B	Int., lower	Cop. Asb.	1	27	1441
H-361B	Int., lower	Stlplk.	1	27	S-1441
G-361	Int., lower	Cop. Asb.	1	28-29	1983
G-386B	Mani. heater valve cov.	Asb.	1		16050
H-361C	Int. to exh.	Cop. Asb.	1	29-33	1968
H-361C	Int. to exh.	Stlplk.	1	29-33	S-1968
H-166	Wat. jkt. cov. stud washer	Sol. Cop.	34		462
H-166	C/S rear brg. pack.	Cork	2		C-3736

Lycoming Motor, 8. Models H-HD-HF-HFA-HM-2H-3H-4H. McCord No. 5125A-5620. See Page No. 162.


Lycoming Motor, 8. Model J, $3\frac{3}{4} \times 4\frac{3}{4}$ "; Duesenberg 265 H.P. McCord No. 5533.

Lycoming Motor, 8. Models MD-MDA. McCord No. 5125A. See Page No. 162.


Lycoming Motor, 6. Models 2S, $3\frac{1}{8} \times 4\frac{1}{2}$ ", $3\frac{1}{8} \times 4\frac{1}{2}$ "; 3S, $3\frac{1}{8} \times 4\frac{1}{2}$ "; 4S-4SG-4SL-4SLH, 4SM $3\frac{1}{4} \times 4\frac{1}{2}$ "
Models SA-SAH, $3\frac{1}{4} \times 4\frac{1}{2}$ "; SB $3\frac{3}{8} \times 4\frac{1}{2}$ "



McCord No. 5262




McCord No. 5771



McCord No. 5835




McCord No. 1441




McCord No. 1440



McCord No. 2092




McCord No. 1604



McCord No. 1605




McCord No. 1439




McCord No. 2668

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
S-111AA	Cyl. hd. 2S-3S-4S	Cop. Asb.	1		5262
S-111B	Cyl. hd. SA-SB	Cop. Asb.	1		5771
S-111CA	Cyl. hd. SAH	Cop. Asb.	1		5835
	Mani. set (1-1604, 1-1441, 1-1439, 1-1605, 2-1440)	Cop. Asb.	1		MS-1363
	Mani. set (1-S1604, 1-S1441, 1-S1439, 1-S1605, 2-S1440)	Stlplk.	1		SMS-1363
	Valve cov. set (3-C393)	Cork	1		CV-341
	Oil pan set (1-C578)	Cork	1		CS-2234
S-401	Oil pan set (1 pc.)	Vell.	1		ES-751
S-126B	Cyl. base set (1 pc.)	Vell.	1		ES-3608
S-103	Wat. jkt. cov. set (1 pc.)	Vell.	1		ES-2271
M1-42	Exh. pipe flg. (Auburn)	Cop. Asb.	1		2092
22557V	Exh. pipe flg. (I. H. C.)	Cop. Asb.	1		2092
S-362B	Mani., center	Cop. Asb.	1		1604
H-425B	Exh., inter., front	Cop. Asb.	1		1439
S-244B	Exh., inter., rear	Cop. Asb.	1		1605
H-241B	Exh. and int., ends	Cop. Asb.	2		1440
H-361B	Int. mani.	Cop. Asb.	1		1441
S-362D	Mani., center	Stlplk.	1		S-1604
S-345B	Exh., inter., front	Stlplk.	1		S-1439
S-244D	Exh., inter., rear	Stlplk.	1		S-1605
S-241B	Exh. and int., ends	Stlplk.	2		S-1440
H-361B	Int. mani.	Stlplk.	1		S-1441
S-603	Valve cov.	Cork	3		C-393
S-401	Oil pan	Cork	1		C-578
X-3145	Oil pump body bolt	Cop. Asb.	1		500C
S-361	Int. to exh. (SAH)	Cop. Asb.	1		2668
J-1-17	Carburetor (Auburn)	Vell.	1		V-102
S-238B	Gear cov.	Cork	1		C-704

Lycoming Motor, 6. Models TF, 3 5/8 x 5"; TH, 3 1/2 x 5"; TS 3 7/8 x 5"



McCord No. 5389



McCord No. 5390




McCord No. 2336



McCord No. 2337




McCord No. 1606




McCord No. C-394

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
T-111	Cyl. hd. TF-TH	Cop. Asb.	1		5389
T-111BB	Cyl. hd. TS	Cop. Asb.	1		5390
	Mani. set (1-1606, 1-2336, 2-2337)	Stl. Asb.	1		MS-1364
	Valve cov. set (3-C394)	Cork	1		CV-342
	Oil pan set (1-C729)	Cork	1		CS-2246
T-401	Oil pan set (1 pc.)	Vell.	1		ES-938
T-126B	Cyl. base set (1 pc.) TF-TH	Vell.	1		ES-3758
T-126CA	Cyl. base set (1 pc.) TS	Vell.	1		ES-3752
T-236	Gear cov. set (1 pc.)	Vell.	1		ES-1506
T-244B	Mani., center	Stl. Asb.	1		2336
T-241B	Mani., ends	Stl. Asb.	2		2337
T-361	Int., lower	Cop. Asb.	1		1606
T-603	Valve cov.	Cork	3		C-394
T-401	Oil pan	Cork	1		C-729


Lycoming Motor, 4. Models UA-UAB-UAC-UAD 3 1/8 x 3 7/8"



McCord No. 5711



McCord No. 2419




McCord No. 6103

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
UA-1110A	Cyl. hd. (early)	Cop. Asb.	1		5711
UA-1110B	Cyl. hd. (late)	Cop. Asb.	1		6103
	Valve cov. set (1-C1089)	Cork	1		CV-349
UA4010-11AA	Oil pan set (2 pcs.)	Vell.	1		ES-75
UA-2470	Exh. pipe fig.	Cop. Asb.	1		2419
UA-6030AA	Valve cov.	Cork	1		C-1089

Lycoming Motor, 8. Marine Models UC-UCD. McCord No. 5620. See Page No. 162.

Lycoming Motor, 6. Marine Models UE-UED. McCord No. 5710. See Page No. 161.



Lycoming Motor, 6. Models UH-UHD, 3 1/8 x 4 3/4"; UHE 3 5/8 x 4 3/4"



McCord No. 5995



McCord No. S-3122


McCord
No. S-3123

McCord No. S-3124

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
UH-1110AA	Cyl. hd.	Stl. Asb.	1		5995
UH-1110D	Mani. set (1-S3122)	Stl. Asb.	1		SMS-2608
UH-2410	Manifold	Stl. Asb.	1		S-3122
UH-2426	Exh. elbow, front and rear	Stl. Asb.	2		S-3123
UH-2425	Exh. elbow, center	Stl. Asb.	2		S-3124




Lycoming Motor, 6. Models W, 2 3/4 x 4 3/4"; WR-WRG-WRGM-WS-WSG, 2 7/8 x 4 3/4"; WTG 3x4 3/4"



McCord No. 5387-A




McCord No. 2003



McCord No. 2461

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
W-111AA	Cyl. hd.	Cop. Asb.	1		5387A
	Mani. set (1-2003)	Asb.	1	27-28	MS-1372
	Mani. set (1-2461)	Stl. Asb.	1	29-33	MS-1373
	Valve cov.-set (3-C3734)	Cork	1		CV-345
	Oil pan set (1-C463)	Cork	1		CS-2217
W-401	Oil pan set (1 pc.)	Vell.	1		ES-815
W-236BA	Gear cov. set (1 pc.)	Vell.	1		ES-1411
M-1-130	Exh. pipe fig.	Cop. Asb.	1		857A
	Manifold	Asb.	1	27-28	2003
W-241D	Manifold	Stl. Asb.	1	29-33	2461
W-6030AA	Valve cov.	Cork	3		C-3734
W-401	Oil pan	Cork	1		C-463
	Carburetor	Stlplk.	1		S-830A
H-166	C/S rear brg. pack.	Cork	2		C-3736


Lycoming Motor, 6. Models WF-WFC 3 1/8 x 4 3/4"



McCord No. 5844



McCord No. S-2645



McCord No. S-2812

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
W-1110	Cyl. hd.	Cop. Asb.	1		5844
	Mani. set (1-S2645)	Stlplk.	1		SMS-1374
	Valve cov. set (3-C3734)	Cork	1		CV-345
	Oil pan set (1-C463)	Cork	1		CS-2217
W-401	Oil pan set (1 pc.)	Vell.	1		ES-815
	Wat. jkt. cov. set (1-V1967)	Vell.	1		ES-1967
G-2360	Gear cov. set (1 pc.)	Vell.	1		ES-1280
	Exh. pipe fig.	Cop. Asb.	1		859F
W-2410	Manifold	Stlplk.	1		S-2645
W-6030AA	Valve cov.	Cork	3		C-3734
W-401	Oil pan	Cork	1		C-463
W-3610	Int. to exh.	Stlplk.	1		S-2812
	Carburetor	Asb.	1		16106
G-9340AA	Wat. pump to cyl.	Vell.	1		V-9226
	Wat. pump body	Vell.	1		V-9457
H-641	Wat. outlet	Vell.	1		V-9189
	Wat. jkt. cov.	Vell.	1		V-1967
	Wat. jkt. cov. stud washer	Sol. Cop.	20		465
H-166	C/S rear brg. pack.	Cork	2		C-3736

Maccar. Truck and Bus.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
G1	5	Wisc. RBU	5255	*	46	2-3	Wisc. Y	5296	*	86A	4-15	Wauk. 6SRK	5717	247
SW86	4-8	Herc. YXC3	5612	130	56	3	Buda DW6	5345	*	96	4	Wisc. H	5269	*
SW86	5-12	Herc. RXC	5752	130	60	3-6	Buda BUS	5346	*	96	3-6	Buda BUS	5346	*
SW86	5-12	Herc. RXC	5612	130	64	3-5	Buda YBU	5192	*	100	1 1/2-4	Buda H260	5615	29
SW86	4-15	Wauk. 6SRK	5717	247	66	Bus	Buda BUS	5346	*	100	1 1/2-2	Buda J214	5614	29
TD500	10-12	Ster. L2	5753	223	66	3-6	Buda BUS	5346	*	100	Bus	Buda BA6	5346	*
36	1 1/4-2	Buda HS	5344	*	66A	4-8	Herc. YXC3	5612	130	126	3-6	Buda BUS	5346	*
36A	1 1/2-4	Buda H298	5615	29	84	3-5	Buda YBU	5192	*	180	3-4	Buda K393	5725	30
40	1 1/4-2	Buda HS	5344	*	86	3-6	Buda BUS	5346	*	220H	4-15	Wauk. 6SRK	5717	247
40A	1 1/2-4	Buda H260	5615	29	86A	4-8	Herc. YXC3	5612	130	220W	4-15	Wauk. 6SRK	5717	247

NOTE—* Indicates that these motors are listed in Guide A. For older models see Guide A.

McCORD

DRAIN PLUG And SPARK PLUG GASKET

Assortment

McCORD
NO.
8573

Use
**NEW DRAIN PLUG GASKETS ON
Every OIL CHANGE JOB
TELL THE
CUSTOMER**



McCORD No. 8573 DRAIN PLUG and SPARK PLUG GASKET ASSORTMENT and CABINET

DRAIN PLUG GASKETS TO FIT THE FOLLOWING CARS:

Part No.	Car Name and Model	McCord No.	Part No.	Car Name and Model	McCord No.
30271	Buick 6 1929	505A	105456	Dodge 6-8, 1930-39	AM 515
843350	Buick 6-8, 1930-37	AM 510A	A6734	Ford 4, V8, 1928-39	511
1307237	Buick 8, 1938-39	506B	A6734	Lincoln Zephyr 1936-38	511
881388	Cadillac 8, 1916-33	511A	843350	Oldsmobile 6-8, 1928-38	AM 510A
843350	Cadillac 8, 1932-39	AM 510A	344690	Oldsmobile 6-8, 1939	503B
344690	Chevrolet 6, 1929-39	503B	111192	Packard 6-8, 1935-39	507B
105456	Chrysler 6-8, 1930-39	AM 515	344690	Pontiac 6-8, 1933-39	503B
105456	DeSoto 6-8, 1930-39	AM 515	105456	Plymouth 6, 1933-39	AM 515

SPARK PLUG GASKET ASSORTMENT

Spark Plug Size	McCord No.	Quantity	Spark Plug Size	McCord No.	Quantity
7/8	AM 515	50	14 MM	AM 504K	50
18 MM	AM 510A -	50	10 MM	AM 500H	25

McCORD No. 8573 ASSORTMENT CONTAINS 270 DRAIN PLUG AND 175 SPARK PLUG GASKETS

SPECIAL RESALE PRICE

INCLUDING 4 DRAWER METAL CABINET
Size 8 x 5 $\frac{3}{4}$ x 6 $\frac{1}{4}$

McCORD

DRAIN
PLUG

and

SPARK PLUG
GASKET

ASSORTMENT

NO.
8573

McCord

HEADLAMP LENS

CORK GASKET

Assortment

Including **McCord**
Merchandiser Package

Hanging from the wall or on the shelf, complete selling information is directly in front of you — car name, model and year. The right head lamp strip for each model is clearly shown — the cork is protected — kept clean — ready for use.

McCord HEADLAMP LENS CORK GASKET ASSORTMENT No. 8574

McCord No.	Size	McCord No.	Size	McCord No.	Size
C7001	$\frac{3}{4}$ x $\frac{1}{8}$ x 36"	C7003	$\frac{1}{4}$ x $\frac{1}{8}$ x 36"	C7006	$\frac{5}{16}$ x $\frac{3}{32}$ x 36"
C7002	$\frac{3}{4}$ x $\frac{3}{16}$ x 36"	C7004	$\frac{1}{4}$ x $\frac{3}{16}$ x 36"	C7007	$\frac{3}{8}$ x $\frac{3}{16}$ x 36"
		C7005	$\frac{1}{4}$ x $\frac{1}{4}$ x 36"		

List Price 10c Each

McCord No.	Part No.	Car	McCord No.	Part No.	Car
C7007	6082	Buick 8-50, 1931	C7002	87155-56-57	Graham 6-96-97, 1938 (8 Pieces, Top, Bottom and Sides)
C7005	6085	Buick 8, All 1937 and 1939	C7003	33478	Hudson 8, 1930
C7006	6081	Buick 6, 1929-30; 8-60-80-90, 1931; All 8's, 32-33	C7003	35918	Hudson 8, 1931
C7003	6083	Buick 8-50-60-90, 1934-35	C7003	102579	Hudson 6; Terraplane 8, 1933
C7002	6084	Buick 8-40, 1934-35; All 1936 and 1938	C7003	96199	Hudson 8, 1932-33
C7006	6081	Cadillac 8-12-16, 32-33	C7005	109278	Hudson 8, 1934
C7005	6085	Cadillac 8-12-16, 1934-35; 16, 1936-37	C7003	114583	Hudson 6, Terraplane 6, Hudson 8, 1935 (Corcoran-Brown)
C7003	6083	Cadillac 8-12, 1936; LaSalle 8, 1934-35	C7003	114815	Hudson 6-8, Terraplane 6, to Ser. # 611303
C7002	6084	Cadillac 8-12, LaSalle 8, 1937	C7003	130253	Hudson 6-112, 1938-39
C7004	922299	Cadillac 8-12-16; LaSalle 8, 1938-39	C7002	119189	Hudson 6-8, Terraplane 6, 1936-37
C7002	6084	Chevrolet 6, Pass. and Trucks, 1931-32; Pass. Only, 1938	C7002	133907	Hudson 6-8, 1939
C7005	6085	Chevrolet 6, All 1932-38 Except 38 Pass.	C7004	129010	Hudson 6-8, 1938
C7005	918677	Chevrolet 6 Trucks, 1939	C7005	6085	LaSalle 8, 1936
C7004	922299	Chevrolet 6 Pass., 1939	C7002	H-13066	Lincoln Zephyr 12, 36-37
C7001	668362	Chrysler 6, 1937; 8-C14-15, 1937	C7007	6082	Olds 6, 1930-32; 8, 1932
C7006	312208	DeSoto 6	C7005	6085	Olds 6-8, 1934-36
C7006	619576	DeSoto 6, SE-34; SG-35; S2-36	C7003	6083	Olds 6-8, 1933
C7001	661683	DeSoto 6-S1, 1936	C7002	6084	Olds 6-8, 1937
C7001	668362	DeSoto 37	C7004	922299	Olds 6-8, 1938-39
C7003	321697	Dodge 8, 1931	C7003	202412	Packard 8, 1001-2-3-4, 1100-1-2-3-4-5, 1933-34
C7002	604488	Dodge 6, 1933	C7003	225873	Packard Super 8, 1200-1205, 1400-1405 Series, 1935-36
C7002	610381	Dodge 8, 1933	C7003	225873	Packard 6, 37-39; 8 (120-1601-2-1701-2) 35-39
C7001	611942	Dodge 6, 1934	C7003	225873	Packard Super 8-12, 1500 thru 1508, 1603 thru 1608 Series, 1937-38
C7001	668362	Dodge 6, 1937	C7006	312208	Plymouth 4, 1930-31
C7002	B-13066	Ford 4-V8, 1928-37 (Except 1937 Pass.)	C7001	668362	Plymouth 6, 1938
C7004	78-13066	Ford V8 Pass., 1937-38	C7001	661683	Plymouth 6, 1937
C7004	48-13066	Ford V8 Trucks, 1938	C7002	661697	Plymouth Commercial 6, 1937-38
C7002	26680	Graham 6-80, 1936	C7005	6085	Pontiac 6, 1932 and 1935-38; 8, 1932-38
C7003	26424	Graham 6-73; 8-72-75, 35 Graham 6-90-110; 1936-37	C7003	263515	Studebaker 6-8, 1937
			C7002	129002	Terraplane 6, 1938

McCord HANG-UP OR SHELF MERCHANDISE PACKAGE

The first practical method of stocking and selling cork head lamp strips—seven sizes fit 59 popular cars. Complete selling information makes the right gasket easy to find. Hang the merchandising package on the wall, using the special hook provided. The door opening is set back, preventing the cork from falling out.

McCord SUPER OIL SEALS

USE NEW
SUPER
OIL SEALS
On Every Brake
Reline Job

STOP


DEFECTIVE BRAKES ARE YOUR
RESPONSIBILITY IF YOU NEGLECT TO
Replace Oil Seals

**BRAKE LINING MANUFACTURERS SAY 50% OF BRAKE FAILURES
ARE THE RESULT OF USING OLD OIL SEALS**


Safeguard your customers... Protect your reputation...
Always use new Super Oil Seals

Regardless of the quality of the lining used or how careful the brake adjustment, if you replace the old oil seals or use a new oil seal of inferior quality with the result that grease leaks through on the lining, the brakes will fail and failure under these conditions is your responsibility. No one likes to accept or feel responsible for death or injury and one sure way to avoid this is to make every brake job equal to that when the car left the factory by using good lining and replacing old seals with new McCord Super Seals, the only replacement seal that conforms exactly to the original seal specifications as to dimensions, quality of leather, and spring tension.

The Super Seal grease and oil retainer line is the most complete replacement line of oil seals or grease retainers on the market. Included are steel and leather, steel and felt, steel and cork, felt, cork, and leather washers. Completeness of line is necessary if you are to render service, and Super Seals include not only a wider range of axle seals for cars and trucks, but also pinion shaft, free wheeling, crankshaft, water pump and fan bearing seals.



STEEL AND LEATHER
STEEL AND FELT
STEEL AND CORK
FELT • CORK
LEATHER



Standard type—most widely used type of seal.

Similar to type "A" with extruded shoulders.

External type of leather and metal seal—usually used for clutch throwout.

Rear axle seal—combines the functions of an oil seal and bearing retainer.

Functions as an oil strainer in addition to an oil seal.

Similar to type "Q." It serves as a bearing retainer as well as an oil seal.

McCORD OIL SEAL DISPLAY BOARD

McCORD OIL SEAL DISPLAY BOARD

WITH
ASSORTMENT OF
24 POPULAR SEALS
for FORD
CHEVROLET
PLYMOUTH • DODGE
CHRYSLER
DE SOTO

STOP
the Law says!
Defective Brakes
ARE YOUR
RESPONSIBILITY

**LEAKING OIL SEALS CAUSE BRAKE FAILURE -
BRAKE FAILURES CAUSE ACCIDENTS AND DEATH!**

SUPER OIL SEALS
ON EVERY BRAKE RELINE JOB
For Your PROTECTION and SAFETY

SUPER OIL SEALS are the original type seals Used by the car maker to prevent leakage of oil and grease and to protect the bearings from dirt. Used in Wheels, Axles, Shafts, etc.
McCORD RADIATOR & MFG. CO., Detroit, Michigan



**BRAKE SERVICE, SUPER
SERVICE STATIONS, CAR DEALERS
and GARAGES NEED THIS DISPLAY ASSORTMENT**

50% of Brake Failures Result From Use of Old Seals

When relining brakes, replacing bearings, do the job right—use new Oil Seals. Worn Oil Seals let the grease through on the new brake lining and cause brake failure. • Super Seals are the only replacement seal built to car factory blue print specifications. • You can always depend on Super Seals—they fit—they keep the oil in the housing and off the lining. • This assortment of 48 seals enables you to service the more popular cars and trucks. It includes only the most popular numbers—seals used on most reline jobs. The attractive metal display board keeps the importance of using new seals prominently before the customer.

**McCORD No. 7538
ASSORTMENT OF
48 POPULAR OIL SEALS**

Special Dealer Price

Extra Dealer Profit


ALL BRAKE LINING MANUFACTURERS RECOMMEND NEW OIL SEALS ON EVERY RELINE JOB

Mack Truck and Bus, 4-6. Model and Motor Reference.


Model	No. Cyl.	Motor Model	McCord No.	See Page No.	Model	No. Cyl.	Motor Model	McCord No.	See Page No.	Model	No. Cyl.	Motor Model	McCord No.	See Page No.
AB	4	AB	5270	167	BQ	6	BQ	6052	171	EQ	6	CU	6010	170
AB	4	AB	5392A	167	BT	6	BQ	6052	171	EQU	6	CU	6010	170
AB	4	AB	5574A	167	BX	6	CF	5837	171	ER	6	BG	5622A	170
AB	6	BG	5622A	170	BXH	6	CF	5837	171	ES	6	CU	6010	170
AC	4	AC	5687A	168	BXS	6	BX	5837	171	FG	6	CF	5837	171
AC	6	BQ	6052	171	BXS	6	CF	5837	171	1M	6	MR209	5928	72
ACP	4	AC	5687A	168	CB	6	CU	6010	170	2M4A	4	MR140	6016	72
ACX	4	AC	5687A	168	CH	6	CE	5637A	171	2M6A	6	MR209	5928	72
AK	4	AC	5687A	168	CJ	6	CF	5837	171	2M6AS	6	MR209	5928	72
AK	6	BQ	6052	171	CL	6	CF	5837	171	10M	6	MR209	5928	72
AL	6	AL	5574A	170	CQ	6	CT	6009	172	10MF	6	MR209	5928	72
AP	6	AP	5687A	168	EB	6	CU	6010	170	11M	6	MR209	5928	72
BB	4	AB	5270	167	EC	6	BG	5622A	170	20M	6	MR228	5956	173
BB	4	AB	5392A	167	ED	6	EN11	5956	173	21M	6	MR228	5956	173
BB	4	AB	5574A	167	EE	6	FO	6056	173	21MT	6	MR228	5956	173
BCA	4	AB	5270	167	EEU	6	FO	6056	173	30M	6	MR268	5956	173
BCA	4	AB	5392A	167	EF	6	FM	6056	173	30MS	6	MR268	5956	173
BCA	4	AB	5574A	167	EFU	6	FM	6056	173	30MT	6	MR268	5956	173
BC	6	CE	5637A	171	EG	6	FK	6055	173	31M	6	MR268	5956	173
BF	6	BG	5622A	170	EGU	6	FK	6055	173	31MDR	6	MR268	5956	173
BF	6	CU	6010	170	EH	6	BG	5622A	170	31MS	6	MR268	5956	173
BG	6	BG	5622A	170	EHU	6	BG	5622A	170	31MT	6	MR268	5956	173
BJ	6	BK	5574A	171	EJ	6	EJ	5956	173	90M	6	EJ	5956	173
BK	6	BK	5574A	171	EM	6	BG	5622A	170	90MS	6	EJ	5956	173
BL	6	BL	5622A	170	EMU	6	BG	5622A	170	90MT	6	EJ	5956	173
BM	6	CE	5637A	171	EQ	6	CE	5637A	171	90MTS	6	EJ	5956	173

Mack Truck Motor, 4. Model AB


4x5, 4 1/4 x 5"




McCord No. 5574A




McCord No. 5270




McCord No. 5392A




McCord No. 1612




McCord No. 1280



McCord No. 1292



McCord No. 1863



McCord No. 2427A

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
1AB-333A	Cyl. hd. (9-stud)	Cop. Asb.	2 to 25	5270
1AB-333A	Cyl. hd. (9-stud)	Cop. Asb.	2 25 up	5392A
1AL-385A	Cyl. hd. (15-stud)	Cop. Asb.	2	5574A
	Valve cov. set (2-C192) (sol. hd.)	Cork	1 to 26	CV-355
	Valve cov. set (1-C314, 1-C315)	Cork	1 26 up	CV-356
1AB-38-39	Oil pan set (1-P509, 1-P510)	Vell.	1	ES-509
1AB-262-3	Cyl. base set (2 pcs.) (sol. hd.)	Vell.	1	ES-3511
1AB-296	Cyl. base set (1 pc.) (9-stud)	Vell.	1	ES-3603
1AB-2204	Cyl. base set (1 pc.) (15-stud)	Vell.	1	ES-3615
1AB-37	Gear cov. set (1 pc.)	Vell.	1	ES-1428
9AB-345	Diff. cov. set (1 pc.)	Vell.	1	ES-4321
11AB-2287	Diff. carr. set (1 pc.) (dual reduction axle)	Vell.	1	ES-4400
11AB-2110B	Axle hsg. cov. set (1 pc.)	Vell.	1	ES-4704
3AK-219A	Exh. fig.	Stl. Asb.	1	2427A
57AX8	Exh. fig.	Stl. Asb.	1	858C
1AB-178	Exh. mani. (sol. hd. and 9-stud)	Cop. Asb.	4	608A
3BQ-12	Exh. mani. (15-stud)	Stl. Asb.	4	2046A
3AB12	Exh. mani. fig. (sol. hd.)	Stl. Asb.	1	1280
3AB-188	Exh. mani. fig. (9-15-stud)	Stl. Asb.	1	1292
3BB-15	Exh. mani. fig. (BB)	Cop. Asb.	1	1863
1AB-187	Int. mani. (solid hd.)	Asb.	2	1751
1AB-1469	Int. mani. (9 stud)	Stl. Asb.	2	2132
2AB-1542	Int. mani. (15 stud)	Asb.	2	2425
1AB-189	Valve cap (solid hd.)	Cop. Asb.	8	135A
1AB-1123	Valve cov. (solid hd.)	Cork	2	C-192
1AB-2138	Valve cov. front (9 and 15 stud)	Cork	1 26 up	C-315
1AB-2139	Valve cov. rear (9 and 15 stud)	Cork	1 26 up	C-314
6AB-110	Oil pump hsg.	Vell.	1	V-5573
1AB-1119	Oil tube	Cork	5	C-517

(Continued on Next Page)

Mack Truck Motor, Model AB—Continued



McCord No. 2346



McCord No. 2426



McCord No. 2046




McCord No. 2425




McCord No. 1941




McCord No. C-193



McCord No. C-192




McCord No. C-314




McCord No. C-315

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
56AX1	Oil return pipe	Vell.	2		V-5039
6AB-131	Oil tank cov. (solid hd.)	Vell.	1		V-5863
6AB131A	Oil tank cov. (9 stud)	Vell.	1		V-5920
6AC-148	Oil tank cov. (15 stud)	Vell.	1		V-9704
6AL-1171	Oil relief valve and filter	Asb.	3		16086
2AB-252	Int. mani. vaporizer	Stl. Asb.	1		1612
57AX16	Exh. mani. vaporizer	Stl. Asb.	1		2346
3AC1155A	Vaporizer to exh. mani.	Asb.	1		2426
3AB1503	Exh. pipe	Stl. Asb.	1		2730
3R169	Exh. heater pipe	Stl. Asb.	1		874A
3R-1150	Muffler exh. pipe fig. (9 stud)	Stl. Asb.	1		874A
3AC164A	Muffler exh. pipe fig. (15 stud)	Stl. Asb.	1		2731
3AB1503	Muffler flexible tube (15 stud)	Stl. Asb.	2		2730
3AC-160	Muffler outlet pipe ret. (15 stud)	Asb.	1		16069
56AX12	Carburetor (solid hd. and 9 stud)	Vell.	1		V-5219
56AX8	Carburetor (15 stud)	Vell.	1		V-104
4AB-16	Wat. pump cov. (9 stud)	Vell.	1		V-8803
4AL-1324	Wat. pump cov. (15 stud)	Vell.	1		V-5901
4AB1204	Wat. pump outlet (9-15 stud)	Asb.	1		1941
5AB1413	Wat. pump outlet (solid hd.)	Asb.	1		2432
1AB-2109	Wat. cap (9 stud)	Asb.	1		1753
1AB-183	Cyl. wat. cov. (solid hd.)	Asb.	1		1752
1AB-2109A	Cyl. wat. cov. (15 stud)	Asb.	1		2063
1AB-1871	Cyl. wat. cov. outlet elbow (15 stud)	Asb.	1		16063
56AX-31	Cyl. wat. outlet elbow	Asb.	1		16064
1AB188	Cyl. wat. cov. plug	Asb.	1		2428
4AB1242	Radiator inlet	Asb.	1		2430
4AB-1146	Radiator outlet	Asb.	1		2429
4AB-233	Radiator tank	Asb.	2		2431
5AB-1415	Generator chain hsg.	Vell.	1		V-9064
1AB-1329	Generator chain cov. pl.	Vell.	1		V-9319
1AB-1122	C/C inspection cov.	Cork	2		C-193
11AB-2110A	Axle hsg. cov.	Cork	2		C-607
11AB-153B	Pinion hsg. cov.	Cork	1		C-706
11AB185	Axle shaft fig.	Vell.	2		V-8868
11AB156	Spur pinion shaft brg. cov.	Cork	1		C-795
11AB2349	Spur pinion shaft brg. ret.	Vell.	1		V-9712
8AB-172	Trans. main drive pinion brg. ret.	Vell.	1		V-9370
8AB-173	Trans. counter shaft brg. ret. front	Vell.	1		V-9316

Mack Truck Motors, 4-6. Models AC4, solid head, 4 5/8 x 6"; AC4, detachable head, 5x6"; AP6 5x6"



McCord No. 5687A



McCord No. 1613



McCord No. 1871




McCord No. 2346

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1AC-3104A	Cyl. hd.	Cop. Asb.	2-3		5687A
	Valve cov. set (2-C191) AC4 (solid hd.)	Cork	1		CV-357
	Valve cov. set (2-C315) AC4 (detachable hd.)	Cork	1		CV-359
	Valve cov. set (3-C315) AP6	Cork	1		CV-628
	Oil pan set AC4 (1-P229, 1-P230)	Vell.	1		ES-229
1AC-39 }	Cyl. base set (2 pcs.)				
1AC-347 }	AC4 (solid hd.)	Vell.	1		ES-3508
1AC-298 }	Cyl. base set (1 pc.) AC4 (detachable hd.)	Vell.	1		ES-3760
1AC-38	Gear cov. set (1 pc.)	Vell.	1		ES-1322
3AC-12	Exh. pipe fig. AC4 (solid hd.)	Stl. Asb.	1		1281
3AL-159	Exh. pipe fig. AC4 (detachable hd.)	Stl. Asb.	1		1984
3AB-1503	Exh. pipe fig. AP6	Stl. Asb.	1		2730

(Continued on Next Page)

Mack Truck Motor. Model AC4-AP6—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1AC-139	Exh. mani. AC4 (solid hd.)	Stl. Asb.	4		609AB
1AC-1361	Exh. mani. AC4 (detachable hd.) (2 fig.)	Stl. Asb.	4		1871
1AC-1361B	Exh. mani. AC4 (detachable hd.) (1 fig.)	Stl. Asb.	4		2642
3AP-177A	Exh. mani. AP-6	Stl. Asb.	6		871D
57AX16	Exh. mani. elbow	Stl. Asb.	2		2346
1AC144	Int. mani. AC4 (solid hd.)	Asb.	2		1613
1AC1386	Int. mani. AC4 (detachable hd.)	Asb.	2		16066
1AC1386	Int. mani. AC4 (detachable hd.)	Vell.	2		V-5578
1AP-1154A	Int. mani. AP6	Asb.	3		16099
1AC-14	Valve cap AC4 (sol. hd.)	Cop. Asb.	8		145-B
1AC-160	Valve cov. AC4 (sol. hd.)	Cork	2		C-191
1AB-2138	Valve cov. AC4 (detachable hd.)	AP6 Cork	2-3		C-315
1AC-232	Oil pan right AC4 (1-P229)	Vell.	1		P-229-set
1AC-233	Oil pan left AC4 (1-P230)	Vell.	1		
6AB-110	Oil pump hsg. cov.	Vell.	1		V-5573
1AB-1119	Oil tube	Cork	5		C-517
56AX1	Oil return pipe	Vell.	2		V-5039
6AB-131A	Oil tank cov.	Vell.	1		V-5920
6AC-148	Oil tank cov.	Vell.	1		V-9704
6AL-171	Oil relief valve and filter	Asb.	3		16086
56AX32	Hot air mani.	Stl. Asb.	1		1864
3AC-1155A	Vaporizer to exh. pipe	Asb.	1		16067
3AC-164A	Muffler to exh. pipe	Stl. Asb.	1		2731
3AC-160	Muffler outlet pipe ret.	Asb.	1		16069
3AK-219A	Muffler flexible pipe	Stl. Asb.	1		2427A
56AX8	Carburetor	Vell.	1		V-104A
4AL-1324	Wat. pump cov.	Vell.	1		V-5901
4AC-1309	Wat. pump inlet (sol. hd.)	Asb.	1		1942
4AC-1655	Wat. pump inlet (detachable hd.)	Asb.	1		16068
4AC-1310	Wat. pump outlet	Asb.	1		2437
1AB-2109	Wat. cap	Asb.	2		1753
56AX31	Wat. outlet	Asb.	1		16064
1AC-1499	Wat. inlet	Asb.	1		2433
4AC-143	Wat. cov. (sol. hd.)	Vell.	1		ES-2025
1AB2109A	Wat. cov. (detachable hd.)	Asb.	3		2063
1AB-1871	Wat. cov. outlet	Asb.	3		16063
1AB-188	Wat. cov. plug	Asb.	4		2428
4AC-119	Radiator tube pl. (early sol. hd.)	Vell.	4		V-5865
4AC-1332	Radiator tube pl.	Asb.	4		2434
4AC-1332	Radiator tube pl.	Vell.	4		V-2599
4AC-1331	Radiator upper tank cov.	Asb.	2		2435
4AC-19	Radiator filler	Asb.	1		2335
4AC17	Radiator inlet	Asb.	1		2436
4AC-1330	Radiator inlet	Vell.	1		V-5403
56AX10	Radiator outlet	Asb.	1		16065
56AX10	Radiator outlet	Vell.	1		V-5400
1AB-1122	C/C inspection cov.	Cork	2		C-193
41AX71	Motor cross shaft	Felt	2		10042
8AC-2182	Bevel gear hsg. cov. rear	Cork	1		C-2864
8AC-1222A	Bevel gear hsg. cov. bottom	Cork	1		C-2865
8AC-2168B	Trans. case cov. top	Cork	1		C-2866
8AC-1223	Trans. case side cov.	Cork	1		C-2867
8AK-349	Trans. case cov. AK	Vell.	1		V-9820
8AK-350	Trans. case cov. rear AK	Vell.	1		V-9821
8AC-1835	Trans. main drive gear brg. cov.	Vell.	1		V-9437
8AC-1160A	Trans. countershaft brg. cov.	Cork	1		C-2868
8AC-2167A	Trans. power take-off	Cork	1		C-2167A



McCord No. 1864



McCord No. 16099




McCord No. 2642



McCord No. 16067




McCord No. 2730



McCord No. C-191




McCord No. C-193



McCord No. C-315

Mack Truck Motor, 6. Model AL


4 1/4 x 5"




McCord No. 5574-A




McCord No. 2730




McCord No. 2045



McCord No. 2046



McCord No. 1984




McCord No. C-314


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1AL-385A	Cyl. hd.	Cop. Asb.	3		5574A
	Valve cov. set (3-C314)	Cork	1		CV-360
1AL-311-12B	Oil pan set (2 pcs.)	Vell.	1		ES-934
1AL-314B	Cyl. base set (1 pc.)	Vell.	1		ES-3881
1AL-315B	Motor supp. pl. set (1 pc.)	Vell.	1		ES-1623
1AL-316B	Gear cov. set (1 pc.)	Vell.	1		ES-1622
11AB-2287	Diff. carr. set (1 pc.)	Vell.	1		ES-4400
11AB-2110A	Axle hsg. cov. set (1 pc.)	Vell.	1		ES-4704
3AL-159	Exh. pipe flg.	Stl. Asb.	1		1984
3AK-219A	Exh. flg.	Asb.	1		2427A
3AC-1127	Exh. pipe	Stl. Asb.	1		2730
3BQ-12	Exh. mani. flg. type	Stl. Asb.	6		2046A
1AB-178	Exh. mani. clamp type	Cop. Asb.	6		608A
2AL-1287	Int. mani. flg. type	Asb.	3		2045
1AL-1141	Int. mani. clamp type	Vell.	3		V-9063
3AC-1155A	Int. mani. to muffler	Asb.	1		2426
1AB-2139	Valve cov.	Cork	3		C-314
6AL-123A	Oil pump hsg.	Vell.	2		V-5923
6AL-1171B	Oil filter hsg.	Asb.	2		16086
4AL-1324	Wat. pump cov.	Vell.	1		V-5901
56AX31	Wat. pump outlet	Asb.	1		16064
56AX24	Wat. outlet	Vell.	3		V-5073
1AB-2109A	Wat. cov.	Asb.	1		2063
56AX29	Wat. inlet and plug	Asb.	3		2438
4AL-1144	Radiator inlet	Asb.	1		2442
4AL-186	Radiator outlet	Asb.	1		2443
56AX14	Carburetor	Vell.	1		V-105A
11AB-2110A	Axle hsg. cov.	Cork	1		C-607
11AB-2349	Spur pinion brg. ret.	Vell.	1		V-9712
8AL-336	Trans. case	Vell.	1		V-9830
8AK-349	Trans. case front	Vell.	1		V-9820
8AK-350	Trans. case rear	Vell.	1		V-9821
8AL-337	Trans. case side	Cork	1		C-2861
8AL-287	Trans. inspection cov.	Cork	1		C-2862
8AL-335	Trans. shift cov.	Vell.	1		V-9831

Mack Truck Motor, 6. Models BG, 3 5/8 x 5"; BL, 3 1/4 x 5"; CU

3 7/8 x 5"



McCord No. 5622A




McCord No. 6010




McCord No. 2155



McCord No. 2156



McCord No. 2157




McCord No. C-905

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1-BG-3176	Cyl. hd. BG-BL	Cop. Asb.	1		5622A
1CU-34A	Cyl. hd. CU	Cop. Asb.	1		6010
	Valve cov. set (2-C905)	Cork	1		CV-361
1BG-45B	Oil pan set (1 pc.)	Vell.	1		ES-983
1BG-316	Gear cov. set (1 pc.)	Vell.	1		ES-1354
3BG-1122}	Exh. pipe flg.	Stl. Asb.	1		3013
3BG-1106}					
2BG23	Mani. center	Stl. Asb.	2		2155
3BG-13	Mani. ends	Stl. Asb.	2		2156
1BG-220	Valve cov.	Cork	2		C-905
2BG-25A	Int. mani. vaporizer	Stl. Asb.	1		2157
3BG-1107}	Muffler pipe to tube	Stl. Asb.	2		2037
3BG-1123}					
56AX8	Carburetor	Vell.	1		V-104
4AL-1324	Wat. pump	Vell.	1		V-5901
1BG-19	Wat. outlet	Asb.	1		2441
11BG224	Axle hsg.	Cork	1		C-1034



Mack Truck Motor, 6. Model BK

4 1/2 x 5 1/2"



McCord No. 5574-A



McCord No. 2037



McCord No. 2038



McCord No. 2045




McCord No. 2046



McCord No. 1864A



McCord No. 2730




McCord No. C-314

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
AL-385A	Cyl. hd.	Cop. Asb.	3		5574A
	Valve cov. set (3-C314)	Cork	1		CV-360
1AL-311-12B	Oil pan set (2 pcs.) (early models)	Vell.	1		ES-934
18K359-60	Oil pan set (2 pcs.) (late models)	Vell.	1		ES-P1044
1BK-311	Cyl. base set (1 pc.)	Vell.	1		ES-3862
1AL-316B	Gear cov. set (1 pc.)	Vell.	1		ES-1622
1AL-315B	Front supp. pl. set (1 pc.)	Vell.	1		ES-1623
3AB-1503	Exh. pipe fig.	Stl. Asb.	1		2730
3BQ-12	Exh. mani.	Stl. Asb.	6		2046A
2AL-1287	Int. mani.	Asb.	3		2045
1AB-2139	Valve cov.	Cork	3		C-314
6AL-123A	Oil pump hsg.	Vell.	1		V-5923
1AB-1119	Oil tube	Cork	1		C-517
56AX1	Oil return pipe	Vell.	3		V-5039
56AX32	Hot air mani.	Asb.	1		1864
3BG1123	Muffler pipe to tube	Stl. Asb.	1		2037
3BG-1107					
3BG1106	Muffler pipe to mani.	Stl. Asb.	1		2038
56AX14	Carburetor	Vell.	1		V-105A
2BC-150	Carburetor	Vell.	1		V-8972
4AL-1324	Wat. pump cov.	Vell.	1		V-5901
56AX31	Wat. pump outlet	Asb.	1		16064
56AX-29	Wat. inlet elbow and plug	Asb.	3		2438
1AB-2109A	Wat. cov.	Asb.	3		2063
56AX24	Wat. outlet fig.	Vell.	3		V-5073
1AB-1871	Wat. outlet cov.	Asb.	1		16063
1AB-1122	C/C inspection cov.	Cork	1		C-193
11BK-256	Axle hsg.	Cork	2		C-967
8AL-337	Trans. case side cov.	Cork	1		C-2861

Mack Truck Motor, 6. Model BQ

4 3/4 x 5 3/4"



McCord No. 6052



McCord No. 2045




McCord No. 2046


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1BQ-311	Cyl. hd.	Stl. Asb.	3		6052
	Valve cov. set (3-C315)	Cork	1		CV-628
1BQ48-49	Oil pan set (2 pcs.)	Vell.	1		ES-P1035
1BQ-37	Cyl. base set (1 pc.)	Vell.	1		ES-3865
3AB-1503	Exh. pipe fig.	Stl. Asb.	1		2730
3BQ12	Exh. mani.	Stl. Asb.	6		2046A
2AL-1287	Int. mani.	Asb.	3		2045
1AB-2138	Valve cov.	Cork	3		C-315
57AX14	Vaporizer outlet	Cop. Asb.	1		846E
11BQ-293	Axle hsg.	Cork	1		C-3775

Mack Truck Motor, 6. Models CE, 4x5 1/2"; CF-BX


4 1/4 x 5"



McCord No. 6122



McCord No. 6123




McCord No. 5837

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1CE-327A	Cyl. hd. CE (std. hd.)	Stl. Asb.	1		5637A
1CE-329	Cyl. hd. CE (high turbulence hd.)	Cop. Asb.	1		6123
1CF-3128A	Cyl. hd. CF-BX	Cop. Asb.	1		5837
1CF-3137	Cyl. hd. CF-BX (high turbulence hd.)	Cop. Asb.	1		6122
	Valve cov. set (2-C1179)	Cork	1		CV-358
1BC-438	Oil pan set (1 pc.)	Vell.	1		ES-990
1BC-326A	Cyl. base set (1 pc.)	Vell.	1		ES-3802
1BC-330	Gear cov. set (1 pc.)	Vell.	1		ES-1616
11AB-2287	Diff. carr. set (1 pc.)	Vell.	1		ES-4400
11AB-2110A	Axle hsg. set (1 pc.)	Vell.	1		ES-4704
3AB-1503	Exh. pipe fig.	Stl. Asb.	1		2730
2BC-13	Manifold	Stl. Asb.	8		2212
1BC-265	Valve cov.	Cork	2		C-1179
56AX8	Oil filter 1/32"	Vell.	1		V-5282

(Continued on Next Page)

Mack Truck Motor. Models CE-CF-BX—Continued




McCord No. 5637A



McCord No. 2212




McCord No. 2730



McCord No. C-1179

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
56AX8	Oil filter $\frac{1}{8}$ "	Vell.	1		V-5282A
6CF118A	Oil pump to main line by-pass	Asb.	1		16151
2BX22	Int. mani. vaporizer	Stl. Asb.	1		3014
57AX16	Vaporizer to heater valve	Stl. Asb.	1		2346
3AC-1127	Heater valve mani.	Stl. Asb.	1		2730
3AC-164A	Muffler pipe flg.	Stl. Asb.	1		2731
2AL-1292	Carburetor	Vell.	1		V-9036
2BC-14	Carb. adapter & mani.	Vell.	1		V-9035
2BC-150	Carb. adapter to mani.	Vell.	1		V-8972
2AL-1292	Gov. to carb.	Vell.	1		V-9036
1BC-1186	Gov. drive hole cov.	Vell.	1		V-9037
2BC-19	Fuel pump	Vell.	1		V-9034
4BC-29	Wat. pump	Vell.	1		V-9322
4CF24A	Wat. pump hsg.	Asb.	1		16148
4CF15A	Wat. pump drive brg.	Asb.	1		16147
1CF-111A	Wat. pump rear ret.	Asb.	1		16146
6CF113A	Wat. inlet	Asb.	1		16150
4CF-132A	Fan shaft	Asb.	1		16149
8AC-2182	Bevel gear hsg. cov.	Cork	1		C-2864
11AB-2110A	Axle hsg.	Cork	1		C-607
11AB-2349	Spur pinion shaft brg. ret.	Vell.	1		V-9712
8BC-317	Trans. cov.	Vell.	1		V-9817

Mack Truck Motor, 6. Model CT

4 $\frac{1}{2}$ x 5 $\frac{1}{2}$ "

McCord No. 6009



McCord No. 2012




McCord No. 2212


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1CT-324 } 1CT-316B }	Cyl. hd.	Cop. Asb.	1		6009
	Mani. set (6-2912)	Stl. Asb.	1		MS-1650
	Valve cov. set (2-C1179)	Cork	1		CV-358
1CF-425	Oil pan set (1 pc.)	Vell.	1		ES-P1058
1CF-362B	Cyl. base set (1 pc.)	Vell.	1		ES-3805
1CF-44	Gear cov. set (1 pc.)	Vell.	1		ES-1631
3AB-1503	Exh. pipe flg.	Stl. Asb.	1		2730
3CF-121	Exh. mani.	Stl. Asb.	6		2912
2BC-13	Int. mani.	Stl. Asb.	2		2212
1BC-265	Valve cov.	Cork	2		C-1179
6BC-139	Oil pump to C/C	Asb.	1		16129
56AX1	Oil pump outlet flg.	Vell.	1		V-5039
6CF-129	Oil pump outlet pipe	Asb.	1		16130
6CF-118A	Oil pump to main line by-pass	Asb.	1		16151
56AX53	Oil filter	Vell.	1		V-5400
1CF147	Oil filter	Vell.	1		V-8345
56AX12	Heater conn.	Vell.	1		V-103
2BX12	Carburetor	Asb.	1		16131
56AX14	Gov. to mani.	Vell.	1		V-105A
2BQ-13	Fuel pump	Vell.	1		V-8343
4CF-24A	Wat. pump hsg.	Asb.	1		16148
4CF-24A	Wat. pump hsg.	Vell.	1		V-8816
1CF-111A	Wat. pump drive rear brg. ret.	Asb.	1		16146
4CF-15A	Wat. pump drive hsg. brg. cap	Asb.	1		16147
1BC-1180	Wat. outlet	Asb.	1		16128
1CF-222A	Wat. jkt. cov.	Asb.	1		16132
1CF-113	Wat. mani. elbow	Asb.	1		16150
8CT-159	Cyl. block side cov.	Vell.	1		V-9488
1CT-174	Cyl. base	Asb.	1		16155
4CF132A	Fan brg. ret.	Asb.	1		16149
11-CQ229	Axle hsg.	Cork	1		C-4455
8CT-161	C/S brg. ret.	Vell.	1		V-9487
1CF-1145	C/S rear brg. ret.	Vell.	1		V-8344
8CL-311	Trans. shifter cov.	Vell.	1		V-9722
8CT-317	Trans. shifter cov.	Vell.	1		V-9843
8CQ-312	Trans. rear cov.	Vell.	1		V-9723
8CQ-316	Trans. front cov.	Vell.	1		V-9724
8CQ-190	Trans. cov. oil duct	Vell.	1		V-9490
8CT-151	Trans. main drive gear oil seal ret.	Vell.	1		V-9250
8CQ-133	Trans. main drive gear outer brg. ret. cov.	Vell.	1		V-9489

Mack Truck Motor, 6. Model CU. McCord No. 5622A. See Page No. 170.


Mack Truck Motor, 6. Models EJ, 3 1/2 x 5"; MR228, 3 3/8 x 4 1/4"; MR268 3 3/8 x 5"



McCord No. 5956




McCord No. 1927




McCord No. 2971

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1EJ-147	Cyl. hd.	Cop. Asb.	1		5956
	Mani. set (1-1927)	Stl. Asb.	1		MS-2099
	Valve cov. set				
	(1-C444, 1-C454)	Cork	1		CV-451
	Oil pan set (1-C443)	Cork	1		CS-2176
	Oil pan set (1-P812)	Vell.	1		ES-812
	Wat. jkt. cov. set				
	(2-C3440)	Cork	1		CW-24
	Wat. jkt. cov. set				
	(2-V2098)	Vell.	1		ES-2098
2SA-103	Gear cov. set (1 pc.)	Vell.	1		ES-1284
57AX-19	Exh. pipe flg.	Stl. Asb.	1		2971
2J-19	Manifold	Stl. Asb.	1		1927
1-EJ-162	Valve cov. front	Cork	1		C-444
1-EJ-163	Valve cov. rear	Cork	1		C-454
1EJ-191	Oil pan	Cork	1		C-443
EJ-191	Oil pan	Vell.	1		P-812
2EJ-110	Int. to exh.	Stl. Asb.	1		2587
1SA-217	Heat control valve	Stl. Asb.	1		S-2666
1AA-33	Carburetor	Stl. Asb.	1		847D
3SA-50	Wat. pump	Tr. Paper	1		30067
1AA-10	Wat. outlet	Vell.	1		V-5405
2AA-35	Wat. jkt. cov.	Cork	2		C-3440
2AA-35	Wat. jkt. cov.	Vell.	2		V-2098
	Wat. jkt. cov. stud washer	Sol. Cop.	12		462

Mack Truck Motor, 6. Models FK, 3 7/8 x 4 3/8"; FM, 3 5/8 x 4 3/8"; FO 3 1/2 x 4 3/8"




McCord No. 6055



McCord No. 6056




McCord No. S-2996




McCord No. S-2997

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
553GB-311	Cyl. hd. FK	Stl. Asb.	1		6055
M600A-410	Cyl. hd. FM-FO	Stl. Asb.	1		6056
553GB-39	Mani. set				
M600A-408	(1-S2996, 1-S2997)	Stl. Asb.	1		SMS-2535
	Valve cov. set				
	(2-C4821)	Cork	1		CV-590
	Oil pan set (2-31022)	Tr. Paper	1		CS-2338
60AX-29	Exh. pipe flg.	Cop. Asb.	3		1079
572GB-31	Manifold	Stl. Asb.	1		S-2996
601GB-22	Valve cov.	Cork	2		C-4821
M600A-303	Oil pan	Tr. Paper	2		31022
579GB-32	Int. to exh.	Stl. Asb.	1		S-2997
M600B-406	Wat. pump to cyl.	Tr. Paper	1		30380
578GB11	Wat. pump cov.	Tr. Paper	1		30381
606GB-23	Front end pl. to C/C	Tr. Paper	1		36042
606GB-22	Gear cov.	Tr. Paper	1		36043
548GB-21					
548GB-22					

Marmon Motor, 16. Passenger. Model Series 16, 1931-33 3 1/8 x 4"




McCord No. 5667



McCord No. 2455 McCord No. 2457 McCord No. 2456

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
DD202	Cyl. hd.	Cop. Asb.	2		5667
	Mani. set				
	(10-828A, 4-2457)	Cop. Asb.	1		MS-1701
DD-545	Exh. mani.	Cop. Asb.	10		828A
DD-506	Int. mani.	Cop. Asb.	4		2457
DD-552	Exh. mani. shutter port.	Cop. Asb.	1		2455
DD243	Cyl. sleeve	Cop. Asb.	16		2456


Marmon Motor, 8. Passenger. Models 68, 1928, $2\frac{3}{4} \times 4\frac{1}{4}$ "; 69-70, 1930-32, $2\frac{1}{8} \times 4\frac{1}{4}$ "; Roosevelt, 1931..... $2\frac{3}{4} \times 4\frac{1}{4}$ "




McCord No. 5465



McCord No. 1846



McCord No. 2322




McCord No. 2323

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
T-202	Cyl. hd.	Cop. Asb.	1		5465
T-202	Mani. set (2-1846)	Cop. Asb.	1		MS-1703
T-202	Valve cov. set (2-C734)	Cork	1		CV-367
T-202	Oil pan set (1-C964, 1-C965, 1-C731, 1-C732)	Cork	1		CS-2198
T-214-5 } T219-22 }	Oil pan set (4 pcs.)	Vell.	1		ES-419
T-233	Gear cov. set (1 pc.)	Vell.	1		ES-1119
L-2241	Exh. pipe fig.	Cop. Asb.	1		1615
T-544	Manifold	Cop. Asb.	2		1846
T-262	Valve cov.	Cork	2		C-734
T-214	Oil pan right	Cork	1		C-964
T-215	Oil pan left	Cork	1		C-965
T-219	Oil pan front	Cork	1		C-731
T-222	Oil pan rear	Cork	1		C-732
T-541	Exh. mani. to heater	Asb.	1		2322
T-542	Exh. mani. to heater end	Asb.	1		2323
T-233	Gear cov.	Cork	1		C-733

Marmon Motor, 6. Model 75. See Guide A.

Marmon Motor, 8. Passenger. Model 78, Little Marmon, 1927-29..... $2\frac{3}{4} \times 4 - 2\frac{1}{8} \times 4"$




McCord No. 5208




McCord No. 1616



McCord No. 1615




McCord No. 2321



McCord No. 2323

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
L-202 } N-202 }	Cyl. hd.	Cop. Asb.	1		5208
L-203	Mani. set (1-1616)	Cop. Asb.	1		MS-1702
L-203	Cyl. hd. cov. set (1-C460)	Cork	1		CV-577
L-203	Cyl. hd. cov. set (1 pc.)	Vell.	1		ES-2257
L-203	Valve cov. set (2-C459)	Cork	1		CV-365
L-262	Valve cov. set (2 pcs.)	Vell.	1		ES-2259
L-214	Oil pan set (1 pc.)	Vell.	1		ES-728
L-233	Gear cov. set (1 pc.)	Vell.	1		ES-1120
L-2241	Exh. pipe fig.	Cop. Asb.	1		1615
L-544	Manifold	Cop. Asb.	1		1616
L-203	Cyl. hd. cov.	Cork	1		C-460
L-262	Valve cov.	Cork	2		C-459
L-233	Gear cov.	Cork	1		C-525
L-641	Oil header fig.	Vell.	1		1178
N-541	Exh. mani. to heater	Asb.	1		2321
T-542	Exh. mani. to heater end	Asb.	1		2323
L-506	Carburetor	Cop. Asb.	1		827A

Marmon Motor, 8. Passenger. Models 79, 1930, $3\frac{1}{8} \times 4\frac{3}{4}$ "; 8-88, Big 8, 1930-32..... $3\frac{1}{4} \times 4\frac{3}{4}"$




McCord No. 5576



McCord No. 2102



McCord No. 2103



McCord No. 1358


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
W-202	Cyl. hd.	Cop. Asb.	1		5576
W-202	Mani. set (1-2103, 2-2102)	Cop. Asb.	1		MS-1700
W-202	Valve cov. set (2-C974)	Cork	1		CV-366
W-262	Valve cov. set (2 pcs.)	Vell.	1		ES-2217
W-214	Oil pan set (1-C972)	Cork	1		CS-2205
W-214	Oil pan set (1 pc.)	Vell.	1		ES-929
W-233	Wat. jkt. cov. set (2-C973)	Cork	1		CW-43
D-2241	Gear cov. set (1 pc.)	Vell.	1		ES-1125
W-545	Exh. pipe fig.	Cop. Asb.	1		1358
W-544	Mani. center	Cop. Asb.	1		2103
W-262	Mani. ends	Cop. Asb.	2		2102
W-214	Valve cov.	Cork	2		C-974
H505	Oil pan	Cork	1		C-972
W-230	Carburetor	Asb.	1		2235
W-230	Wat. jkt. cov.	Cork	2		C-973

Marmon Herrington, 6-8. Truck.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
A10	1-2½	Herc. JXA	5674	126	C20	2½-3	Herc. JXC	5732	126	T30	4-5½	Herc. YXC3	5612	130
A20	2-3	Herc. JXC	5732	126	C30	6-8	Herc. JXD	5910	126	T31A	5-14	Herc. RXC	5612	130
A40	3½-9	Herc. WXC3	5649	129	C40	3½-4	Herc. WXC3	5649	129	T31A	5-14	Herc. RXC	5752	130
A50	3½-9	Herc. WXC3	5649	129	C50	7-9	Herc. WXC3	5649	129	T32	5-17	Herc. HXB	5730	126
B5	3-6	Ford V8	5842B	105	C55	4-5	Herc. RXB	5612	130	T33	8-20	Herc. YXD	5526	130
B6	3-6	Ford V8	5842B	105	C55	4-5	Herc. RXB	5752	130	TH300	3-4	Herc. YXC	5526	130
B10	2-2½	Herc. JXB	5674	126	C60	4-5	Herc. RXB	5612	130	TH310	4-5	Herc. YXC3	5612	130
B20	2-3	Herc. JXC	5732	126	C60	4-5	Herc. RXB	5752	130	TH310A	10	Herc. RXC	5612	130
B30	3-3½	Herc. JXD	5910	126	C70	6-7	Herc. RXB	5612	130	TH310A	10	Herc. RXC	5752	130
B40	3-9	Herc. WXC3	5649	129	C70	6-7	Herc. RXB	5752	130	TH315	12-13	Herc. HXB	5730	126
B50	3-9	Herc. WXC3	5649	129	C80	10-12	Herc. RXC	5612	130	TH320	5-17	Herc. HXB	5730	126
B60	5-10	Herc. RXC	5612	130	C80	10-12	Herc. RXC	5752	130	TH320	8-18	Herc. HXC	5729	126
B60	5-10	Herc. RXC	5752	130	D30	3-3½	Herc. JXD	5910	126	TH330	8-20	Herc. YXD	5526	130
B70	5-14	Herc. RXB	5612	130	E5	3-6	Ford V8	6043	105	TH415	5-17	Herc. HXB	5730	126
B70	5-14	Herc. RXB	5752	130	E6	3-6	Ford V8	6043	105	TH420	12	Herc. YXD	5526	130
B80	5-14	Herc. RXC	5612	130	F5	1½-3	Ford V8	6043	105	TH420	8-10	Herc. HXD	5731	126
B80	5-14	Herc. RXC	5752	130	F6	1½-3	Ford V8	6043	105	TH515	14-17	Herc. HXD	5731	126
C5	3-6	Ford V8	5842B	105	LD1	½	Ford V8	5842B	105	TH520	17-20	Herc. HXE	5731	126
C5A	1½-3	Ford V8	5842B	105	LD2	½	Ford V8	6043	105	TL27	2-3	Herc. JXC	5732	126
C5B	1½-3	Ford V8	5842B	105	LD3	½	Ford V8	6043	105	TL28	2-4	Herc. WXC	5649	129
C6	3-6	Ford V8	5842B	105	OT2	1	Ford V8	6043	105	TL29	2-4	Herc. WXC	5649	129
C10	2-2½	Herc. JXB	5674	126	T30	3-9	Herc. WXC3	5649	129	TL40	3-9	Herc. WXC3	5649	129

Marquette Motor, 6. Passenger. Models 1929-30.

3 1/8 x 5/8"




McCord No. 5570




McCord No. 2029-A



McCord No. 2030



McCord No. 2031



McCord No. 2032



McCord No. 2033



McCord No. 2165

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
209440	Cyl. hd.	Cop. Asb.	1		5570
226231	Mani. set (1-2031, 1-2032)	Cop. Asb.	1		MS-1725
	Valve cov. set (3-C896)	Cork	1		CV-375
226242	Valve cov. set (3 pcs.)	Vell.	1		ES-2204
	Oil pan set (1-C888)	Cork	1		CS-2197
226234	Oil pan set (1 pc.)	Vell.	1		ES-740
226331	Gear cov. set (1 pc.)	Vell.	1		ES-1233
	Diff. carr. set (1-V4126)	Vell.	1		ES-4126
	Axle hsg. set (1-V4125)	Vell.	1		ES-4125
399321	Exh. pipe flg.	Cop. Asb.	1		2986
226245	Mani. front	Cop. Asb.	1		2032
226246	Mani. rear	Cop. Asb.	1		2031
226487	Exh. mani. valve cov.	Stl. Asb.	1		2029A
226326	Int. mani. to riser	Stl. Asb.	1		2033
226242	Valve cov.	Cork	3		C-896
226234	Oil pan	Cork	1		C-888
226324	Int. to exh.	Stl. Asb.	1		2030A
16-150	Carburetor	Cop. Asb.	1		2165
486399	Diff. carr.	Vell.	1		V-4126
486397	Axle hsg.	Cork	1		C-388
486397	Axle hsg.	Vell.	1		V-4125
228042	Rear main brg.	Cork	1		C-915
394030	Rear main brg. oil seal	Cork	1		C-914

Master Eagle, 6. Truck.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
6-20	3	Herc. WXB	5496	129	6-30	4	Herc. WXC	5649	129	6-40	5	Herc. YXC	5526	130
6-25	1½-2	Cont. 18E	5459	71										

Menominee, 6. Truck and Bus.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
A15	1½	Wauk. 6TL	5603	248	JX6	5-8	Wauk. 6-125	5885	256	T	Bus	Wisc. H	5269	*
A30	2½-3	Wauk. 6MK	5761	247	N	3½	Wisc. HB	5269	*	T	Bus	Wauk. 6ML	5761	247
DN6	2½-3	Wauk. 6MK	5761	247	N	3½	Wauk. KS	5473B	245	6W8	5-8	Wauk. 6-125	5885	256
DX6	2½	Wauk. 6-90	5779	255	N6	3½	Wauk. 6-110	5777	256	18	3½	Wisc. H	5269	*
HX6	2½	Wauk. XK	5516	253	T	Bus	Wisc. Y	5296	*					

NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.



Mercury Motor, V8, 95 H.P. Passenger. Model 99B, 1939

3.185x3 3/4"

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
81A-6051	Cyl. hd.	Stl. Asb.	2		6043
81A-6051	Cyl. hd.	Stlpk.	2		S-6043
81A-6051	Cyl. hd.	Cop. Asb.	2		6043A

NOTE—For other gaskets see Ford V8, 85 H.P. Motor. Page No. 105.

Miller Racing Head. Ford A Overhead Valve. McCord No. 5621.

Moon, 6-8. Passenger.

Model	Year	Motor	McCord No.	See Page No.	Model	Year	Motor	McCord No.	See Page No.	Model	Year	Motor	McCord No.	See Page No.
6-60	27-29	Cont. 26L	5170	*	6-72	28-29	Cont. 11E	5459	71	8-80	28-29	Cont. 15S	5177	*
6-62	27-29	Cont. 26L	5170	*										

NOTE—*Indicates that these motors are listed in Guide A.


Moreland, 4-6. Truck and Bus.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
ACE	1 1/4-1 3/4	Cont. 34L	5170	*	EX6-7	2 1/2-6	Herc. WXC	5649	129	R170	3-4	Herc. JXC	5732	126
ACE	1 3/4	Cont. 18E	5459	71	EXX	4	Cont. K4	5001	*	R175	3-4	Herc. JXC	5732	126
AXX6		Cont. 6B	5135	*	EXX6	4	Cont. 6B	5135	*	R190	3 1/2-4 1/2	Herc. JXD	5910	126
B	2-2 1/2	Cont. K4	5001	*	FXX	2 1/2	Cont. 6M	68	*	R200	4-5	Herc. WXC3	5649	129
B6	1 1/2-3	Cont. 11U	5669	70	G-H	3 1/2-5	Cont. B5	5168	69	R200	4 1/2-5 1/2	Herc. JXD	5910	126
B7	3-4	Herc. WXB	5496	129	H6-H7	5-7	Herc. YXC	5526	130	RA15-20	1 1/2-5 1/2	Herc. JXC	5732	126
B15	2 1/2-6	Herc. WXC	5649	129	H24-26	5 1/2-6 1/2	Herc. RXB	5612	130	RC	1 1/2	Herc. OX	5084	127
B16	2 1/2-6	Herc. WXC	5649	129	H24-26	5 1/2-6 1/2	Herc. RXB	5752	130	RC	Bus	Herc. OX	5084	127
B16	4-5 1/2	Herc. WXC3	5649	129	H30H	7 1/2	Herc. RXB	5612	130	RR	1-1 1/2	Herc. OX	5084	127
B17-18	2 1/2-6	Herc. WXC	5649	129	H30H	7 1/2	Herc. RXB	5752	130	RR	1 1/2-3	Cont. 16C	5669	70
BD7	2 1/2-6	Herc. WXC	5649	129	H300	7 1/2	Herc. RXB	5612	130	RR7	1 1/2-3	Cont. 16C	5669	70
BD7	3-4	Herc. WXB	5496	129	H300	7 1/2	Herc. RXB	5752	130	RR8-9	1 1/2-2	Cont. 16C	5669	70
BD21M	2 1/2-6	Herc. WXC	5649	129	H340	8	Herc. RXB	5612	130	RR10	1 1/2-2	Cont. 16C	5669	70
BD21M	4-5	Herc. WXC3	5649	129	H340	8	Herc. RXB	5752	130	RR10	1 1/2-5 1/2	Herc. JXC	5732	126
BX	1-1 1/2	Herc. O	5084	127	HC340	8	Herc. RXB	5612	130	RR12	1 1/2-2 1/2	Cont. 16C	5669	70
BX	1 1/2-3	Cont. 11U	5669	70	HC340	8	Herc. RXB	5752	130	RR12	1 1/2-5 1/2	Herc. JXC	5732	126
CS	1 1/2-2 1/2	Cont. K4	5001	*	HD	5-7	Herc. YXC	5526	130	RR15-15A	1 1/2-5 1/2	Herc. JXC	5732	126
E6-7	2 1/2-6	Herc. WXC	5649	129	HD7	5 1/2-10	Herc. YXC3	5612	130	RR15AT	1 1/2-5 1/2	Herc. JXC	5732	126
E16-16H	4-5	Herc. WXC3	5649	129	HD34M	5 1/2-6 1/2	Herc. RXB	5612	130	RX	3 1/2-5 1/2	Cont. B5	5168	69
E18-19	4-5	Herc. WXC3	5649	129	HD34M	5 1/2-6 1/2	Herc. RXB	5752	130	SD-SX	6-11	Cont. 14T	5275	*
E21-22	4-5	Herc. WXC3	5649	129	HD400	10	Herc. RXB	5612	130	SD6-7	5 1/2-10	Herc. YXC3	5612	130
E22H	4-5	Herc. WXC3	5649	129	HD400	10	Herc. RXB	5752	130	T420	8-10	Herc. HXB	5730	126
E25H	4-5	Herc. WXC3	5649	129	HDS	5-7	Herc. YXC	5526	130	TA420	10	Herc. HXB	5730	126
E220	4 1/2-5 1/2	Herc. WXC3	5649	129	HDS6	5 1/2-10	Herc. YXC3	5612	130	TA420CD	10	Cum. Diesel	5861	79
E250	4 1/2-5 1/2	Herc. WXC3	5649	129	J	3 1/2-5	Cont. B5	5168	69	TC420	10	Herc. HXB	5730	126
E260	6	Herc. WXC3	5649	129	R6	1 1/2-3	Cont. 11U	5669	70	TD	5 1/2-10	Cont. 16H	5146A	*
EC	1 1/2-2 1/2	Cont. K4	5001	*	R11H-13H	1 1/2-5 1/2	Herc. JXC	5732	126	TD6-7	5 1/2-10	Cont. 16H	5146A	*
EC	Bus	Cont. K4	5001	*	R16H	1 1/2-5 1/2	Herc. JXC	5732	126	TD34	5 1/2-10	Cont. 16H	5146A	*
ED7	2 1/2-6	Herc. WXC	5649	129	R125	2-3	Herc. JXB	5674	126	TD34	10	Wauk. 6RB	5568	239
ED25M	4-5 1/2	Herc. WXC3	5649	129	R140	2 1/2-3 1/2	Herc. JXB	5674	126	TD420R	10	Herc. HXB	5730	126
EX	1 1/2-2 1/2	Cont. K4	5001	*	R150	2 1/2-3 1/2	Herc. JXC	5732	126	TX	5 1/2-10	Cont. 16H	5146A	*


NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.




Morris, 4-6. Passenger-Commercial (British)




McCord No. 5871




McCord No. 5876




McCord No. 5877



McCord Nos. 5872-5873




McCord No. 5874



McCord No. 5875

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
35008	Cyl. hd. (minor 4-OHV)	Cop. Asb.	1		5871
36535	Cyl. hd. (minor 4-SSV)	Cop. Asb.	1		5874
CA-1099	Cyl. hd. (Cowley 4)	Cop. Asb.	1		5872
CE-2427	Cyl. hd. (Oxford 4)	Cop. Asb.	1		5873
Z-3109	Cyl. hd. (commercial 4-R11/30)	Cop. Asb.	1		5875
Z-41	Cyl. hd. (commercial 4-30 CWT)	Cop. Asb.	1		5876
LA-7092	Cyl. hd. (major 6- Oxford 6)	Cop. Asb.	1		5877

Morton & Brett. Ford A. Overhead Valve.



McCord No. 5621

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	Cyl. hd.	Cop. Asb.	1		5621

Nash Motor, 6. Passenger. Model Light 6 (Ajax), 1925-27

Models Standard, Series 320, 1928; 420, 1929

Models Series 450, 1930; 660, 1931


Models Series 960, 1932; 1060, 1932

3x4"


3 1/8 x 4"

3 1/8 x 4 3/8"


3 1/8 x 4 3/8"



McCord No. 5165



McCord No. 5490




McCord No. 5490-A


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
15033	Cyl. hd.	Cop. Asb.	1	25-28	5165
18471	Cyl. hd.	Cop. Asb.	1	29-30	5490
20789	Cyl. hd.	Cop. Asb.	1	31-32	5490A
	Mani. set (8-2259)	Cop. Asb.	1		MS-1738
	Valve cov. set (2-C1282)	Cork	1	25-32	CV-393
	Oil pan set (1-C366, 1-C367, 1-C507, 1-C508)	Cork	1	25-27	CS-2100
15117-18	Oil pan set (2 pcs.)	Vell.	1		ES-52
	Oil pan set (1-C507, 1-C508, 1-C596, 1-C597)	Cork	1	28-32	CS-2190
	Cyl. block rear pl. set (1-C4259C)	Cork	1	29-32	CW-22
	Wat. jkt. cov. set (1-C4260C)	Cork	1	32	CW-23
	Wat. jkt. cov. set (1-V2109)	Vell.	1	32	ES-2109
15120	Gear cov. set (1 pc.)	Vell.	1		ES-1004
15198	Diff. carr. and axle hsg. sets (1 pc.) (to early 32)	Vell.	2	26-32	ES-4108
15127	Exh. pipe fig.	Stl. Asb.	1	25-32	844
20403	Exh. pipe fig. 1060	Stl. Asb.	1	32	856C
22009	Exh. pipe fig. 1060	Stl. Asb.	1	32	S-856C
22153	Manifold (1 pc.)	Cop. Asb.	8		2259

(Continued on Next Page)

Nash Motor, 6. Light and Standard 6, 1925-32—Continued



McCord No. 1352




McCord No. 2368

McCord
No. 1768McCord
No. 16021

McCord No. 1843


McCord
No. 2018McCord
No. 2259

McCord No. 2042


McCord
No. 2190

McCord No. 2041


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
18292	Int. mani. to riser	Stl. Asb.	1	29-32	2042
15121	Valve cov.	Cork	2	25-32	C-1282
15117	Oil pan, right	Cork	1	25-32	C-507
15118	Oil pan, left	Cork	1	25-32	C-508
15122	Oil pan, front	Cork	1	25-27	C-366
15123	Oil pan, rear	Cork	1	25-27	C-367
17074	Oil pan, front	Cork	1	28-32	C-597
17075	Oil pan, rear	Cork	1	28-32	C-596
15511	Int. to exh.	Stl. Asb.	1	25-27	1352
17123	Int. to exh.	Stl. Asb.	1	28-29	1843
18673	Int. to exh.	Stl. Asb.	1	30-32	2041
20398	Int. to exh. 1060	Stl. Asb.	1	32	2190
15668	Mani. heat valve	Cop. Asb.	1	25-27	131A
17122	Mani. heat valve (late)	Stl. Asb.	1	27-32	847E
19921	Mani. heat valve 1060	Stl. Asb.	1	32	2368
15130	Carburetor	Asb.	1	26-32	1768
23137	Carburetor 1060 (late)	Asb.	1	32	16021
16-145	Carb. to elbow	Stl. Asb.	1		2018
16-145	Carb. to elbow	Stl. Asb.	1		S-2018
76094	Fuel pump flg.	Paper	1	30-32	30019
18560	Cyl. block rear pl.	Cork	1	29-32	C-4259C
18560	Cyl. block rear pl.	Vell.	1	29-32	V-7000
	Rear pl. stud washer	Cop.	4		465
15039	Wat. pump	Vell.	1	26-28	V-5580
17693	Wat. pump	Vell.	2	29	V-5634
18606	Wat. pump body	Vell.	1	30-32	V-5909
18607	Wat. pump pl.	Vell.	1	30-32	V-5908
46671	Wat. jkt. cov.	Cork	1	32	C-4260C
46671	Wat. jkt. cov.	Vell.	1	32	V-2109
	Wat. jkt. cov. stud washer	Cop.	20	32	462
18649	Radiator wat. inlet	Vell.	1	30-32	V-5660
15918	Radiator filler cap	Cop. Asb.	1		309A
15120	Gear cov.	Cork	1		C-333
24196	Axle hsg. 1060	Cork	1	32	C-3231
17077	Front main brg. cap	Cork	1	26-32	C-579

Nash Motor, 6. Passenger. Model Special 6, 131, 1925-26
Models 300 Series, 1927-28; 400 Series, 1929
Model 480 Series, 1930, Twin Ignition3 1/8 x 4 1/2"
3 1/4 x 4 1/2"
3 3/8 x 4 1/2"


McCord No. 5132



McCord No. 5181



McCord No. 5499




McCord No. 5572


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
ML-6055	Cyl. hd.	Cop. Asb.	1	25-26	5132
ML-9179	Cyl. hd.	Cop. Asb.	1	27-28	5181
ML-12057	Cyl. hd.	Cop. Asb.	1	29	5499
ML-14150	Cyl. hd.	Cop. Asb.	1	30	5572
	Mani. set (7-1784)	Cop. Asb.	1		MS-1737
	Cyl. hd. cov. set (2-C202A)	Cork	1	25	CV-390
	Cyl. hd. cov. set (C2-C395)	Cork	1	26-29	CV-391
	Cyl. hd. cov. set (2-C1019)	Cork	1	30	CV-392
	Cyl. side pl. set (1-C204, 2-C205)	Cork	1	25	CV-386
	Cyl. side pl. set (early) (1-C379, 2-C380)	Cork	1	26	CV-387
	Cyl. side pl. set (late) (2-C509, 1-C510)	Cork	1	26-28	CV-399
	Cyl. side pl. set (1-C510, 2-C760)	Cork	1	29	CV-388
	Cyl. side pl. set (1-C510, 2-C954)	Cork	1	30	CV-389
9058-59 12038-53 14149-51	Cyl. side pl. set (3 pcs.)	Vell.	1	27-30	ES-2190
	Oil pan set (2-C200A, 2-C909)	Cork	1	25-26	CS-2132
6142 12137	Oil pan set (4 pcs.)	Vell.	1	25-26	ES-318
	Oil pan set (2-C450, 2-C909)	Cork	1	27-30	CS-2153
	Oil pan set (2-P319, 2-C909)	Vell.	1	27-30	ES-319
14129	Wat. jkt. cov. set (1 pc.)	Vell.	1	30	ES-2176
9062	Gear cov. set (1 pc.)	Vell.	1	27-30	ES-1255
11047	Diff. carr. set (1 pc.)	Vell.	1		ES-4107
15198	Axle hsg. set (1 pc.)	Vell.	1		ES-4108

(Continued on Next Page)


Nash Motor, 6. Special 6, 1925-30—Continued

McCord
No. 1784McCord
No. 1785McCord
No. 1786


McCord No. 1444



McCord No. C-201

McCord
No. 1335McCord
No. 2166

McCord No. C-1019




McCord No. C-415



McCord No. C-395



McCord No. C-203



McCord No. C-202-A



McCord No. C-909


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
ML-8388	Exh. pipe flg.	Stl. Asb.	1	25-26	863A
ML-9348	Exh. pipe flg.	Cop. Asb.	1	27-30	872
82345	Exh. pipe flg.	Stl. Asb.	1	27-30	2166
50439	Mani. ret.	Cop. Asb.	7		1785
7468	Mani. washer	Asb.	7		1786
11469	Manifold (1 pc.)	Cop. Asb.	7		1784
57695	Int. to riser	Cop. Asb.	1		1335
ML-9223	Exh. damper to mani.	Cop. Asb.	1		865E
ML-6066	Cyl. hd. cov.	Cork	2	25	C-202A
ML-7101	Cyl. hd. cov.	Cork	2	26-29	C-395
ML-14148	Cyl. hd. cov.	Cork	2	30	C-1019
ML-6119	Cyl. side pl., bottom	Cork	1	25	C-204
ML-6120	Cyl. side pl., sides	Cork	2	25	C-205
ML-7574	Cyl. side pl., bottom				
11423	(early)	Cork	1	26	C-379
ML-7573	Cyl. side pl., sides	Cork	2	26	C-380
11423	(early)				
ML-9058	Cyl. side pl., side and bottom (late)	Cork	2	26-28	C-509
ML-9059	Cyl. side pl., top				
	(late)	Cork	1	26-30	C-510
12038	Cyl. side pl., side and bottom	Cork	2	29	C-760
ML-14149	Cyl. side pl., side and bottom	Cork	2	30	C-954
ML-12053	Cyl. side pl., center	Cork	1	29	C-759
ML-14151	Cyl. side pl., center	Cork	1	30	C-955
ML-7684	Cyl. side pl. screw	Cop. Asb.			500D
ML-6142	Oil pan, sides	Cork	2	25-26	C-200A
ML-9089	Oil pan, sides	Cork	2	27-30	C-450
12137	Oil pan, ends	Cork	2		C-909
ML-9089	Oil pan, sides (2-P319)	Vell.	1	27-30	P-319 set
12137	Oil pan, ends (2-C909)	Cork			
9088	Oil pan strip	Felt	1		10016
ML-9204	Oil purulator outlet tube coupling	Cop. Asb.			504B
ML-6219	Carb. riser to exh.	Cop. Asb.	1		1444
ML-9224	Carb. riser to mani.	Cop. Asb.	1		820D
76094	Fuel pump flg.	Paper	1	30	30019
ML-9126	Wat. pump cov.	Vell.	1	25-29	V-5950
ML-14188	Wat. pump cov. 480	Vell.	1	30	V-5907
ML-990	Radiator filler cap	Cop. Asb.	1		309A
ML-6098	Gear case cov.	Cork	1	25-26	C-201
ML-6100	Gear case cov., rear	Cork	1	25-26	C-203
ML-9062	Gear case cov.	Cork	1	27-30	C-415
ML-14438	Muffler tail pipe	Cop. Asb.	1	30	843
ML-2317	Windshield supp. washer	Cop. Asb.			511A

Nash Motor, 6. Passenger. Models Advanced 681-687, 691-697, 161-169, 1918-25


3 1/4 x 5"

Models Advanced 261-268, 300-400 Series, 1926-29


3 1/8 x 5"



McCord No. 88



McCord No. 5484



McCord No. 1135

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
30877	Cyl. hd.	Cop. Asb.	1	18-25	88
70974	Cyl. hd.	Cop. Asb.	1	26-29	5484
	Mani. set (7-1767)	Cop. Asb.	1		MS-1736
	Cyl. hd. cov. set (2-C261)	Cork	1	25-28	CV-382
	Cyl. hd. cov. set (2-C746)	Cork	1	29	CV-383
	Cyl. side pl. set (2-C51, 1-C133)	Cork	1	25-28	CV-384
	Cyl. side pl. set (1-C133, 2-C755)	Cork	1	29	CV-385
30675	Oil pan set (2-C154)	Cork	1	18-25	CS-2131
	Oil pan set (2 pcs.)	Vell.	1	18-25	ES-316
	Oil pan set (2-C661, 2-C786)	Cork	1	26-28	CS-2149
61664	Oil pan set (2 pcs.)	Vell.	1	26-28	ES-317
	Oil pan set (2-C750, 2-C826)	Cork	1	29	CS-2182
70838	Oil pan set (4 pcs.)	Vell.	1	29	ES-361
70686					
30881	Gear cov. set (1 pc.)	Vell.	1	18-28	ES-1208
30989	Axle hsg. set (1 pc.)	Vell.	1		ES-4212
58112	Exh. pipe flg.	Cop. Asb.	1		872
82345	Exh. pipe flg.	Stl. Asb.	1		2166

(Continued on Next Page)


Nash Motor, 6. Advanced, 1918-29—Continued




McCord No. 1111




McCord No. 1112



McCord No. 1093




McCord No. 1335



McCord No. 1094



McCord No. 1620

McCord
No. 1767McCord
No. 1940McCord
No. 2166


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
36038	Manifold (1 pc.)	Cop. Asb.	1		1135
50060	Mani. ret.	Cop. Asb.	7		1111
50060	Mani. washer	Asb.	7		1112
61717	Manifold (1 pc.)	Cop. Asb.	7		1767
84153	Int. to riser	Cop. Asb.	1	25-28	1335
57695	Int. to riser	Cop. Asb.	1	29	1940
70917	Cyl. hd. cov.	Cork	2	25-28	C-261
59550	Cyl. hd. cov.	Cork	2	29	C-746
70823	Cyl. side pl., side and bottom	Cork	2	25-28	C-51
38025	Cyl. side pl., top	Cork	1	25-29	C-133
38535	Cyl. side pl., side and bottom	Cork	2	29	C-755
70784	Oil pan, sides	Cork	2	18-25	C-154
30675	Oil pan, sides	Cork	2	26-28	C-661
61664	Oil pan, ends	Cork	2	26-28	C-786
71148	Oil pan, sides	Cork	2	29	C-750
70838	Oil pan, ends	Cork	2	29	C-826
70686	Oil pan, end	Felt	1		10015
64649	Mani. hot spot, ends	Cop. Asb.	2		1093
38741	Mani. hot spot, center	Cop. Asb.	1		1094
38742	Carburetor	Cop. Asb.	1	18-24	827A
55810	Carburetor	Stl. Asb.	1	25-29	850A
57693	Carburetor	Stl. Asb.	1	25-29	S-850A
57693	Carb. exh. gas tube flg.	Cop. Asb.	1		1620
54484	Wat. pump cov.	Vell.	1		V-5906
30911	Wat. pump to cyl.	Vell.	1		V-5152
55872	Wat. outlet	Vell.	1		V-5544
30879	Wat. outlet flg. screw	Cop. Asb.	1		5001
30880	Radiator filler cap	Cop. Asb.	1		309A
37098	Camshaft front brg. lock screw washer	Cop. Asb.	1		501
34364	Gear cov.	Cork	1		C-130
30881	Diff. carr.	Cork	1		C-363
30989	Windshield supp. washer	Cop. Asb.	2		511A
52301					

Nash Motor, 6. Passenger. Model 1120, 1933

Models Lafayette 110, 1934; 3510, 1935; 3610, 1936

3 1/4 x 4 3/8"


3 1/4 x 4 3/8"



McCord No. 5776




McCord No. 2571



McCord No. 2572



McCord No. 2573



McCord No. C-3435

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
25367	Cyl. hd.	Cop. Asb.	1		5776
	Mani. set (4-2571, 4-2572)	Stl. Asb.	1		MS-1739
	Valve cov. set (2-C3435)	Cork	1		CV-401
	Oil pan set (1-C3436, 1-C3437)	Cork	1		CS-2261
	Oil pan set (1-P758, 1-P759)	Vell.	1		ES-758
	Wat. jkt. cov. set (1-C4260C)	Cork	1	33-35	CW-23
	Wat. jkt. cov. set (1-V2109)	Vell.	1	33-35	ES-2109
	Wat. jkt. cov. set (4-C4258C)	Cork	1	36	CW-20
	Core hole cov. set (2-C4471C)	Cork	1		CW-31
24556	Gear cov. set (1 pc.) 110-1120-3510	Vell.	1	33-35	ES-1149
15198	Diff. carr. set (1 pc.)	Vell.	1		ES-4108
27957	Axle hsg. set (1 pc.)	Vell.	1	34	ES-4028
28264	Axle hsg. set (1 pc.)	Vell.	1	35-36	ES-4156
20403	Exh. pipe flg.	Stl. Asb.	1		856C
22009	Exh. pipe flg.	Stl. Asb.	1		S-856C
25412	Exh. mani.	Stl. Asb.	4		2571
25413	Int. mani.	Stl. Asb.	4		2572
25507	Valve cov.	Cork	2		C-3435
25512	Oil pan, left	Cork	1		C-3436
25513	Oil pan, right	Cork	1		C-3437
25512	Oil pan, left (1-P759)	Vell.	1		P-758 set
25513	Oil pan, right (1-P758)	Vell.	1		
25414	Int. to exh.	Stl. Asb.	1		2573
25414	Int. to exh.	Stl. Asb.	1		S-2573
23137	Carburetor	Asb.	1		16021


(Continued on Next Page)

Nash Motor, 6. Models 1120-Lafayette, 1933-36—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
76094	Fuel pump flg. 1120	Paper	1	33	30019
26101	Fuel pump flg. (Lafayette)	Vell.	1		V-8358
87325	Wat. pump cov.	Vell.	1		V-8820
18606	Wat. pump body 1120	Vell.	1	33	V-5909
18607	Wat. pump pl. 1120	Vell.	1	33	V-5908
76113	Wat. pump to case	Vell.	1		V-5664
20535	Thermostat hsg.	Vell.	1		V-9215
46671	Wat. jkt. cov.	Cork	1	33-35	C-4260C
46671	Wat. jkt. cov.	Vell.	1	33-35	V-2109
	Wat. jkt. cov. stud washer	Cop.	20		462
47147	Wat. jkt. cov.	Cork	4	36	C-4258C
47147	Wat. jkt. cov.	Vell.	4	36	V-7003
	Wat. jkt. cov. stud washer	Cop.	4		482
28312	Core hole cov.	Cork	2		C-4471C
28312	Core hole cov.	Vell.	2		V-7001
	Core hole cov. stud washer	Cop.	6		462
18649	Radiator inlet and outlet	Vell.	2	33	V-5660
17991	Spark plug 1120-3610		6	33&36	510A
24556	Gear cov. 110-1120-3510	Cork	1	33-35	C-3372
28579	Gear cov. 3610	Cork	1	36	C-4207
20481	Rear end camshaft	Cork	1		C-1253
24196	Axle hsg. 1120	Cork	1	33	C-3231
17077	Front main brg. cap	Cork	1	33	C-579




McCord No. C-3437




McCord No. C-3436

Nash Motor, 6. Passenger. Models Advanced 1220, 1934; 3520, 1935; 3620, 1936. 3720, 1937; 3820, 1938; 3920, 1939; 4020, 1940. 3 7/8 x 4 7/8"

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
26243	Cyl. hd.	Cop. Asb.	1	34-37	5831
95638	Cyl. hd.	Cop. Asb.	1	38-40	6035
95670	Mani. set (7-2571)	Stl. Asb.	1	34-37	MS-1740
	Cyl. hd. cov. set (2-C3583)	Cork	1		CV-404
	Cyl. side pl. set (1-C3691, 2-C3692)	Cork	1		CV-403
26070-73	Cyl. side pl. set (3 pcs.)	Vell.	1		ES-2197
	Oil pan set (1-C3436, 1-C3437)	Cork	1	34-39	CS-2261
	Oil pan set (1-P758, 1-P759)	Vell.	1	34-39	ES-758
	Oil pan set (1-C5091, 1-C5092)	Cork	1	40	CS-2370
	Wat. jkt. cov. set (1-C4260C)	Cork	1	34	CW-23
	Wat. jkt. cov. set (1-V2109)	Vell.	1	34	ES-2109
	Wat. jkt. cov. set (4-C4258C)	Cork	1	35-40	CW-20
	Cyl. hd. core hole cov. set (1-C4268C)	Cork	1		CW-25
24556	Gear cov. set (1 pc.)	Vell.	1	34-36	ES-1149
28579	Gear cov. set (1 pc.)	Vell.	1	37-38	ES-1153
26460	Front engine supp. set (1 pc.)	Vell.	1		ES-1032
15198	Diff. carr. set (1 pc.)	Vell.	1	34-36	ES-4108
28264	Diff. carr. set (1 pc.)	Vell.	1	37-38	ES-4156
98537	Axle hsg. set (1 pc.) (hypoid)	Vell.	1	39-40	ES-4174
28264	Axle hsg. set (1 pc.) (spiral bevel)	Vell.	1	37-40	ES-4156
20403	Exh. pipe flg.	Stl. Asb.	1		856C
22009	Exh. pipe flg.	Stl. Asb.	1		S-856C
25412	Manifold	Stl. Asb.	7	34-37	2571
26042	Cyl. hd. cov.	Cork	2		C-3583
26070	Cyl. side pl., top	Cork	1		C-3691
26073	Cyl. side pl., side and bottom	Cork	2		C-3692
25513	Oil pan, right	Cork	1	34-39	C-3437
25512	Oil pan, left	Cork	1	34-39	C-3436




McCord No. 5831




McCord No. 6035



McCord No. 2571



McCord No. S-2629



McCord No. C-3436



McCord No. C-3437

(Continued on Next Page)

Nash Motor, 6. Models 1220 thru 4020, 1934-40—Continued


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
25513}	Oil pan, right (1-P758)	Vell.	1	34-39	P-758 set
25512}	Oil pan, left (1-P759)	Vell.	1	34-39	P-758 set
3102941}	Oil pan, right	Cork	1	40	C-5091
3102940}	Oil pan, left	Cork	1	40	C-5092
26198	Int. to exh.	Stl. pk.	2		S-2629
95029	Int. mani. cov.	Stl. pk.	1	38-40	S-3071
23137	Carburetor	Asb.	1	39-40	16021
26101	Fuel pump fig.	Vell.	1	34-36	V-8358
92322	Fuel pump to C/C	Vell.	1		V-8365
92323	Fuel pump to spacer	Vell.	1		V-8364
87325	Wat. pump cov.	Vell.	1		V-8820
76113	Wat. pump to case	Vell.	1		V-5664
41217	Wat. outlet conn.	Vell.	1		V-5095
46671	Wat. jkt. cov. to block	Cork	1	34	C-4260C
46671	Wat. jkt. cov. to block	Vell.	1	34	V-2109
	Wat. jkt. cov. stud				
	washer	Cop.	20	34	462
47147	Wat. jkt. cov. to block	Cork	2	35-40	C-4258C
47147	Wat. jkt. cov. to block	Vell.	2	35-40	V-7003
	Wat. jkt. cov. stud				
	washer	Cop.	2	35-40	482
47072	Cyl. hd. core hole cov.	Cork	1		C-4268C
47072	Cyl. hd. core hole cov.	Vell.	1		V-7002
	Core hole cov. stud				
	washer	Cop.	8		462
48045	Radiator wat. conn.	Vell.	1		V-5132
24556	Gear cov.	Cork	1	34-36	C-3372
28579	Gear cov.	Cork	1	37-40	C-4207
20481	Rear end camshaft	Cork	1		C-1253
24196	Axle hsg.	Cork	1	34-36	C-3231

Nash Motor, 6. Passenger. Models 3540, 1935; 3640, 1936

Models Lafayette 3710, 1937; 3810, 1938; 3910, 1939; 4010, 1940

3 3/8 x 4 3/8"

3 3/8 x 4 3/8"



McCord No. 5895




McCord No. 2571




McCord No. 2572




McCord No. 2573



McCord No. C-3435



McCord No. C-4207



McCord No. C-3436



McCord No. C-3437


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
28641	Cyl. hd.	Cop. Asb.	1		5895
99065	Cyl. hd.	Stl. pk.	1	40	S-6125
	Mani. set (4-2571, 4-2572)	Stl. Asb.	1		MS-1739
	Valve cov. set (2-C3435)	Cork	1		CV-401
	Oil pan set				
	(1-C3436, 1-C3437)	Cork	1	35-39	CS-2261
	Oil pan set				
	(1-P758, 1-P759)	Vell.	1	35-39	ES-758
	Oil pan set				
	(1-C5091, 1-C5092)	Cork	1	40	CS-2370
	Wat. jkt. cov. set				
	(4-C4258C)	Cork	1		CW-20
28579	Gear cov. set (1 pc.)	Vell.	1		ES-1153
28264	Axle hsg. set (1 pc.)				
	(bevel gears)	Vell.	1		ES-4156
98537	Axle hsg. set (1 pc.)				
	(hypoid)	Vell.	1	39-40	ES-4174
20403	Exh. pipe fig.	Stl. Asb.	1		856C
22009	Exh. pipe fig.	Stl. pk.	1		S-856C
25412}	Exh. mani.	Stl. Asb.	4		2571
25413}	Int. mani.	Stl. Asb.	4		2572
25507	Valve cov.	Cork	2		C-3435
25513}	Oil pan, right	Cork	1	35-39	C-3437
25512}	Oil pan, left	Cork	1	35-39	C-3436
25513	Oil pan, right (1-P758)	Vell.	1	35-39	P-758 set
25512	Oil pan, left (1-P759)	Vell.	1	35-39	P-758 set
3102941}	Oil pan, right	Cork	1	40	C-5091
3102940}	Oil pan, left	Cork	1	40	C-5092
29068	Oil pump cov.	Vell.	1		V-8363
28582	Oil through channel	Cork	1		C-4033
25414	Int. to exh.	Stl. Asb.	1		2573
25414	Int. to exh.	Stl. pk.	1		S-2573
23137	Carburetor	Asb.	1		16021
26101	Fuel pump fig.	Vell.	1		V-8358
92323	Fuel pump spacer	Vell.	1	37-40	V-8364
92322	Fuel pump to C/C	Vell.	1	37-40	V-8365
29056	Wat. pump cov.	Cork	1	35-36	C-4037
87325	Wat. pump cov.	Vell.	1	37-40	V-8820
76113	Wat. pump to case	Vell.	1		V-5664

(Continued on Next Page)


Nash Motor, 6. Models 3540-3640; Lafayette, 1937-1940—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
41217	Wat. outlet	Vell.	1		V-5095
47147	Wat. jkt. cov.	Cork	4		C-4258C
47147	Wat. jkt. cov.	Vell.	4		V-7003
	Wat. jkt. cov. stud washer	Cop.	4		482
17991	Spark plug	Cop. Asb.	6		510A
28579	Gear cov.	Cork	1		C-4207
20481	Rear end camshaft	Cork	1		C-1253

Nash Motor, 8. Passenger. Models 870, 1931; 970, 1932

Models 1070, 1932; 1130, 1933; 1170, 1933. $2\frac{7}{8} \times 4\frac{3}{8}$ "

McCord No. 5742



McCord No. 5769



McCord No. 2191




McCord No. 2213




McCord No. 2249




McCord No. 2259




McCord No. 2368




McCord No. 2190



McCord No. 2610




McCord No. C-1253



McCord No. C-1292



McCord No. C-1249



McCord No. C-1243


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
22798	Cyl. hd. 870-970-1070-1170	Cop. Asb.	1	31-33	5742
24566	Cyl. hd. 1130	Cop. Asb.	1	33	5769
	Mani. set				
	(4-2249, 6-2259)	Cop. Asb.	1		MS-1741
	Valve cov. set (2-C1292)				
	870-970-1070-1170	Cork	1	31-33	CV-400
	Valve cov. set (2-C3373)				
	1130	Cork	1	33	CV-402
	Oil pan set				
	(1-C1251, 1-C1252)	Cork	1		CS-2213
20479-80	Oil pan set (2 pcs.)	Vell.	1		ES-425
	Wat. jkt. cov. set				
	(1-C1243)	Cork	1		CW-13
	Wat. jkt. cov. set				
	(1-V2163)	Vell.	1		ES-2163
	Core hole cov. set				
	(2-C4471C)	Cork	1		CW-31
20564	Gear cov. set (1 pc.)				
	870-970-1070-1170	Vell.	1	31-33	ES-1016
24556	Gear cov. set (1 pc.) 1130	Vell.	1	33	ES-1149
15198	Diff. carr. set (1 pc.)	Vell.	1		ES-4108
15198	Axle hsg. set (1 pc.)				
	870-970	Vell.	1	31-32	ES-4108
20403	Exh. pipe flg.	Stl. Asb.	1		856C
22009	Exh. pipe flg.	Stl. Asb.	1		S-856C
20399	Int. mani. ret.	Cop. Asb.	4		2191
20400	Int. mani. washer	Asb.	4		2213
21152	Int. mani. (1 pc.)	Cop. Asb.	4		2249
21153	Exh. mani.	Cop. Asb.	6		2259
20118	Valve cov. 870-970-				
	1070-1170	Cork	2	31-33	C-1292
24505	Valve cov. 1130	Cork	2	33	C-3373
20480	Oil pan, left	Cork	1		C-1251
20479	Oil pan, right	Cork	1		C-1252
20398	Int. to exh. 870-970-				
	1070-1170	Stl. Asb.	1	31-33	2190
24779	Int. to exh. 1130	Cop. Asb.	1	33	2610
19921	Mani. heater valve	Stl. Asb.	1		2368
20482	Carb. (1 $\frac{1}{8}$) 870-970	Stl. Asb.	1-2	31-32	827C
21857	Carb. (1 $\frac{1}{8}$) 970 (late)	Stl. Asb.	1	32	820A
23137	Carburetor 1130	Asb.	2	33	16021
76094	Fuel pump flg.	Paper	1		30019
19744	Wat. pump body	Vell.	1		V-9446
19746	Wat. pump pl.	Vell.	1		V-9447
87325	Wat. pump cov. 1130	Vell.	1	33	V-8820
76113	Wat. pump to case 1130	Vell.	1	33	V-5664
20535	Thermostat body	Vell.	1		V-9215
20475	Wat. jkt. cov.	Cork	1		C-1243
20475	Wat. jkt. cov.	Vell.	1		V-2163
	Wat. jkt. cov. stud washer	Cop.	24		465
28312	Core hole cov.	Cork	2		C-4471C
28312	Core hole cov.	Vell.	2		V-7001
	Core hole cov. stud washer	Cop.	6		462
20514	Radiator lower elbow	Cork	1		C-1247
18649	Radiator outlet 1070-				
	1170-1130	Vell.	1	32-33	V-5660
18649	Radiator inlet	Vell.	1		V-5660
	Spark plug	Allmetal	8		AM-504K
20481	Rear end camshaft	Cork	1		C-1253
20564	Gear cov. 870-970-				
	1070-1170	Cork	1	31-33	C-1249
24556	Gear cov. 1130	Cork	1	33	C-3372
24196	Axle hsg. 1070-1170-1130	Cork	1	32-33	C-3231



Nash Motor, 8. Passenger. Models 880, 1931; 980, early 1932. 3x4 1/4"
 Models 1080, late 1932; 1180, 1933; 1280, 1934. 3 1/8 x 4 1/4"
 Models 3580-3680-3780-3880-3980-4080, 1935-40. 3 1/8 x 4 1/4"



McCord No. 5632A




McCord No. 6036

McCord
No. 1784McCord
No. 1785McCord
No. 1786


McCord No. 2026




McCord No. 2207





McCord No. 2166




McCord No. 2206



McCord No. C-1239

McCord
No. S-2616McCord
No. S-2662


McCord No. C-1232




McCord No. C-1236



McCord No. C-1233



McCord No. C-1234



McCord No. C-1235

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
41223	Cyl. hd.	Cop. Asb.	1	31-37	5632A
95639	Cyl. hd.	Cop. Asb.	1	38-40	6036
	Mani. set (10-1784)	Cop. Asb.	1	31-37	MS-1742
	Cyl. hd. cov. set (2-C1239)	Cork	1		CV-397
	Cyl. side pl. set (2-C1232, 1-C1233)	Cork	1	31-33	CV-396
	Cyl. side pl. set (1-C1233, 2-C3693)	Cork	1	34-37	CV-613
	Cyl. side pl. set (1-C1233, 2-C4777)	Cork	1	38-40	CV-575
	Oil pan set (1-C1234, 1-C1235, 1-C1311, 1-C2880)	Cork	1		CS-2214
	Oil pan set (1-P368, 1-P369, 1-C1311, 1-C2880)	Vell.	1		ES-368
	Wat. jkt. cov. set (1-C4257C)	Cork	1	31-34	CW-28
47071	Wat. jkt. cov. set (1 pc.)	Vell.	1	31-34	ES-2277
	Wat. jkt. cov set (4-C4258C)	Cork	1	35-40	CW-20
	Core hole cov. set (1-C4268C)	Cork	1		CW-25
40656	Chain cov. set (1 pc.)	Vell.	1		ES-1262
15198	Axle hsg. and diff. carr. set (bevel gears) (1 pc.) 880-980; 3580 through 3980	Vell.	1	{31-32 35-40}	ES-4108
43732	Axle hsg. set (1 pc.) 1080-1180	Vell.	1	32-33	ES-4153
98537	Axle hsg. set (1 pc.) (hypoid)	Vell.	1	39-40	ES-4174
82345	Exh. pipe flg.	Stl. Asb.	1	32-40	2166
50439	Mani. ret.	Cop. Asb.	10		1785
7468	Mani. washer	Cop. Asb.	10		1786
11469	Manifold (1 pc.)	Asb.	10		1784
95038	Int. mani. cov.	Stlpk.	1	38-40	S-3072
41278	Exh. damper cov. 880	Asb.	1	31	16035
ML-41206	Cyl. hd. cov.	Cork	2		C-1239
ML-40652	Cyl. side pl., side and bottom	Cork	2	31-33	C-1232
44954	Cyl. side pl., side and bottom	Cork	2	34-37	C-3693
96311	Cyl. side pl., side and bottom	Cork	2	38-40	C-4777
ML-40653	Cyl. side pl., top	Cork	1		C-1233
ML-40654	Oil pan, left	Cork	1		C-1234
ML-40655	Oil pan, right	Cork	1		C-1235
ML-41218	Oil pan, rear	Cork	1		C-1311
42187	Oil pan, front	Cork	1		C-2880
ML-40654	Oil pan, left (1-P368)	Vell.			
ML-40655	Oil pan, right (1-P369)	Vell.	1		P-368 set
ML-41218	Oil pan, rear (1-C1311)	Cork			
42187	Oil pan, front (1-C2880)	Cork			
40636	Oil pump cov.	Vell.	1		V-8359
44982	Int. to exh.	Stlpk.	1	34-40	S-2616
42197	Carb. to riser 880	Stlpk.	1	31	S-2662
82993	Carb. to riser	Cop. Asb.	1	32-40	2026
41280	Carb. riser to int. 880	Cop. Asb.	1	31	2206
82992	Carb. riser to int.	Stl. Asb.	1	32-40	2207
76094	Fuel pump flg.	Paper	1	31-33	30019
26101	Fuel pump flg.	Vell.	1	34-40	V-8358
92322	Fuel pump to case	Vell.	1		V-8365
87325	Wat. pump cov.	Vell.	1		V-8820
76113	Wat. pump to case	Vell.	1		V-5664
41217	Wat. outlet	Vell.	1		V-5095
47071	Wat. jkt. cov.	Cork	1	31-34	C-4257C
	Wat. jkt. cov. stud washer	Cop.	34	31-34	462
47147	Wat. jkt. cov.	Cork	3	35-40	C-4258C
47147	Wat. jkt. cov.	Vell.	3	35-40	V-7003
	Wat. jkt. cov. stud	Cop.	3	35-40	482
47072	Core hole cov.	Cork	1		C-4268C
47072	Core hole cov.	Vell.	1		V-7002
	Core hole cov. stud washer	Cop.	8		462


(Continued on Next Page)

Nash Motor, 8. Models 880 thru 4080, 1931-40—Continued


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
48045	Radiator wat. conn.	Vell.	1		V-5132
40656	Chain cov.	Cork	1		C-1236
24196	Axle hsg. 1280.	Cork	1	34	C-3231
76546	Muffler tail pipe fig.	Cop. Asb.	1		843

Nash Motor, 8. Passenger. Models 490-890-990. Twin Ignition. 1930-early 1932

Models 1090-1190-1290. Ambassador. 1932-34

3 1/4 x 4 1/2"
3 3/8 x 4 1/2"

McCord No. 5583



McCord No. 5741



McCord No. 1111




McCord No. 2166



McCord No. 1767



McCord No. 2097



McCord No. 2221



McCord No. 2026



McCord No. 2207



McCord No. 2049



McCord No. 2214

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
76016	Cyl. hd. (490)	Cop. Asb.	1	30	5583
87173	Cyl. hd.	Cop. Asb.	1	31-34	5741
	Mani. set (9-1767)	Cop. Asb.	1		MS-1743
	Cyl. hd. cov. set (2-C960)	Cork	1		CV-395
	Cyl. side pl. set (1-C1022, 2-C1023)	Cork	1		CV-394
76064-65	Cyl. side pl. set (3 pcs.)	Vell.	1		ES-2384
	Oil pan set (2-C959, 1-C1020, 1-C1021)	Cork	1		CS-2201
76165	Oil pan set (2 pcs.)	Vell.	1		ES-99
	Wat. jkt. cov. set (1-C4266C)	Cork	1		CW-8
46646	Wat. jkt. cov. set (1 pc.)	Vell.	1		ES-2387
76163	Gear cov. set (1 pc.)	Vell.	1		ES-1250
30989	Axle hsg. set (1 pc.)	Vell.	1		ES-4212
82345	Exh. pipe fig.	Stl. Asb.	2	30	2166
83691	Exh. pipe fig.	Stl. Asb.	2	31-34	2221
50060	Mani. ret.	Cop. Asb.	9		1111
76317	Mani. washer	Asb.	9		2214
84153	Manifold (1 pc.)	Cop. Asb.	9		1767
76010	Cyl. hd. cov.	Cork	2		C-960
76065	Cyl. side pl., top	Cork	1		C-1022
76064	Cyl. side pl., side and bottom	Cork	2		C-1023
76165	Oil pan, sides	Cork	2		C-959
76164	Oil pan, rear	Cork	1		C-1020
76163	Oil pan, front	Cork	1		C-1021
81380	Carb. to riser	Cop. Asb.	1	30	866AA
82993	Carb. to riser	Cop. Asb.	1	31-34	2026
78921	Carb. riser to int.	Cop. Asb.	1	30	2097
82992	Carb. riser to int.	Stl. Asb.	1	31-34	2207
78741	Carb. riser to exh.	Stl. Asb.	1	30	2049
76094	Fuel pump fig.	Tr. Paper	1		30019
87325	Wat. pump cov.	Vell.	1	32-34	V-8820
76113	Wat. pump to case	Vell.	1		V-5664
41217	Wat. outlet conn.	Vell.	1		V-5095
76870	Thermostat hsg.	Vell.	1		V-5408
46646	Wat. jkt. cov.	Cork	1		C4266C
	Wat. jkt. cov. stud washer	Cop.	36		472
78628	Radiator wat. inlet	Vell.	1		V-5663
76136	Gear case cov.	Cork	1		C-961
76546	Muffler tail pipe fig.	Cop. Asb.	1		843

Netco, 6-8. Truck

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
A	1 1/2-2	Wauk. 6TL	5603	248	B	2-6	Wauk. 6BK	5921A	240	J	2 1/2-5	Wauk. 6SRL	5549	247
A	1 1/2-2	Wauk. 6ZK	5916	254	C	4-7	Wauk. 6MK	5761	247	J	5 1/2	Lyc. AEC	5710	161
A	2-6	Wauk. 6BK	5921A	240	C	2 1/2-5	Wauk. 6SRL	5549	247	J	5 1/2	Lyc. AEF	5710	161
A	2-4	Wauk. 6BL	5930A	240	E	2 1/2-5	Wauk. 6SRL	5549	247	K	5	Wauk. SRK	5717	247
B	1 1/2-2	Wauk. 6TL	5603	248	E	2 1/2-5	Wauk. 6MZ	5750	247					

NOTE—For older models see Guide A.


Noble, 4-6. Truck

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
B31-134	1 1/2-2 1/2	Buda KTU	5251	*	146B-W	2	Buda HS6	5344	*	166C	3-4	Cont. 20R	5534	75
B154	1 1/2-2 1/2	Buda KTU	5251	*	156A-B	2-2 1/2	Buda DS6	5345	*	A21-A75	1 1/2-2 1/2	Buda WTU	5117A	*
D51-52	2 1/2-3	Buda ETU	5236	*	156C	3-4	Cont. 18R	5534	75	A76-A86	1 1/2-2 1/2	Buda WTU	5117A	*
E71-72	3 1/2-5	Buda YTU	5192	*	156W	2-2 1/2	Buda DS6	5345	*	124-134	1 1/2-2 1/2	Buda WTU	5117A	*
84	3 1/2-5	Buda YTU	5192	*	164	2 1/2-3	Buda ETU	5236	*					
146	2	Buda HS6	5344	*	166	2 1/2-3	Buda BA6	5346	*					


NOTE—* Indicates that these motors are listed in Guide A. For older models see Guide A.

Novo Engines, 1-2 Cylinders. Models 1-Cyl. GU, 3 $\frac{3}{8}$ x4"; KU-SU, 3x4"; TU.


Models 2-Cyl. HU, 3 $\frac{3}{8}$ x4"; RF-RU, 3 $\frac{1}{4}$ x5"; UF, 3x4"; YU 3 $\frac{3}{4}$ x5"




McCord No. 5809




McCord No. 5274



McCord No. 5265




McCord No. 5997



McCord No. 1624



McCord No. 1283




McCord No. 1625


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
SU-409	Cyl. hd. GU-KU-SU-TU	Cop. Asb.	1		5809
	Valve cov. set (1-34016)				
	GU-KU-SU-TU	Tr. Paper	1		CV-621
SU-808	Valve cov. GU-KU-SU-TU	Tr. Paper	1		34016
UF-409A	Cyl. hd. HU-UF	Cop. Asb.	1		5274
	Mani. set (1-1624)				
	HU-UF	Cop. Asb.	1		MS-2561
UF-426	Manifold HU-UF	Cop. Asb.	1		1624
UF-537A	Gear case HU-UF	Paper	1		36049
RF-409	Cyl. hd. RF	Cop. Asb.	1		5265
	Mani. set (1-1283) RF	Cop. Asb.	1		MS-2560
RF-426	Manifold RF	Cop. Asb.	1		1283
RU-409	Cyl. hd. RU-YU	Cop. Asb.	1		5397
	Mani. set (1-1625)				
	RU-YU	Cop. Asb.	1		MS-2559
RU-426	Manifold RU-YU	Cop. Asb.	1		1625
RU-537	Gear case RU-YU	Paper	1		36050
RU-1088A	Bell hsg. RU-YU	Tr. Paper	1		30423

Novo Engines, 1-2-4 Cylinders. Models 1-Cyl. LU; 2-Cyl. LF-YF.


Models 4-Cyl. AF-EF, 4 $\frac{3}{4}$ x6"; FFU, 3x4"; HHU, 3 $\frac{3}{8}$ x4"; XF 5 $\frac{1}{4}$ x6"




McCord No. 5062




McCord No. 5063



McCord No. 5081



McCord No. 5904



McCord No. 5903



McCord No. 2758




McCord No. 2759

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
LU-409	Cyl. hd. LU	Cop. Asb.	1		5903
	Mani. set (1-2758) LU	Cop. Asb.	1		MS-2562
LU-426	Manifold LU	Cop. Asb.	1		2758
LF-409	Cyl. hd. LF-YF	Cop. Asb.	1		5081
AF-409	Cyl. hd. AF	Cop. Asb.	1		5062
EF-409	Cyl. hd. EF-XF	Cop. Asb.	2		5063
	Mani. set (4-140) EF	Cop. Asb.	1		MS-2563
EF-426	Manifold EF	Cop. Asb.	4		140
FFU-409	Cyl. hd. FFU-HHU	Cop. Asb.	1		5904
	Mani. set (1-2759) FFU	Cop. Asb.	1		MS-2564
FFU-426	Manifold FFU	Cop. Asb.	1		2759
UF-537A	Gear case FFU-HHU	Paper	1		36049




Novo Engine, 4. Model NNU 2 3/4 x 4"



McCord No. S-6086

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
NNU-409	Cyl. hd.	Stlplk.	1		S-6086

Novo Engine, 4. Models JJU, 4 1/8 x 5"; RRU, 3 3/8 x 5"; YYU 3 3/8 x 5"




McCord No. 5834




McCord No. 2636

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
RRU-409	Cyl. hd.	Cop. Asb.	1		5834
	Mani. set (1-2636)	Cop. Asb.	1		MS-1750
RRU-426	Manifold	Cop. Asb.	1		2636
RRU-486	Wat. jkt. cov.	Asb.	3		16171
RU-537	Gear case	Paper	1		36050

Oakland Motor, 6. Passenger. Model All-American, 1927-28, 3 1/4 x 4 1/4"; 1929 3 3/8 x 4 1/4"



McCord No. 5479



McCord No. 1505




McCord No. 1496



McCord No. 1498



McCord No. 1497




McCord No. C-1209

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
490211	Cyl. hd.	Cop. Asb.	1		5479
	Mani. set (1-1496, 1-1497, 1-1505)	Stl. Asb.	1		MS-1801
	Valve cov. set (3-C533)	Cork	1		CV-410
	Oil pan set (1-C531, 1-C532)	Cork	1		CS-2165
489352-53	Oil pan set (2 pcs.)	Vell.	1		ES-729
	Wat. jkt. cov. set (1-C1209)	Cork	1	29	CW-27
490207	Wat. jkt. cov. set (1 pc.)	Vell.	1	29	ES-2162
489341	Gear cov. set (1 pc.)	Vell.	1		ES-1310
	Diff. carr. set (1V4126)	Vell.	1		ES-4126
	Axle hsg. set (1-V4125)	Vell.	1		ES-4125
489546	Exh. pipe pack	Asb.	1		16073
489369	Mani., center	Stl. Asb.	1		1496
489370	Mani., front	Stl. Asb.	1		1497
489378	Mani., rear	Stl. Asb.	1		1505
489289	Mani. baffle	Stl. Asb.	1		1498
489397	Exh. mani. valve	Stl. Asb.	1		326B
492553	Exh. mani. valve	Stl. Asb.	1		S-326B
489223	Valve cov.	Cork	3		C-533
489352	Oil pan, right	Cork	1		C-531
489353	Oil pan, left	Cork	1		C-532
488256	Carburetor	Vell.	1	28	V-5180
490213	Carburetor	Stlplk.	1	29	S-827C
490213	Carburetor	Vell.	1	29	V-103
855270	Fuel pump bottom cov.	Cork	1		C-2304
854003	Fuel pump gas strainer	Cork	1		C-928
346678	Fuel tank cap	Cork	1		C-871
525175	Wat. outlet mani.	Vell.	1		V-5092
488834	Wat. outlet elbow	Vell.	1		V-5428
490207	Wat. jkt. cov.	Cork	1	29	C-1209
	Wat. jkt. cov. stud washer	Cop.	28		472
479704	Radiator filler cap	Cop. Asb.	1	28	309A
105456	Spark plug	Cop. Asb.	6		515
489339	C/S brg., rear	Cork	1		C-606
486399	Diff. carr.	Vell.	1		V-4126
486397	Axle hsg.	Cork	1		C-388
486397	Axle hsg.	Vell.	1		V-4125


Oakland Motor, 8 (V-8). Passenger. Models 1930-31. See Pontiac 8, 1932, page No. 210.




Oldsmobile Motor, 6. Passenger. Models F28, F29, F30, F31, 1928-31 3 1/8 x 4 1/8"
 Model F32, 1932 3 1/8 x 4 1/8"
 Model F33, 1933 3 7/8 x 4 1/8"
 Models F34, F35, F36, 1934-36 3 1/8 x 4 1/8"
 Trucks, G. M. C. Model 213 Motor 3 1/8 x 4 1/8"




McCord No. 5466




McCord No. 5579



McCord No. 5746A



McCord No. 5824




McCord Nos. 5883-5946



McCord No. 2568



McCord No. 2569



McCord No. 2487




McCord No. 1856




McCord No. 2825



McCord No. C-3709



McCord No. 30054



McCord No. 30055

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
394114	Cyl. hd. (28, 29 and 31)	Cop. Asb.	1	28-31	5466
397054	Cyl. hd. (30)	Cop. Asb.	1	30	5579
401639	Cyl. hd.	Cop. Asb.	1	32-33	5746A
404029	Cyl. hd.	Cop. Asb.	1	34	5824
405619	Cyl. hd.	Cop. Asb.	1	35-36	5883
406830	Cyl. hd. (low comp.)	Cop. Asb.	1	35-36	5946
SN-1600	Motor overhaul set				
	(1-5883, 1-2986,				
	1-S2920, 2-S2921,				
	3-C3729, 1-C1378,				
	1-C3699, 1-C3700,				
	1-C4283, 6-AM-510A,				
	1-V9479, 1-V9478,				
	1-C3709, 1-12025 seal,				
	1-12262 seal, 2-C3728,				
	1-S839N, 4-30546,				
	1-V8217, 1-V9187,				
	1-V8249, 1-V8376,				
	1-30425, 1-V1144, 1-511,				
	1-C4436, 1-S3130		1	35-36	9093
	Valve grinding set				
	(1-5824, 2-2487, 5-2825,				
	1-2986, 3-C3729)		1	34	9041
	Valve grinding set				
	(1-5883, 2-2487, 5-2825,				
	1-2986, 3-C3729)		1	35-36	9042
407973	Mani. set (1-2568, 1-2569)	Stl. Asb.	1	28-33	MS-1855
408196	Mani. set (2-2487, 5-2825)	Stl. Asb.	1	34-36	MS-1856
	Mani. set				
	(1-S2920, 2-S2921)	Stlpk.	1	34-36	SMS-2447
	Valve cov. set (3-C641A)	Cork	1	28-33	CV-417
	Valve cov. set (3-V2041)	Vell.	1	28-33	ES-2041
	Valve cov. set (3-C3729)	Cork	1	34-36	CV-420
	Valve cov. set (3-V1966)	Vell.	1	34-36	ES-1966
407975	Oil pan set (1-C1377,				
	1-C1378, 1-C1379,				
	1-C4283)	Cork	1	28-33	CS-2254
407975	Oil pan set (1-P71,				
	1-P72, 1-P73, 1-P74)	Vell.	1	28-33	ES-71
407975	Oil pan set (1-P761)	Vell.	1	28-33	ES-761
407966	Oil pan set (1-C1378,				
	1-C3699, 1-C3700,				
	1-C4283)	Cork	1	34-36	CS-2280
407966	Oil pan set (1-P92,				
	1-P93, 1-P71, 1-P73)	Vell.	1	34-36	ES-92
407966	Oil pan set (1-P762)	Vell.	1	34-36	ES-762
	Wat. jkt. cov. set				
	(1-C639)	Cork	1		CW-10
	Wat. jkt. cov. set				
	(1-V2156)	Vell.	1		ES-2156
394058	Gear cov. set (1 pc.)	Vell.	1	28-30	ES-1429
400228	Gear cov. set (1 pc.)	Vell.	1	31-33	ES-1134
400229	Gear cov. set (1 pc.)	Vell.	1	34-36	ES-1144
	Diff. carr. set (1-V4140)	Vell.	1		ES-4140
	Axle hsg. set (1-V4141)	Vell.	1		ES-4141
	Trans. set (1-V9604,				
	1-V8877, 1-V9606,				
	1-V8848)	Vell.	1	35-36	VTS-244
394304	Exh. pipe fig.	Cop. Asb.	1	28	318A
399321	Exh. pipe fig.	Cop. Asb.	1	29-36	2986
401737	Exh. mani., rear	Stl. Asb.	1	28-33	2568
401738	Exh. mani., front	Stl. Asb.	1	28-33	2569
401109	Mani., center	Stl. Asb.	2	34-36	2487
400131	Mani., ends	Stl. Asb.	5	34-36	2825
408122	Mani., center	Stlpk.	1	34-36	S-2920
408123	Mani., ends	Stlpk.	2	34-36	S-2921
394108	Valve cov.	Cork	3	28-33	C-641A
394108	Valve cov.	Vell.	3	28-33	V-2041
404148	Valve cov.	Cork	3	34-36	C-3729
404148	Valve cov.	Vell.	3	34-36	V-1966
405627	Valve cov. stud.	Tr. Paper	4	35-36	30546

(Continued on Next Page)

Oldsmobile Motor, 6. 1928-36—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
399831 } 407023 }	Oil pan, front.....	Cork	1	28-36	C-4283
399832 }	Oil pan, rear.....	Cork	1	28-33	C-1377
399833 }	Oil pan, left.....	Cork	1	28-36	C-1378
399834 }	Oil pan, right.....	Cork	1	28-33	C-1379
399833 }	Oil pan, left (1-P71).....	Vell.			
399834 }	Oil pan, right (1-P72).....	Vell.			
399831 }	Oil pan, front (1-P73).....	Vell.	1	28-33	P-71 set
407023 }					
399832 }	Oil pan, rear (1-P74).....	Vell.			
399831-2 }					
399833-4 }	Oil pan (1 pc.).....	Vell.	1	28-33	P-761
407023 }	Oil pan, front.....	Cork	1	34-36	C-4283
404047 }	Oil pan, rear.....	Cork	1	34-36	C-3699
399833 }	Oil pan, left.....	Cork	1	34-36	C-1378
404048 }	Oil pan, right.....	Cork	1	34-36	C-3700
404048 }	Oil pan, right (1-P92).....	Vell.			
404047 }	Oil pan, rear (1-P93).....	Vell.			
399833 }	Oil pan, left (1-P71).....	Vell.	1	34-36	P-92 set
399831 }	Oil pan, front (1-P73).....	Vell.			
407023 }					
404047-8 }					
399831-3 }	Oil pan (1 pc.).....	Vell.	1	34-36	P-762
407023 }					
399898 }	Oil pump cov.....	Vell.	1	32-33	V-8377
404128 }	Oil pump cov.....	Vell.	1	34	V-9187
405597 }	Oil pump cov.....	Vell.	1	35-36	V-8217
404123 }	Oil pump to cyl.....	Vell.	1	34-36	V-8249
843350 }	Oil drain plug—spark plug All Metal	1-6			AM510A
394202 }	Int. to exh.....	Cop. Asb.	1	28-30	1856
394341 }	Carburetor.....	Vell.	1	28	V-5180
397089 }	Carburetor.....	Vell.	1	29-30	V-5216
399169 }	Carburetor.....	Asb.	1	31	2379
601348 }	Carburetor ($\frac{1}{8}$ " thick).....	Stlplk.	1	32-36	S-839N
401718 }	Carb. insulator.....	Stlplk.	1	35-36	S-3130
835683 }	Fuel pump.....	Vell.	1	30-35	V-5500
1521294 }	Fuel and vacuum pump.....	Vell.	1	34-36	V-5752
399830 }	Fuel pump to cyl.....	Vell.	1	30-33	V-5158
405879 }	Fuel pump to cyl.....	Vell.	1	34-36	V-8376
854003 }	Fuel pump gas strainer.....	Cork	1	28-33	C-928
1521946 }	Fuel pump gas strainer.....	Cork	1	35-36	C-4187
394124 }	Wat. pump.....	Tr. Paper	1	28-31	30054
399988 }	Wat. pump.....	Tr. Paper	1	32	30055
399994 }	Wat. pump to cyl.....	Vell.	1	32	V-9229
401892 }	Wat. pump to cyl.....	Vell.	1	33	V-9459
405665 }	Wat. pump to cyl.....	Vell.	1	34-36	V-9479
401891 }	Wat. pump cov.....	Vell.	1	33	V-9227
404156 }	Wat. pump cov. (early).....	Vell.	1	34	V-9458
404906 }	Wat. pump cov. (late).....	Vell.	1	34	V-9461
405664 }	Wat. pump cov.....	Vell.	1	34-36	V-9478
404044 }	Wat. outlet.....	Cork	1		C-3709
404044 }	Wat. outlet.....	Vell.	1		V-5458
402402 }	Wat. outlet thermostat.....	Vell.	1	33	V-8374
394118 }	Wat. jkt. cov.....	Cork	1	28-33	C-639
394118 }	Wat. jkt. cov.....	Vell.	1	28-33	V-2156
	Wat. jkt. cov. stud washer.....	Cop.	28	28-33	472
495206 }	Dist. hsg.....	Cork	1	34-36	C-4436
394030 }	Rear C/S brg. oil seal.....	Cork	2	28-31	C-914
399902 }	Rear C/S brg. oil seal.....	Cork	2	32-33	C-3044
404010 }	Rear C/S brg. oil seal.....	Cork	2	34-36	C-3728
404093 }					
404094 }	Gear cov.....	Vell.	1	34-36	V-1144
404046 }	Front engine supp. pl.....	Paper	1	34-36	30425
230972 }	Diff. carr.....	Vell.	1		V-4140
230971 }	Axle hsg.....	Cork	1		C-1066
230971 }	Axle hsg.....	Vell.	1		V-4141
399917 }	Clutch hsg. pan.....	Cork	1	32-33	C-2949
404009 }	Clutch hsg. pan.....	Cork	1	34-36	C-3652
553461 }	Trans. cov.....	Vell.	1	35-36	V-9606
409317 }					
407249 }	Trans. clutch hsg.....	Vell.	1	35-36	V-9604
1280171 }					
	Trans. rear brg. ret. (to F836891).....	Vell.	1		V-8877
1303483 }	Trans. rear brg. ret. (after F836891).....	Vell.	1		V-8848
6082 }	Headlamp lens.....	Cork	2	30-32	C-7007
6083 }	Headlamp lens.....	Cork	2	33	C-7003
6085 }	Headlamp lens.....	Cork	2	34-36	C-7005

McCord No. C-641-A

McCord No. C-3729

McCord No. C-1377

McCord No. C-1378

McCord No. C-1379

McCord No. C-3699


McCord No. C-3700

McCord No. C-1066




Oldsmobile Motor, 6. Passenger. Models F37, F38, 1937-38 $3\frac{1}{8} \times 4\frac{1}{8}$ "
 Models F39-F40 (60), 1939-40, $3\frac{1}{8} \times 3\frac{7}{8}$ "; G39-G40 (70), 1939-40 $3\frac{1}{8} \times 4\frac{1}{8}$ "
 Trucks. G. M. C. Model 230 Motor $3\frac{1}{8} \times 4\frac{1}{8}$ "

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
408010	Cyl. hd.	Cop. Asb.	1	37-38	5957
410981	Cyl. hd.	Cop. Asb.	1	39-40	6054
	Valve grinding set (1-5957, 1-S2920, 2-S2921, 1-2986, 2-C4429, 1-3127)		1	37-38	9043
	Valve grinding set (1-6054, 1-S2920, 2-S2921, 1-2986, 2-C4429, 1-3127)		1	39-40	9400
408196	Mani. set (1-S2920, 2-S2921)	Stlplk.			SMS-2447
407973	Mani. set (2-2487, 5-2825)	Stl. Asb.	1		MS-1856
	Valve cov. set (2-C4429) ..	Cork	1		CV-539
408289	Oil pan set (1-C1378, 1-C4374, 1-C4375, 1-C4377)	Cork	1		CS-2303
408289	Oil pan set (4 pcs.)	Vell.	1		ES-45
400229	Gear cov. set (1-V1144) ..	Vell.	1		ES-1144
	Diff. carr. set (1-V4162) ..	Vell.	1		ES-4162
	Trans. set (conventional trans.) (1-V9604, 1-V8877, 1-V9606, 1-V8848)	Vell.	1		VTs-244
	Trans. set (automatic trans. (1-V9738, 1-V9603, 1-V8282, 1-V8283, 1-V8284, 1-V8285, 2-V8286)	Vell.	1		VTs-245
399321	Exh. pipe flg.	Cop. Asb.	1		2986
408122	Mani. center	Stlplk.	1		S-2920
408123	Mani. ends	Stlplk.	2		S-2921
401109	Mani. center	Stl. Asb.	2		2487
400131	Mani. ends	Stl. Asb.	5		2825
408106	Valve cov.	Cork	2		C-4429
408023	Oil pan front	Cork	1		C-4375
408024	Oil pan rear	Cork	1		C-4377
408028	Oil pan right	Cork	1		C-4374
399833	Oil pan left	Cork	1		C-1378
399833	Oil pan left	Vell.			
408028	Oil pan right	Vell.	1		P-45 set
408023	Oil pan front	Vell.			
408024	Oil pan rear	Vell.			
405597	Oil pump cov.	Vell.	1	35-40	V-8217
404123	Oil pump to cyl.	Vell.	1	34-40	V-8249
843350	Oil drain plug	Allmetal	1		AM-510A
601348	Carburetor	Stlplk.	1	37-40	S-839N
179-15	Carb. insulator strip	Cork	1		C-5072
1523128	Fuel pump bowl	Cork	1		C-5006
408151	Fuel pump to cyl.	Vell.	1	37-38	V-8366
412270	Fuel pump to cyl.	Paper	1	39-40	30337
408077	Wat. pump cov.	Vell.	1	37-38	V-8817
411045	Wat. pump cov.	Paper	1	39-40	30339
408078	Wat. pump to block	Vell.	1	37-38	V-9497
411046	Wat. pump to block	Paper	1	39-40	30338
408300	Wat. pump by-pass rub.	Rubber	1		3127
408081	Wat. outlet	Cork	1	37-38	C-4376
408081	Wat. outlet	Vell.	1	37-38	V-5460
411047	Wat. outlet	Cork	1	39-40	C-4955
495206	Dist. hsg.	Cork	1		C-4436
408113	Rear C/S brg. oil seal	Cork	2		C-4458
404093	Gear cov. (1 pc.)	Vell.	1		V-1144
404094	Front engine supp.	Paper	1		30340
408029	Diff. carr.	Paper	1		37009
501958	Diff. carr.	Vell.	1		V-4162
499534	Diff. carr.	Vell.	1		V-4162
501958	Diff. carr.	Vell.	1		V-4162
499534	Diff. carr.	Vell.	1		V-4162
231961	Axle hsg.	Cork	1		C-4438
408327	Clutch hsg. pan	Cork	1	37-38	C-4544
411695	Clutch hsg. pan F60	Cork	1	39-40	C-4956



McCord No. 5957



McCord No. 6054



McCord No. S-2920



McCord No. S-2921

(Continued on Next Page)

Oldsmobile Motor, 6. 1937-40—Continued


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
Conventional Transmission Gaskets:					
409317	Clutch hsg.	Vell.	1	37-39	V-9604
407249					
1280171					
1303483	Rear brg. ret. (to F836891)	Vell.	1	37-39	V-8877
	Rear brg. ret. (after F836891)	Vell.	1	37-39	V-8848
553461	Trans. cov.	Vell.	1	37-39	V-9606
Automatic Transmission Gaskets:					
1299645	Oil pan to case	Vell.	1	37-39	V-9738
1299666	Side pl. to case	Vell.	1	37-39	V-9603
1301601	Rear brg. ret.	Vell.	1	37-39	V-8283
1301648	Oil pump cov.	Vell.	1	37-39	V-8282
1299623	Oil pump inlet pipe	Vell.	1	37-39	V-8284
1299609	Oil pump to case	Vell.	1	37-39	V-8285
1299720	Control cov. bushing	Vell.	2	37-39	V-8286
6084	Headlamp lens	Cork	2	37	C-7002
922299	Headlamp lens	Cork	2	38-39	C-7004

NOTE—The following gaskets used on G. M. C. Trucks equipped with above motor. Other motor gaskets are the same as those listed above.


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	Diff. carr. set (1-V4322)	Vell.	1		ES-4322
401717	Carburetor	Stl. pk.	2		S-832E
093629	Diff. carr.	Vell.	1		V-4322
675647	Axle shaft fig. T16-F16	Vell.	1		V-8957
070875	Axle shaft fig. T16H-F16HVell.	Vell.	1		V-8251

Oldsmobile Motor, 8. Passenger. "Viking," 1929-30

3 3/8 x 3 5/8"




McCord No. 5521




McCord No. 1938



McCord No. 1930



McCord No. 1939




McCord No. C-794


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
396149	Cyl. hd.	Cop. Asb.	2		5521
	Mani. set (4-1938, 2-1939)	Stl. Asb.	1		MS-1851
	Valve cov. set (2-C794)	Cork	1		CV-418
	Oil pan set (2-C907, 1-C906, 1-C908)	Cork	1		CS-2191
	Oil pan set (4 pcs.)	Vell.	1		ES-626
396058	Gear cov. set (1 pc.)	Vell.	1		ES-1251
230884	Axle hsg. set (1 pc.)	Vell.	1		ES-4127
396202	Manifold	Stl. Asb.	4		1938
396208	Int. and exh. header	Stl. Asb.	2		1939
396124	Valve cov.	Cork	2		C-794
396184	Oil pan sides	Cork	2		C-907
396182	Oil pan front	Cork	1		C-906
396183	Oil pan rear	Cork	1		C-908
396201	Heat control valve	Stl. Asb.	1		1930
854003	Gas strainer	Cork	1		C-928

Oldsmobile Motor, 8. Passenger. Models L32, L33, L34, L35, L36, 1932-36

3x4 1/4"



McCord No. 5722



McCord Nos. 5891-5943




McCord No. 2487




McCord No. 2825




McCord No. 2484



McCord No. C-1333



McCord No. C-1334




McCord No. C-1330




McCord No. C-1331




McCord No. C-1329



McCord No. C-4284



McCord No. C-1066



McCord No. C-3709

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
400468	Cyl. hd.	Cop. Asb.	1	32-34	5722
405817	Cyl. hd.	Cop. Asb.	1	35-36	5891
406831	Cyl. hd. (low comp.)	Cop. Asb.	1	35-36	5943
	Valve grinding set (1-5722, 1-2484, 2-2487, 6-2825, 2-C1334, 1-2986)		1	32-34	9044
	Valve grinding set (1-5891, 1-2484, 2-2487, 6-2825, 2-C1334, 1-2986)		1	35-36	9045
407974	Mani. set (1-2484, 2-2487, 6-2825)	Cop. Asb.	1		MS-1854
407978-9	Valve cov. set (2-C1334)	Cork	1		CV-419
407978-9	Oil pan set (1-C1329, 1-C1330, 1-C1331, 1-C4284)	Cork	1		CS-2252
407978-9	Oil pan set (1-P241, 1-P242, 1-P243, 1-P244)	Vell.	1		ES241
407978-9	Oil pan set (1 pc.)	Vell.	1		ES-P1031
	Wat. jkt. cov. set (1-C1333)	Cork	1		CW-17
	Wat. jkt. cov. set (1-V2319)	Vell.	1		ES-2319
400228	Gear cov. set (1 pc.)	Vell.	1		ES-1134
	Diff. carr. set (1-V4140)	Vell.	1		ES-4140
	Axle hsg. set (1-V4141)	Vell.	1		ES-4141
	Trans. set (1-V9604, 1-V8877, 1-V9606, 1-V8848)	Vell.	1		VTS-244
399321	Exh. pipe fig.	Cop. Asb.	1		2986
401108	Exh. center	Stl. Asb.	1		2484
401109	Int. and exh. inter.	Stl. Asb.	2		2487
400131	Int. and exh.	Stl. Asb.	6		2825
400205	Valve cov.	Cork	2		C-1334
400068	Oil pan right	Cork	1		C-1329
400067	Oil pan left	Cork	1		C-1330
400066	Oil pan rear	Cork	1		C-1331
400065	Oil pan front	Cork	1		C4284
407232	Oil pan left (1-P241)	Vell.			
400067	Oil pan right (1-P242)	Vell.			
400065	Oil pan front (1-P243)	Vell.	1		P-241 set
407232	Oil pan rear (1-P244)	Vell.			
399898	Oil pump cov.	Vell.	1	32-34	V-8377
407261	Oil pump cov.	Vell.	1	35-36	V-8161
405888	Oil pump to cyl.	Vell.	2	35-36	V-8375
843350	Oil drain plug	Allmetal	1		AM510A
401148	Carburetor	Asb.	2	32-33	16087
404301	Carburetor	Asb.	2	34-35	16104
835683	Fuel pump	Vell.	1	34-35	V-5500
1521294	Fuel and vacuum pump	Vell.	1	34-35	V-5752
399830	Fuel pump to cyl.	Vell.	1	32-33	V-5158
405879	Fuel pump to cyl.	Vell.	1	34-36	V-8376
1521946	Fuel pump gas strainer	Cork	1	35-36	C-4187
399988	Wat. pump	Paper	1	32	30055
401891	Wat. pump cov.	Vell.	1	33-34	V-9227
405846	Wat. pump cov.	Vell.	1	35-36	V-9483
399994	Wat. pump to cyl.	Vell.	1	32	V-9229
401892	Wat. pump to cyl.	Vell.	1	33-34	V-9459
405847	Wat. pump to cyl. (large)	Vell.	1	35-36	V-8431
405848	Wat. pump to cyl. (small)	Vell.	1	35-36	V-8432
404044	Wat. outlet	Cork	1		C-3709
404044	Wat. outlet	Vell.	1		V-5458
402402	Wat. outlet thermostat	Vell.	1	33-34	V-8374
400043	Wat. jkt. cov.	Cork	1	32-34	C-1333
400043	Wat. jkt. cov.	Vell.	1	32-34	V-2319
	Wat. jkt. cov. stud washer	Cop.	35	32-34	472
399902	Rear C/S brg. oil seal	Cork	2		C-3044
405816	Front engine supp.	Paper	1	32-36	30426
230972	Diff. carr.	Vell.	1		V-4140
230971	Axle hsg.	Cork	1		C-1066
230971	Axle hsg.	Vell.	1		V-4141
399917	Clutch hsg. pan	Cork	1		C-2949

(Continued on Next Page)


Oldsmobile Motor, 8. 1932-36—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
553461	Trans. cov.	Vell.	1		V-9606
409317	Trans. clutch hsg.	Vell.	1		V-9604
407249					
1280171	Trans. rear brg. ret. (to F836891)	Vell.	1		V-8877
1303483	Trans. rear brg. ret. (after F836891)	Vell.	1		V-8848
6082	Headlamp lens	Cork	2	32	C-7007
6083	Headlamp lens	Cork	2	33	C-7003
6085	Headlamp lens	Cork	2	34-36	C-7005


Oldsmobile Motor, 8. Passenger. Models L37, L38, L39, L40, 1937-40

3 1/4 x 3 7/8"


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
410012	Cyl. hd.	Cop. Asb.	1		5967
	Valve grinding set (1-5967, 1-S2922, 1-S2923, 1-S2924, 1-2986, 2-C4463, 1-3127)		1		9046
410069	Mani. set (1-S2922, 1-S2923, 1-S2924)	Stlpk.	1		SMS-2448
	Valve cov. set (2-C4463)	Cork	1		CV-540
410150	Oil pan set (1-C4459, 1-C4460, 1-C4461, 1-C4462)	Cork	1		CS-2304
410150	Oil pan set (4 pcs.)	Vell.	1		ES-254
400229	Gear cov. set (1-1144)	Vell.	1		ES-1144
	Diff. carr. set (1-V4162)	Vell.	1		ES-4162
	Trans. set (conventional) (1-V9604, 1-V8877, 1-V9606, 1-V8848)	Vell.	1		VTS-244
	Trans. set (automatic) (1-V9738, 1-V9603, 1-V8282, 1-V8283, 1-V8284, 1-V8285, 2-V8286)	Vell.	1		VTS-245
399321	Exh. pipe flg.	Cop. Asb.	1		2986
410057	Mani. front	Stlpk.	1		S-2922
410058	Mani. center	Stlpk.	1		S-2923
410059	Mani. rear	Stlpk.	1		S-2924
410054	Valve cov.	Cork	2		C-4463
410015	Oil pan front	Cork	1		C-4459
410016	Oil pan rear	Cork	1		C-4460
410017	Oil pan left	Cork	1		C-4461
410018	Oil pan right	Cork	1		C-4462
410015	Oil pan front	Vell.			
410016	Oil pan rear	Vell.			
410017	Oil pan left	Vell.	1		P-254 set
410018	Oil pan right	Vell.			
405597	Oil pump cov.	Vell.	1		V-8217
404123	Oil pump to cyl.	Vell.	1		V-8249
843350	Oil drain plug	Allmetal	1		AM510A
410101	Carburetor	Stlpk.	1		S-2925
179-12	Carb. insulator strip	Cork	1		C-5071
1523128	Fuel pump bowl	Cork	1		C-5006
408151	Fuel pump to cyl.	Vell.	1	37-38	V-8366
412270	Fuel pump to cyl.	Paper	1	39-40	30337
408077	Wat. pump cov.	Vell.	1	37-38	V-8817
411045	Wat. pump cov.	Paper	1	39-40	30339
408078	Wat. pump to cyl.	Vell.	1	37-38	V-9497
411046	Wat. pump to cyl.	Paper	1	39-40	30338
408300	Wat. pump by-pass rub.	Rubber	1		3127
408081	Wat. outlet	Cork	1	37-39	C-4376
408081	Wat. outlet	Vell.	1	37-39	V-5460
411047	Wat. outlet	Cork	1	40	C-4955
495206	Dist. hsg. (to Eng. L297376)	Cork	1	37-38	C-4436
410179	Dist. hsg. (after Eng. L297376)	Cork	1	38-40	C-5153
408113	Rear C/S brg. oil seal	Cork	2		C-4458
404093-4	Gear cov. (1 pc.)	Vell.	1		V-1144
408029	Front engine supp.	Paper	1		30340
501958					
499534	Diff. carr.	Paper	1		37009




McCord No. 5967




McCord No. S-2922



McCord No. S-2923



McCord No. S-2924



McCord No. S-2925

(Continued on Next Page)



Oldsmobile Motor, 8. 1937-40—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
501958}	Diff. carr.	Vell.	1		V-4162
499534}	Axle hsg.	Cork	1		C-4438
231961	Clutch hsg. pan	Cork	1	37-38	C-4544
Conventional Transmission Gaskets:					
553461	Trans. cov.	Vell.	1	37-39	V-9606
409317 }	Clutch hsg.	Vell.	1	37-39	V-9604
407249 }	Rear brg. ret. (to F836891)	Vell.	1	37-39	V-8877
1280171 }	Rear brg. ret. (after F836891)	Vell.	1	37-39	V-8848
1303483 }					
Automatic Transmission Gaskets:					
1299645	Oil pan to case	Vell.	1	37-39	V-9738
1299666	Side pl. to case	Vell.	1	37-39	V-9603
1301601	Rear brg. ret.	Vell.	1	37-39	V-8283
1301648	Oil pump cov.	Vell.	1	37-39	V-8282
1299623	Oil pump inlet pipe	Vell.	1	37-39	V-8284
1299609	Oil pump to case	Vell.	1	37-39	V-8285
1299720	Control cov. bushing	Vell.	2	37-39	V-8286
6084	Headlamp lens	Cork	2	37	C-7002
922299	Headlamp lens	Cork	2	38-39	C-7004

Omort, 4-6. Truck.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
20	2	Herc. JXA	5674	126	30	2-3	Herc. WXB	5496	129	250	2-3	Herc. OX	5084	127
25	2½-3	Herc. WXB	5496	129	35	3½	Herc. WXC	5649	129	300	3	Herc. OXC	5660	127
30	2½-3	Herc. OX	5084	127	200	2-3	Herc. OX	5084	127	3005	2½-3	Herc. WXB	5496	129

Oneida, 4-6. Truck.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
A9	1½	Cont. 16C	5669	70	C9	2½	Wauk. CR	5238	*	SFF10	5½	Wauk. 6KU	5473B	245
B9	2	Wauk. 2U	5239	*	CC9	3	Wauk. 6XL	5515	253	SFF15	5½	Wauk. 6AB	5260A	239
B9	2	Wauk. V	5264	249	E9	5	Wauk. GU	5309	*					

NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.

Oshkosh, 4-6. Truck

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
AW	2	Wisc. SU	5295	271	FHX	4-7½	Herc. RXB	5752	130	JD	3	Herc. JXD	5910	126
AAW	2	Wisc. SU	5295	271	FS	7½	Herc. RXC	5612	130	JDW	3	Herc. JXD	5910	126
B3D	3-4	Herc. WXC3	5649	129	FS	7½	Herc. RXC	5752	130	JLX	2½-3½	Herc. WXC	5649	129
B3D-36	3-4	Herc. WXC3	5649	129	G	7½-10	Herc. HXC	5729	126	JSB	1½-2	Herc. JXB	5674	126
B3S	3-4	Herc. WXC3	5649	129	GB	7½	Herc. GXB	5730	126	JSB	1½-2	Herc. JXC	5732	126
BG3	7½	Herc. HXB	5730	126	GD	7½-10	Herc. HXB	5730	126	JSW	2½-3	Herc. WXC	5649	129
BO-BBO	1½-2½	Herc. OX	5084	127	GD	7½-10	Herc. HXD	5731	126	K-KK	1½-2½	Herc. O	5084	127
C3D-C3S	3½-5	Herc. YXC2	5526	130	GDC	10	Cum. Diesel	5861	79	L	2½-3	Herc. WXC	5649	129
F	5	Wauk. EU	82	*	H	2½-3	Herc. WXC	5649	129	LB	1½-2	Herc. JXC	5732	126
F2A	4-7½	Herc. RXB	5612	130	H	3	Herc. L	5151	*	LC	2½-3	Herc. WXC	5649	129
F2A	4-7½	Herc. RXB	5752	130	H2A	2½-3	Herc. WXC	5649	129	M-MM	1½-2½	Herc. OX	5084	127
FAX	4-7½	Herc. RXC	5612	130	H2B	3½-5	Herc. YXC	5526	130	M	2½-3½	Herc. WXC	5649	129
FAX	4-7½	Herc. RXC	5752	130	H2C	4-7½	Herc. RXB	5612	130	R-RR	1½-2½	Herc. OX	5084	127
FB	7½	Herc. RXB	5612	130	H2C	4-7½	Herc. RXB	5752	130	R6	2	Wisc. Y	5296	*
FB	7½	Herc. RXB	5752	130	H6	3	Herc. YXB	5525	130	R6	2	Herc. WXB	5496	129
FB35-36	7½	Herc. RXB	5612	130	H6	3-5	Herc. YXC	5526	130	R-R6	2	Wisc. Y	5296	*
FB35-36	7½	Herc. RXB	5752	130	HC	3½	Wauk. 6SRL	5549	247	R35	5	Herc. RXB	5612	130
FBM	4-7½	Herc. RXB	5612	130	HC	3½-5	Herc. YXC	5526	130	R35	5	Herc. RXB	5752	130
FBM	4-7½	Herc. RXB	5752	130	HH	3	Herc. L	5151	*	S6	3½-5	Herc. YXC	5526	130
FC	7½	Herc. RXB	5612	130	HH6	3½-5	Herc. YXC2	5526	130	TR	25	Herc. RXC	5612	130
FC	7½	Herc. RXB	5752	130	HX	3½-5	Herc. YXC	5526	130	TR	25	Herc. RXC	5752	130
FCC36	10	Cum. Diesel	5861	79	HXC	3½-5	Herc. YXC	5526	130	WLD	3½-4	Herc. WXC3	5649	129
FD	7½	Herc. RXB	5612	130	HXC	4-7½	Herc. RXB	5612	130	WLX	2½-3	Herc. WXC	5649	129
FD	7½	Herc. RXB	5752	130	HXC	4-7½	Herc. RXB	5752	130	XC	5	Herc. YXC4	5612	130
FHX	5	Herc. YXC	5526	130	JB	1½-2	Herc. JXB	5674	126	Y2D	4-7½	Herc. RXB	5612	130
FHX	5	Herc. YXC3	5612	130	JC	1½-2	Herc. JXC	5732	126	Y2D	4-7½	Herc. RXB	5752	130
FHX	5	Herc. YXC4	5612	130	JCB	2	Herc. JXC	5732	126					
FHX	4-7½	Herc. RXB	5612	130	JD	1½-2	Herc. JXC	5732	126					

NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.


Overland Motor, 4. Whippet. Passenger. Models 96-96A, 1926-29. See Whippet. Page No. 257.

Packard Motor, 6. Passenger. 1928. See Page 101, Guide A.


Packard Motor, 6. Passenger. Model 115C, 1937.

Models 1600, 1938; 1700, 1939; 1800, 1940


3 7/8 x 4 1/4"
3 1/2 x 4 1/4"




McCord No. 5951



McCord No. 6034



McCord No. 5953



McCord No. 2844



McCord No. 2859



McCord No. S-3006



McCord No. S-3007



McCord No. 16119


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
315438	Cyl. hd.	Stl. Asb.	1	37	5951
324284	Cyl. hd.	Stl. Asb.	1	38-40	6034
311941	Cyl. hd. (export)	Stl. Asb.	1	37-38	5953
	Mani. set (1-2859, 2-2844)	Stl. Asb.	1	37-38	MS-2444
	Mani. set (1-S3007, 2-S3006)	Stl. Asb.	1	39-40	MS-2538
	Valve cov. set (2-C4350)	Cork	1		CV-532
	Oil pan set (1-C4348, 1-C4349)	Cork	1		CS-2297
	Oil pan set (2 pcs.)	Vell.	1		ES-448
300214	Front end pl. set (1 pc.)	Vell.	1	37	ES-1151
324552	Front end pl. set (1 pc.)	Vell.	1	38-40	ES-1170
300169-70	Gear cov. set (1 pc.)	Vell.	1		ES-1157
300752	Axle hsg. set (1 pc.)	Vell.	1		ES-4152
300753	Diff. carr. set (1 pc.)	Vell.	1	37	ES-4152A
	Diff. carr. set (1-V4166)	Vell.	1	38-40	ES-4166
315157	Exh. pipe flg.	Cop. Asb.	1		122EA
315054	Mani. center	Stl. Asb.	1	37-38	2859
315053	Mani. ends	Stl. Asb.	2	37-38	2844
330775	Mani. center	Stl. Asb.	1	39-40	S-3007
330774	Mani. ends	Stl. Asb.	2	39-40	S-3006
315039	Valve cov.	Cork	2		C-4350
129439	Valve cov. screw	Cop. Asb.	4		500R
315064	Oil pan left	Cork	1		C-4348
315065	Oil pan right	Cork	1		C-4349
315064	Oil pan left	Vell.	1		P-448 set
315065	Oil pan right	Vell.	1		
111192	Oil pan drain plug	Cop. Asb.	1		507B
300735	Oil pump body	Vell.	1		V-8975
303930	Oil pump cov.	Vell.	1		V-8394
316361	Carb. flg.	Asb.	3		16119
327807	Fuel and vacuum pump	Fibre	1	39-40	3070
1523128	Fuel pump bowl	Cork	1		C-5006
300735	Oil pump body	Vell.	1	37	V-8361
320605	Wat. pump body	Vell.	1	38-40	V-9281
300046	Wat. pump cov.	Vell.	1	37	V-8362
320585	Wat. pump cov.	Vell.	1	38-40	V-8841
300067	Wat. outlet	Vell.	1		V-5459
323010	Diff. carr.	Vell.	1	38-40	V-4166
225873	Headlamp lens	Cork	2		C-7003

Packard Motor, 8. Passenger. Model 120, 1935.


Models 120B, 1936; 120C, 1937; 1601-1602, 1938; 1701-1702, 1939

Models 1801-1801A, 1940


3 1/4 x 3 7/8"
3 1/4 x 4 1/4"
3 1/4 x 4 1/4"




McCord No. 5887-5948




McCord No. 5899



McCord No. 6070



McCord No. 2705




McCord No. 2706


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
302736	Cyl. hd. (alum. hd.)	Stl. Asb.	1	35-38	5887
335676	Cyl. hd. (cast iron hd.)	Stl. Asb.	1	39-40	6070
311850	Cyl. hd. (low comp.)	Stl. Asb.	1	35-38	5948
303266	Cyl. hd. (export)	Stl. Asb.	1		5899
	Valve grinding set (1-5887, 1-132EA, 1-2705, 1-2706, 1-2707, 2-C3922, 1-V5459)		1	35-38	9407
	Mani. set (1-2705, 1-2706, 1-2707)	Stl. Asb.	1		MS-1916
	Mani. set (1-S2705, 1-S2706, 1-S2707)	Stl. Asb.	1		SMS-2584
	Valve cov. set (2-C3922)	Cork	1		CV-425
	Oil pan set (1-C3920, 1-C3921)	Cork	1		CS-2285
	Oil pan set (1-P1047, 1-P1048)	Vell.	1		ES-P1047
300214	Front end cov. set (1 pc.)	Vell.	1	35-37	ES-1151
324552	Front end cov. set (1 pc.)	Vell.	1	38-40	ES-1170
300169-70	Gear cov. set (1 pc.)	Vell.	1		ES-1157
300753	Diff. carr. set (1 pc.)	Vell.	1	35-37	ES-4152
	Diff. carr. set (1-V4166)	Vell.	1	38-40	ES-4166

(Continued on Next Page)

Packard Motor, 8, 120 through 1801A, 1940—Continued



McCord No. 2707




McCord No. 2704


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
300752	Axle hsg. set (1 pc.)	Vell.	1	35-37	ES-4152A
300414	Exh. pipe flg.	Stl. Asb.	1		132EA
300038	Mani. front	Stl. Asb.	1		2706
300037	Mani. center	Stl. Asb.	1		2707
300039	Mani. rear	Stl. Asb.	1		2705
300038	Mani. front	Stlpk.	1		S-2706
300037	Mani. center	Stlpk.	1		S-2707
300039	Mani. rear	Stlpk.	1		S-2705
300196	Valve cov.	Cork	2		C-3922
129439	Valve cov. screw	Cop. Asb.	4		500R
300295	Oil pan right	Cork	1		C-3920
302446	Oil pan left	Cork	1		C-3921
300295	Oil pan right (1-P1047)	Vell.	1		P-1047 set
302446	Oil pan left (1-P1048)	Vell.	1		
300737	Oil pump	Vell.	1		V-8975
303930	Oil pump cov.	Vell.	1		V-8394
111192	Oil drain plug	Cop. Asb.	1		507B
300100	Int. to exh.	Stl. Asb.	1		2704
302646	Carburetor	Vell.	2		V-8413GA
327807	Fuel and Vacuum pump	Fibre	1	38-40	3070
1521480	Fuel pump cov.	Cork	1	35-36	C-3745
856229	Fuel pump cov.	Cork	1	37-40	C-3008
1523128	Fuel pump bowl	Cork	1		C-5006
300047	Wat. pump body	Vell.	1	37	V-8361
320605	Wat. pump body	Vell.	1	38-40	V-9281
300046	Wat. pump cov.	Vell.	1	37	V-8362
320585	Wat. pump cov.	Vell.	1	38-40	V-8841
300067	Wat. outlet	Vell.	1		V-5459
323010	Diff. carr.	Vell.	1	38-40	V-4166
225873	Headlamp lens	Cork	2		C-7003

Packard Motor, 8. Passenger. Models 336, 343, 443—late 1926-28; 640-645, 1929


3 1/2 x 5"



McCord No. 5450B




McCord No. 5507B




McCord No. 2069A



McCord No. 1635-A



McCord No. 1815



McCord No. 2070A



McCord No. 2071A




McCord No. 1262

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
141962	Cyl. hd. 336-343-443	Stl. Asb.	1	26-28	5450B
159721	Cyl. hd. 640-645	Stl. Asb.	1	29	5507B


NOTE—No. 5507B is similar to No. 5450B except nine 5/8" water holes have been eliminated, apparently to reduce cooling.

Mani. set (2-1635A, 1-2069A, 2-2070A, 2-2071A)	Stl. Asb.	1		MS-1905
Valve cov. set (1-C417)	Cork	1	26-27	CV-430
Valve cov. set (1-C514)	Cork	1	28-29	CV-431
Oil pan set (2 pcs.)	Vell.	1	28	ES-746
Oil pan set (1 pc.)	Vell.	1	29	ES-981
Wat. jkt. cov. set (1 pc.)	Vell.	1		ES-2307
Cyl. base set (1 pc.)	Vell.	1		ES-3309
Gear cov. set (1 pc.) 336-343	Vell.	1	26-27	ES-1340
Gear cov. set (1 pc.) 443	Vell.	1	28	ES-1503
Gear cov. set (1 pc.) 640-645	Vell.	1	29	ES-1502
Exh. pipe flg. front	Stl. Asb.	1		1815
Exh. inter.	Stl. Asb.	2		2070A
Int. mani.	Stl. Asb.	2		2071A
Exh. and int. center	Stl. Asb.	1		2069A
Exh. and int. outer	Stl. Asb.	2		1635A
Valve cov.	Cork	1	26-27	C-417
Valve cov.	Cork	1	28-29	C-514
Oil rectifier	Cop. Asb.	1		1262
Carburetor	Cop. Asb.	1		859F
Carburetor	Vell.	1		V-5402
Gas filter	Cork	1	28-29	C-3539
Wat. pump body	Cop. Asb.	1		364
Wat. inlet and outlet	Vell.	2		V-5638
Trans. case cov.	Vell.	1		V-5971

Packard Motor, 8. Passenger. Models Standard 626, 633, 1929

3- $\frac{3}{8}$ x5"

McCord No. 5488A




McCord No. 2072A




McCord No. 2073A



McCord No. 1867B




McCord No. 1866B




McCord No. 1446B


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
158293	Cyl. hd.	Stl. Asb.	1		5488A
	Mani. set (1-1866B, 2-1867B, 2-2072A, 2-2073A)	Stl. Asb.	1		MS-1906
158123	Valve cov. set (1-C2882)	Cork	1		CV-432
	Camshaft rock. cov. set (2 pcs.)	Vell.	1		ES-2096
158185	Oil pan set (1-P982)	Vell.	1		ES-982
158088	Wat. jkt. cov. set (1 pc.)	Vell.	1		ES-2308
158668	Cyl. base set (1 pc.)	Vell.	1		ES-3411
140431	Gear cov. set (1 pc.)	Vell.	1		ES-1502
	Axle hsg. and diff. carr. set (1 pc.)	Vell.	2		ES-4210
132585	Exh. pipe flg.	Stl. Asb.	1		1446B
178847	Exh. inter.	Stl. Asb.	2		2072A
178848	Int. mani.	Stl. Asb.	2		2073A
158033	Exh. center	Stl. Asb.	1		1866B
158214	Exh. outer	Stl. Asb.	2		1867B
158186	Valve cov.	Cork	1		C-2882
170156	Oil pan	Vell.	1		P-982
163395	Carburetor	Stl. Asb.	1		847D
157927	Gas filter	Cork	1		C-3539
129047	Wat. pump body	Cop. Asb.	1		364
121711	Wat. inlet and outlet	Vell.	2		V-5638
124393	Trans. case cov.	Vell.	1		V-5971

Packard Motor, 8. Passenger. Models 726-733, 1930; 826-833, 1931; 900-901-902, 1932; 1001-1002, 1933
Models 1100-1101-1102, 1934; 1200-1201-1202, 1935; 1400-1401-1402, 1936
Models 1500-1501-1502, 1937; 1603-1604-1605, 1938; 1703-1705, 19393- $\frac{3}{8}$ x5"3- $\frac{3}{8}$ x5"3- $\frac{3}{8}$ x5"


McCord No. 5736B




McCord No. 5774



McCord No. 5802




McCord No. 6049



McCord No. 1866B



McCord No. 2164A



McCord No. 2072A




McCord No. 2073A

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
210440	Cyl. hd. 726-733-826-833	Stl. Asb.	1	30-31	5774
197606	Cyl. hd. 900	Stl. Asb.	1	32	5736B
210440	Cyl. hd. 901-902-1001-1002	Stl. Asb.	1	32-33	5774
215430	Cyl. hd. 1100-1-2, 1200-1-2, 1400-1-2, 1500-1-2, 1603-4-5	Stl. Asb.	1	34-38	5802
335442	Cyl. hd. 1703-5	Stl. Asb.	1	39	6049
	Mani. set 726-733 (1-1866B, 2-2036A, 2-2072A, 2-2073A)	Stl. Asb.	1	30	MS-1908
	Mani. set 826-833 (1-2151A, 2-2148A, 2-2150A, 4-2154A, 1-2492A)	Stl. Asb.	1	31	MS-1911
	Mani. set (2-2148A, 1-2473A, 2-2471A, 4-2154A)	Stl. Asb.	1	32-39	MS-1912
	Valve cov. set (1-C1031)	Cork	1	30-33	CV-426
	Valve cov. set (2-C3563)	Cork	1	34-39	CV-530
158123	Camshaft rock. cov. set (2 pcs.)	Vell.	1	30-34	ES-2096
216132	Camshaft rock. cov. set (2 pcs.)	Vell.	1	34-39	ES-1959
	Oil pan set (1-P982)	Vell.	1	30-33	ES-982
215164	Oil pan set (1 pc.)	Vell.	1	34-36	ES-P1033
232011	Oil pan set (1 pc.)	Vell.	1	37-39	ES-P1062
158185	Wat. jkt. cov. set (1 pc.)	Vell.	1		ES-2308
170148	Cyl. base set (1 pc.)	Vell.	1		ES-3421
158668	Gear cov. set (1 pc.)	Vell.	1	30-36	ES-1502
231319	Gear cov. set (1 pc.)	Vell.	1	37-39	ES-1294
140431	Diff. carr. set (1 pc.)	Vell.	1	30-32	ES-4210
197103	Diff. carr. set (1 pc.)	Vell.	1	33	ES-4159
210201	Diff. carr. set (1 pc.) (late)	Vell.	1	33-39	ES-4160
140431	Axle hsg. set (1 pc.)	Vell.	1	30-32	ES-4210
197094	Axle hsg. set (1 pc.)	Vell.	1	33-39	ES-4159A
132585	Exh. pipe flg.	Stl. Asb.	1		1446B
158033	Exh. center	Stl. Asb.	1	30	1866B
178847	Exh. inter.	Stl. Asb.	2	30	2072A
178848	Int. mani.	Stl. Asb.	2	30	2073A
175912	Exh. outer	Stl. Asb.	2	30	2036A

(Continued on Next Page)


Packard Motor, 8, 726 through 1705, 1930-39—Continued




Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
180003	Exh. center	Stl. Asb.	1	31	2151A
180001	Exh. outer	Stl. Asb.	2	31-39	2148A
180002	Exh. inter.	Stl. Asb.	2	31	2150A
190544	Exh. center	Stl. Asb.	1	32-39	2473A
190542	Exh. inter.	Stl. Asb.	2	32-39	2471A
180005	Int. center	Stl. Asb.	1	31	2492A
180004	Int. outer	Stl. Asb.	4	31-39	2154A
170066	Valve cov.	Cork	1	30-33	C-1031
215467	Valve cov.	Cork	2	34-39	C-3563
170156	Oil pan	Vell.	1	30-33	P-982
197861	Oil cooler body	Vell.	1	35-36	V-8354
184740	Int. to exh.	Stl. Asb.	1	31-32	2164A
210009	Int. to exh.	Stl. Asb.	1	33-39	2579
169577	Carburetor	Vell.	1	30	V-5341
182340	Carburetor	Vell.	1	31-32	V-5364
180915	Carb. (double jet)	Cop. Asb.	1		2152
210011	Carburetor	Asb.	2	33-34	16087
216765	Carburetor	Vell.	2	35-39	V-9254GA
207589	Fuel pump	Vell.	2	33-38	V-5755
334666	Fuel pump	Vell.	2	39	V-8160
157927	Gas filter	Cork	1	30	C-3539
129047	Wat. pump body	Cop. Asb.	1	30-36	364
232052	Wat. pump body	Vell.	1	37-39	V-8869
121711	Wat. inlet and outlet	Vell.	2	30-32	V-5638
197861	Wat. inlet	Vell.	1	33-38	V-8354
335647	Wat. inlet	Vell.	1	39	V-8159
221462	Wat. outlet	Vell.	1	35-39	V-8353
97785	Motor fan supp.	Cop. Asb.	1		2465
176847	Trans. case cov.	Vell.	1	30-31	V-9541
196547	Trans. case cov.	Vell.	1	32-39	V-9542
202412	Headlamp lens	Cork	2		C-7003
225873					

Packard Motor, 8. Passenger. Models 740-745, 1930; 840-845, 1931; 903-904, 1932; 1003-1004, 1933. 3 1/2 x 5"

Models 1103-1104-1105, 1934; 1203-1204-1205, 1935; 1403-1404-1405, 1936. 3 1/2 x 5"



McCord No. 5773




McCord No. 5803

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
210441	Cyl. hd. 740-745-840-845-903-904-1003-1004	Stl. Asb.	1	30-33	5773
215431	Cyl. hd. 1103-1104-1105-1203-1204-1205-1403-1404-1405	Stl. Asb.	1	34-36	5803
	Mani. set 740-745				
	2-2035A, 1-2069A, 2-2070A, 2-2071A	Stl. Asb.	1	30	MS-1910
	Mani. set (2-2146A, 2-2149A, 1-2147A, 4-2153A, 1-2167A)	Stl. Asb.	1	31	MS-1913
	Mani. set (2-2146A, 4-2153A, 2-2470A, 1-2472A)	Stl. Asb.	1	32-36	MS-1914
	Valve cov. set (1-C1032)	Cork	1	30-33	CV-427
	Valve cov. set (2-C3562)	Cork	1	34-36	CV-531
216133	Camshaft rock. cov. set (2 pcs.)	Vell.	1	34-36	ES-1960
169185	Oil pan set (1 pc.)	Vell.	1	30-33	ES-981
215067	Oil pan set (1 pc.)	Vell.	1	34-36	ES-P1032
125809	Wat. jkt. cov. set (1 pc.)	Vell.	1		ES-2307
158668	Gear cov. set (1 pc.)	Vell.	1		ES-1502
171952	Cyl. base set (1 pc.)	Vell.	1		ES-3310
201260	Diff. carr. set (1 pc.)	Vell.	1	33-36	ES-4249
141535	Exh. pipe fig.	Stl. Asb.	1		1815
166865	Exh. center	Stl. Asb.	1	30	2069A
178845	Exh. inter.	Stl. Asb.	2	30	2070A
175913	Exh. outer	Stl. Asb.	2	30	2035A
178846	Intake	Stl. Asb.	2	30	2071A
179564	Exh. center	Stl. Asb.	1	31	2147A
179563	Exh. outer	Stl. Asb.	2	31-36	2146A
179562	Exh. inter.	Stl. Asb.	2	31	2149A
179570	Int. outer	Stl. Asb.	4	31-36	2153A
184476	Int. to cyl. inner	Stl. Asb.	1	31	2167A
190543	Exh. center	Stl. Asb.	1	32-36	2472A
190541	Exh. inter.	Stl. Asb.	2	32-36	2470A

(Continued on Next Page)

Packard Motor, 8, 740 through 1405, 1930-36—Continued




Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
170069	Valve cov.	Cork	1	30-36	C-1032
215468	Valve cov.	Cork	2	34-36	C-3562
197861	Oil cooler body	Vell.	1	35-36	V-8353
184734	Int. to exh.	Stl. Asb.	1	31-32	2163A
210096	Int. to exh.	Stl. Asb.	1	33-36	2578
169578	Carburetor	Vell.	1	30	V-5402
182341	Carburetor	Vell.	1	31-32	V-5407
210011	Carburetor	Asb.	2	33-34	16087
216765	Carburetor	Vell.	2	35-36	V-9254GA
157927	Gasoline filter	Cork	1		C-3539
129047	Wat. pump body	Cop. Asb.	1		364
121711	Wat. inlet	Vell.	1	30-32	V-5638
197861	Wat. inlet	Vell.	1	33-34	V-8353
221462	Wat. outlet	Vell.	1	35-36	V-8354
97785	Motor fan supp.	Cop. Asb.	1		2465
201259	Axle hsg.	Cork	1	33-36	C-3230
176847	Trans. case cov.	Vell.	1	30-31	V-9541
196547	Trans. case cov.	Vell.	1	32-39	V-9542
202412	Headlamp lens	Cork	2		C-7003
225873					


Packard Motor, 12. Passenger. Models 905-906, 1932; 1005-1006, 1933; 1106-1107-1108, 1934. $3\frac{1}{8} \times 4"$

Models 1207-1208, 1935; 1407-1408, 1936; 1506-1507-1508, 1937; 1607-1608, 1938. $3\frac{1}{8} \times 4"$

Models 1707-1708, 1939. $3\frac{1}{8} \times 4\frac{1}{4}"$



Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
197821	Cyl. hd.	Stl. Asb.	2		5745A
	Mani. set (2-2508A, 4-2533, 4-2534, 4-2535)	Stl. Asb.	1		MS-1915
219969	Valve cov. set (1 pc.)	Vell.	1		ES-2275
197833	Oil pan set (1 pc.)	Vell.	1	32-34	ES-P1027
219920	Oil pan set (1 pc.)	Vell.	1	35-39	ES-P1063
197791	Wat. jkt. cov. set (2 pcs.)	Vell.	1		ES-2173
201053	Gear cov. set (1 pc.)	Vell.	1		ES-1454
201260	Diff. carr. set (1 pc.)	Vell.	1		ES-4249
201167	Exh. pipe fig., front	Stl. Asb.	1		2510A
197806	Int. mani. to cyl.	Stl. Asb.	2		2508A
205818	Exh., center	Stl. Asb.	4		2534
205817	Exh., ends	Stl. Asb.	4		2533
205819	Int., ends	Stl. Asb.	4		2535
203792	Mani. spacer	Cop. Asb.	4		110C
197807	Wat. pump body	Vell.	1	32-36	V-9422
219959	Wat. pump body	Vell.	1	37-39	V-8823
203454	Wat. outlet	Vell.	2		V-5129
201259	Axle hsg.	Cork	1		C-3230
196547	Trans. case cov.	Vell.	1		V-9542
225873	Headlamp lens	Cork	2	37-39	C-7003

Packard Motor, 8. Passenger. Models 1803-1804-1805-1806-1807-1808, 1940. $3\frac{1}{2} \times 4\frac{5}{8}"$ 

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
341364	Cyl. hd.	Stl. Asb.	1		6124
	Mani. set (1-S3067, 1-S3068, 1-S3069)	Stlplk.	1		SMS-2585
	Valve cov. set (2-C5116)	Cork	1		CV-652
	Oil pan set (1-C5154, 1-C5155)	Cork	1		CS-2371
	Diff. carr. set (1-V4166)	Vell.	1		ES-4166
141535	Exh. pipe fig.	Cop. Asb.	1		3128
341619	Mani., center	Stlplk.	1		S-3067
341621	Mani., front	Stlplk.	1		S-3069
341620	Mani., rear	Stlplk.	1		S-3068
341369	Valve cov.	Cork	2		C-5116
129439	Valve cov. screw	Cop. Asb.	4		500R
341661	Oil pan, right	Cork	1		C-5154
341662	Oil pan, left	Cork	1		C-5155
111192	Oil drain plug	Cop. Asb.	1		507B
327807	Fuel and vacuum pump	Fibre	1		3070
320605	Wat. pump body	Vell.	1		V-9281
320585	Wat. pump cov.	Vell.	1		V-8841
323010	Diff. carr.	Vell.	1		V-4166



Paige, 6. Truck. See Graham. McCord No. 5927. Page No. 119.

Parker, 4. Truck


Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
E	1½	Wisc. SU	5295	271	F	2-3½	Wisc. TAU	5248	*	M	5	Cont. B2	67	69
E24B	Bus	Wisc. SU	5295	271	G	2-3½	Wisc. TAU	5248	*	M20	5	Wisc. RBV	5255	*

NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.


Peerless Motor, 6. Passenger. Model 60, 1927-28. See Continental Motor 10E, McCord No. 5196. Page No. 71.

Peerless Motor, 6. Passenger. Model 61, 1929. See Continental Motor 11E, McCord No. 5459. Page No. 71.


Peerless Motor, 6. Passenger. Models, 70, 72, 90, 91. 1924-29 3½x5"




McCord No. 5141




McCord No. 1450



McCord No. 1452




McCord No. 1451




McCord No. 1449

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
10196	Cyl. hd.	Cop. Asb.	1		5141
11533	Mani. set (1-1449, 2-1450, 2-1451, 2-1452)	Cop. Asb.	1		MS-1976
	Valve cov. set 70-72 (1-C608)	Cork	1	24-38	CV-433
	Valve cov. set 90-91 (1-C1244)	Cork	1	27-29	CV-434
10533	Exh. pipe fig.	Cop. Asb.	1		870B
10103	Exh. to int.	Cop. Asb.	1		1449
10104	Exh. header, large	Cop. Asb.	2		1450
10106	Exh. header, small	Cop. Asb.	2		1451
10105	Inlet header	Cop. Asb.	2		1452
10678	Valve cov 70-72	Cork	1	24-28	C-608
18771	Valve cov. 90-91	Cork	1	27-29	C-1244
X95166	Exh. header, carb.	Stl. Asb.	4		827C
X99424	C/C drain plug	Cop. Asb.	1		515


Peerless Motor, 6. Passenger. Models 80, 81, 1926-29. (Continental Motor 8U) 3¼x4⅝"




McCord Nos. 5188-5483A



McCord No. 1351



McCord No. 1453



McCord No. 1724

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
8UA-501	Cyl. hd. 80	Cop. Asb.	1	26-28	5188
8UA-505	Cyl. hd. 81	Cop. Asb.	1	29	5483A
	Mani. set (1-1351)	Cop. Asb.	1		MS-746
12492	Oil pan set (1 pc.)	Vell.	1		ES-720
12495	Gear cov. set (1 pc.)	Vell.	1		ES-1242
12400	Exh. fig.	Cop. Asb.	1		1453
8UE-202	Exh. pipe pack. fig.	Stl. Asb.	1		1724
11UE-300	Manifold	Cop. Asb.	1		1351

Peerless Motor, 8. Passenger. Model 69, 1928. McCord No. 5160. See Guide A, Page 105.


Peerless Motor, 8. Passenger. Models, 125, 1929. Mast-Cust.; 1930-32. See Continental Motor 14K, McCord No. 5493A. Page No. 74.

Peerless Motor, 8. Passenger. Model Standard, 1931. See Continental Motor 17S, McCord No. 5177. Page No. 76.


Pierce-Arrow Motor, 6. Passenger. Model 36, 1928. McCord No. 5246. See Guide A. Page 106.

Pierce-Arrow Motor, 6. Passenger. Models Series 81, 1928. McCord No. 5158. See Guide A. Page 107.

Pierce-Arrow, 8. Passenger. Models 41-42, 1931, 3 1/2 x 5"; 43-54, 1931-32, 3 1/2 x 4 3/4"; 125, 1930 3 1/2 x 4 3/4"
Models 126, 1930, 3 1/2 x 5"; 132, 1930, 3 3/8 x 4 3/4"; 133, 1929, 3 1/2 x 4 3/4"; 139, 1930 3 1/2 x 4 3/4"
Models 143, 1929, 3 1/2 x 4 3/4"; 836-836A, 1933-35, 3 1/2 x 4 3/4"; 840A-845, 1934-35 3 1/2 x 5"
Models 1601-1701-1801, 1936-38 3 1/2 x 5"



McCord No. 5645






McCord No. 6108



McCord No. 1850




McCord No. 2234

McCord
No. 1166AMcCord
No. 1827McCord
No. 2771McCord
No. 2376


McCord No. 2377

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
723497	Cyl. hd.	Cop. Asb.	1	29-35	5645
706283	Cyl. hd.	Stl. Asb.	1	36-38	6108
	Mani. set (2-1850)	Stl. Asb.	1	29-31	MS-2003
	Mani. set (2-S1850)	Stl. Asb.	1	29-31	SMS-2003
	Mani. set (2-2234)	Stl. Asb.	1	32-38	MS-2005
	Valve cov. set (2-C1192)	Cork	1		CV-463
	Oil pan set (1-C1051)	Cork	1	29-30	CS-2216
723315	Oil pan set (1 pc.)	Vell.	1	29-30	ES-991
	Oil pan set (1-C709)	Cork	1	31-38	CS-2194
744403	Oil pan set (1 pc.)	Vell.	1	31-38	ES-821
	Wat. jkt. cov. set (1-C922)	Cork	1		CW-14
123579	Wat. jkt. cov. set (1 pc.)	Vell.	1		ES-2313
723302	Gear cov. set (1 pc.)	Vell.	1		ES-1270
740180	Chain pl. set (1 pc.)	Vell.	1		ES-1271
723861	Diff. carr. set (1 pc.)	Vell.	1	30-31	ES-4241
704978	Diff. carr. set (1 pc.)	Vell.	1	32-38	ES-4253
724124	Axle hsg. set (1 pc.)	Vell.	1	30-31	ES-4236
704966	Axle hsg. set (1 pc.)	Vell.	1	32-38	ES-4253A
124056	Exh. mani. to pipe	Stl. Asb.	1	29-31	1827
730059	Exh. mani. to pipe	Cop. Asb.	1	32-35	2376
706530	Exh. mani. to pipe	Cop. Asb.	1	36-38	1166A
724508	Manifold	Stl. Asb.	2	29-31	1850
724508	Manifold	Stl. Asb.	2	29-31	S-1850
700898	Manifold	Stl. Asb.	2	32-38	2234
125031	Inlet flg. pack.	Cop. Asb.	1		114C
723325	Valve cov.	Cork	2		C-1192
123342	Valve cov. stud	Cop.	8		480
723315	Oil pan	Cork	1	29-30	C-1051
744403	Oil pan	Cork	1	31-38	C-709
730049	Int. to exh.	Stl. Asb.	1	29-32	2377
702871	Int. to exh.	Stl. Asb.	1	33-38	2771
124046	Carburetor	Stl. Asb.	1	29	S-2026
123579	Wat. jkt. cov.	Cork	1		C-922
	Wat. jkt. cov. stud.	Cop.	36		470
	washer	Cop.	36		470


Pierce-Arrow Motor, 12. Passenger. Models 51-52, 1932, 3 3/8 x 4"; 53, 1932, 3 1/4 x 4"; 1236, 1933 3 3/8 x 4"
Model 1240A, 1934 3 1/2 x 4"
Models 1242, 1933; 1245, 1935; 1247, 1933; 1248A, 1934; 1255, 1935 3 1/2 x 4"
Models 1602-1603-1702-1703-1802-1803, 1936-38 3 1/2 x 4"




McCord No. 5889




McCord No. 5739A




McCord No. 5890



McCord No. 2770



McCord No. 2768



McCord No. 2769




McCord No. 2513

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
701468	Cyl. hd. (to early 33)	Cop. Asb.	2	32-33	5889
702693	Cyl. hd. (late)	Cop. Asb.	2	33	5739A
705021	Cyl. hd.	Cop. Asb.	2	34-35	5890


(Continued on Next Page)



Pierce-Arrow Motor, 12. 1932-38—Continued



McCord No. 6109

McCord
No. 3085


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
706294	Cyl. hd.	Cop. Asb.	2	36-38	6109
	Mani. set (2-2513)	Stl. Asb.	1		MS-2006
	Valve cov. set (1-C3674, 1-C3675)	Cork	1		CV-438
700330	Oil pan set (1-C3451)	Cork	1		CS-2269
700669	Wat. jkt. cov. set (1 pc.)	Vell.	1		ES-2195
700394	Exh. pipe fig.	Cop. Asb.	1		2495
700710	Manifold	Stl. Asb.	2		2513
700689	Front to side exh.	Stl. Asb.	2	32-35	2768
700692	Front to side exh.	Cop. Asb.	2	36-38	3085
700689	Valve cov., front	Cork	1		C-3674
700692	Valve cov., rear	Cork	1		C-3675
700279	Oil pan	Cork	1		C-3451
702828	Int. to exh.	Stl. Asb.	2		2770
700399	Heat valve to int.	Stl. Asb.	2		2769

Pierce-Arrow Trucks, 4-6.


Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
HB	2-3	Own	5259	203	18R428	3-5½	Herc. YXC	5526	130	24X479	3½-7	Herc. YXC3	5612	130
PT	2-3½	Herc. WXB	5496	129	18W361	2½-5½	Herc. WXC2	5649	129	24X501	3½-7	Herc. RXB	5612	130
PW	2½-5½	Herc. WXC2	5649	129	19R428	3-5½	Herc. YXC2	5526	130	24X501	3½-7	Herc. RXB	5752	130
PX-PY	3½-7	Herc. YXC3	5612	130	19R479	3½-7	Herc. YXC3	5612	130	27R428T	3-5	Herc. YXC	5526	130
PZ		Herc. GXA	5730	126	21R428	3-5½	Herc. YXC	5526	130	27T361T	2½-5½	Herc. WXC2	5649	129
R10	4-7½	Own	5247	202	21R501	3½-7	Herc. RXB	5612	130	28K611	4-10	Herc. GXA	5730	126
RD	4-7½	Own	5247	202	21R501	3½-7	Herc. RXB	5752	130	28L501	3½-7	Herc. RXB	5612	130
RE	4-7½	Own	5247	202	21W361	2½-5½	Herc. WXC2	5649	129	28L501	3½-7	Herc. RXB	5752	130
RF	4-7½	Own	5247	202	21X428	3-5½	Herc. YXC2	5526	130	28M611	4-10	Herc. GXA	5730	126
RG	4-7½	Own	5247	202	22R479	3½-7	Herc. YXC3	5612	130	28X501	3½-7	Herc. RXB	5612	130
WC	4-7½	Own	5247	202	22R501	3½-7	Herc. RXB	5612	130	28X501	3½-7	Herc. RXB	5752	130
WD	4-7½	Own	5247	202	22R501	3½-7	Herc. RXB	5752	130	28Y479	3½-7	Herc. YXC3	5612	130
X2	2-3	Own	5605	203	22X479	3-5½	Herc. YXC	5526	130	34K611	4-11	Herc. GXA	5730	126
X3	2-3	Own	5605	203	22X479	3½-7	Herc. YXC3	5612	130	34L501	3½-7	Herc. RXB	5612	130
X4	2-3	Own	5605	203	22X501	3½-7	Herc. RXB	5752	130	34L501	3½-7	Herc. RXB	5752	130
X5	2-3	Own	5605	203	22X501	3½-7	Herc. RXB	5612	130	34T361T	2½-5½	Herc. WXC2	5649	129
X5	2-3	Own	5259	203	22R479	3½-7	Herc. YXC3	5612	130	35R479T	3½-7	Herc. YXC3	5612	130
XA	2-3	Own	5259	203	22R501	3½-7	Herc. RXB	5752	130	35R501T	3½-7	Herc. RXB	5612	130
XB	2-3	Own	5259	203	22R501	3½-7	Herc. RXB	5612	130	35R501T	3½-7	Herc. RXB	5752	130
12T361	2½-5½	Herc. WXC2	5649	129	22X479	3-5½	Herc. YXC	5526	130	44K779		Herc. HXC	5729	126
13S385	2-2½	Own	5645	201	22X479	3½-7	Herc. YXC3	5612	130	45X479T	3½-7	Herc. YXC3	5612	130
14T298	2-3½	Herc. WXB	5496	129	22X501	3½-7	Herc. RXB	5752	130	45X501T	3½-7	Herc. RXB	5752	130
15T298	2-3	Herc. WXB	5496	129	22X501	3½-7	Herc. RXB	5612	130	45X501T	3½-7	Herc. RXB	5612	130
15T361	2½-5½	Herc. WXC2	5649	129	24M611	4-10	Herc. GXA	5730	130	60M611T	4-10	Herc. GXA	5730	130
17T361	2½-5½	Herc. WXC2	5649	129	24X479	3-5½	Herc. YXC	5526	130	75M779T		Herc. HXC	5729	126

NOTE—For older models see Guide A.


Pierce-Arrow Motor, 4. Truck. Models R10-RD-RE-RF-RG-WC-WD, 4-7½ tons 4½x6¾"




McCord No. 5247




McCord No. 1460




McCord No. 2405



McCord No. 2406




McCord No. 1642



McCord No. C-627

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
T86800	Cyl. hd.	Cop. Asb.	1		5247
	Mani. set (1-2405, 2-2406, 4-1455)	Asb.	1		MS-2566
	Valve cov. set (2-C627)	Cork	1		CV-437
47469	Exh. pipe fig.	Cop. Asb.	1		1457
96834	Int. mani. hot spot	Stl. Asb.	1		2405
73928	Int. mani.	Stl. Asb.	2		2406
T56706	Exh. mani.	Cop. Asb.	4		1455
17600	Inlet branch pipe	Cop. Asb.	2		1460
87770	Valve cov.	Cork	2		C-627
14019	Cov. for valve openings	Cop. Asb.	8		329
CT-89807	Oil pump cov. nut	Cop. Asb.	4		500AB
CT-85557	Muffler rear end	Cop. Asb.	1		1642

Pierce-Arrow Motor, 4. Truck. Models HB-X2-X3-X4-X5-XA-XB. 2-3 Ton. (Tractor-Truck) 4x5 1/2"



McCord No. 5259




McCord No. 1647




McCord No. 2414




McCord No. 2413



McCord No. 5605




McCord No. 1646


McCord
No. 1456McCord
No. 2407McCord
No. 1642

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
T-73819	Cyl. hd. X2-3-4-5 to No. 800	Cop. Asb.	1		5605
T-86888	Cyl. hd. X5 after No. 800 and HB-XA-XB	Cop. Asb.	1		5259
	Mani. set (2-2407, 4-1456)	Cop. Asb.	1		MS-2004
47469	Exh. pipe flg. X4	Cop. Asb.	1		1457
62726	Exh. mani.	Cop. Asb.	4		1456
62727	Int. mani.	Asb.	2		2407
T-77251	Int. mani.	Asb.	2		2414
T-95231	Inlet mani. jkt. upper cov.	Cop. Asb.	1		1646
T-95232	Inlet mani. jkt. side cov.	Cop. Asb.	1		1647
17600	Inlet branch pipe	Cop. Asb.	2		1460
9601	Inlet and exh. branch pipe	Cop. Asb.	6		832C
4149	Cov. for valve openings	Cop. Asb.	8		133A
CT-89807	Oil pump cov. nut	Cop. Asb.	4		500AB
40809	Wat. mani. top	Asb.	8		2413
T-73795	Cyl. base	Paper	1		30011
612038	Diff. carr.	Cork	1		C-626
CT-85557	Muffler rear end	Cop. Asb.	1		1642


Plymouth-Chrysler Motor, 4. Passenger.	Models Q, 1928; U, 1929	3 5/8 x 4 1/8"
	Model 30U, 1930	3 5/8 x 4 1/4"
	Models PA-PB, 1931-32	3 5/8 x 4 3/4"
Export.	Models PAX, 1931-32, 3 1/8 x 4 1/8"; PBX, 1932	3 7/8 x 4 1/8"
Truck.	Models U-UF-UG Series	3 5/8 x 4 3/4"
Marine.	Model "Regal"	3 5/8 x 4 3/4"



McCord No. 5464



McCord No. 5517A



McCord No. 5754

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
42716	Cyl. hd. (to Dec.)	Cop. Asb.	1	28	5464
387918	Cyl. hd. (start Dec., 28)	Cop. Asb.	1	28-32	5517A
376820	Cyl. hd. (export)	Cop. Asb.	1		5754
	Valve grinding set (to April, 32) (1-5517A, 1-1246A, 1-1107, 1-839G, 1-C844, 1-1900A)		1	28-32	9010
	Valve grinding set (start April, 32) (1-5517A, 4-111B, 1-2516B, 1-2517A, 1-846D, 1-C844)		1	32	9011
	Mani. set (to April, 32) (4-111B, 2-1246A)	Stl. Asb.	1	28-32	MS-600
	Mani. set (to April, 32) (4-S111B, 2-S1246)	Stl. Asb.	1	28-32	SMS-600
	Mani. set (to April, 32) (1-1900A, (1 pc.), 1-1246A)	Stl. Asb.	1	28-32	MS-2452
	Mani. set (to April, 32) (1-S1900, (1 pc.), 1-S1246)	Stl. Asb.	1	28-32	SMS-2452
	Mani. set (start April, 32) (4-111B, 1-2516B, 1-2517A)	Stl. Asb.	1	32	MS-2030
	Mani. set (start April, 32) (4-S111B, 1-S2516A, 1-S2517)	Stl. Asb.	1	32	SMS-2030
	Valve cov. set (1-C257)	Cork	1	28	CV-175
	Valve cov. set (1-C844, 4-30419)	Cork	1	29-32	CV-440
	Oil pan set (1-C259)	Cork	1	28	CS-2129
31059	Oil pan set (1 pc.)	Vell.	1	28	ES-455
	Oil pan set (1-C845)	Cork	1	29-32	CS-2192
	Oil pan set (1-P629)	Vell.	1	29-32	ES-629
	Gear cov. set (1-V1260)	Vell.	1		ES-1260
301081	Gear cov. pl. set (1 pc.)	Vell.	1		ES-1127
41295	Diff. carr. set (1 pc.)	Vell.	1		ES-4121
	Axle hsg. set (1-V4118)	Vell.	1		ES-4118

(Continued on Next Page)



Plymouth Motor, 4. 1928-32—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
316588	Exh. pipe flg.	Stlplk.	1	28	S-855C
303992	Exh. pipe flg. (to April, 32)	Cop. Asb.	1	29-32	839G
316587	Exh. pipe flg. (to April, 32)	Stlplk.	1	29-32	S-839G
391462	Exh. pipe flg. (start April, 32)	Stl. Asb.	1	32	846D
603756	Exh. pipe flg. (start April, 32)	Stlplk.	1	32	S-846D
5112	Exh. mani.	Stl. Asb.	4		111B
390844	Exh. center and hot spot (to April, 32)	Stl. Asb.	2	28-32	1246A
320916	Exh. mani.	Stlplk.	4		S-111B
616276					
313992	Exh. center and hot spot (to April, 32)	Stlplk.	2	28-32	S-1246
390867	Int. to exh. hot spot (start April, 32)	Stl. Asb.	1	32	2516B
390875	Exh., center (start April, 32)	Stl. Asb.	1	32	2517A
616277	Int. to exh. hot spot (start April, 32)	Stlplk.	1	32	S-2516A
390867					
390875	Exh., center (start April, 32)	Stlplk.	1	32	S-2517
616278	Manifold (1 pc.)	Stl. Asb.	1		1900A
616278	Manifold (1 pc.)	Stlplk.	1		S-1900
E-11447	Manifold (1 pc.), marine.	Cop. Asb.	1		2469
5112	"2 in 1" exh. mani.	Cop. Asb.	4		8004
5113					
30327	Valve cov.	Cork	1	28	C-257
301012	Valve cov.	Cork	1	29-32	C-844
53170	Valve cov. stud.	Tr. Paper	4		30419
31059	Oil pan	Cork	1	28	C-259
301015	Oil pan	Cork	1	29-32	C-845
301015	Oil pan	Vell.	1	29-32	P-629
31451	Oil pump to cyl. (to late 31)	Vell.	1	28-31	V-5244
316108	Oil pump to cyl. (start late 31)	Vell.	1	31-32	V-9204
41968	Oil pump cov. (to late 31)	Vell.	1	28-31	V-8970
50744	Oil pump cov. (start late 31)	Vell.	1	31-32	V-9068
31334	Oil drain plug	Cop. Asb.	1	28	132
105456	Oil drain plug—spark plug.	Allmetal	1-4	29-32	AM-515
9077	Int. to exh.	Stl. Asb.	1	28	1107
390844	Int. to exh. (to April, 32)	Stl. Asb.	1	29-32	1246A
616276	Int. to exh. (to April, 32)	Stlplk.	1	29-32	S-1246
313992					
390867	Int. to exh. (start April, 32)	Stl. Asb.	1	32	2516B
616277	Int. to exh. (start April, 32)	Stlplk.	1	32	S-2516A
5131	Carb. to mani.	Tr. Paper	1	28-31	30036
51986	Carb. to mani.	Vell.	1	32	V-5240
300564	Fuel pump mounting.	Vell.	1		V-8987
78718	Vacuum tank partition pl.	Cork	1	28-31	C-1807
314723	Wat. pump body	Vell.	1	28-30	V-9225
314725	Wat. pump body	Vell.	1	31-32	V-9083
375700	Wat. pump cov.	Vell.	1	31-32	V-9441
376861	Wat. pump inlet PA	Vell.	1	31	V-9196
5109	Wat. inlet	Vell.	1		V-5283
50082	Wat. outlet	Tr. Paper	1		30057
41928	Distributor	Cork	1	30-32	C-5086
44648	C/S rear brg. oil seal.	Cork	2	29-32	C-2822
301079	Gear cov.	Vell.	1		V-1260
41274	Axle hsg.	Cork	1		C-455
41274	Axle hsg.	Vell.	1		V-4118
43004	Rear axle shaft brg.	Vell.	2		V-9070
42970	Gear shift hsg.	Vell.	1	28-30	V-9374
377270	Gear shift hsg.	Vell.	1	31-32	V-5979
312208	Headlamp lens	Cork	2	30-31	C-7006


NOTE—The following gaskets are used on Dodge U-UF and UG series trucks equipped with above motor. Other gaskets are the same as those listed above.

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
303844	Diff. carr. set U124 (1 pc.)	Vell.	1		ES-4137

(Continued on Next Page)



McCord No. 1900A




McCord No. 1246A




McCord No. 2469




McCord No. 2516B



McCord No. 2517A



McCord No. C-844




McCord No. C-845

Plymouth-Chrysler, 4. Continued (Dodge Truck Gaskets)


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
517226	Diff. carr. set U133, UF30-31, UG43-44, UGS50-55 (1 pc.)	Vell.	1		ES-4252
316467	Diff. carr. set UG20-21-30-31 (1 pc.)	Vell.	1		ES-4251
303843	Axle hsg. set U124 (1 pc.)	Vell.	1		ES-4145
501212	Axle hsg. set U133, UF30-31, UG43-44, UGS50-55 (1 pc.)	Vell.	1		ES-4317
316459	Axle hsg. set UG20-21-30-31 (1 pc.)	Vell.	1		ES-4251

Plymouth Motor, 6. Canadian production 1938-39. Models P5-P6, 1938, to Eng. No. P5C1001-P6C1001 same as 1937 U. S. Plymouth production. Models P5-P6, 1938, after Eng. No. P5C1001-P6C1001; P7-P8, 1939, same as 1938-39 Chrysler 6 U.S. production, McCord No. 6117, Page No. 62.


Plymouth Motor, 6. Passenger. Models PC-PD, 1933	3 1/8 x 4 1/8"
Models PE-PF-PG, 1934; PJ, 1935; P1-P2, 1936; P3-P4, 1937; P5-P6, 1938	3 1/8 x 4 1/8"
Models P7-P8, 1939; P9-P10, 1940	3 1/8 x 4 1/8"
Export. Models PCX-PDX-PEX-PFX-PJX-P1X-P2X-P3X-P4X-P5X-P6X-P7X-P8X	2 7/8" Bore
Models P9X-P10X, 1940	2 7/8" Bore
Truck. Models PT50, 1937; PT57, 1938; PT81, 1939	3 1/8 x 4 1/8"
Marine. Model PC	3 1/8 x 4 1/8"




McCord No. 5766




McCord No. 5836



McCord No. 5825



McCord No. 5841



McCord No. 5924

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
602539	Cyl. hd. (iron hd.)	Cop. Asb.	1	33-34	5766
621946	Cyl. hd. (alum. hd.)	Cop. Asb.	1	33-34	5836
620032	Cyl. hd.	Cop. Asb.	1	35-40	5825
859224	Cyl. hd.	Stl. Asb.	1	35-40	6085
603070	Cyl. hd. (export)	Cop. Asb.	1	33-34	5841
637175	Cyl. hd. (export)	Cop. Asb.	1	35-40	5924
	Valve grinding set (Iron hd.) (1-5766, 1-S2554, 4-S821A, 1-S846D, 2-C3309, 1-V8423)		1	33-34	9006
	Valve grinding set (alum. hd.) (1-5836, 1-S2554, 4-S821A, 1-S846D, 2-C3309, 1-V8423)		1	33-34	9015
	Valve grinding set (1-6085, 1-S2554, 4-S821A, 1-S846D, 1-S859J, 2-C3309, 1-V8423)		1	35-40	9016
780460	Mani. set (1-S2554, 4-S821A)	Stl. pk.	1		SMS-2031
	Mani. set (1 pc.) (1-2952)	Stl. Asb.	1		MS-2505
780469	Valve cov. set (2-C3309, 4-30419)	Cork	1		CV-441
780469	Valve cov. set (2-V1980)	Vell.	1		ES-1980
780477	Oil pan set (1-C3381, 1-C3382, 2-C3635)	Cork	1		CS-2255
780477	Oil pan set (1-P87, 1-P88, 2-C3635)	Vell.	1		ES-87
	Rear main brg. oil seal set (2-16152, 2-3011, 2-30326)		1	33-34	CS-2255A
	Rear main brg. oil seal set (2-16153, 2-3011, 2-V8281, 2-30326)		1	35-40	CS-2255E
	Gear cov. pl. set (1-V1138)	Vell.	1		ES-1138
	Gear cov. set (1-V1137)	Vell.	1		ES-1137
	Diff. carr. set (1-V4146)	Vell.	1	33-36	ES-4146
	Diff. carr. set (all but 7-pass.) (1-V4033)	Vell.	1	37-40	ES-4033
	Diff. carr. set (1-V4146) (7-pass.)	Vell.	1	37-40	ES-4146

(Continued on Next Page)

Plymouth Motor, 6. 1933-40—Continued


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	Trans. set (1-C3310, 1-V8400, 1-V8988, 1-V9455)	Vell.	1	33-34	VTS-164
	Trans. set (1-C4166, 1-V8400, 1-V9278, 1-V8847)	Vell.	1	35-39	VTS-165
391462	Exh. pipe flg. (all but 7-pass.)	Stl. Asb.	1	33-38	846D
603756	Exh. pipe flg. (all but 7-pass.)	Stl. Asb.	1	33-38	S-846D
622997	Exh. pipe flg. (all but 7-pass.)	Stl. Asb.	1	39-40	S-3050
683067	Exh. pipe flg. (7-pass.)	Stl. Asb.	1	33-36	846D
391462	Exh. pipe flg. (7-pass.)	Stl. Asb.	1	37-38	859J
620956	Exh. pipe flg. (7-pass.)	Stl. Asb.	1	37-38	S-859J
620956	Exh. pipe flg. (7-pass.)	Stl. Asb.	1	37-38	S-859J
601275	Exh., center	Stl. Asb.	1	37-38	S-2554
318042	Exh. and int., ends	Stl. Asb.	4	37-38	S-821A
	Manifold (1 pc.)	Stl. Asb.	1	37-38	2952
E16305M	Mani., ends, PC marine	Stl. Asb.	2	37-38	S-3084
600882	Valve cov.	Cork	2	37-38	C-3309
600882	Valve cov.	Vell.	2	37-38	V-1980
53170	Valve cov. stud	Tr. Paper	4	33-38	30419
693959	Valve cov. stud	Tr. Paper	4	39-40	30422
600758	Oil pan, right	Cork	1	33-38	C-3381
600759	Oil pan, left	Cork	1	33-38	C-3382
600760	Oil pan, ends	Cork	2	33-38	C-3635
600758	Oil pan, right (1-P87)	Vell.	1	33-38	P-87 set
600759	Oil pan, left (1-P88)	Vell.	1	33-38	P-87 set
600760	Oil pan, ends (2-C3635)	Cork	2	33-38	P-87 set
600773	Oil pump to cyl.	Tr. Paper	1	33-38	30064
695442	Oil pump to cyl.	Asb.	1	39-40	16172
50744	Oil pump cov.	Vell.	1	39-40	V-9068
105456	Oil drain plug	Cop. Asb.	1	39-40	515
601420	Int. to exh.	Stl. Asb.	1	39-40	S-2553
313214	Carb. body PC-PD	Tr. Paper	1	33	30063
601425	Carb. (1 $\frac{15}{32}$ ")	Stl. Asb.	1-2	33-34	S-2626
623585	Carb. (1 $\frac{15}{32}$ ")	Stl. Asb.	1-2	33-34	S-2665
561378	Carb. (with gov.)	Stl. Asb.	1	34-38	S-2625
695768	Carb. (with gov.)	Stl. Asb.	1	39-40	S-2680
637192	Carb. (all but bus. coupe)	Stl. Asb.	1	35-38	S-2807
695767	Carb. (all but bus. coupe)	Stl. Asb.	1	39	S-2829
637189	Carb. (bus. coupe)	Stl. Asb.	1	35-40	S-2828
637190	Carb. (bus. coupe with gov.)	Stl. Asb.	1	35-40	S-2827
121-20	Carb. body flg.	Asb.	1	33-34	16044
121-37	Carb. body flg.	Asb.	1	35-40	16113
647834	Automatic choke	Stl. Asb.	1	37-40	S-2864
300564	Fuel pump flg.	Vell.	1	33-34	V-8987
634704	Fuel pump flg.	Vell.	1	35-38	V-8382
688481	Fuel pump flg. (with booster)	Vell.	1	39-40	V-8201
688482	Fuel pump flg. (without booster)	Vell.	1	39-40	V-8202
639099	Fuel pump top cov.	Fibre	1	38	3058
639148	Fuel pump bottom cov.	Cork	1	38	C-2303
639151	Vacuum pump cov.	Cork	1	39-40	C-3008
639110	Fuel pump strainer	Cork	1	38	C-928
689504	Fuel pump strainer	Cork	1	39-40	C-4492
600800	Wat. pump body	Vell.	1	33-34	V-9430
637440	Wat. pump body	Vell.	1	35-40	V-8979
600799	Wat. pump cov.	Vell.	1	33-34	V-9429
637439	Wat. pump cov.	Vell.	1	35-40	V-8978
622722	Wat. pump by-pass elbow	Vell.	1	34-40	V-8423
50082	Cyl. wat. outlet	Tr. Paper	1	34-40	30057
41928	Distributor	Cork	1	33-34	C-5086
600749	Gear cov. pl.	Vell.	1	33-34	V-1138
695441	Gear cov.	Vell.	1	33-34	V-1137
600752	Gear cov. oil seal	Cork	1	33-34	C-1145
311661	Diff. carr.	Paper	1	33-36	37000
600212	Diff. carr.	Vell.	1	33-36	V-4146
663474	Diff. carr. (all but 7-pass.)	Vell.	1	37-40	V-4033
600212	Diff. carr. (7-pass.)	Paper	1	37-40	37000
600212	Diff. carr. (7-pass.)	Vell.	1	37-40	V-4146
600243	Axle shaft brg. grease ret. flg.	Paper	2	33-35	30051
651719	Axle shaft brg. grease ret. flg.	Vell.	2	36-40	V-8337

(Continued on Next Page)


Plymouth Motor, 6. 1933-40—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
600356	Trans. case cov.	Cork	1	33-34	C-3310
640335	Trans. case to clutch hsg.	Vell.	1	35-39	V-8847
670017	Trans. drive pinion brg.				
601130	ret. (.010)	Vell.	1		V-8400
601567	Gear shift hsg.	Vell.	1	33-34	V-8988
631807	Gear shift hsg.	Cork	1	35	C-4271
637077	Gear shift hsg.	Cork	1	36-39	C-4166
601110	Hand brake supp.	Vell.	1	33-34	V-9455
637251	Hand brake supp.	Vell.	1	35-39	V-9278
44648	Rear main brg. pack.	Asb.	2	33-34	16152
642978	Rear main brg. pack.	Asb.	2	35-39	16153
606312	Rear main brg. oil seal.	Rub.	2		3011
620102	Rear main brg. cap.	Tr. Paper	2	33-40	30326
633298	Rear main brg. pl.	Vell.	2	35-40	V-8281
661683	Headlamp lens (pass.)	Cork	2	37-38	C-7001
661697	Headlamp lens (truck)	Cork	2	37-38	C-7002
661683	Headlamp lens (truck)	Cork	2	39	C-7001

Pontiac Motor, 6. Passenger. Models 1926-28, 3 1/4 x 3 3/4"; 1929-32 3 1/2 x 3 3/8"
 Truck. Models G.M.C. 401 Motor 3 1/2 x 3 3/8"




McCord No. 5511-A



McCord No. 5511B




McCord No. 1303




McCord No. S-2479



McCord Nos. 1903A-1462



McCord No. 1854




McCord No. 2497




McCord No. S-2478




McCord No. C-421



McCord No. C-495



McCord No. C-419



McCord No. C-420

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
526868	Cyl. hd.	Cop. Asb.	2	26-31	5511A
493482	Cyl. hd.	Cop. Asb.	2	32	5511B
494803	Cyl. hd.	Stlpk.	2	32	S-5511B
	Valve grinding set (2-5511A, 1-2497, 1-700B, 2-1903A, 2-C421, 1-1854)		1	28-31	9410
	Mani. set (1-700A, 2-1462)	Stl. Asb.	1	26-28	MS-2050
	Mani. set (1-700B, 2-1903A)	Stl. Asb.	1	29-31	MS-2051
	Mani. set (1-S700B, 2-S1903A)	Stlpk.	1	29-31	SMS-2051
	Mani. set (1-S2478, 2-S2479)	Stlpk.	1	32	SMS-2052
	Valve cov. set (2-C421)	Cork	1		CV-445
	Valve cov. set (2-V2019)	Vell.	1		ES-2019
544350	Oil pan set (1-C419, 1-C420)	Cork	1		CS-2139
544350	Oil pan set (1-P402, 1-P403)	Vell.	1		ES-402
490207	Wat. jkt. cov. set (1 pc.)	Vell.	1	29	ES-2162
493141	Front end pl. set (1 pc.)	Vell.	1		ES-1640
	Gear cov. set (1-V1003)	Vell.	1		ES-1003
	Diff. carr. set (1-V4102)	Vell.	1	26-28	ES-4102
	Diff. carr. set (1-V4126)	Vell.	1	29-32	ES-4126
	Axle hsg. set (1-V4104)	Vell.	1	26-28	ES-4104
	Axle hsg. set (1-V4125)	Vell.	1	29-32	ES-4125
485112	Exh. pipe pack.	Asb.	1	26-28	16060
491174	Exh. pipe flg.	Cop. Asb.	2	29-30	122D
491175	Exh. pipe flg.	Cop. Asb.	1	29-30	122C
489546	Exh. pipe pack.	Asb.	1	31-32	16073
481369	Exh. pipe flg.	Cop. Asb.	1		2497
525158	Int. flg.	Cop. Asb.	1	26-28	700A
525157	Exh. mani.	Stl. Asb.	2	26-28	1462
526852	Int. flg.	Stl. Asb.	1	29-31	700B
526850	Exh. mani.	Stl. Asb.	2	29-31	1903A
528168	Int. flg.	Stlpk.	1	29-31	S-700B
528167	Exh. mani.	Stlpk.	2	29-31	S-1903A
493686	Int., center	Stlpk.	1	32	S-2478
493687	Int. and exh., ends	Stlpk.	2	32	S-2479
525013	Valve cov.	Cork	2		C-421
525013	Valve cov.	Vell.	2		V-2019
525111	Oil pan, right	Cork	1		C-419
525112	Oil pan, left	Cork	1		C-420
525111	Oil pan, right (1-P402)	Vell.	1		P-402 set
525112	Oil pan, left (1-P403)	Vell.	1		V-9217
527569	Oil pump cov.	Vell.	1		1303
525075	Int. to exh.	Stl. Asb.	1	26-27	1854
526202	Int. to exh.	Cop. Asb.	1	28-32	S-1854
492590	Int. to exh.	Stlpk.	1	28-32	S-1854

(Continued on Next Page)

Pontiac Motor, 6. 1926-32—Continued


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
525644	Mani. valve	Stl. Asb.	1	26-28	122
489397	Mani. valve	Stl. Asb.	1	29-31	326B
493692	Mani. valve	Stl. Asb.	1	32	S-859G
525185	Carburetor	Vell.	1	26-28	V-102
601348	Carburetor	Stl. Asb.	1	29-32	S-839N
489308	Fuel pump to block	Vell.	1	28-30	V-5142
835683	Fuel pump to block	Vell.	1	30-32	V-5500
855270	Fuel pump bottom cov.				
	(A series)	Cork	1	28-29	C-2304
855229	Fuel pump bottom cov.				
	(B series)	Cork	1	29	C-2303
854003	Fuel pump gas strainer	Cork	1	28-29	C-928
344232	Gas tank filler cap				
	(to 23800)	Cork	1	26	C-372
346678	Gas tank filler cap				
	(after 23800)	Cork	1	26-32	C-871
525140	Wat. pump body	Vell.	1	26-31	V-5587
493645	Wat. pump body	Vell.	1	32	V-9218
488834	Wat. outlet elbow	Vell.	1		V-5428
525175	Wat. inlet and outlet	Stl. Asb.	2		820
525175	Wat. inlet and outlet	Vell.	2		V-5092
479704	Radiator filler cap	Cop. Asb.	1	26-28	309A
105456	Spark plug	Cop. Asb.	6	26-29	515
489339	C/S rear brg. cap	Cork	2		C-606
525147	Gear cov.	Cork	1		C-495
525147	Gear cov.	Vell.	1		V-1003
357496	Diff. carr.	Vell.	1	26-28	V-4102
486399	Diff. carr.	Vell.	1	29-32	V-4126
344018	Axle hsg.	Cork	1	26-28	C-45
344018	Axle hsg.	Vell.	1	26-28	V-4104
486397	Axle hsg.	Cork	1	29-32	C-388
486397	Axle hsg.	Vell.	1	29-32	V-4125
553461	Trans. cov.	Vell.	1	32	V-9606
590210	Trans. front brg. ret.	Vell.	1	26-31	V-5673
348259	Univ. joint ball oil seal	Cork	1	26-28	C-683
328684	Univ. joint ball ret.	Vell.	1	26-28	V-5692
348129	Univ. joint hsg. shim	Vell.	1	26-28	V-9408
41121	Shock absorber cov.	Cork	4	30-31	C-2308
41117	Shock absorber pack	Cork	8	30-31	C-1389
6085	Headlamp lens	Cork	2	32	C-7005

NOTE—The following gaskets are used on G.M.C. T23 truck equipped with above motor. Other gaskets are the same as those listed above.


066765	Gear cov.	Cork	1		C-3412
711792	Axle hsg.	Cork	1		C-4183

Pontiac Motor, 6. Passenger. Models 1935-36, 3 $\frac{3}{8}$ x 3 $\frac{7}{8}$ "; 1937-40. 3 $\frac{7}{8}$ x 4"
Truck. Models G.M.C. 223 Motor 3 $\frac{7}{8}$ x 4"

Passenger Models (Canadian production) Series 22-25-26, 1937-39. See Chevrolet 6, 1937-39. McCord No. 5960. Page No. 54.



McCord No. 5886A-No. 5937A No. 5944A




McCord No. 6024

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
		Stl.-Graph.-			
499667	Cyl. hd.	Asb.	1		5886A
500687	Cyl. hd.	Cop. Asb.	1		5937A
497103	Cyl. hd.	Stl. Asb.	1		6024
501354	Cyl. hd.	Cop. Asb.	1		5944A
499668	Cyl. hd. (low comp.)	Cop. Asb.	1		5944A
498422	Valve grinding set				
	(1-5937A, 1-2701,				
	1-2702, 1-2703, 1-123C,				
	1-S2652, 2-C3763)		1		9047
503433	Mani. set (1-2701,				
	1-2702, 1-2703)	Stl. Asb.	1		MS-2055
	Mani. set (1-S2701,				
	1-S2702, 1-S2703)	Stl. Asb.	1		SMS2055
	Valve cov. set (2-C3763)	Cork	1		CV-447
544351	Oil pan set				
	(1-C3951, 1-C3952)	Cork	1		CS-2286
544351	Oil pan set				
	(1-P421, 1-P422)	Vell.	1		ES-421
	Front end pl. set (1-V1141)	Vell.	1	35-36	ES-1141
	Front end pl. set (1-V1166)	Vell.	1	37-40	ES-1166
	Gear cov. set (1-V1140)	Vell.	1	35-36	ES-1140
	Gear cov. set (1-V1158)	Vell.	1	37-40	ES-1158


(Continued on Next Page)

Pontiac Motor, 6. 1935-40—Continued


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	Diff. carr. set (1-V4142)	Vell.	1	35-36	ES-4142
	Diff. carr. set (1-V4162)	Vell.	1	37-38	ES-4162
	Axle hsg. set (1-V4142A)	Vell.	1	35-36	ES-4142A
	Trans. set (1-V8280, 1-V9424, 1-V8877, 1-V8848, 1-V8850)	Vell.	1		VTS-284
496783	Exh. pipe flg.	Stl. Asb.	1		123C
496215	Exh. outlet	Stl. Asb.	1	35-38	S-2652
502288	Exh. outlet	Stl. Asb.	1	39-40	3008
497160	Mani. front	Stl. Asb.	1		2701
497162	Mani. center	Stl. Asb.	1		2703
497161	Mani. rear	Stl. Asb.	1		2702
503377	Mani. front	Stl. Asb.	1		S-2701
503379	Mani. center	Stl. Asb.	1		S-2703
503378	Mani. rear	Stl. Asb.	1		S-2702
497544	Valve cov.	Cork	2		C-3763
497118	Oil pan right	Cork	1		C-3951
497119	Oil pan left	Cork	1		C-3952
497118	Oil pan right (1-P421)	Vell.	1		P-421 set
497119	Oil pan left (1-P422)	Vell.	1		P-421 set
495020	Oil pump body cov.	Vell.	1		V-9164
496436	Mani. heat control	Stl. Asb.	1	35-38	2653
502288	Int. to exh.	Stl. Asb.	1	39-40	3008
500372	Carburetor	Stl. Asb.	1	35-40	S-832R
836660	Carb. bowl cov.	Vell.	1	36	V-5751
836680	Carb. pump bushing	Cork	1	36-38	C-3977
179-12	Carb. insulator strip	Cork	1	35	C-5071
179-15	Carb. insulator strip	Cork	1	36-40	C-5072
497652	Fuel pump flg.	Vell.	1	35-36	V-5753
408151	Fuel pump flg.	Vell.	1	37-40	V-8366
1521480	Fuel pump cov. pl.	Cork	1	35-36	C-3745
494956	Wat. pump body	Vell.	1	35-36	V-9425
499887	Wat. pump body	Vell.	1	37-40	V-9286
494949	Wat. pump to cyl.	Vell.	1	35-36	V-9426
499888	Wat. pump to cyl.	Vell.	1	37-40	V-9287
494904	Wat. outlet elbow	Vell.	1		V-5457
494914	Gear cov.	Cork	1	35-36	C-3454
494914	Gear cov.	Vell.	1	35-36	V-1140
499643	Gear cov.	Cork	1	37-40	C-4437
499643	Gear cov.	Vell.	1	37-40	V-1158
495169	Front end pl.	Vell.	1	35-36	V-1141
499644	Front end pl.	Vell.	1	37-40	V-1166
370246	Diff. carr.	Vell.	1	35-36	V-4142
599534	Diff. carr.	Vell.	1	37-38	V-4162
501958	Diff. carr.	Paper	1	37-40	37009
370245	Axle hsg.	Vell.	1	35-36	V-4142A
231961	Axle hsg.	Cork	1	37-40	C-4438
590590	Trans. cov. (type A)	Chipbd.	1	35	30069
590590	Trans. cov. (type A)	Vell.	1	35	V-9424
553461	Trans. cov.	Vell.	1	35-38	V-9606
1307892	Trans. cov.	Cork	1	39-40	C-4788
590549	Trans. front brg. ret. (type A)	Vell.	1	35	V-9261
1289458	Trans. front brg. ret.	Vell.	1	35-36	V-8850
1280171	Trans. rear brg. ret.	Vell.	1	35-37	V-8877
1303483	Trans. rear brg. ret.	Vell.	1	38	V-8848
1307870	Trans. rear brg. ret.	Vell.	1	39-40	V-8938
501325	Trans. gear shift inspection hole cov.	Vell.	1		V-8280
348129	Univ. joint hsg. shim	Vell.	1	35-36	V-9408
348259	Univ. joint ball oil seal	Cork	1	35-36	C-683
41121	Shock absorber cov. (rear)	Cork	4	35-36	C-2308
6085	Headlamp lens	Cork	2	35-38	C-7005
922299	Headlamp lens	Cork	2	39	C-7004
NOTE—The following gaskets are used on G.M.C. T14-T145-T15-T155 trucks equipped with above motor. Other gaskets are the same as those listed above.					
Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	Diff. carr. set T14-T145-T15 (1-V4142)	Vell.	1		ES-4142
	Diff. carr. set T155 (1-V4322)	Vell.	1		ES-4322
2057172	Wat. pump cov. T14-T145-T155	Vell.	1		V-8953
370246	Diff. carr. T14-T145-T15	Vell.	1		V-4142
093629	Diff. carr. T155	Vell.	1		V-4322
2059663	Axle shaft flg. T155	Vell.	2		V-8956




McCord No. 2701



McCord No. 2702




McCord No. 2703



McCord No. S-2652




McCord No. 2653



McCord No. 3008

Pontiac Motor, 8 (V-8). Passenger. Model 1932. (Oakland, 1930-31) 3 1/8 x 3 3/8"



McCord No. 5573-5573A



McCord No. 2058



McCord No. 2064




McCord No. 2059



McCord No. 2060




McCord No. 2065



McCord No. C-1026




McCord No. C-1027




McCord No. C-1025

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
494802	Cyl. hd. (formed)	Cop. Asb.	2		5573
494802	Cyl. hd. (flat)	Cop. Asb.	2		5573A
	Mani. set (4-2058, 1-2059, 1-2060)	Stl. Asb.	1		MS-1802
	Mani. set (4-S2058, 1-S2059, 1-S2060)	Stl. Asb.	1		SMS-1802
	Valve cov. set (2-C1025)	Cork	1		CV-411
491300	Valve cov. set (2 pcs.)	Vell.	1		ES-2514
	Oil pan set (1-C1026, 1-C1027)	Cork	1		CS-2203
491303-04	Oil pan set (2 pcs.)	Vell.	1		ES-515
	Cyl. front end pl. set (1-V1141)	Vell.	1		ES-1141
491338	Gear cov. set (1 pc.)	Vell.	1	30-31	ES-1253
493653	Gear cov. set (1 pc.)	Vell.	1	32	ES-1287
	Diff. carr. set (1-V4126)	Vell.	1		ES-4126
	Axle hsg. set (1-V4125)	Vell.	1		ES-4125
489546	Exh. pipe pack.	Asb.	1		16073
491538	Mani. ends	Stl. Asb.	4		2058
491539	Exh. right center	Stl. Asb.	1		2059
491540	Exh. left center	Stl. Asb.	1		2060
492487	Mani. ends	Stl. Asb.	4		S-2058
492439	Exh. right center	Stl. Asb.	1		S-2059
492440	Exh. left center	Stl. Asb.	1		S-2060
491300	Valve cov.	Cork	2		C-1025
491303	Oil pan right	Cork	1		C-1026
491304	Oil pan left	Cork	1		C-1027
527569	Oil pump cov.	Vell.	1		V-9217
491541	Carb. exh.	Stl. Asb.	2		2064
491541	Carb. exh.	Stl. Asb.	2		S-2064
491609	Carb. int.	Stl. Asb.	1		2065
491609	Carb. int.	Stl. Asb.	1		S-2065
16-180	Carb. header	Stl. Asb.	1		865A
16-180	Carb. header	Stl. Asb.	1		S-865A
835683	Fuel pump to bracket	Vell.	1		V-5500
855229	Fuel pump bottom cov.	Cork	1		C-2303
854003	Fuel pump gas strainer	Cork	1		C-928
346678	Fuel tank cap	Cork	1		C-871
491341	Wat. pump body	Vell.	1		V-9216
491448	Wat. outlet	Vell.	2		V-5657
491449	Radiator inlet elbow	Vell.	1		V-5658
495169	Cyl. front end pl.	Vell.	1		V-1141
491217	C/S rear brg. cap	Cork	1		C-1063
486399	Diff. carr.	Vell.	1		V-4126
486397	Axle hsg.	Cork	1		C-388
486397	Axle hsg.	Vell.	1		V-4125
6085	Headlamp lens	Cork	2		C-7005


Pontiac Motor, 8. Passenger. Models 1933-35, 3 1/8 x 3 1/2"; 1936, 3 1/4 x 3 1/2"; 1937-40 3 1/4 x 3 3/4"



McCord No. 5938



McCord No. 5823A










McCord No. 5939

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
498881	Cyl. hd.	Stl.-Graph.- Asb.	1		5823A
499414	Cyl. hd.	Cop. Asb.	1		5938
501397	Cyl. hd.	Stl. Asb.	1		6025
499371	Cyl. hd. (low comp.)	Cop. Asb.	1		5939
	Valve grinding set (1-5938, 1-S2563, 2-123C, 1-S2566, 1-S2652, 1-2630, 1-2631, 1-2632, 2-C3202)		1		9048

(Continued on Next Page)

Pontiac Motor, 8. 1933-40—Continued


	Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	503434	Mani. set (1-2630, 1-2631, 1-2632)	Stl. Asb.	1		MS-2054
		Mani. set (1-S2630, 1-S2631, 1-S2632)	Stlplk.	1		SMS-2054
		Valve cov. set (2-C3202)	Cork	1		CV-446
	544352	Oil pan set (1-C3343, 1-C3344)	Cork	1		CS-2256
	544352	Oil pan set (1-P372, 1-P373)	Vell.	1		ES-372
		Front end pl. set (1-V1141)	Vell.	1	33-36	ES-1141
		Front end pl. set (1-V1166)	Vell.	1	37-40	ES-1166
		Gear cov. set (1-V1140)	Vell.	1	33-36	ES-1140
		Gear cov. set (1-V1158)	Vell.	1	37-40	ES-1158
		Diff. carr. set (1-V4142)	Vell.	1	33-36	ES-4142
 		Diff. carr. set (1-V4162)	Vell.	1	37-38	ES-4162
		Axle hsg. set (1-V4142A)	Vell.	1	33-36	ES-4142A
		Trans. set (1-V8280, 1-V9424, 1-V8877, 1-V8848, 1-V8850)	Vell.	1	35-39	VTS-284
	495390	Exh. pipe fig.	Stlplk.	1	33-34	S-2563
	496783	Exh. pipe fig.	Stl. Asb.	2	35-40	123C
	495960	Exh. mani. outlet	Stlplk.	1	33	S-2566
	496215	Exh. mani. outlet	Stlplk.	1	34-40	S-2652
	496223	Exh. mani. outlet	Stl. Asb.	1	34-40	2652
	495911	Mani. front	Stl. Asb.	1		2630
	495912	Mani. center	Stl. Asb.	1		2631
  	495913	Mani. rear	Stl. Asb.	1		2632
	503380	Mani. front	Stlplk.	1		S-2630
	503382	Mani. center	Stlplk.	1		S-2631
	503381	Mani. rear	Stlplk.	1		S-2632
	494872	Valve cov.	Cork	2		C-3202
	495194	Oil pan right	Cork	1		C-3343
	495195	Oil pan left	Cork	1		C-3344
	495194	Oil pan right (1-P372)	Vell.	1		P-372 set
	495195	Oil pan left (1-P373)	Vell.	1		
	495020	Oil pump cov.	Vell.	1		V-9164
 	495387	Mani. heat control valve	Stlplk.	1		S-879E
	496436	Mani. heat control valve	Stl. Asb.	1		2653
	503604	Int. to exh.	Stlplk.	1	40	S-3129
	500372	Carburetor	Stlplk.	1		S-832R
	836660	Carb. bowl cov.	Vell.	1	36	V-5751
	836680	Carb. pump bushing	Cork	1	36-38	C-3977
	179-12	Carb. insulator	Cork	1	35	C-5071
	179-15	Carb. insulator	Cork	1	36-38	C-5072
	835683	Fuel pump fig.	Vell.	1	33	V-5500
	497652	Fuel pump fig.	Vell.	1	35-36	V-5753
 	408151	Fuel pump fig.	Vell.	1	37-40	V-8366
	1521480	Fuel pump cov. pl.	Cork	1	34-36	C-3745
	854003	Fuel pump gas strainer	Cork	1	33	C-928
	346678	Fuel tank cap	Cork	1	33-34	C-871
	494956	Wat. pump body	Vell.	1	33-36	V-9425
	499887	Wat. pump body	Vell.	1	37-40	V-9286
	494949	Wat. pump to cyl.	Vell.	1	33-36	V-9426
	499888	Wat. pump to cyl.	Vell.	1	37-40	V-9287
	494904	Wat. outlet elbow	Vell.	1		V-5457
	495169	Front end pl.	Vell.	1	33-36	V-1141
	499644	Front end pl.	Vell.	1	37-40	V-1166
	494914	Gear cov.	Cork	1	33-36	C-3454
	494914	Gear cov.	Vell.	1	33-36	V-1140
	499643	Gear cov.	Cork	1	37-40	C-4437
	499643	Gear cov.	Vell.	1	37-40	V-1158
	370246	Diff. carr.	Vell.	1	33-36	V-4142
	499534	Diff. carr.	Vell.	1	37-38	V-4162
	501958	Diff. carr.	Paper	1	37-40	37009
	370245	Axle hsg.	Cork	1	33-36	C-3528
	370245	Axle hsg.	Vell.	1	33-36	V-4142A
	231961	Axle hsg.	Cork	1	37-40	C-4438
	590590	Trans. cov.	Chipbd.	1	33-35	30069
	590590	Trans. cov.	Vell.	1	33-35	V-9424

(Continued on Next Page)

Pontiac Motor, 8. 1933-40—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
553461	Trans. cov.	Vell.	1	35-38	V-9606
1307892	Trans. cov.	Cork	1	39-40	C-4788
590549	Trans. front brg. ret.	Vell.	1	33-35	V-9261
1289458	Trans. front brg. ret.	Vell.	1	35-36	V-8850
590580	Trans. rear brg. ret.	Vell.	1	33-35	V-8827
1280171	Trans. rear brg. ret.	Vell.	1	35-37	V-8877
1303483	Trans. rear brg. ret.	Vell.	1	38	V-8848
1307870	Trans. rear brg. ret.	Vell.	1	39-40	V-8938
501325	Trans. gearshift inspection hole cov.	Vell.	1		V-8280
348259	Univ. joint ball oil seal	Cork	1	33-36	C-683
348129	Univ. joint hsg. shim	Vell.	1	33-36	V-9408
41121	Shock absorber cov.	Cork	2-4	33-36	C-2308
495033	Spring shackle pin washer	Cork	{ 16. 33 } { 8. 34-37 }		C-3914
6085	Headlamp lens	Cork	2	33-38	C-7005
922299	Headlamp lens	Cork	2	39	C-7004


Red Wing Engine, 2-4-6. Models AA-KK, Arrow Jr. 3 3/4 x 4 3/4"



McCord No. 5755

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
B1354	Cyl. hd.	Cop. Asb.	1-2-3		5755


Red Wing Engine 4. Model B, 32-40 H.P. 4 1/2 x 5"



McCord No. 5756

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
A-1302	Cyl. hd.	Cop. Asb.	1		5756


Red Wing Engine, 6. Models BB-MD-HS. 4 1/2 x 6"



McCord No. 5734

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
A-1816	Cyl. hd.	Cop. Asb.	2		5734


Red Wing Engine, 6. Models BBS-MD-HS. 5x6"



McCord No. 5733

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
A-2006	Cyl. hd.	Cop. Asb.	2		5733

Red Wing Engine, 4-6. Models BC4-BC6. Big Chief. 5x7"




McCord No. 5735

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
BC-10	Cyl. hd.	Cop. Asb.	2-3		5735




Red Wing Engine, 4. Model D 2 3/4 x 4"



McCord No. 5

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
2-56	Cyl. hd.	Cop. Asb.	1	5	

Red Wing Engine, 4. Model F 4 1/8 x 5"



McCord No.

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
B-1198	Cyl. hd.	Cop. Asb.	1	5822	

Red Wing Engine (Diesel). Model 4-35. Waukesha XBKH. McCord No. 6006. See Page No. 253.

Red Wing Engine (Diesel). Model 6-65. Waukesha 6BKH. McCord No. 6048. See Page No. 240.

Red Wing Engine (Diesel). Model 6-160. Waukesha 6ELH. McCord No. 6112. See Page No. 241.

Red Wing Engine (Diesel). Model 6-180. Waukesha 6EKH. McCord No. 6113. See Page No. 241.

Rehberger, 4-6. Truck and Bus

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
A	2	Buda KTU	5251	*	B2	Bus	Buda BUS	5346	*	D	5	Buda BTU	5290	*
A6	2	Wauk. XK	5516	253	B4	Bus	Buda BUS	5346	*					


NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.

Relay, 6. (Garford 6). Truck and Bus.


Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
KB	Bus	Cont. 20R	5534	75	30A-Z	1 1/2-5	Buda DW6	5345	*	60 Series	2 1/2-10	Buda BUS	5346	*
KBR	Bus	Buda DS6	5345	*	40-40A	1 1/2-5	Buda DW6	5345	*	70 Series	2 1/2-10	Buda BA6	5346	*
S11 Series	3/4-2	Buda HS6	5344	*	40CA-CB	1 1/2-5	Buda DW6	5345	*	80 Series	2 1/2-10	Buda BA6	5346	*
15A-AA	3/4-1	Cont. 17E	5459	71	40CC	1 1/2-5	Buda DW6	5345	*	100AC	5	Cont. 21R	5534	75
15AA	3/4-2	Buda HS6	5344	*	40D	Bus	Lyc. 6TS	5390	165	100B-C	5-7 1/2	Buda GF6	5263	28
15AB	3/4-1	Cont. 17E	5459	71	40Z	1 1/2-5	Buda DW6	5345	*	100ZA-ZB	5	Buda BUS	5346	*
15AB	3/4-2	Buda HS6	5344	*	50	2 1/2	Buda BUS	5346	*	230	5	Herc. GXA	5730	126
20 Series	3/4-2	Buda HS6	5344	*	50-50A	1 1/2-5	Buda DW6	5345	*	240	7 1/2	Herc. HXA	5730	126
25Z	3/4-2	Buda HS6	5344	*	50DC-SW	1 1/2-5	Buda DW6	5345	*					
30	1 1/2-2	Buda KTU	5251	*	50Z	2 1/2-10	Buda BUS	5346	*					

NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.

Reo Motor, 6. Passenger. Model Wolverine Light 6, 1927-28 (Continental 12E) 3 1/4 x 4"
Models Flying Cloud Mate, B2, 1928-29 (Continental 16E) 3 3/8 x 4"



McCord No. 5196



McCord No. 5459




McCord No. 1880

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
10-EA-502	Cyl. hd.	Cop. Asb.	1	27-28	5196
11-EA-500	Cyl. hd.	Cop. Asb.	1	28-29	5459
	Mani. set (1-1880)	Stl. Asb.	1		MS-743
	Mani. set (1-S2802)	Stlplk.	1		SMS-2104
1-BA-33	Exh. pipe flg.	Stl. Asb.	1		1724
1-BA-33	Exh. pipe flg.	Stlplk.	1		S-1724
10-EE-302	Manifold	Stl. Asb.	1		1880
1-BA-28	Manifold	Stlplk.	1		S-2802


NOTE—For other gaskets see Continental Motors 12E-16E. Page No. 71.

Reo Motor, 6. Passenger. Models Series A, Flying Cloud, 1927-28 3 1/4 x 5"
 Models Series C, Flying Cloud Master, 1929-30 3 3/8 x 5"
 Models Series 15-20-21-25, 1930-31 3 3/8 x 5"
 Truck Models. Refer to chart, Page No. 218.




McCord No. 5194


762



McCord No. 5512



McCord No. 1927




McCord No. 1375



McCord No. 1378



McCord No. 1376



McCord No. 1377



McCord No. 1379



McCord No. 1904


Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
1AA22	Cyl. hd.	Cop. Asb.	1 27-28	5194
1CA44	Cyl. hd.	Cop. Asb.	1 29-31	5512
	Mani. set (2-1375, 2-1376, 1-1377, 2-1378)	Stl. Asb.	1 27-28	MS-2101
	Mani. set (1-1927)	Stl. Asb.	1 29-31	MS-2099
	Valve cov. set (1-C444, 1-C454)	Cork	1	CV-451
	Oil pan set (1-C443)	Cork	1	CS-2176
	Oil pan set (1-P812)	Vell.	1	ES-812
	Wat. jkt. cov. set (2-C3440)	Cork	1	CW-24
	Wat. jkt. cov. set (2-V2098)	Vell.	1	ES-2098
2AA29	Gear cov. set (1 pc.)	Vell.	1	ES-1343
2AD11	Diff. carr. set (1 pc.)	Vell.	1	ES-4226
2AD10	Axle hsg. set (1 pc.)	Vell.	1	ES-4227
1AL18	Exh. pipe flg.	Stl. Asb.	1	865C
1AA29	Mani. int. center	Stl. Asb.	1 27-28	1377
1AA28	Mani. int. ends	Stl. Asb.	2 27-28	1376
1AA31	Mani. exh. center	Stl. Asb.	2 27-28	1375
1AA30	Mani. exh. ends	Stl. Asb.	2 27-28	1378
1CA12	Manifold	Stl. Asb.	1 29-31	1927
2AA34	Valve cov. front	Cork	1	C-444
2AA64	Valve cov. rear	Cork	1	C-454
2AA4	Oil pan	Cork	1	C-443
2AA4	Oil pan	Vell.	1	P-812
2FA83	Oil drain plug	Cop. Asb.	1	511A
1AA32	Int. to exh.	Stl. Asb.	1	1379
1AA33	Carburetor	Stl. Asb.	1	847D
2AA35	Wat. jkt. cov.	Cork	2	C-3440
2AA35	Wat. jkt. cov.	Vell.	2	V-2098
	Wat. jkt. cov. stud washer	Cop.	12	462
3AA25	Wat. pump	Paper	1	30009
1AA10	Wat. outlet flg.	Vell.	1	V-5405
2AA36	C/C oil filler to breather	Stl. Asb.	1	1904
2AD10	Axle hsg.	Cork	1	C-528

NOTE—The following gaskets are used on Reo Trucks equipped with the above motor. Other gaskets are the same as those listed above.


Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
2FD238	Diff. carr. set F Series (1 pc.)	Vell.	1	ES-4328
2FD237	Axle hsg. set F Series (1 pc.)	Vell.	1	ES-4328A
1AL18	Exh. pipe flg. (to CF15935)	Stl. Asb.	1	865C
1BA33	Exh. pipe flg. (after CF15935)	Stl. Asb.	1	1724
1BA33	Exh. pipe flg. (after CF15935)	Stl. Asb.	1	1724
1AA33	Carburetor DF	Stl. Asb.	1	847D
1FA151	Carburetor F and G Series	Asb.	1	2412
2FD237	Axle hsg. F Series	Cork	1	C-825
2GB308	Trans. cov.	Vell.	1	V-9548

Reo Motor, 6. Passenger. Models S, 1932, 3 1/8 x 5"; Series S-2S, 1933; S2-S3-S4, 1934; 5S, 1935; 7S, 1935-36 3 3/8 x 5"
Models 6A-6D, 1935-36 3 3/8 x 4 1/4"


Truck Models. Refer to chart, Page No. 218.




McCord No. 5956




McCord No. 5961



McCord No. 1927




McCord No. 2587




McCord No. S-2711




McCord No. S-2567




McCord No. S-2666




McCord No. S-2824
McCord No. 2195



McCord No. 1724
McCord No. S-2765



McCord No. S-2807



McCord No. 1379

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
3640	Cyl. hd. (iron hd.)	Cop. Asb.	1	32-36	5956
21858	Cyl. hd. (alum. hd.)	Cop. Asb.	1	36	5961
	Valve grinding set (iron hd.) (1-5956, 1-1724, 1-1927, 1-C444, 1-C454, 1-1379, 1-2587)		1		9408
	Mani. set (1-1927)	Stl. Asb.	1		MS-2099
	Valve cov. set (1-C444, 1-C454)	Cork	1		CV-451
	Oil pan set (1-C443)	Cork	1		CS-2176
	Oil pan set (1-P812)	Vell.	1		ES-812
	Wat. jkt. cov. set (2-C3440)	Cork	1		CW-24
	Wat. jkt. cov. set (2-V2098)	Vell.	1		ES-2098
2SA103	Gear cov. set (1 pc.)	Vell.	1	32-34	ES-1284
2AD11	Diff. carr. set (1 pc.)	Vell.	1		ES-4226
2AD10	Axle hsg. set (1 pc.)	Vell.	1		ES-4227
1BA33	Exh. pipe fig. (early 32)	Stl. Asb.	1	32	1724
1BA33	Exh. pipe fig. (early 32)	Stl. Asb.	1	32	S-1724
1SL82	Exh. pipe fig. (late 32)	Stl. Asb.	1	32-36	S-2824
1CA12	Manifold	Stl. Asb.	1		1927
2AA34	Valve cov. front	Cork	1		C-444
2AA64	Valve cov. rear	Cork	1		C-454
2AA4	Oil pan	Cork	1		C-443
2AA4	Oil pan	Vell.	1		P-812
2FA83	Oil drain plug	Cop. Asb.	1		511A
1SA45	Int. to exh. (D.D. carb.) (early 32)	Stl. Asb.	1	32	S-2711
1SA144	Int. to exh. (late 32)	Stl. Asb.	1	32-36	2587
1SA217	Heat control valve (late 32)	Stl. Asb.	1	32-36	S-2666
1SA154	Carburetor	Stl. Asb.	1	32-34	S-2638
1A251	Carb. (to engine 6A252)	Stl. Asb.	1	35	S-2807
1A256	Carb. (after engine 6A252)	Stl. Asb.	1	35	S-2829
1A251	Carb. to adapter	Stl. Asb.	1	36	S-2807
1A256	Carb. adapter to mani.	Stl. Asb.	1	36	S-2829
2AA35	Wat. jkt. cov.	Cork	2		C-3440
2AA35	Wat. jkt. cov.	Vell.	2		V-2098
3SA50	Wat. jkt. cov. stud washer	Cop.	12		462
1AA10	Wat. pump	Tr. Paper	1		30067
2SA283	Wat. outlet fig.	Vell.	1		V-5405
2AD10	Gear cov.	Cork	1	35-36	C-5097
2SB145	Axle hsg.	Cork	1		C-528
	Trans. cov. (late 32)	Vell.	1	32-34	V-9720

NOTE—The following gaskets are used on Reo Trucks equipped with above motor. Other gaskets are the same as those listed above.

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
2SA103	Gear cov. set (1 pc.) (Note J)	Vell.	1		ES-1284
2FD238	Diff. carr. set (1 pc.) (Note M)	Vell.	1		ES-4328
2D220	Diff. carr. set (Note N)	Vell.	1		ES-4347
2B168	Trans. cov. set (1 pc.) (Note L)	Vell.	1		ES-9650
19139	Trans. cov. set (1 pc.) 2H5-2J5-3HR5-3JR5-3KR5	Vell.	1		ES-9658
2FD237	Axle hsg. set (1 pc.) (Note M)	Vell.	1		ES-4328A
1BA33	Exh. pipe fig. (Note C)	Stl. Asb.	1		1724
1BA33	Exh. pipe fig. (Note C)	Stl. Asb.	1		S-1724
1SL82	Exh. pipe fig. (Note D)	Stl. Asb.	1		S-2824
1AL18	Exh. pipe fig. (2H5-2J5 with U.D. carb.)	Stl. Asb.	1		865C
1NL5	Exh. pipe fig. (Note E)	Stl. Asb.	1		2195
1L54	Exh. pipe fig. (Note F)	Stl. Asb.	1		S-2765
1SA45	Int. to exh. (Note A)	Stl. Asb.	1		S-2711

(Continued on Next Page)

Reo Motor, 6. S-6A-6D Series, 1932-36—Continued


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1SA144	Int. to exh. (Note B)	Stl. Asb.	1		2587
1AA32	Int. to exh. (2H5-2HJ with U.D. carb.)	Stl. Asb.	1		1379
1SA149	Heat control valve (Note G)	Stlpk.	1		S-2567
1SA217	Heat control valve (Note H)	Stlpk.	1		S-2666
1A251	Carburetor 1B4-1D4	Stlpk.	1		S-2807
1A256	Carburetor 2B4-2D4	Stlpk.	1		S-2829
1SA154	Carburetor (all other models)	Stlpk.	1		S-2638
3AA25	Wat. pump (to No. S500 on 1B-1D)	Paper	1		30009
3SA50	Wat. pump (all other models)	Tr. Paper	1		30067
3990	Wat. conn. 3H5-3J5-3K5	Vell.	3		V-103
2SA283	Gear cov. (Note I)	Cork	1		C-5097
2FD237	Axle hsg. (Note M)	Cork	1		C-825
2D223	Axle hsg. (Note N)	Cork	1		C-3241
2D155	Axle hsg. 3H5-3HR5-3J5-3JR5-3K5-3KR5	Cork	1		C-3297
1D162	Axle flg. (Note O)	Vell.	2		V-8952
1D456	Axle flg. (Note P)	Vell.	2		V-8937
2GB308	Trans. cov. (Note K)	Vell.	1		V-9548

NOTES


- A: To engine Nos. SA1751, SB675 and SC163.
 B: After engine Nos. SA1751, SB675, SC163 and all other models.
 C: Models 1B to 2998, 1D to 4629, 2B to 254, 2D to 1064, 2H to 66, 2J to 448, 2K to 138, 2L to 189.
 D: After Nos. in Note C and models 1B4-1D4-2B4-2D4-2LC-2H5-2J5-3H5-3J5-3K5; Bus 2L4-2LC4-2L4H.
 E: To engine Nos. SC163 and after SC662 on models 3H-3HR-3J-3JR-3K-3KR-3M.
 F: From Nos. SC163 to SC662 on models listed in Note E.
 G: To engine Nos. SA3914, SB2159, SC639.
 H: After engine Nos. SA3914, SB2159, SC639, and all other models.
 I: Models 1B4-1D4-2B4-2D4-2H5-2J5; Bus 2L4-2LC4.
 J: All models except Note I.
 K: 2H-2J-2K-3H-3J-3K-3M-3H5-3J5-3K5; Bus 2L4H.
 L: 1B-1D-2B-2D-2L-2LC-1B4-1D4-2B4-2D4; Bus 2L4-2LC4.
 M: 1B-1BR-1B4-1C-1DR-1D4-2B-2D-2DR-2L-2LC, 2H to 114, 2H5, 2J to 629, 2J5, 2K to 259; Bus 2L4-2L4H-2LC4.
 N: After engine Nos. in Note M and all 2HR-2JR-2KR-3H-3J-3K-3M.
 O: 1B-1B4-1BR-1D-1D4-1DR-2B-2B4-2D-2D4-2L-2LC; Bus 2L4-2LC4.
 P: 2B4-2D4 with 2½ ton axle, 2DR-2H-2H5-2HR-2J-2J5-2JR-2K-2KR-3H-3J-3K-3M; Bus 2L4H with 2½ ton axle.

Reo Motor, 8. Passenger. Models 8-21, 8-25, 1931-32


3x4¾"




McCord No. 5705




McCord No. 1882



McCord No. S-2594



McCord No. S-2595



McCord No. C-2476

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1B4A51	Cyl. hd.	Cop. Asb.	1		5705
	Mani. set (2-1882)	Stl. Asb.	1		MS-725
	Valve cov. set (2-C4058)	Cork	1		CV-449
	Oil pan set (1-C2476)	Cork	1		CS-2242
2B4A91	Gear cov. set (1 pc.)	Vell.	1		ES-1363
2AD11	Diff. carr. set (1 pc.)	Vell.	1		ES-4226
2AD10	Axle hsg. set (1 pc.)	Vell.	1		ES-4227
1B4A31	Manifold	Stl. Asb.	2		1882
2B4A71	Valve cov.	Cork	2		C-4058
2B4A83	Oil pan	Cork	1		C-2476
1B4A36	Heat conn. elbow to exh., upper	Stlpk.	1		S-2595
1B4A37	Heat conn. elbow to exh., lower	Stlpk.	1		S-2594
1AA33	Carburetor	Stl. Asb.	1		847D
2AD10	Axle hsg.	Cork	1		C-528


Reo Motor, 8. Passenger. Models Royale 8-31, 8-35, 1931-32; 8-52, 1932

Models Royale 1N-2N, 1933; N1-N2, 1934


Truck-Bus Models, refer to chart, Page No. 218.

3 7/8 x 5"

3 7/8 x 5"




McCord No. 5634




McCord No. 2193




McCord No. 2192




McCord No. 2194




McCord No. 2195



McCord No. S-2824



McCord No. S-2710



McCord No. 2196

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1NA162 } 1NA4 }	Cyl. hd.	Cop. Asb.	1		5634
	Mani. set				
	(2-2192, 2-2193)	Stl. Asb.	1		MS-2103
	Mani. set				
	(2-S2192, 2-S2193)	Stlplk.	1		SMS-2103
	Valve cov. set (2-C1254) ..	Cork	1		CV-452
	Oil pan set (1-C1242)	Cork	1		CS-2215
	Oil pan set (1 pc.)	Vell.	1		ES-947
2NA29	Wat. jkt. cov. set (1 pc.)	Vell.	1		ES-2314
1NA8	Gear cov. set (1 pc.)	Vell.	1		ES-1343
2AA29	Diff. carr. set (1 pc.)	Vell.	1		ES-4226
2AD11	Axle hsg. set (1 pc.)	Vell.	1		ES-4227
2AD10	Exh. pipe fig.	Stl. Asb.	1		2195
1NL5	Mani. center	Stl. Asb.	2		2192
1NA11 } 1NA10 }	Mani. ends	Stl. Asb.	2		2193
1NA11 } 1NA10 }	Mani. center	Stlplk.	2		S-2192
1NA10 }	Mani. ends	Stlplk.	2		S-2193
2NA23	Valve cov.	Cork	2		C-1254
2NA29	Oil pan	Cork	1		C-1242
1NA31	Int. to exh.	Stl. Asb.	1		2194
1NA31	Int. to exh.	Stlplk.	1		S-2194
1NA171	Int. to exh. (D.D. carb.) ..	Stlplk.	1		S-2710
1NA41	Heat reg. valve cov.	Stl. Asb.	1		2196
1NA38	Heater tube	Stl. Asb.	1		831A
2AD10	Axle hsg.	Cork	1		C-528
2NB30	Trans. cov.	Vell.	1		V-9550

NOTE—The following gaskets are used on Reo Trucks equipped with above motor. Other gaskets are the same as those listed above.


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1NL5	Exh. pipe fig. 4H to 149, 4J to 133, 4K to 322, 4M to 25	Stl. Asb.	1		2195
1SL82	Exh. pipe fig. (after above Nos.)	Stlplk.	1		S-2824
2GB308	Trans. cov. 4H to 148, 4J to 153, 4K to 322, 4M to 17	Vell.	1		V-9548

Reo Truck Model and Motor Reference


Model	Year	Tonnage	Motor	McCord No.	See Page No.	Model	Year	Tonnage	Motor	McCord No.	See Page No.	Model	Year	Tonnage	Motor	McCord No.	See Page No.
BA	28-29	1/2	Own	5459	213	1B	1932	1 1/2	Buda J214	5614	29	2L4	36-39	2-3	Own	5956	215
BN	34-35	3/4	Own	5956	215	1B	1932	1 1/2	Own	5459	213	2L4C	37-39	2 1/2-3	Own	5956	215
DA	28-29	1	Own	5459	213	1B	33-35	1 1/2	Own	5956	215	2L4H	36-39	2 1/2-3	Own	5956	215
DC	28-29	1	Own	5459	213	1B4	35-38	1 1/2	Own	5956	215	2L6	33-37	Bus	Own	5956	215
DF	30-31	1 1/2	Own	5512	214	1B4H	36-39	1 1/2	Own	5956	215	2L7M	38-39	2	Own	5956	215
DFX	1932	1 1/2	Own	5956	215	1B4M	1936	2 1/2	Own	5956	215	2L7MF	38-39	2	Own	5956	215
FA	1928	1 1/2	Own	5203	218	1B4R	1936	2 1/2	Own	5956	215	2L7MH	38-39	2 1/2	Own	5956	215
FA	29-31	1 1/2	Own	5512	214	1B4Y	37-39	1	Own	5956	215	2L7MHF	38-39	2 1/2	Own	5956	215
FAX	1932	2	Own	5956	215	1B7M	37-39	1 1/2	Own	5956	215	3H	33-36	3	Own	5956	215
FB	27-28	Bus	Own	5203	218	1B7MY	37-39	1	Own	5956	215	3H5	36-39	3	Own	5956	215
FB	29-31	Bus	Own	5512	214	1BY	32-35	1 1/2	Own	5956	215	3HR	34-38	3	Own	5956	215
FB	1932	Bus	Own	5956	215	1BY4	1935	1	Own	5956	215	3HR5	36-39	3 1/2	Own	5956	215
FC	1928	2	Own	5203	218	1C	32-34	1 1/2	Buda H205	5613	28	3J	33-39	3	Own	5956	215
FC	29-31	2	Own	5512	214	1C4	35-39	1 1/2	Cont. F6209	5928	72	3J5	36-38	3	Own	5956	215
FCX	1932	2 1/2	Own	5956	215	1C4H	36-39	1 1/2	Own	5956	215	3JR	34-36	3	Own	5956	215
FD	1928	Bus	Own	5203	218	1C4HY	37-39	1 1/2	Own	5956	215	3JR5	36-39	3 1/2	Own	5956	215
FD	1928	2	Own	5203	218	1C4Y	37-39	1 1/2	Cont. F6209	5928	72	3K	33-36	3	Own	5956	215
FD	29-31	2	Own	5512	214	1D	1932	1 1/2	Buda H205	5613	28	3K5	36-39	3	Own	5956	215
FDX	1932	2 1/2	Own	5956	215	1D	1932	1 1/2	Own	5459	213	3KR	34-36	3	Own	5956	215
FE	27-28	1 1/2	Own	5203	218	1D	33-35	1 1/2	Own	5956	215	3KR5	36-39	3 1/2	Own	5956	215
FE	29-33	1 1/2	Own	5512	214	1D4	35-39	1 1/2	Own	5956	215	3L4C	1937	2	Own	5956	215
FEX	1932	2	Own	5956	215	1D4H	36-39	1 1/2	Own	5956	215	3L6	34-35	3	Own	5956	215
FF	1928	1 1/2	Own	5203	218	1D4M	1936	1 1/2	Own	5956	215	3L6H	37-39	3	Buda K381	5725	30
FF	29-31	1 1/2	Own	5512	214	1D4R	1936	1 1/2	Own	5956	215	3L6HW	38-39	3	Buda K381	5725	30
FFX	1932	2	Own	5956	215	1D4Y	36-39	1 1/2	Own	5956	215	3L8	34-35	Bus	Own	5634	217
FH	30-31	2	Own	5512	214	1L5	36-38	1 1/2	Cont. F6209	5928	72	3LC	34-35	3	Own	5956	215
FHX	1932	2	Own	5956	215	1L5	36-38	Bus	Cont. F6209	5928	72	3M	33-36	3	Own	5956	215
FKX	1932	2	Own	5956	215	1L5H	1938	1 1/2	Own	5956	215	3MR	34-35	3 1/2	Own	5956	215
GA	1928	3	Own	5203	218	1LC5	1937	1 1/2	Cont. F6209	5928	72	4H	31-32	4	Buda K381	5725	30
GA	29-31	3	Own	5512	214	2B	32-35	2	Own	5956	215	4H	33-35	4	Own	5634	217
GA	32-33	3	Own	5956	215	2B4	35-38	2	Own	5956	215	4H5	36-39	4	Buda K381	5725	30
GB	1928	Bus	Own	5203	218	2B4R	1936	3	Own	5956	215	4J	31-32	4	Buda K381	5725	30
GB	29-31	Bus	Own	5512	214	2B7M	38-39	2-4	Own	5956	215	4J	33-35	4	Own	5634	217
GB	32-33	3	Own	5956	215	2D	32-35	2	Own	5956	215	4J5	36-39	4	Buda K381	5725	30
GBS	1931	Bus	Own	5512	214	2D4	35-38	2	Own	5956	215	4K	31-32	4	Buda K381	5725	30
GBS	1932	Bus	Own	5956	215	2D4M	36-37	2	Own	5956	215	4K	33-35	4	Own	5634	217
GC	27-28	3	Own	5203	218	2D4MH	36-37	2	Own	5956	215	4K5	36-39	4	Buda K381	5725	30
GC	29-31	3	Own	5512	214	2D4R	1936	2	Own	5956	215	4M	33-35	4	Own	5634	217
GC	32-33	3	Own	5956	215	2H	33-36	2	Own	5956	215	4WH5	1938	4-6	Buda K381	5725	30
GCS	1931	3	Own	5512	214	2H5	36-38	2 1/2	Own	5956	215	4-50	37-39	1 1/2	Cont. F4140	6016	72
GCS	1932	3	Own	5956	215	2H5Z	1939	2-4	Own	5956	215	4-50L	37-39	1 1/2	Cont. F4140	6016	72
GD	1928	3	Own	5203	218	2HR	34-36	3	Own	5956	215	4-75	37-39	3/4	Cont. F4140	6016	72
GD	29-31	3	Own	5512	214	2J	33-36	2	Own	5956	215	4-75L	37-39	1 1/2	Cont. F4140	6016	72
GD	32-33	3	Own	5956	215	2J5	36-38	2 1/2	Own	5956	215	6-50	37-39	1 1/2	Cont. F6209	5928	72
GE	27-28	Bus	Own	5203	218	2J5Z	1939	2-4	Own	5956	215	6-50L	37-39	1 1/2	Cont. F6209	5928	72
GE	29-33	Bus	Own	5512	214	2JR	34-36	3	Own	5956	215	6-75	37-39	3/4	Cont. F6209	5928	72
S4P	1935	1 1/2	Own	5956	215	2K	32-36	2	Own	5956	215	6-75L	37-39	3/4	Cont. F6209	5928	72
1A	32-34	1 1/2	Buda H205	5613	28	2KR	34-36	3	Own	5956	215	6AP	36-37	1 1/2	Cont. F6209	5928	72
1A4	35-39	1 1/2	Cont. F6209	5928	72	2L	1933	Bus	Own	5634	217	15A	1930	1 1/2	Own	5459	213
1A4H	36-39	1 1/2	Own	5956	215	2L	34-35	2	Own	5956	215	15A	1931	1 1/2	Own	5512	214
1A4HY	37-39	1 1/2	Own	5956	215	2LM	36-38	2 1/2-3	Own	5956	215	383		Bus	Own Z45	6074	219
1AY	32-33	1	Buda H205	5613	28	2LMH	36-38	2 1/2-3	Own	5956	215	385		Bus	Own Z88	6074	219
1A4Y	35-39	1	Cont. F6209	5928	72	2L2	1933	Bus	Own	5634	217						

NOTE—For older models see Guide A.


Reo Motor, 6. Truck. Models F130-F152-FA-FC-FD-FE-FF-G-GA-GB-GD, 1927-28 3 1/2x5"
 Bus. Models FB to 238, GB to 485, GE to 50 3 1/2x5"



McCord No. 5203



McCord No. 1652-A



McCord No. 1855



McCord No. 1724



McCord No. 2412

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1FA140	Cyl. hd.	Cop. Asb.	1		5203
	Mani. set				
	(2-1652A, 1-1855)	Stl. Asb.	1		MS-2102
	Oil pan set (2-C141)	Cork	1		CS-2140
	Oil pan tray set (1-C307)	Cork	1		CS-2141
2FA27	Oil pan set (2 pcs.)	Vell.	1		ES-353
2T6A12	Gear cov. set (1 pc.)	Vell.	1		ES-1336
1BA33	Exh. pipe flg.	Stl. Asb.	1		1724
1BA33	Exh. pipe flg.	Stl. Asb.	1		S-1724
1FA189	Exh. mani.	Stl. Asb.	2		1652A
1FA142	Int. mani.	Asb.	1		1855
2T6A75	Oil pan	Cork	2		C-141
2T6A103	Oil pan tray	Cork	1		C-307
2FA83	Oil drain plug	Cop. Asb.	1		511A
1FA151	Int. to exh.	Asb.	1		2412
1FA151	Carburetor	Asb.	1		2412




Reo Motor, 6. Motor. Models 245, 3 1/2 x 4 1/4"; 288 3 1/2 x 5"

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
92-A5	Cyl. hd.	Cop. Asb.	1		6074

Republic, 4-6. Truck—Bus. See LaFrance Republic, Page No. 150.

Riley. Racing Head. (Ford "A" Motor)



McCord No. 5929


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	Cyl. hd.	Cop. Asb.	1		5929

Roamer, 8. Passenger

Model	Year	Motor	McCord No.	See Page No.	Model	Year	Motor	McCord No.	See Page No.	Model	Year	Motor	McCord No.	See Page No.
8-78	1927-30	Lyc. GT	5388A	163	8-88	1925-30	Lyc. 4H	5125A	162	200	1925-30	Lyc. 3H	5125A	162
8-80	1925-30	Lyc. 4H	5125A	162										

NOTE—For older models see Guide A.

Rockne Motor, 6. Passenger. Models 65-10, 1932-33 3 1/8 x 4 1/8"




McCord No. 5743




McCord No. S2503




McCord No. S2504




McCord No. S2505



McCord No. C3060



McCord No. C3057



McCord No. C3059

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
511052	Cyl. hd.	Cop. Asb.	1		5743
	Mani. set (1 pc.) (1-2503A)	Cop. Asb.	1		MS-2546
S-88	Mani. set (1-2503A, 2-2505, 1-112J, 1-1095)	Cop. Asb.	1		MS-2201
S-88	Mani. set (1-S2503, 1-S2504, 2-S2505, 1-1095)	Stlpl.	1		SMS-2201
	Valve cov. set (2-C3057)	Cork	1		CV-464
	Oil pan set (1-C3060)	Cork	1		CS-2251
	Oil pan set (1-P757)	Vell.	1		ES-757
	Gear cov. set (1 pc.)	Vell.	1		ES-1132
	Gear cov. pl. set (1 pc.)	Vell.	1		ES-1133
	Axle hsg. set (1 pc.)	Vell.	1		ES-4021
43494	Exh. pipe flg.	Stl. Asb.	1		1095
184777	Manifold	Cop. Asb.	1		2503A
510066	Manifold	Stlpl.	1		S-2503
510128	Valve cov.	Cork	2		C-3057
510133	Oil pan	Cork	1		C-3060
510133	Oil pan	Vell.	1		P-757
184778	Inlet to exh.	Cop. Asb.	2		2505
510069	Inlet to exh.	Stlpl.	2		S-2505
510068	Inlet heat valve	Cop. Asb.	1		112J
510068	Inlet heat valve	Stlpl.	1		S-2504
168242	Carburetor	Asb.	1		16021
510231	Wat. pump body	Vell.	1		V-9433
510233	Wat. pump supp. pl.	Vell.	1		V-9434
510156	Wat. outlet	Asb.	1		16036
178509	Spark plug	Allmetal	6		AM-510A
510061	Gear cov.	Cork	1		C-3059

Rockne Motor, 6. Passenger, Model 75, 1932. See Studebaker Motor 53-54-55. McCord No. 5451A, Page No. 225.

Roosevelt Motor, 8. Passenger. Models 68-69-70, 1928-32. See Marmon 8. McCord No. 5465, Page No. 174.

Ruggles, 4-6. Truck—Bus. See Guide A, Page No. 113.

Safeway 8. Bus. See Guide A, Page No. 114.

Sandow 4. Truck. See Guide A, Page No. 115.



Sanford, 4-6. Truck

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
A	¾-1½	Cont. 31L	5170	*	NO	1½-2½	Cont. 16C	5669	71	S345	3-5	Buda DW6	5345	*
A-AX	1½-2	Cont. 18E	5459	71	O	3-4	Cont. 16R	5534	75	W6-35	4-5	Buda BUS	5346	*
F	1½-2½	Cont. 16C	5669	70	O	3-5	Buda DW6	5345	*	W6-50	4-5	Buda BUS	5346	*
F-FL	3-4	Cont. 18R	5534	75	R	3-5	Buda DW6	5345	*	333	3-5	Buda DW6	5345	*
N	1½-2½	Cont. 16C	5669	70	S-SE	¾-1½	Cont. 31L	5170	*	345	3-5	Buda DW6	5345	*
N	1½-2½	Cont. 18E	5459	71	S2T	3-5	Buda DW6	5345	*					


NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.

Schact, 6. Truck and Bus.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
HA	10	Herc. YXC3	5612	130	15B	2½-3½	Cont. 16C	5669	70	35A	5-7	Herc. WXC3	5649	129
JW30	2	Wauk. 6XL	5515	253	15B	2½-3½	Herc. JXC	5732	126	35H-35HA	5	Herc. WXC2	5649	129
LNW6	3-7	Wauk. 6KU	5473B	245	15HA	1½-3½	Cont. 16C	5669	70	40	2-7	Herc. WXC	5649	129
N-60	Bus	Wauk. 6KU	5473B	245	15HA	3½	Cont. 20C	5669	70	40	2-5	Wauk. 6XK	5516	253
T	2-5	Wauk. 6XK	5516	253	18A-18B	2½-4	Herc. JXD	5910	126	40A	6-8	Herc. YXC3	5612	130
TR	6-15	Wauk. 6SRL	5549	247	20	2	Lyc. TS	5390	165	40H-40HA	5-10	Herc. YXC	5526	130
TR	10	Herc. YXC3	5612	130	20-20A	3-5	Cont. 16C	5669	70	40HB	5-10	Herc. YXC	5526	130
TRA	12-15	Herc. YXC3	5612	130	20A-20B	3-4½	Herc. JXD	5910	126	60-65	6-15	Wauk. 6SRL	5549	247
TRCU	12-15	Herc. YXC3	5612	130	20H	2-5	Herc. WXB	5496	129	66A	8-11	Herc. RXC	5612	130
TRD	5-10	Herc. YXC	5526	130	20HA	1½-3½	Cont. 16C	5669	70	66A	8-11	Herc. RXC	5752	130
TRDA	10	Herc. YXC3	5612	130	20HA	2-5	Herc. WXB	5496	129	66H-66HA	5-15	Herc. RXC	5612	130
TRDB	5-15	Herc. RXC	5612	130	20HA	2½-5	Herc. WXC	5649	129	66H-66HA	5-15	Herc. RXC	5752	130
TRDB	5-15	Herc. RXC	5752	130	25	2-5	Herc. WXB	5496	129	70	2-3	Herc. JXC	5732	130
8A	1½	Herc. JXB	5674	126	25	2-5	Wauk. 6XK	5516	253	75	2½-7	Herc. WXC	5649	129
10	1½-3	Cont. 16C	5669	70	25A-25B	3-5	Herc. WXC2	5649	129	75A	11	Herc. HXB	5730	126
10A-10B	1½-2	Herc. JXB	5674	126	25H-25HA	2½-7	Herc. WXC	5649	129	110CU	1½-2	Herc. JXC	5732	130
10H	1½-3	Cont. 20C	5669	70	28A-28B	4-5½	Herc. WXC3	5649	129	115CU	2-3	Herc. JXC	5732	130
10H-10HA	1½-3	Cont. 16C	5669	70	28H-28HA	2-7	Herc. WXC	5649	129	120CU	3-5	Herc. JXD	5910	126
12A-12B	2-3	Herc. JXB	5674	126	30	2-7	Herc. WXC	5649	129	125CU	3-5	Herc. WXC2	5649	129
15	1½-3½	Cont. 16C	5669	70	30	4	Wauk. 6X4	5718	253	128CU	4-5	Herc. WXC3	5649	129
15A-15B	2½-3½	Herc. JXC	5732	126	30H-30HA	2-7	Herc. WXC	5649	129					


NOTE—For older models see Guide A.

Scripps Motor, 6. Marine Model D.....4¼ x6"



McCord No. 5686

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
D-636	Cyl. hd.	Cop. Asb.	3		5686
D-640	Exh. mani.	Cop. Asb.	6		855A
D-885	Int. mani.	Cop. Asb.	3		850

Scripps Motor, 4-6. Marine Models F4-84-MD-HS.....4¾ x5"
Models F6-120-121-124-125-MD-HS.....3¾ x5"

McCord No. 5091

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1015	Cyl. hd.	Cop. Asb.	2-3		5091
	Mani. set (2-2989) F4	Cop. Asb.	1		MS-2609
	Mani. set F6				
	(1-1933, 2-1934)	Cop. Asb.	1		MS-2610
1489	Manifold F4	Cop. Asb.	2		2989
1373	Mani. center F6	Cop. Asb.	1		1933
1374	Mani. ends F6	Cop. Asb.	2		1934




McCord No. 1933



McCord No. 1934



Scripps Motor, 6. Marine. Models H200-201-202-203-204-205 5x5 3/4"




McCord No. 5566



McCord No. 2023

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1852	Cyl. hd.	Cop. Asb.	3		5566
	Mani. set (3-2023)	Cop. Asb.	1		MS-2155
1857	Manifold	Cop. Asb.	3		2023

Scripps Motor, 6. Marine. Models 160-165 4 1/2 x 5 3/4"



McCord No. 6107

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
6001	Cyl. hd.	Cop. Asb.	3		6107

Scripps Motor. For older Models see Guide A.

Selden, 4-6. Truck and Bus.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
7-7C	1	Cont. 29L	5170	*	47-47X	2-4	Cont. 6B	5135	*	60	4-5	Cont. 8T	5275	*
17-17C	1-1 1/2	Cont. 18E	5459	71	47B-47C	2-5	Cont. 18R	5534	75	67	4-5	Cont. 8T	5275	*
27	1-1 1/2	Cont. 15C	5669	70	47CB	2-5	Cont. 20R	5534	75	67	4-5	Cont. 18R	5534	75
37-37C	1-2 1/2	Cont. 15C	5669	70	47D	2-5	Cont. 20R	5534	75	67C	4-5	Cont. 20R	5534	75
39-39C	2-5	Cont. 16R	5534	75	47HB-HD	2-5	Cont. 18R	5534	75	76-77	4-5	Cont. 8T	5275	*
42	Bus	Cont. 20R	5534	75	47X	2-4	Cont. 6B	5135	*	77	5 1/2	Cont. 16H	5146A	*
42	Bus	Cont. 6B	5135	*	52	Bus	Cont. L4	5003	*	317	1 1/4-2 1/2	Cont. 15C	5669	70

NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.

Service, 6. Truck and Bus.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
S11-S11Y	1 1/2-2	Buda HS6	5344	*	40-40Z	1-2 1/2	Buda DS6	5345	*	70Z-80	2-5	Buda BUS	5346	*
S11Z	1 1/2-2	Buda HS6	5344	*	50Z	2-5	Buda BA6	5346	*	80Z-100	2 1/2-5	Buda BUS	5346	*
20Y-20Z	1-2	Buda HS6	5344	*	60-60Z	2-5	Buda BA6	5346	*	100ZA-ZB	2-5	Buda BA6	5346	*
25Z	1-2	Buda HS6	5344	*	61	2 1/2	Buda DW6	5345	*					
30Z	1-2 1/2	Buda DS6	5345	*	61L	1-2 1/2	Buda DW6	5345	*					

NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.

Spark Plug Gaskets

Size	Type	McCord No.
Metric (10MM)	Allmetal	AM-500H
Metric (14MM)	Allmetal	AM-504K
Metric (18MM)	Cop. Asb.	510A
Metric (18MM)	Allmetal	AM-510A
7/8"	Cop. Asb.	515
7/8"	Allmetal	AM-515


Standard, 4. Truck. See Guide A, Page No. 117.

Star, 4-6. Passenger. See Guide A, Page No. 117.




Stearns-Knight, 8. Passenger. Models H-J, 1927-30.


3 1/2 x 5"




McCord No. 5587



McCord No. 2105



McCord No. 5588



McCord No. 2106


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
G-11207	Cyl. hd., center	Cop. Asb.	2		5587
G-11201	Cyl. hd., ends	Cop. Asb.	2		5588
	Mani. set				
	(8-2105, 1-2106)	Cop. Asb.	1		MS-2568
G-14101	Exh. mani.	Cop. Asb.	8		2105
G-14136	Int. mani. hot spot	Cop. Asb.	1		2106

Sterling, 4-6. Truck and Bus.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
DB7-64	1-1 1/2	Cont. 18E	5459	71	FB55	2-2 1/2	Cont. 16C	5669	70	FD97H	12-18	Cum. Diesel	5861	79
DB8-63	1-2 1/2	Wauk. 6XL	5515	253	FB60	2-3	Wauk. 6TL	5603	248	FD97S	3-10	Wauk. 6SRL	5549	247
DB9-64	1 1/2-2	Cont. 16C	5669	70	FB60	2-3	Wauk. 6BK	5921A	240	FD115	3-10	Wauk. 6SRL	5549	247
DB11-64	1-2 1/2	Wauk. 6XL	5515	253	FB65	2-3	Wauk. 6ML	5761	247	FD115	7-12	Wauk. 6-125	5885	256
DC19-64	3-4	Wauk. 6XK	5516	253	FB65	2-3	Wauk. 6MS	5761	247	FD115H	12-18	Cum. Diesel	5861	79
DC21-44	2-4	Wauk. CU	5238	*	FB70	2-3	Wauk. 6TL	5603	248	FD140	3-10	Wauk. 6SRL	5549	247
DC23-64	3-7	Wauk. 6KU	5473B	245	FB70	2-3	Wauk. 6ML	5761	247	FD140	7-8	Wauk. 6-125	5885	256
DC25-64	3-7	Wauk. 6KU	5473B	245	FB70	3-4	Wauk. 6BK	5921A	240	FD140	7-8	Wauk. 6SRK	5717	247
DC26-64	3-10	Wauk. 6SRL	5549	247	FB80	2-7	Wauk. 6MS	5761	247	FD170	5-12	Wauk. 6AB	5260A	239
DC27	5-12	Wauk. 6AB	5260A	239	FB80	2-7	Wauk. 6ML	5761	247	FD195	12-18	Cum. Diesel	5861	79
DW8	1-2 1/2	Wauk. V	5264	249	FB80	2-7	Wauk. 6MK	5761	247	FDS180	5-12	Wauk. 6AB	5260A	239
DW10	1-2 1/2	Wauk. V	5264	249	FB140	7-12	Wauk. 6-125	5885	256	FDS180	7-18	Wauk. 6RB	5568	239
DW10	1-2 1/2	Wauk. FU	5239	*	FBT130	2-8	Wauk. 6BK	5921A	240	FDS180	10-12	Wauk. 6-125	5885	256
DW11-64	1-2 1/2	Wauk. 6XL	5515	253	FBT152	8-10	Wauk. 6-110	5777	256	FDS200	7-16	Wauk. 6RB	5568	239
DW12	1-2 1/2	Wauk. V	5264	249	FBT152	8	Wauk. 6MZ	5750	247	FDT152	8	Wauk. 6-110	5777	256
DW12	1-2 1/2	Wauk. FU	5239	*	FC90	4-5	Wauk. 6BK	5921A	240	FDT180	3-10	Wauk. 6SRL	5549	247
DW12-64	1-2 1/2	Wauk. 6XL	5515	253	FC90	4-5	Wauk. 6MK	5761	247	FDT200	7-12	Wauk. 6-125	5885	256
DW13	1-2 1/2	Wauk. FU	5239	*	FC95	4-5	Wauk. 6MZ	5750	247	FDT250	7-16	Wauk. 6RB	5568	239
DW13-65	3-4	Wauk. 6XK	5516	253	FC100	5-6	Wauk. 6MK	5761	247	FDT250H	12-18	Cum. Diesel	5861	79
DW14	2-4	Wauk. CU	5238	*	FC100	5-6	Wauk. 6ML	5761	247	FW70	10	Wauk. 6AB	5260A	239
DW14-64	3-4	Wauk. 6XK	5516	253	FC100	5-6	Wauk. 6MZ	5750	247	FW97	2-7	Wauk. 6ML	5761	247
DW15-64	3-4	Wauk. 6XK	5516	253	FC100	5-6	Wauk. 6SRL	5549	247	FW97S	3-10	Wauk. 6SRL	5549	247
DW18	2-4	Wauk. CU	5238	*	FC100H	12-18	Cum. Diesel	5861	79	FW115	3-10	Wauk. 6SRL	5549	247
DW18-64	3-7	Wauk. 6KU	5473B	245	FC107	3-10	Wauk. 6SRL	5549	247	FW140	3-10	Wauk. 6SRL	5549	247
DW20-64	3-10	Wauk. 6SRL	5549	247	FC120	2-7	Wauk. 6ML	5761	247	FW170	5-12	Wauk. 6AB	5260A	239
DWS14	3-7	Wauk. CU	5238	*	FC120S	3-10	Wauk. 6SRL	5549	247	FWS90	2-7	Wauk. 6ML	5761	247
DW1XB	3-7	Wauk. CU	5238	*	FC135	3-10	Wauk. 6SRL	5549	247	FWS100	2-7	Wauk. 6ML	5761	247
EC23	3-5	Wauk. DU	81	241	FC135	6-7	Wauk. 6-125	5885	256	FWS140	3-10	Wauk. 6SRL	5549	247
EC26	5-10	Wauk. EU	82	*	FC140	5-12	Wauk. 6AB	5260A	239	FWS152	8-10	Wauk. 6MZ	5750	247
EC29-66A	5-10	Wauk. EU	82	*	FC140	5-12	Wauk. 6-125	5885	256	FWS180	5-12	Wauk. 6AB	5260A	239
EC29-66A	5-10	Wauk. 6AB	5260A	239	FC145	5-12	Wauk. 6AB	5260A	239	FWS200	7-16	Wauk. 6RB	5568	239
EC35	5-10	Wauk. EU	82	*	FC170	7-12	Wauk. 6RB	5568	239	GB1	Bus	Wauk. FU	5239	*
EC35-66	5-10	Wauk. 6AB	5260A	239	FCS170	5-12	Wauk. 6AB	5260A	239	GB2	Bus	Wauk. CU	5238	*
EC50T	3-5	Wauk. GU	5309	*	FC210	7-16	Wauk. 6RB	5568	239	GB4	Bus	Wauk. DU	81	241
ECS24	3-5	Wauk. EU	82	*	FCS180	5-12	Wauk. 6AB	5260A	239	GB6	Bus	Wauk. 6A	5260A	239
EW20-44	3-5	Wauk. DU	81	241	FCT180	3-10	Wauk. 6SRL	5549	247	GB16-21	Bus	Wauk. 6XL	5515	253
EW23	3-5	Wauk. DU	81	241	FCT200	7-12	Wauk. 6-125	5885	256	GB29	Bus	Wauk. 6XK	5516	253
EW23-64	3-7	Wauk. 6KU	5473B	245	FCT250	7-16	Wauk. 6RB	5568	239	GB33	Bus	Wauk. 6KS	5473B	245
EW27-44	7-10	Wauk. EU	82	*	FCT250H	12-18	Cum. Diesel	5861	79	HC140	3-10	Wauk. 6SRL	5549	247
EW27	3-10	Wauk. 6SRL	5549	247	FD70	3-4	Wauk. 6BK	5921A	240	HC140	7-8	Wauk. 6-125	5885	256
EWS25	7-10	Wauk. EU	82	*	FD80	2-7	Wauk. 6ML	5761	247	HC170	9-10	Wauk. 6RB	5568	239
FB30	1-2 1/2	Cont. 25A	5580A	68	FD90	4	Wauk. 6MK	5761	247	HC170H	9-10	Cum. Diesel	5861	79
FB35	1-2 1/2	Cont. 25A	5580A	68	FD90	5-6	Wauk. 6SRL	5549	247	HC185	10-14	Wauk. 6RB	5568	239
FB40	1-2 1/2	Cont. 25A	5580A	68	FD95	4-5	Wauk. 6MZ	5750	247	HC200	12-15	Wauk. 6RB	5568	239
FB45	2-2 1/2	Cont. 16C	5669	70	FD97	5-6	Wauk. 6SRL	5549	247	HC250	15-18	Wauk. 6RB	5568	239
FB50	1-2 1/2	Cont. 25A	5580A	68	FD97	5-6	Wauk. 6ML	5761	247	HCS210	7-16	Wauk. 6RB	5568	239
FB50	1-2 1/2	Wauk. 6BK	5921A	240	FD97	5-6	Wauk. 6SRL	5549	247	HCS210H	12-18	Cum. Diesel	5861	79

NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.

Sterling Motor, 4-6-8. Marine. Models F4-F6-FT6, Chevron, F8, 300 H.P. 5 1/2 x 6 3/4"




McCord No. 5411




McCord No. 1677

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
6C-197	Cyl. hd.	Cop. Asb.	2-3-4		5411
20A-306	Exh. mani.	Cop. Asb.	2-3-4		1677


Sterling Motor, 4-6-8. Marine. Models GH-GM. GR—Dolphin, Trident. 5 3/4 x 6 3/4"



McCord No. 5408

McCord
No. 1674McCord
No. 1676

McCord No. 1675




McCord No. 1673




McCord No. 3083

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
6C-71	Cyl. hd.	Cop. Asb.	2-3-4		5408
13A-63	Exh. pipe flg. GR	Asb.	2-4		3083
12A-42	Exh. mani. GR	Cop. Asb.	4-6-8		1674
12A-226	Int. mani. GR	Cop. Asb.	2-3-4		1673
12C-54	Exh. mani. GM-GH	Cop. Asb.	2-3-4		1675
12A-238	Int. mani. GM-GH	Cop. Asb.	3-6		1676

Sterling Motor, 6. Marine. Models K6-KC6, Seagull. 4 1/2 x 6"



McCord No. 5409



McCord No. 5410




McCord No. 3078




McCord No. 3080

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
6D-94	Cyl. hd.	Cop. Asb.	2		5409
6D-141	Cyl. hd.	Cop. Asb.	2		5410
13A-77	Mani. to hd.	Cop. Asb.	12		3078
13A-94	Exh. mani. flg.	Asb.	1		3080
E-3169A	Gas pump valve plug	Cop. Asb.	1		507B


Sterling Motor, 6. Marine. Models L2, 5 1/4 x 6"; L6, 4 3/4 x 6" Petrel.




McCord No. 5412



McCord No. 5753



McCord No. 2539



McCord No. 2541


McCord
No. 2540

McCord No. 2545

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
6E-258	Cyl. hd. L2	Cop. Asb.	3		5753
63E-34	Cyl. hd. L6	Cop. Asb.	3		5412
6E-223	Exh. mani.	Asb.	3		2541
13C-149	Exh. mani.	Cop. Asb.	3		2545
13C-161	Inlet mani. hot spot	Cop. Asb.	2		2540
12A-619	Inlet to Exh.	Asb.	1		2539



Sterling Motor, 6. Marine. Model M6, Coast Guard..... 6 1/4 x 7 3/4"




McCord No. 5413



McCord No. 3081



McCord No. 3079



McCord No. 3082

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
6F-177	Cyl. hd.	Cop. Asb.	3	5413
	Oil pan set (2-31033)	Paper	1	CS-2358
13A-108	Exh. pipe flg.	Asb.	1	3079
13C-106	Manifold	Cop. Asb.	12	3081
A10-386	Oil pan	Paper	2	31033
6E-178	Cyl. hd. adapter	Cop. Asb.	1	3082

Stewart, 4-6. Truck.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
ICOE	1 1/2-2 1/2	Wauk. 6BL	5930A	240	30X	1-1 1/2	Lyc. WS	5387A	166	46H	3/4-2	Lyc. SA	5771	164
2COE	2-3	Wauk. 6BM	5921A	240	31A	6-8	Wauk. 6SRK	5717	247	47A	1 1/2	Wauk. 6BA	5930A	240
3COE	2 1/2-3 1/2	Wauk. 6BM	5921A	240	31X	5-8	Wauk. 6SRK	5717	247	47H	1 1/2	Wauk. 6BA	5930A	240
4COE	3-4	Wauk. 6BK	5921A	240	31X	3 1/2-7	Wauk. 6SRL	5549	247	47H	3/4-2	Lyc. SA	5771	164
16	1-1 1/4	Lyc. CT	5067	*	32X	2-3	Lyc. ASA	5598	161	48	3	Lyc. AE	5710	161
16A	1-1 1/4	Lyc. CT	5067	*	33X	2-4	Lyc. TS	5390	165	48-8	3	Lyc. AE	5710	161
16X	1 1/2-2	Lyc. 4SG	5262	164	33X	2-3	Lyc. TF	5389	165	48H	2-3	Wauk. 6BK	5921A	240
16XA	1 1/2-2	Lyc. 4SG	5262	164	34X	1-2	Lyc. 4SG	5262	164	49A	2-3	Wauk. 6BK	5921A	240
17	1 1/2-2	Lyc. C4	5257	*	35X	2-3	Lyc. ASA	5598	161	49AD	2-3	Wauk. 6BK	5921A	240
17	1 1/2-2	Lyc. 4SG	5262	164	36X	2 1/2-4	Lyc. TS	5390	165	49H	2-3	Wauk. 6BK	5921A	240
17X	1 1/2-2	Lyc. 4SG	5262	164	38-6	3 1/2-5	Wauk. 6SRL	5549	247	50A	2-3	Wauk. 6BM	5921A	240
18	1 1/2-2	Lyc. C4	5257	*	38-6	3 1/2-5	Wauk. 6SRK	5717	247	50AD	2-3	Wauk. 6BM	5921A	240
18X	2-4	Lyc. TS	5390	165	38-8	3 1/2-5	Lyc. AE	5710	161	50AS	2 1/2-3 1/2	Wauk. 6BM	5921A	240
18X	2-3	Lyc. TF	5389	165	38A	5-7	Wauk. 6SRK	5717	247	50H	2 1/2	Wauk. 6BK	5921A	240
18XS	3 1/2	Wauk. 6MK	5761	247	40	1-1 1/2	Lyc. AFE	5582A	161	50H	1-3	Wauk. 6BA	5930A	240
18XS	3-4	Wauk. 6MZ	5750	247	40A	1/2	Cont. A6244	5580A	68	50X	3/4-2	Lyc. SA	5771	164
19	1 1/2-2	Lyc. C4	5257	*	40AH	1/2	Cont. A6244	5580A	68	51A	3-4	Cont. 32B	6105	71
19	2-4	Lyc. TF	5389	165	40H	1/2	Wauk. FKL	5862	242	51A	3-4	Cont. 32B	5758	71
19	2-4	Lyc. TS	5390	165	40HC	3/4	Cont. F4162	6066	72	51A	3-4	Cont. E602	5758	71
19X	2-4	Lyc. TS	5390	165	40X	1-1 1/2	Lyc. WS	5387A	166	51A	3-4	Cont. E602	6105	71
21	3/4-1	Cont. 31L	5170	*	40XA	3/4-2	Lyc. SA	5771	164	51AD	3-4	Cont. 32B	6105	71
21X	1-1 1/2	Lyc. WS	5387A	166	41H	1	Wauk. 6BA	5930A	240	51AD	3-4	Cont. 32B	5758	71
22	2 1/2-4	Lyc. TS	5390	165	41H	3/4-2	Lyc. SA	5771	164	51AD	3-4	Cont. E602	5758	71
22X	2 1/2-4	Lyc. TS	5390	165	41X	3/4-2	Lyc. SA	5771	164	51AD	3-4	Cont. E602	6105	71
24	1 1/2-2	Lyc. C4	5257	*	41XS	3/4-2	Lyc. SA	5771	164	58-6	2-3	Lyc. HF	5620	162
24X	1 1/2-2	Lyc. 4SG	5262	164	42X	3/4-2	Lyc. SA	5771	164	58-8	3	Lyc. AE	5710	161
25	1 1/2-2	Lyc. C4	5257	*	43X	3/4-2	Lyc. SA	5771	164	58-8	2 1/2-3	Lyc. HF	5620	162
25	Bus	Cont. 6B	5135	*	44X	3/4-4	Lyc. SA	5771	164	58A	3-4	Wauk. 6MZ	5750	247
25W	1 1/2-2	Lyc. C4	5257	*	45A	1-2 1/2	Wauk. 6ZK	5916	254	58AD	3-4	Wauk. 6MZ	5750	247
25X	1 1/2-2	Lyc. 4SG	5262	164	45A	1 1/2-2	Wauk. 6BA	5930A	240	58X	3-4	Wauk. 6MZ	5750	247
25XW	1 1/2-2	Lyc. 4SG	5262	164	45AL	1 1/2-3	Wauk. 6BA	5930A	240	58X	3 1/2	Wauk. 6MK	5761	247
26X	2 1/2	Lyc. TF	5389	165	45AS	1-2 1/2	Wauk. 6ZK	5916	254	59A	3-6	Wauk. 6MZ	5750	247
26XW	2-3	Lyc. TF	5389	165	45AS	1 1/2-2	Wauk. 6BA	5930A	240	59AD	3-6	Wauk. 6MZ	5750	247
27X	3-7	Wauk. 6SRL	5549	247	45AT	1 1/2-2	Wauk. 6BA	5930A	240	60A	3/4	Cont. C600	5786	69
27XS	5-8	Wauk. 6SRK	5717	247	45H	1 1/2-2 1/2	Wauk. 6ZK	5916	254	60H	3/4	Cont. C600	5786	69
28X	1 1/2-2	Lyc. 4SG	5262	164	45HT	1	Wauk. 6BA	5930A	240	61A	1-1 1/2	Cont. F6218	5928	72
29X	1 1/2-2	Lyc. 4SG	5262	164	45X	3/4-2	Lyc. SA	5771	164	62A	1 1/2-2	Cont. F6218	5928	72
29XS	2-3	Lyc. ASA	5598	161	46A	1 1/2	Wauk. 6BA	5930A	240					
30	1-1 1/2	Lyc. AFE	5582	161	46H	1 1/2	Wauk. 6BA	5930A	240					

NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.

Stewart Vacuum Tank—Fuel Pump.

Part No.	Name of Gasket	Type	Used Per Motor Year		McCord No.
3830	Cov., old style, 3.550x4 ⁷ / ₃₂	Cork	2		C-1
3830	Cov., old style	Vell.	2		V-109
17991	Cov., new style, 3.390x4 ⁷ / ₃₂	Cork	1		C-52
17991	Cov., new style	Vell.	1		V-110
P33579	Cov., small, 2 ⁷ / ₁₆ x3.570	Cork	1	to 29	C-648
P60804	Cov., small, 2 ⁷ / ₁₆ x3.570	Cork	1	29-32	C-916
P33579	Cov., small	Vell.	1	to 32	V-112
60804					
P-10262	Cov., lower, 5 ³ / ₆₄ x5 ¹⁵ / ₁₆	Cork	1		C-646
P-10365	Cov., upper, 4 ³⁷ / ₃₂ x5 ¹⁵ / ₁₆	Cork	1		C-647
P-41679	Gas strainer, 1 ⁴⁵ / ₆₄ x2 ⁷ / ₃₂	Cork	1		C-920
P-40718	Gascolator washer, .880x1 ¹ / ₈	Cork	1		C-919

NOTE—Complete Studebaker Truck Model and Motor Reference chart follows Studebaker Passenger Car Listing.



Studebaker Motor, 6. Passenger. Commander—EW—Bus, 1928. See Guide A. Page No. 120.

Studebaker Motor, 6. Passenger. Models Dictator, 1927-29, 3³/₈x4¹/₂". Dictator, 1929-30 3³/₈x4¹/₈"
 Models Commander, 1929-30 3³/₈x4⁵/₈"
 Models Erskine, 1930; 6-53, 54, 1931, 3¹/₄x4¹/₈"; 55, 1932 3¹/₄x4⁵/₈"
 Truck Models. Refer to chart, Page No. 232.


Part No.	Name of Gasket	Type	Used Per Motor Year		McCord No.
126115	Cyl. hd. (oblong wat. holes) (early 27)	Cop. Asb.	1	27	5472
126115	Cyl. hd. (round wat. holes) (early 27)	Cop. Asb.	1	27	5472A
172754	Cyl. hd. (late 27)	Cop. Asb.	1	27-32	5451A
S-82	Mani. set (1 pc.) (1-2028)	Cop. Asb.	1		MS-2545
S-92	Mani. set (8-8026, 1-1817, 2-S1839, 1-840C, 1-1095, 1-2552)	Cop. Asb.	1	27-30	MS-2204
	Mani. set 53 (8-8026, 2-S1839, 1-1817, 1-1095, 1-2804, 1-2552)	Cop. Asb.	1	31	MS-2213
S-89	Mani. set 54-55-Rockne 75 (8-8026, 1-2532, 1-2552, 1-1095)	Cop. Asb.	1	31-32	MS-2210
S-77	Valve cov. set (1-C707)	Cork	1		CV-460
	Oil pan set, Dict. (1-C89, 1-C712, 2-C505)	Cork	1	27-29	CS-2146
S-77	Oil pan set Dict. (3 pcs.)	Vell.	1	27-29	ES-216
S-77	Oil pan set, Comm. (1-C89, 1-C712, 2-C505)	Cork	1	29-30	CS-2146
S-77	Oil pan set Comm. (3 pcs.)	Vell.	1	29-30	ES-216
S-78	Oil pan set Dict. 53-54-55 (1-C89, 2-C505, 1-C1200)	Cork	1	30-32	CS-2274
S-78	Oil pan set Dict. 53-54-55 (4 pcs.)	Vell.	1	30-32	ES-215
127254	Wat. jkt. cov. set (1 pc.)	Vell.	1		ES-2045
43519	Gear cov. set (1 pc.)	Vell.	1	27-30	ES-1301
170021	Gear cov. set (1 pc.) 53	Vell.	1	31	ES-1360
172269	Gear cov. set (1 pc.) 54-55	Vell.	1	31-32	ES-1135
43326	Diff. carr. set (1 pc.)	Vell.	1		ES-4109
43328	Axle hsg. set (1 pc.)	Vell.	1	27-31	ES-4110
165085	Axle hsg. set (1 pc.) 55	Vell.	1	32	ES-4134
43494	Exh. pipe fig.	Stl. Asb.	1		1095
178271	Manifold (1 pc.)	Cop. Asb.	1		2028
	Mani. int., center	Cop. Asb.	1		2552
126190	Mani. int., ends and exh.	Cop. Asb.	8		8026
43491					
120457	Mani., upper to lower int.	Cop. Asb.	2		838
127276	Valve cov.	Cork	1		C-707
127419					

(Continued on Next Page)


Studebaker Motor, 6. Dictator-Commander, 1927-32—Continued




McCord No. C-707




McCord No. C-505




McCord No. C-89




McCord No. C-712



McCord No. C-3792



McCord No. C-3340



McCord No. C-3711

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
122258	Oil pan sides	Cork	2		C-89
43649	Oil pan pack., front	Cork	1		C-712
122260	Oil pan pack., rear	Cork	1	27-30	C505
170518	Oil pan pack., rear	Cork	1	30-32	C-1200
36899	Oil drain and spark plug	Cop. Asb.	1-6		515
120458	Int. to exh. upper (Early)	Cop. Asb.	1	27	1330
128003	Int. to exh. (To early 31)	Cop. Asb.	2	27-31	1839
128003	Int. to exh. (To early 31)	Stlpk.	2	27-31	S-1839
172436	Int. to exh. (Late 31)	Cop. Asb.	1	31-32	2532
127365	Int. to heater	Cop. Asb.	1		1817
127375	Int. heater valve	Cop. Asb.	1	27-30	840C
170052	Int. heater valve 53	Cop. Asb.	1	31	2804
127369	Int. heater to exh.	Cop. Asb.	1		1818
128044	Int. to carb.	Cop. Asb.	1		1926
168242	Carb. to mani.	Vell.	1		V-103
167784	Fuel pump (All but Comm. and 55)	Vell.	1		V-5149
150514	Fuel pump Comm.	Vell.	1		V-5142
179578	Fuel pump 55	Vell.	1		V-8391
126119	Wat. outlet	Asb.	1		16098
43724	Wat. inlet hose conn.	Cop. Asb.	1		104
43328	Axle hsg.	Cork	1	27-31	C-350

NOTE—The following gaskets are used on Studebaker Trucks equipped with above motors. Other gaskets are the same as those listed above.

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
127254	Wat. jkt. cov. set (1 pc.)				
	Note A	Vell.	1		ES-2045
170021	Gear cov. set (1 pc.)				
	Note A	Vell.	1		ES-1360
172269	Gear cov. set (1 pc.)				
	Note B	Vell.	1		ES-1135
630940	Diff. carr. set (1 pc.) 6S	Vell.	1	31-32	ES-4254
630940	Axle hsg. set (1 pc.)				
	Note B	Vell.	1		ES-4254
128003	Int. to exh. Note A	Cop. Asb.	2		1839
128003	Int. to exh. Note A	Stlpk.	2		S-1839
172436	Int. to exh. Note B	Cop. Asb.	1		2532


NOTES:

A—Model S, 1½ Ton to Engine IT2000; 2 Ton to Engine 2T1290.


B—Model S, 1½ Ton after Engine IT2000; 2 Ton after Engine 2T1290.

Studebaker Motor, 6. Passenger. Model 56, 1933

Truck Models. Refer to chart, Page No. 232.



McCord No. 5767



McCord No. 2551



McCord No. 2618



McCord No. 2552

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
178198	Cyl. hd.	Cop. Asb.	1		5767
S-136	Mani. set				
	(2-2551, 4-8032, 4-8033, 1-2618, 1-2552)	Cop. Asb.	1		MS-2214
S-79	Valve cov. set (1-C707)	Cork	1		CV-460
S-79	Oil pan set				
	(1-C3340, 2-C3792, 2-C3793, 1-C3794)	Cork	1		CS-2275
S-79	Oil pan set				
	(2-P249, 1-P250, 2-C3793, 1-C3794)	Vell.	1		ES-249
43326	Diff. carr. set (1 pc.)	Vell.	1		ES-4109
165085	Axle hsg. set (1 pc.)	Vell.	1		ES-4134
633100	Exh. pipe fig.	Cop. Asb.	1		2618
178271	Mani. int., center	Cop. Asb.	1		2552
179319	Mani. exh., center	Cop. Asb.	4		8033
178272	Mani., ends	Cop. Asb.	4		8032
178270	Int. to exh.	Cop. Asb.	2		2551
127276	Valve cov.	Cork	1		C-707
180062	Oil pan, sides	Cork	2		C-3792
178409	Oil pan, front	Cork	1		C-3340
179972	Oil pan pack., upper	Cork	2		C-3793
179973	Oil pan pack., lower	Cork	1		C-3794

(Continued on Next Page)

Studebaker Motor, 6. Model 56, 1933—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
180062	Oil pan, sides, (2-P249)	Vell.			
178409	Oil pan, front, (1-P250)	Vell.			
179972	Oil pan pack., upper, (2-C3793)	Cork	1		
179973	Oil pan pack., lower, (1-C3794)	Cork			
168011	Oil drain plug	Cop. Asb.	1		511
178870	Int. to exh. mani. spacer	Asb.	1		16123
178707	Carb. to mani.	Cop. Asb.	1		827E
179578	Fuel pump	Vell.	1		V-8391
127254	Wat. jkt. cov.	Vell.	1		V-2045
126119	Wat. outlet	Asb.	1		16098
178509	Spark plug	Allmetal	6		AM510A
178357	Gear cov.	Cork	1		C-3341





NOTE—The following gaskets are used on Studebaker Trucks equipped with the above motor. Other gaskets are the same as those listed above.

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
	Oil pan set (1 pc.) (1-C3711) Note A	Cork	1		CS-2290
	Oil pan set (1 pc.) (1-P763) Note A	Vell.	1		ES-763
630940	Diff. carr. set S6-T6-1T6 (1 pc.)	Vell.	1		ES-4254
630940	Axle hsg. set S6-T6-1T6 (1 pc.)	Vell.	1		ES-4254
633696	Oil pan (1 pc.) Note A	Cork	1		C-3711
633696	Oil pan (1 pc.) Note A	Vell.	1		P-763
633697	Gear cov. Note A	Cork	1		C-3712

NOTE A: Models S2 and S4 after Engine IT5600; S6 after Engine 2T5400; S8 after Engine 3T1100, and all T and IT Series trucks.

Studebaker Motor, 6. Passenger. Models Dictator, 6A, 1934; 1A-2A, 1935

3 1/4 x 4 1/8"



Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
183308	Cyl. hd.	Cop. Asb.	1	34	5813
187044	Cyl. hd. (alum. hd.)	Cop. Asb.	1	35	5915
184651	Cyl. hd. (iron hd.)	Stlplk.	1	35	S-5919
	Mani. set (1 pc.) (1-2503A)	Cop. Asb.	1		MS-2546
S-88	Mani. set (1-2503A, 2-2505, 1-112J, 1-1095)	Cop. Asb.	1	34	MS-2201
S-88	Mani. set (1-S2503, 2-S2505, 1-S2504, 1-1095)	Stlplk.	1	34	SMS-2201
S-160	Mani. set (early) (1-2503A, 1-2681, 2-S2682, 1-1095)	Cop. Asb.	1	35	MS-2216
	Mani. set (late) (1-2503A, 1-2681, 2-S2682, 1-2803)	Cop. Asb.	1	35	MS-2217
	Valve carr. set (2-C3057)	Cork	1		CV-464
	Oil pan set (1-C3060)	Cork	1		CS-2251
	Oil pan set (1-P757)	Vell.	1		ES-757
510163	Front end pl. set (1 pc.)	Vell.	1		ES-1133
510061	Gear cov. set (1 pc.)	Vell.	1	34	ES-1132
510743	Axle hsg. set (1 pc.)	Vell.	1		ES-4021
43494	Exh. pipe flg. (to early 35)	Cop. Asb.	1	34-35	1095
186337	Exh. pipe flg. (late)	Cop. Asb.	1	35	2803
184777	Manifold	Cop. Asb.	1		2503A
510066	Manifold	Stlplk.	1		S-2503
510128	Valve cov.	Cork	2		C-3057
510133	Oil pan	Cork	1		C-3060
510133	Oil pan	Vell.	1		P-757
184778	Int. to exh.	Cop. Asb.	2	34	2505
510069					

(Continued on Next Page)


Studebaker Motor, 6. Dictator, 1934-35—Continued

McCord
No. S-2504


McCord No. 2803

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
184778 510069	Int. to exh.	Stlpk.	2	34	S-2505
185075	Int. to exh.	Stlpk.	2	35	S-2682
510068	Inlet heat valve	Cop. Asb.	1	34	112J
510068	Inlet heat valve	Stlpk.	1	34	S-2504
183640	Inlet heat valve	Cop. Asb.	1	35	2681
168242	Carburetor	Asb.	1		16021
182412	Fuel pump flg.	Vell.	1		V-8352
510231	Wat. pump body	Vell.	1		V-9433
510233	Wat. pump supp. pl.	Vell.	1		V-9434
510163	Wat. outlet	Asb.	1	34	16036
178509	Spark plug	Allmetal	6		AM-510A
510061	Gear cov.	Cork	1	34	C-3059
179966	Gear cov.	Cork	1	35	C-4047

Studebaker Motor, 6. Passenger. Models 3A-4A, 1936; 5A-6A, 1937 $3\frac{1}{4} \times 4\frac{3}{8}$ "
 Models 7A-8A, 1938; 9A, 1939; 10A, 1940 $3\frac{1}{8} \times 4\frac{3}{8}$ "
 Truck Models. Refer to Chart, Page No. 232.




McCord No. 5942-A



McCord No. 6032




McCord Nos. 2503A-S2503




McCord No. 2826




McCord No. 16114



McCord No. C-4202



McCord No. C-3057



McCord No. C-4203

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
189339	Cyl. hd. 3A-4A-5A-6A	Stl. Asb.	1	36-37	5942A
191933	Cyl. hd. 7A-8A-9A-10A	Stl. Asb.	1	38-40	6032
S-257	Mani. set 3A-4A (1-2503A, 1-2826, 1-867N)	Cop. Asb.	1	36	MS-2218
S-257	Mani. set 3A-4A (1-S2503, 1-2826, 1-867N)	Stlpk.	1	36	SMS-2218
S-292	Mani. set 5A-6A-7A-8A- 9A-10A (1-2503, 1-2826, 1-859K)	Cop. Asb.	1	37-40	MS-2442
S-292	Mani. set 5A-6A-7A-8A- 9A-10A (1-S2503, 1-2826, 1-859K)	Stlpk.	1	37-40	SMS-2442
	Valve cov. set (2-C3057)	Cork	1	36-38	CV-464
	Valve cov. set (2-C4993)	Cork	1	39-40	CV-593
	Oil pan set (1-C4203)	Cork	1		CS-2295
	Oil pan set (1-P765)	Vell.	1		ES-765
	Gear cov. set (1-V1155)	Vell.	1		ES-1155
511674	Axle hsg. set (1 pc.)	Vell.	1		ES-4030
186998	Exh. pipe flg.	Cop. Asb.	1	36	867N
189340	Exh. pipe flg.	Cop. Asb.	1	37-40	859K
184777 510066	Manifold	Cop. Asb.	1		2503A
184777 510066	Manifold	Stlpk.	1		S2503
510128	Valve cov.	Cork	2	36-38	C-3057
196126	Valve cov. (pass. 39-40 and trucks, Note A)	Cork	2	39-40	C-4993
112971	Valve cov. stud	Cop. Asb.	6		500D
186710	Oil pan	Cork	1		C-4203
186710	Oil pan	Vell.	1		P-765
187003	Int. to exh.	Cop. Asb.	1		2826
187003	Int. to exh.	Stlpk.	1		S-2826
178707	Carburetor	Cop. Asb.	1	36-37	827E
192105	Carburetor	Cop. Asb.	1	38-40	832E
187708	Fuel pump	Vell.	1		V-8414
188728	Fuel and vacuum pump	Vell.	1	37-40	V-8297
186714	Wat. pump body	Vell.	1		V-9485
189326	Wat. pump bracket	Vell.	1		V-8323
186716	Wat. pump supp. pl.	Vell.	1		V-8323
186888	Wat. outlet	Asb.	1		16114
178509	Spark plug	Allmetal	6		AM510A
186668	Gear cov.	Cork	1		C-4202
186668	Gear cov.	Vell.	1		V-1155
263515	Headlamp lens	Cork	2	37	C-7003
196137	Trans. cov. (with Free- Wheeling)	Vell.	1	39-40	V-8913
196137	Gear shift base	Vell.	1	39-40	V-8913

NOTE A—Used on Model K10 after No. OT592, and
 Models K15-K15M after No. IT-24,523.


661670	Axle hsg. K10 series	Cork	1		C-4301
640062	Axle hsg. K15-J15 series	Cork	1		C-4245




Studebaker Motor, 8. Passenger. President Models FA, 1928-29

Models FB-FE-FH, 1929-30; 80-90, 1931; 91, 1932; 92, 1933


Truck Models 77-88-99. Bus Models 77-88-99-111.

 $3\frac{3}{8} \times 4\frac{3}{8}$ "
 $3\frac{1}{2} \times 4\frac{3}{8}$ "
 $3\frac{1}{2} \times 4\frac{3}{8}$ "


McCord No. 5469



McCord No. 5645



McCord No. 5788




McCord No. 1850




McCord No. 2547




McCord No. 1851



McCord No. 1852




McCord No. 2550




McCord No. 1860



McCord No. 2580



McCord No. 2548




McCord No. 1827



McCord No. 1913



McCord No. 2026



McCord No. C-1192



McCord No. 2546

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
156165	Cyl. hd. FA	Cop. Asb.	1	28	5469
157407	Cyl. hd. FA-FB-FE-FH-80-90-91	Cop. Asb.	1	29-32	5645
178200	Cyl. hd. 92	Cop. Asb.	1	33	5788
S-83	Mani. set FA-FB (2-1850, 2-1851, 1-867C, 1-1827, 1-1852)	Stl. Asb.	1	28-29	MS-2205
S-91	Mani. set FE-FH-80-90-91 (2-1850, 1-1913, 1-1827, 1-838A)	Stl. Asb.	1	28-32	MS-2212
S-87	Mani. set (2-2547, 1-2548, 2-2550, 1-2546)	Stl. Asb.	1	33	MS-2209
	Valve cov. set (2-C1192)	Cork	1		CV-463
	Oil pan set (1-C709)	Cork	1		CS-2194
156072	Oil pan set (1 pc.)	Vell.	1		ES-821
	Wat. jkt. cov. set (36 stud) (1-C922)	Cork	1		CW-14
157721	Wat. jkt. cov. set (36 stud) (1 pc.)	Vell.	1		ES-2313
156124	Gear cov. set (1 pc.)	Vell.	1		ES-1235
158101	Diff. carr. set (1 pc.)	Vell.	1		ES-4241
158122	Axle hsg. set (1 pc.)	Vell.	1		ES-4236
156526	Exh. pipe fig.	Stl. Asb.	1	28-32	1827
178725	Exh. pipe fig.	Cop. Asb.	1	33	2546
156305	Manifold	Stl. Asb.	2	28-32	1850
156305	Manifold	Stl. Asb.	2	28-32	S-1850
177496	Manifold	Stl. Asb.	2	33	2547
179828	Valve cov.	Cork	2		C-1192
156229	Oil pan	Cork	1		C-709
156072	Oil pump to cyl.	Vell.	1		V-5002
156104	Oil drain plug	Cop. Asb.	1		515
36899	Int. to exh. FA	Stl. Asb.	1	28	1860
157149	Int. to exh.	Stl. Asb.	1	28-32	1913
158131	Int. to exh.	Cop. Asb.	2	33	2550
178230	Int. heater valve	Stl. Asb.	1	28-31	867C
156312	Int. heater valve	Stl. Asb.	1	32	838A
158034	Int. heater valve	Cop. Asb.	1	33	2548
177731	Int. man. to heater	Stl. Asb.	1	28	1852
156307	Int. heater to exh.	Cop. Asb.	2	28	1851
156314	Int. to exh. mani. spacer	Asb.	1	33	16122
178702	Carburetor	Cop. Asb.	1	28	839
35414	Carburetor	Cop. Asb.	1	29-30	2026
158211	Carburetor	Stl. Asb.	1	33	2580
177979	Carb. to exh. spacer	Asb.	1		16083
159264	Fuel pump	Vell.	1	28-30	V-5142
150514	Fuel pump	Vell.	1	31-33	V-8391
179578	Wat. jkt. cov. (24 stud)	Cork	1		C-740
156172	Wat. jkt. cov. (36 stud)	Cork	1		C-922
157721	Wat. jkt. cov. stud washer	Sol. Cop.	36		470
157423	Wat. inlet	Vell.	1		V-5154
112593	Wat. outlet	Asb.	1		16097
156768	Wat. mani. screw	Cop. Asb.	1		500CA
157740	Radiator cap	Cop. Asb.	1	29-30	1901
156124	Gear cov.	Cork	1		C-739

Studebaker Motor, 8. Passenger.


Dictator Models FC, 1929-30; 61, 1931; 62, 1932

Commander Models FD, 1929-30; 70, 1931; 71, 1932

Commander Models 73, 1933, $3\frac{1}{8} \times 4\frac{1}{8}$ "; B, 1934, $3\frac{1}{8} \times 3\frac{3}{4}$ "; 1B, 1935

President Models 82, 1933; C, 1934; 1C, 1935; 2C, 1936; 3C, 1937

President Models 4C, 1938; 5C, 1939; 6C, 1940


 $3\frac{1}{8} \times 3\frac{3}{4}$ "
 $3\frac{1}{8} \times 4\frac{1}{8}$ "
 $3\frac{1}{8} \times 4\frac{1}{8}$ "
 $3\frac{1}{8} \times 4\frac{1}{8}$ "
 $3\frac{1}{8} \times 4\frac{1}{8}$ "


McCord No. 5508


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
167033	Cyl. hd.	Cop. Asb.	1	29-32	5508
178199	Cyl. hd.	Cop. Asb.	1	33	5787
181841	Cyl. hd.	Cop. Asb.	1	34	5814
184442	Cyl. hd. (iron hd.) 1B	Stl. Asb.	1	35	S-5914
184631	Cyl. hd. (alum. hd.) 1B-1C-2C-3C	Cop. Asb.	1	35-37	5917
191829	Cyl. hd.	Cop. Asb.	1	38-40	6033

(Continued on Next Page)


Studebaker Motor, 8. Dict.-Comm.-Pres., 1929-40—Continued




McCord No. 5787



McCord No. 5814-5917



McCord No. S-5914



McCord No. 6033



McCord No. 1936




McCord No. 1951



McCord No. 2531



McCord No. 2549



McCord No. 2550




McCord No. 2627



McCord No. 1937



McCord No. 2618



McCord No. 2548




McCord No. 2615




McCord No. 2580




McCord No. 2683




McCord No. C-901




McCord No. C-903



McCord No. C-853



McCord No. C-904




McCord No. C-902

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
S-84	Mani. set FC-FD (2-1936, 1-2021, 1-1951, 1-1937)	Stl. Asb.	1	29-30	MS-2206
S-85	Mani. set (2-1936, 1-2531, 1-1951, 1-1937)	Stl. Asb.	1	31-32	MS-2207
S-86	Mani. set (2-2549, 1-2548, 2-2550, 1-2618)	Stl. Asb.	1	33	MS-2208
S-130	Mani. set (2-2627, 2-2549, 1-2618, 1-2615)	Stl. Asb.	1	34-40	MS-2215
	Valve cov. set (2-C903)	Cork	1		CV-462
	Valve cov. set (2-V2044)	Vell.	1		ES-2044
	Oil pan set (1-C904)	Cork	1	29-37	CS-2193
	Oil pan set (1-P826)	Vell.	1	29-37	ES-826
	Oil pan set (1-C4697)	Cork	1	38-40	CS-2325
	Wat. jkt. cov. set (1-C853)	Cork	1		CW-19
	Wat. jkt. cov. set (1-V2158)	Vell.	1		ES-2158
167150	Front end pl. set (1 pc.)	Vell.	1	29-33	ES-1126
167155	Gear cov. set (1 pc.)	Vell.	1	29-33	ES-1236
165143					
168081	Diff. carr. set (1 pc.)	Vell.	1	29-35	ES-4132
165085					
167806	Axle hsg. set (1 pc.)	Vell.	1	29-35	ES-4134
181778	Axle hsg. set (1 pc.)	Vell.	1	36-37	ES-4157
511674	Axle hsg. set (1 pc.)	Vell.	1	38-40	ES-4030
167287	Exh. pipe flg.	Cop. Asb.	1	29-32	1937
633100	Exh. pipe flg.	Cop. Asb.	1	33-40	2618
167220	Manifold	Stl. Asb.	2	29-32	1936
167220	Manifold	Stl. Asb.	2	29-32	S-1936
177976	Manifold	Stl. Asb.	2	33-40	2549
167163					
179827	Valve cov.	Cork	2		C-903
188045					
167163					
179827	Valve cov.	Vell.	2		V-2044
188045					
5960	Valve cov. stud	Cop. Asb.	4	29-32	500K
167178	Oil pan	Cork	1	29-37	C-904
167178	Oil pan	Vell.	1	29-37	P-826
191291	Oil pan	Cork	1	38-40	C-4697
156104	Oil pump to cyl. feed	Vell.	1		V-5002
167233	Int. to exh.	Stl. Asb.	1	29-30	2021
168653	Int. to exh.	Stl. Asb.	1	31-32	2531
178230	Int. to exh.	Cop. Asb.	2	33	2550
180674	Int. to exh.	Stl. Asb.	2	34-40	2627
178702	Int. to exh. mani. spacer	Asb.	1	33	16122
180673	Int. to exh. mani. spacer	Asb.	1	34-40	16118
167221	Int. mani. heater cov.	Stl. Asb.	1	29-32	1951
177731	Int. mani. heater cov.	Cop. Asb.	1	33	2548
180054	Int. mani. heater cov.	Stl. Asb.	1	34-40	2615
168242	Carburetor Dict.	Vell.	1	29-30	V-103
128044	Carburetor Comm.	Stl. Asb.	1	29-30	827C
159264	Carburetor	Asb.	1	31-32	16083
177979	Carburetor 73-82-C	Stl. Asb.	1	33-34	2580
180676	Carburetor B	Stl. Asb.	1	34	846CA
183139	Carburetor	Cop. Asb.	1	35-37	2683
177979	Carburetor	Stl. Asb.	1	38-40	2580
167784	Fuel pump, Dict.	Vell.	1	29-32	V-5149
150514	Fuel pump, Comm.	Vell.	1	29-30	V-5142
179578	Fuel pump, Comm.-Pres.	Vell.	1	31-36	V-8391
182413	Fuel pump	Vell.	1	37	V-8351
179578	Fuel and vacuum pump	Vell.	1	37-40	V-8391
167044	Wat. jkt. cov.	Cork	1		C-853
167044	Wat. jkt. cov.	Vell.	1		V-2158
	Wat. jkt. cov. stud washer	Cop.	7		472
190817	Wat. jkt. rear pl.	Vell.	1	38-40	V-8296
167202	Wat. pump body	Vell.	1	29-37	V-5681
190800	Wat. pump body	Vell.	1	38-40	V-8873
126119	Wat. outlet	Asb.	1	29-37	16098
191672	Wat. outlet	Asb.	1	38-40	16143
36899	Spark plug	Cop. Asb.	8	29-32	515
178509	Spark plug	Allmetal	8	33-40	AM-501A
167155	Gear cov.	Cork	1	29-33	C-902
180703	Gear cov.	Cork	1	34-37	C-3710
191261	Gear cov.	Cork	1	38-40	C-4696
196137	Trans. cov.	Vell.	1	39-40	V-8913
196137	Gearshift base	Vell.	1	39-40	V-8913
263515	Headlamp lens	Cork	2	37	C-7003

Studebaker Motor, 6. Passenger. Models G Champion, 1939; G1, 1940

3x3 7/8"



McCord No. 6079



McCord No. 3047

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
196585	Cyl. hd.	Stl. Asb.	1		6079
S-344	Valve grinding set (1-6079, 1-846L, 1-3047, 2-C5113, 6-AM510A, 1-16178, 1-16179, 4-500CA)		1		9411
	Mani. set (1-3047)	Stl. Asb.	1		MS-2554
	Valve cov. set (2-C5113)	Cork	1		CV-623
S-346	Oil pan set (1-C5110, 1-C5111, 1-C5061, 1-C5062)	Cork	1		CS-2357
194537	Axle hsg. set	Vell.	1		ES-4035
196693	Exh. pipe flg.	Stl. Asb.	1		846-L
196276	Manifold	Stl. Asb.	1		3047
156768	Valve cov.	Cork	2		C-5113
194334	Valve cov. screw	Cop. Asb.	4		500CA
194335	Oil pan right	Cork	1		C-5110
197176	Oil pan left	Cork	1		C-5111
197177	Oil pan front	Cork	1		C-5061
195304	Oil pan rear	Cork	1		C-5062
195305	Oil pump body	Vell.	1		V-8157
194467	Oil pump body cov.	Vell.	1		V-5712
197485	Oil pump suction pipe ..	Vell.	1		V-8106
192967	Oil filter cov. F3	Vell.	1		V-8465
192969	Oil filter cov. F4	Vell.	1		V-8459
196414	Oil filter cov. screw	Cop. Asb.	1		500NA
192105	Heater valve cov.	Cop. Asb.	1		3066
197389	Carburetor	Cop. Asb.	1		832E
150948	Fuel pump	Vell.	1		V-8414F
194412	Fuel pump bowl	Cork	1		C-928
194660	Wat. pump	Vell.	1		V-8173
194658	Wat. outlet	Asb.	1		16178
178509	Thermostat	Asb.	1		16179
194484	Spark plug	Allmetal	6		AM510A
194219	Front supp. pl.	Cork	1		C-5112
194837	Gear cov.	Cork	1		C-5047
197256	Axle hsg. cov.	Vell.	1		V-4035
	Trans. cov.	Vell.	1		V-8912

Studebaker Truck Model and Motor Reference


Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
Ace	1½-2	Own	5942A	228	S21	1½	Own	5451A	225	2M201	1½	Own	5942A	228
Big Chief	3-4	Wauk. 6-110	5777	256	S30	1½	Own	5451A	225	2M225	1½	Own	5942A	228
Boss	2-3	Wauk. 6BM	5921A	240	S31	1½	Own	5451A	225	2M6	1½-2	Wauk. 6BM	5921A	240
Mogul	2½-3½	Wauk. 6BK	5921A	240	S40	2	Own	5451A	225	2M601	2	Wauk. 6BM	5921A	240
J5	½	Own (1)	5942A	228	S41	2	Own	5451A	225	2M625	2	Wauk. 6BM	5921A	240
J5	½	Own (2)	6032	228	S50	2	Own	5451A	225	2M657	2	Wauk. 6BM	5921A	240
J15	1½	Own (3)	5942A	228	S51	2	Own	5451A	225	2MB667	1½-2	Wauk. 6BM	5921A	240
J15	1½	Own (4)	6032	228	S60	2	Own	5451A	225	2T2	1½-2	Own	5942A	228
J15B	1½	Own (5)	5942A	228	S61	2	Own	5451A	225	2T225	1½	Own	5942A	228
J15B	1½	Own (6)	6032	228	S100		Own	5508	229	2T233	1½	Own	5942A	228
J15M	2	Own (5)	5942A	228	S101		Own	5508	229	2T257	1½	Own	5942A	228
J15M	2	Own (6)	6032	228	S102		Own	5787	229	2TB257	1½	Own	5942A	228
J20	2-3	Herc. JXB	5674	126	S111		Own	5451A	225	2W6	2-3	Wauk. 6BM	5921A	240
J20M	2-3	Herc. JXB	5674	126	S116		Own	5508	229	2W633	2	Wauk. 6BM	5921A	240
J25	2-3	Herc. JXD	5910	126	S120	3	Own	5451A	225	2W657	2	Wauk. 6BM	5921A	240
J25M	2-3	Herc. JXD	5910	126	S130	3	Own	5451A	225	2W675	2	Wauk. 6BM	5921A	240
J30	3-4	Herc. WXC3	5649	129	S140	3	Own	5451A	225	2W7	2½-3½	Wauk. 6BK	5921A	240
J30M	3-4	Herc. WXC3	5649	129	S150	3	Own	5451A	225	2W741	2½	Wauk. 6BK	5921A	240
K5	½-1	Own	6032	228	T230	1½-2	Own	5767	226	2W765	2½	Wauk. 6BK	5921A	240
K10	½-1	Own	6032	228	T241	1½-2	Own	5767	226	2W783	2½	Wauk. 6BK	5921A	240
K15	½	Own	6032	228	T265	1½-2	Own	5767	226	2W8	3-4	Wauk. 6-110	5777	256
K15M	½	Own	6032	228	T430	1½-2	Own	5767	226	2W841	3	Wauk. 6-110	5777	256
K20	2-3	Herc. JXB	5674	126	T441	1½-2	Own	5767	226	2W865	3	Wauk. 6-110	5777	256
K20M	2-3	Herc. JXB	5674	126	T465	1½-2	Own	5767	226	2W883	3	Wauk. 6-110	5777	256
K25	2-4	Herc. JXD	5910	126	T641	2-3	Own	5767	226	20	¾	Own	5451A	225
K25M	2-4	Herc. JXD	5910	126	T651	2-3	Own	5767	226	20GN	¾	Own	5451A	225
K30	3-5	Herc. WXC3	5649	129	T653	2-3	Own	5767	226	30	1	Own	5451A	225
K30M	3-5	Herc. WXC3	5649	129	T665	2-3	Own	5767	226	30GN	1	Own	5451A	225
L5	½	Own	6032	228	T683	2-3	Own	5767	226	32B	1	Own	5451A	225
M5	½	Own	6079	231	T841	3-4	Own	5767	226	32S	1	Own	5451A	225
M15	1½	Own	6079	231	T865	3-4	Own	5767	226	40	1½	Own	5645	229
M16	1½	Own	6032	228	T883	3-4	Own	5767	226	40GN	1½	Own	5451A	225
S1	½	Own	5451A	225	T883	3-4	Wauk. 6-110	5777	256	75	3	Own	5501	*
S2	1½-2	Own (7)	5451A	225	W841	3-4	Wauk. 6-110	5777	256	76	3	Own	5501	*
S2	1½-2	Own (8)	5767	226	W865	3-4	Wauk. 6-110	5777	256	77	2½-3½	Own	5645	229
S4	1½-2	Own	5767	226	W883	3	Wauk. 6-110	5777	256	78	2½-3½	Own	5645	229
S6	3-4	Own (9)	5451A	225	1-T200	1½	Own	5767	226	88	Bus	Own	5788	229
S6	3-4	Own (10)	5767	226	1-T600	1½	Own	5767	226	99	3½	Own	5645	229
S8	3-4	Own (11)	5451A	225	1-W700	2½	Wauk. 6BK	5921A	240	99	Bus	Own	5788	229
S8	3-4	Own (12)	5767	226	1-W800	3	Wauk. 6-110	5777	256	111	Bus	Own	5645	229
S20	1½	Own	5451A	225	2M2	1½-2	Own	5942A	228	111	Bus	Own	5788	229

NOTES:


- To serial 384.
- After serial 384.
- To serial 101.
- After serial 101.
- To serial 670.
- After serial 670.
- To engine IT4600.
- After engine 1T4600.
- To engine 2T4600.
- After engine 2T4600.
- To engine 3T700.
- After engine 3T700.

Stutz Pak-Age-Car, 4. Truck. Models 90-116, Hercules IXA Motor. McCord No. 5800. See Page No. 126.


Stutz Motor, 8. Passenger. Models AA-BB, 1926-29; 3 1/8 x 4 1/2", 3 1/4 x 4 1/2"; M-MA-MB-SV16, 1930-35. 3 3/8 x 4 1/2"



McCord No. 5271



McCord No. 1471



McCord No. 1474



McCord No. 1472




McCord No. 1473



McCord No. 1791



McCord No. 1678




McCord No. 1679

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
20350	Cyl. hd.	Cop. Asb.	1	5271
	Valve cov. set (to eng.			
	85502) (2-C2886)	Cork	1	CV-470
	Valve cov. set (after eng.			
	85502) (2-C526)	Cork	1	CV-471
	Oil pan set (2-C802)	Cork	1	CS-2258
	Oil pan set (2 pcs.)	Vell.	1	ES-418
20234	Exh. pipe to exh. tube	Cop. Asb.	2	866E
20502	Exh. pipe elbow cov.	Cop. Asb.	1	1471
20357	Exh., ends	Cop. Asb.	2	1472
20134	Exh., inter.	Cop. Asb.	2	1791
20133	Exh., center	Cop. Asb.	1	1678
20135	Int. mani.	Cop. Asb.	26	1474
24039	Int. mani.	Cop. Asb.	1	27-34
20337	Valve cov.			
	(to engine 85502)	Cork	2	C-2886
21475	Valve cov.			
	(after engine 85502)	Cork	2	C-526
20123	Oil pan, sides	Cork	2	C-802
20354	Oil rectifier flg.	Cop. Asb.	1	1473
28014	Int. heater outlet pipe	Cop. Asb.	1	801
26940	Int. heater elbow to mani.	Cop. Asb.	1	816
20815	Int. heater elbow and conn.	Cop. Asb.	5	805A
9378	Gas tank sediment bowl	Cop. Asb.	1	515
20476	Wing nut	Cop. Asb.	4	500G

Stutz Motor, 8. Passenger. Model DV-32, 1932-35

3 3/8 x 4 1/2"



McCord No. 5808

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
36109	Cyl. hd.	Cop. Asb.	1	32-33	5808
38286	Exh. pipe flg.	Stl. Asb.	2	32-33	868A

Stutz Motor, 8. Model Blackhawk. Continental Motor 16S. McCord No. 5177. See Page No. 76.

Terraplane Motor, 6 (Hudson 6). Passenger.

Models E-K-KU, 1932-34, 2 1/8 x 4 3/4"; 40-41-43-48, 1940

3x5"

Models 51-52-53, 1935; 61-62-63, 1936


3x5"

Models 71-72-73, 1937; 81-82-83-89, 1938; 90-92-93, 1939


3x5"

Commercial. Models 51, 1935; 61, 1936; 70, 1937; 80-88, 1938; 90-98, 1939


3x5"




McCord No. 5709A




McCord No. 5945



McCord No. 5962



McCord No. S-5855




McCord No. S-2536



McCord No. S-2462



McCord No. S-2463



McCord No. S-2480



McCord No. S-2482




McCord No. S-2869



McCord No. S-2870



McCord No. S-2871












McCord No. S-2872

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
37223	Cyl. hd.	Cop. Asb.	1	32-33	5709A
150378	Cyl. hd.	Stl. Asb.	1	34-36	5945
152612	Cyl. hd.	Stl. Asb.	1	37-40	5962
45210	Cyl. hd. (export)	Stlplk.	1	34-38	S-5855
40899	Cyl. hd. cov.	Stlplk.	1	32-35	S-2536
	Valve grinding set (1-5709A, 1-S861C, 2-S2462, 1-S2463, 1-S2480, 2-C3226, 1-S2542, 1-S2538)		1	32-33	9404
	Valve grinding set (1-5945, 1-S861C, 2-S2462, 1-S2463, 1-S2480, 2-C3634, 1-S2482)		1	34-36	9035
	Valve grinding set (1-5962, 1-S870G, 1-S2869, 1-S2870, 1-S2871, 2-C4381, 1-S2872)		1	37-40	9036
	Mani. set (2-S2462, 1-S2463)	Stlplk.	1	32-36	SMS-926
	Mani. set (1-S2869, 1-S2870, 1-S2871)	Stlplk.	1	37-40	SMS-2445
	Valve cov. set (2-C3226)	Cork	1	32-33	CV-262
	Valve cov. set (2-C3634)	Cork	1	34-36	CV-263
	Valve cov. set (2-C4381)	Cork	1	37-40	CV-538
	Oil pan set (1-C1816C)	Cork	1	32-33	CS-2188
	Oil pan set (1-P622)	Vell.	1	32-33	ES-622
	Oil pan set (2-C3754C)	Cork	1	34-38	*CS-2276
	Oil pan set (1-P638)	Vell.	2	34-38	*ES-638
	Oil pan set (2-C4954C)	Cork	1	39-40	*CS-2368
	*NOTE—One (1) used for strainer.				
	Wat. jkt. cov. set (1C3048)	Cork	1	32-38	CW-26
	Wat. jkt. cov. set (1-V1973)	Vell.	1	32-38	ES-1973
	Wat. jkt. cov. set (1-C4952C)	Cork	1	39-40	CW-35
	Gear cov. set (1-V1139)	Vell.	1		ES-1139
	Front end pl. set (1 pc.)	Vell.	1		ES-2752
	Diff. carr. set (1-V4022)	Vell.	1	32-33	ES-4022
	Diff. carr. set (1-V4027)	Vell.	1	34-40	ES-4027
	Clutch cov. set (1-V4173)	Vell.	1		ES-4173
	Exh. pipe flg.	Stlplk.	1	32-36	S-861C
	Exh. pipe flg.	Stlplk.	1	37-40	S-870G
	Exh., center	Stlplk.	1	32-36	S-2463
	Exh., ends	Stlplk.	2	32-36	S-2462
	Mani., front	Stlplk.	1	37-40	S-2869
	Mani., center	Stlplk.	1	37-40	S-2870
	Mani., rear	Stlplk.	1	37-40	S-2871
	Int. mani. to cyl.	Stlplk.	1	32-36	S-2480
	Int. mani. to cyl.	Stlplk.	1	37-40	S-2872
	Valve cov.	Cork	2	32-33	C-3226
	Valve cov.	Cork	2	34-36	C-3634
	Valve cov.	Cork	2	37-40	C-4381

(Continued on Next Page)


Terraplane-Hudson Motor, 6. 1932-40—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
62544	Oil pan	Chipbd.	1	32-33	30001
62544	Oil pan	Cork	1	32-33	C-1816C
62544	Oil pan	Vell.	1	32-33	P-622
44734	Oil pan	Chipbd.	2	34-38	*31000
44734	Oil pan	Cork	2	34-38	*C-3754C
44734	Oil pan	Vell.	2	34-38	*P-638
157875	Oil pan	Cork	2	39-40	*C4954C
157875	Oil pan	Chipbd.	2	39-40	*31023
*NOTE—One (1) used for strainer.					
33179	Oil pump body	Vell.	1		V-5143
48590	Int. to exh.	Stlpl.	1		S-2542
40352	Exh. damper	Stlpl.	1	32-33	S-2538
38090	Exh. damper	Stlpl.	1	34-36	S-2482
153171	Exh. damper 72 to 77, 82 to 87, 93-95-97	Stlpl.	1	37-40	S-2873
153162	Exh. damper 70-71-80- 81-88-89-90-92-98	Stlpl.	1	37-40	S-2962
40710	Carb. to int.	Stlpl.	1	32-33	S-837H
45192	Carb. to int.	Stlpl.	1	34-35	S-2659
40710	Carb. to int.	Stlpl.	1	36	S-837H
40710	Carb. to int. 70-71-80- 81-88-90-92-98	Stlpl.	1	37-40	S-837H
152991	Carb. to int. 72-73-82- 83-93	Stlpl.	1	37-40	S-2874
40110	Fuel pump to cyl.	Paper	1	32-33	30034
44694	Fuel pump to cyl.	Asb.	1	34-36	16045
44694	Fuel pump to cyl.	Vell.	1	34-36	V-9184
153275	Fuel pump to cyl.	Vell.	1	37-40	V-8372
40245	Wat. pump	Asb.	1	32-35	16003
40245	Wat. pump	Vell.	1	32-35	V-9024
150219	Wat. pump body	Asb.	1	36-40	16112
150219	Wat. pump body	Vell.	1	36-40	V-8421
150222	Wat. pump cov.	Vell.	1	36-40	V-8420
150379	Wat. outlet	Asb.	1	36	16111
37196	Wat. jkt. cov.	Cork	1	32-38	C-3048
37196	Wat. jkt. cov.	Vell.	1	32-38	V-1973
157863	Wat. jkt. cov.	Cork	1	39-40	C-4952C
70177	Wat jkt. cov. stud washer	Cop.	18		472
45574	Radiator wat. inlet	Asb.	1		16037
42349	Distributor	Cork	1		C-3811
40150	Gear cov.	Asb.	1		16004
40150	Gear cov.	Vell.	1		V-1139
40342	Supp. pl., rear	Paper	1		30037
40199	Diff. carr.	Asb.	1	32-33	16001
40199	Diff. carr.	Vell.	1	32-33	V-4022
44584	Diff. carr.	Asb.	1	34-40	16038
44584	Diff. carr.	Vell.	1	34-40	V-4027
40046	Clutch cov.	Asb.	1	32-37	16002
40046	Clutch cov.	Vell.	1	32-37	V-4173
40046	Clutch cov., 80 utility models, and 81-89-90- 92-98 sedans	Asb.	1	38-40	16002
40046	Clutch cov., 80 utility models, and 81-89-90- 92-98 sedans	Vell.	1	38-40	V-4173
42632	Clutch cov., 80 except utility models, and 82-88-93-95-97-98 sedans	Asb.	1	38-40	16010
41006	Clutch vacuum control valve	Stlpl.	1		S-800AE
40079	Trans. case	Paper	1		30033
40226	Trans. control cov.	Cork	1		C-3227
37327	C/S oil throw, upper	Cork	1		C-2932
37328	C/S oil throw, lower	Cork	1		C-2933
114583	Headlamp lens				
114815	(to serial 611303)	Cork	2	35-36	C-7003
119189	Headlamp lens (after serial 611303)	Cork	2	36-37	C-7002
129010	Headlamp lens 80 to 88	Cork	2	38	C-7004
129002	Headlamp lens (Terra.)	Cork	2	38	C-7002
133907	Headlamp lens 92-93-98	Cork	2	39	C-7002
130253	Headlamp lens 89-90	Cork	2	38-39	C-7003



Terraplane Motor, 8. Passenger. Model KT, 1933

218x4 1/2"



McCord No. 5772




McCord No. 2091A




McCord No. 2047



McCord No. 2081




McCord No. 2141




McCord No. S-2583




McCord No. S-2538



McCord No. C-1030



McCord No. C-1029



McCord No. C-2581C

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
42038	Cyl. hd.	Cop. Asb.	1	5772
	Mani. set (1-2091A, 2-2047, 2-823D, 2-2081, 2-2141)	Cop. Asb.	1	MS-1129
	Mani. set (1-S2091A, 2-S2047, 2-S823D, 2-S2081, 2-S2141)	Stlpl.	1	SMS-1129
	Valve cov. set (2-C1029)	Cork	1	CV-296
	Oil pan set (1-C2581C)	Cork	1	CS-2224
	Oil pan set (1-P753)	Vell.	1	ES-753
	Wat. jkt. cov. set (1-C1030)	Cork	1	CW-16
	Wat. jkt. cov. set (1-V2188)	Vell.	1	ES-2188
40339	Front end pl. set (1 pc.)	Vell.	1	ES-2752
	Gear cov. set (1-V1139)	Vell.	1	ES-1139
	Diff. carr. set (1-V4022)	Vell.	1	ES-4022
42246	Exh. pipe flg.	Stlpl.	1	S-870G
33192	Mani., center	Cop. Asb.	1	2091A
33191	Mani., inter.	Cop. Asb.	2	2047
33190	Mani., ends	Cop. Asb.	2	823D
33171	Int. mani., small	Cop. Asb.	2	2081
33172	Int. mani., large	Cop. Asb.	2	2141
48586	Mani., center	Stlpl.	1	S-2091A
48585	Mani., inter.	Stlpl.	2	S-2047
48584	Mani., ends	Stlpl.	2	S-823D
48587	Int. mani., small	Stlpl.	2	S-2081
48588	Int. mani., large	Stlpl.	2	S-2141
33096	Valve cov.	Cork	2	C-1029
33204	Oil pan	Chipbd.	1	30003
33204	Oil pan	Cork	1	C-2581C
33204	Oil pan	Vell.	1	P-753
33179	Oil pump body	Vell.	1	V-5143
18243	Oil pump body plug	Cop. Asb.	2	100
42019	Int. to exh.	Stlpl.	1	S-2583
48591	Exh. damper	Stlpl.	1	S-2538
40352	Carb. to int.	Stlpl.	1	S-837H
40710	Fuel pump to cyl.	Paper	1	30034
40110	Wat. jkt. cov.	Cork	1	C-1030
33144	Wat. jkt. cov.	Vell.	1	V-2188
33144	Wat. jkt. cov. stud washer	Cop.	26	472
70177	Wat. pump	Asb.	1	16003
40245	Wat. pump	Vell.	1	V-9024
40342	Supp. pl., rear	Paper	1	30037
40150	Gear cov.	Asb.	1	16004
40150	Gear cov.	Vell.	1	V-1139
12117	Flywheel drain plug	Cop. Asb.	2	503A
40199	Diff. carr.	Asb.	1	16001
40199	Diff. carr.	Vell.	1	V-4022
42632	Clutch cov.	Asb.	1	16010
41006	Clutch vacuum control valve	Stlpl.	1	S-800AE
40079	Trans. case	Paper	1	30033
40226	Trans. control cov.	Cork	1	C-3227
102579	Headlamp lens	Cork	2	C-7003

Tillotson Gascolator. See Gascolator Gaskets, Page No. 110.

Timken-Detroit Axle Co. Shims. Complete list of shims is available, and information and prices can be furnished on request.

Twin City, 4. Truck and Bus. See Guide A, Page No. 125.

Twin Coach, 6. Truck and Bus

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
Twin Motors	Bus	Herc. WXC	5531	129	23-23R	Bus	Herc. JXD	5910	126	31R	Bus	Herc. WXC3	5649	129
	Bus	Wauk. 6XL	5515	253	23S	Bus	Herc. JXD	5910	126	35R	Bus	Herc. RXLC	6063	130
Twin Motors	Bus	Herc. HXE	5731	126	25GU	Bus	Herc. QXC3	6038	128	37R	Bus	Herc. RXC	5752	130
	Bus	Herc. JXC	5732	126	27R	Bus	Herc. WXC3	5649	129	37R	Bus	Herc. RXC	5612	130
15-19	Bus	Herc. WXC	5675	129	30	Bus	Herc. WXC	5675	129	40	Bus	Herc. WXC	5675	129
20	Bus	Herc. WXC	5675	129	30-30A	Bus	Herc. WXC	5666	129	40R	Bus	Herc. RXC	5612	130
					30AS-30R	Bus	Herc. WXC	5666	129	40R	Bus	Herc. RXC	5752	130



United, 4-6. Truck and Bus.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
A	1½	Buda CTU	5241	*	16C6	1	Wauk. X	5258A	252	40	2	Wisc. Y	5296	*
A	1½	Buda BUS	5346	*	20	1½-4	Herc. OX	5084	127	40D	3-4	Herc. OX	5084	127
B	2½-3	Buda HTU	5193	*	20C6	1¼	Cont. 16C	5669	70	50	3-4	Herc. OX	5084	127
C	2½-3	Buda HTU	5193	*	30	1½	Herc. OX	5084	127	50C6	2½	Cont. 6B	5135	*
FWT	3	LeRoi JB	5334	154	30B	Bus	Herc. O	5084	127	60	3-4	Herc. OX	5084	127
V	5	Buda YTU	5192	*	30B	1½	Herc. O	5084	127	70	3½	Herc. L	5151	*
15	¾-1	Hers. Spill.	5016	*	30C6	1½	Cont. 8R	68	*	70C6	3½	Cont. 7T	5275	*
16	1	Wauk. X	5258A	252	32	2-2½	Herc. OX	5084	127	80	3½-5	Herc. MU3	5277	*
16	1	Cont. 29L	5161	*	32C6	2-2½	Cont. 6B	5135	*	100	5	Herc. G	5152	*
16C	1	Cont. 20L	5161	*	35	2-2½	Herc. OX	5084	127					

NOTE—* Indicates that these motors are listed in Guide A.


United States, 4-6. Truck and Bus.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
L20	1½	Buda HS	5344	*	U	1½-2	Buda MU	5117A	*	31	2½	Buda ETU	5236	*
N	1½	Buda HS	5344	*	UN	1½-2	Buda MU	5117A	*	40	4	Buda YBUI	5192	*
N	1¼-2	Buda WTU	5117A	*	21	1¼-2	Buda MU	5117A	*	201		Buda WTU	5117A	*
R	3	Hink. HA400	58	*	21	1½	Buda HS	5344	*	202		Buda WTU	5117A	*
S	4	Hink. HA200	57	*	30	3	Buda DW6	5345	*	301		Buda WTU	5117A	*
T	5½	Buda BTU	5290	*	30	2½	Buda ETU	5236	*					

NOTE—* Indicates that these motors are listed in Guide A.

Universal Motor, 4. Marine. Models FLEXI-4, Utility, A-AR-E-ER-M-MR-NB

2 ¾ x 4"




McCord No. 5714

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
NB-47	Cyl. hd.	Cop. Asb.	1		5714

Universal Motor, 4. Marine. Model AB. Blue Jacket (FLEXI-4) 10-15-25-50

3x3 ½"




McCord No. 5715

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
AB-32	Cyl. hd.	Cop. Asb.	1		5715
	Oil pan set (1-31035)	Tr. Paper	1		CS-2362
AB-150	Oil pan	Tr. Paper	1		31035
AB-36	Oil filter and cooler	Tr. Paper	2		30445
AB-190	Wat. inlet and outlet	Tr. Paper	2		30446
AB-149	Gear cov.	Tr. Paper	1		36057

Universal Motor, 6. Marine. Models ADS-AFS. Blue Jacket 6-50, 50-R, 6-75-75R

3x3 ½"



McCord No. 5881


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
ADS-45	Cyl. hd.	Cop. Asb.	1		5881

Universal Motor, 2-Cyl. Marine. Models AFT-AFTL, Blue Jacket Twin

3x3 ½"

4-Cyl. Marine. Models AF-AFHI-AFM-AFMR-AFR-AD-AR, Blue Jacket Four, FLEXI-4


3x3 ½"



McCord No. 5882

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
AFT-14	Cyl. hd.	Cop. Asb.	1-2		5882


Universal Motor, 4. Model C-FLEXI-4



McCord No. 8563

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
C-177	Cyl. hd.	Cop. Asb.	1		5638


Universal Motor, 4. Models K-N-FLEXI-4, N29-S 2 5/8 x 4"



McCord No. 5639

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
K-84	Cyl. hd.	Cop. Asb.	1		5639


Universal Motor, 4. Industrial. Models NB-FLEXI-4 2 3/4 x 4"



McCord No. 5908

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
PU-343	Cyl. hd.	Cop. Asb.	1		5908


Universal Motor, 8. Models SH-SM, Cruiser 8, CE-347CEH, 8-115-115R 3 1/2 x 4 1/2"



McCord No. 5907


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
5912	Cyl. hd.	Cop. Asb.	1		5907

Universal Motor, 4. Models GLH-GLHR-GLR-GLS-GLSR-SLG-UM-Super 4-34-35 3 1/4 x 4 1/2"



McCord No. 5672


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
C-4737	Cyl. hd.	Cop. Asb.	1		5672

Universal Motor, 6. Marine. Models VM-VH. Cruiser 6-CS-CSH-CSR-HCS-HCSR 3 1/2 x 4 1/2"
Models 6-77-77R, 6-88-88R, 6-260-260R 3 1/2 x 4 1/2"

McCord No. 5699

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
D-5863	Cyl. hd.	Cop. Asb.	1		5699

Universal Motor, 4. Model 4KW 2 5/8 x 4"



McCord No. 5654

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
1886	Cyl. hd.	Cop. Asb.	1		5654

Van Blerck Motor. Marine

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
61105	Cyl. hd.	Cop. Asb.	1		5535



Van Blerck Motor. Marine. (Continental Motor 8U)

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
271	Cyl. hd.	Cop. Asb.	1	{ 5483A 5483B

NOTE—For older models see Guide A, Page No. 126.

Velie Motor, 6. Passenger, Model 77, McCord No. 5273. See Guide A, Page No. 127.

Velie, 8. Passenger, 1928. See Lycoming Motor H. McCord No. 5125A, Page No. 162.

Victor, 4-6. Truck-Bus. See Guide A, Page No. 127.

Viking, 8. Passenger. See Oldsmobile 8. McCord No. 5521, Page No. 191.

Walter, 6. Truck.

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
FBD	5-9	Wauk. 6RB	5568	239	FHR	5-7	Wauk. 6AL	5260A	239	FM	3½-7	Wauk. 6SRL	5549	247
FBS	5-9	Wauk. 6RB	5568	239	FHS	5-7	Wauk. 6AL	5260A	239	FMD	3½-7	Wauk. 6SRL	5549	247
FBRD	5-9	Wauk. 6RB	5568	239	FJS	4-6	Wauk. 6-125	5885	256	FN	2½-3	Wauk. 6MK	5761	247
FBR5	5-9	Wauk. 6RB	5568	239	FJMT	4-6	Wauk. 6-125	5885	256	FND	2½-3	Wauk. 6MK	5761	247
FCS	3½-7	Wauk. 6SRL	5549	247	FKD	3½	Wauk. 6KU	5473B	245	FQS	3-5	Wauk. 6-110	5777	256
FCS	5-7	Wauk. 6SRK	5717	247	FKD	3½-7	Wauk. 6SRL	5549	247	FZN	3½-4	Wauk. 6MZ	5750	247
FCKD	5-7	Wauk. 6SRK	5717	247	FKM	5-7	Wauk. 6SRK	5717	247	TT	3½	Wauk. 6KU	5473B	245
FH	5-7	Wauk. 6AL	5260A	239	FKMD	5-7	Wauk. 6SRK	5717	247	TT	5	Wauk. 6AL	5260A	239


NOTE—For older models see Guide A.

Ward-LaFrance, 4-6. Truck and Bus.


Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
C2	2	Wauk. V	5264	249	25R	2-2½	Wauk. 6XK	5516	253	55RW	5-7½	Wauk. 6SRK	5717	247
H	3-4	Wauk. 6MZ	5750	247	25R	2-2½	Wauk. 6ML	5761	247	55RWS	5-7½	Wauk. 6SRK	5717	247
J	3-4	Wauk. 6MZ	5750	247	25R-13	2-7	Wauk. 6ML	5761	247	70C	3-7	Wauk. 6SRL	5549	247
K	3-10	Wauk. 6SRL	5549	247	25R-14	2-7	Wauk. 6ML	5761	247	75CWT	15-20	Cum. Diesel	5861	79
K	5-7	Wauk. 6SRK	5717	247	25R-16	2-7	Wauk. 6ML	5761	247	75D	5-15	Wauk. 6RB	5568	239
L	5-7	Wauk. 6SRK	5717	247	25R-18	2-7	Wauk. 6MK	5761	247	75RH	5-15	Wauk. 6RB	5568	239
LD	20	Cum. Diesel	5861	79	29B	Bus	Wauk. 6HB	5260A	239	75RW	5-15	Wauk. 6RB	5568	239
MD	20	Cum. Diesel	5861	79	30B	2-4	Cont. 12K	5493A	74	75RWS	5-15	Wauk. 6RB	5568	239
2B6	3-4	Wauk. 6KU	5473B	245	30B-18	2-4	Cont. 12K	5493A	74	100RW	5-15	Wauk. 6RB	5568	239
2C	2	Wauk. V	5264	249	30B-21	2-4	Cont. 14K	5493A	74	100CWT	15-20	Cum. Diesel	5861	79
2D	2	Wauk. V	5264	249	30R	3-4	Wauk. 6KU	5473B	245	125	3-4	Wauk. 6MZ	5750	247
3B	Bus	Wauk. DU	81	241	30R-18	2-7	Wauk. 6MK	5761	247	127D	3-4	B'da 6-D415	5981	27
4A	3-4	Wauk. DU	81	241	30R-19	2-7	Wauk. 6MK	5761	247	131	5	Wauk. 6MZ	5750	247
4B	3-4	Wauk. DU	81	241	30R-20	2-7	Wauk. 6SRL	5549	247	136	5-6	Wauk. 6SRL	5549	247
4B	Bus	Wauk. 6HB	5260A	239	30R-21	2-7	Wauk. 6MK	5761	247	137D	5-6	B'a 6-LD468	6095	31
4B6	5	Wauk. 6AL	5260A	239	30R-23	2-7	Wauk. 6MK	5761	247	156	7½	Wauk. 6-125	5885	256
4D	3½-4	Wauk. DU	81	241	30RU	2-7	Wauk. 6MK	5761	247	176D	15	Cum. Diesel	5861	79
46D	3-4	Wauk. 6KU	5473B	245	35B	4-6	Lyc. AEC	5710	161	201D	20	Cum. Diesel	5861	79
4E6	3-4	Wauk. 6KU	5473B	245	35R	3-4	Wauk. 6KU	5473B	245	320	3-7	Wauk. 6SRL	5549	247
4E6	3-7	Wauk. 6SRL	5549	247	35R	3-4	Wauk. 6SRL	5549	247	335RWS	3-7	Wauk. 6SRL	5549	247
5B6	5-7	Wauk. 6AL	5260A	239	45B	4-6	Lyc. AEC	5710	161	340	7½	Wauk. 6MK	5761	247
7B6	5-7	Wauk. 6AL	5260A	239	45D	3-7	Wauk. 6SRL	5549	247	340TM	2-7	Wauk. 6MK	5761	247
20R	2-2½	Wauk. 6XK	5516	253	45R	3-7	Wauk. 6SRL	5549	247	400T5	12	Wauk. 6-125	5885	256
25B	2-4	Cont. 12K	5493A	74	50C	3-7	Wauk. 6SRL	5549	247	440TC	15	Cum. Diesel	5861	79
25B-13	2-4	Cont. 14K	5493A	74	50D	3-7	Wauk. 6SRL	5549	247	440TR	5-15	Wauk. 6RB	5568	239
25B-14	2-4	Cont. 12K	5493A	74	55B6	4-6	Lyc. AEC	5710	161					
25B-16	2-4	Cont. 12K	5493A	74	55RH	5-7½	Wauk. 6SRK	5717	247					

NOTE—For older models see Guide A.

Waukesha Motor, 6. Models 6AB-6AL, $4\frac{1}{2} \times 5\frac{3}{4}$ "; 6HB-6HL, $4\frac{1}{4} \times 5\frac{3}{4}$ "; 6QB-6QL, $4 \times 5\frac{3}{4}$ "; 6RB $5 \times 5\frac{3}{4}$ "



McCord No. 5260-A



McCord No. 5568




McCord No. 2793



McCord No. 2727




McCord No. 2725




McCord No. 1693



McCord No. 16051




McCord No. 2449




McCord No. 1692

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
8500A	Cyl. hd. (all but 6RB)	Brass-Asb.	3		5260A
8500C	Cyl. hd. 6RB	Cop. Asb.	3		5568
Licensed under patent Nos. 1472133 and 1748582.					
	Mani. set (3-1693)	Cop. Asb.	1		MS-2310
	Valve cov. set (3-C4080)	Cork	1		CV-497
B-1721-2-3	Oil pan set AB-HB-QB and early RB (3 pcs.)	Vell.	1		ES-976
B-2866-68	Oil pan set (late RB) (3 pcs.)	Vell.	1		ES-P1052
B-873	Oil pan set AL-HL-QL (2 pcs.)	Vell.	1		ES-94
B-1815	Oil pan pl. set front (1 pc.)	Vell.	1		ES-636
B-1814	Oil pan pl. set rear (1 pc.)	Vell.	1		ES-635
B-887	Cyl. base set (3 pcs.)	Vell.	1		ES-3714
B-1720	Gear cov. set AB-HB- QB-RB (1 pc.)	Vell.	1		ES-1615
B-862	Gear cov. set AL-HL-QL (1 pc.)	Vell.	1		ES-1630
B-1214	Compressor hsg. cov. set AB (1 pc.)	Vell.	1		ES-9680
B-439	Exh. pipe flg. AL-HL-QL	Cop. Asb.	1		1079
B-898	Exh. pipe flg.	Cop. Asb.	1		1771
B-875	Manifold	Cop. Asb.	3		1693
B-3522	Exh. mani. expansion gap	Cop. Asb.	1		3073
B-2207	Int. mani. AB-RB	Asb.	3		16051
B-1270	Mani. cov. pl.	Cop. Asb.	1		1692
B-939	Exh. port	Cop. Asb.	6		318B
B-935	Exh. port sleeve	Brass	6		2725
B-3955	Int. port AB-HB-QB	Cop. Asb.	3		315A
B-3487	Int. port RB	Cop. Asb.	3		318C
B-3954	Int. port sleeve AB-HB- QB	Brass	3		2793
B-3452	Int. port sleeve RB	Brass	3		2727
B-940	Int. port with sleeve AL-HL-QL	Cop. Asb.	3		605C
B-2206	Int. port with sleeve RB	Cop. Asb.	3		609B
B-863	Valve cov.	Cork	3		C-4080
B-2469	Valve cov. stud	Cop. Asb.	3		503
B-2135	Cyl. cov. pl. stud	Cop.	54		470
B-870A	Oil pan ends AL-HL-QL	Cork	2		C-4580
B-1418A	Oil pan cov.	Cork	1		C-3893
B-1752	Oil pump	Vell.	1		V-5626
B-1674	Oil pump cov.	Vell.	1		V-5623
B-1669	Oil pump baffle	Cork	1		C-3894
B-1517	Oil filter	Vell.	1		V-5625
HW-4504	Oil filter shell	Vell.	1		V-8875
HW-1276	Oil filter drain plug	Cop. Asb.	1		112H
B-290	Oil relief valve	Cop. Asb.	1		505C
B-1539	Oil relief valve cov.	Cop. Asb.	1		100C
B-1716	Oil ret. upper	Vell.	1		V-9519
B-1717	Oil ret. lower	Vell.	2		V-8390
B-1725	Oil header	Vell.	1		V-5627
B-1726	Oil header	Vell.	2		V-5628
B-1073	Cyl. cov. pl.	Vell.	3		V-5886
B-1072	Hand hole cov.	Vell.	3		V-5885
B-1690	Carb. flg.	Cop. Asb.	1		857A
B-1689	Carb. adapter	Cop. Asb.	1		2449
B-1947	Carb. adapter	Stl. Asb.	2		847D
B-1271	Carb. adapter	Cop. Asb.	2		802B
B-1269	Carb. adapter to int.	Cop. Asb.	1		1691
B-450	Gov. hsg. AL-HL-QL	Vell.	1		V-9512
B-365A	Gov. adj. screw cov.	Asb.	1		16175
B-429	Wat. pump	Asb.	1		16101
B-2033	Wat. outlet	Asb.	3		16186
B-365A	Top and back wat. mani.	Asb.	6		16175
B-482A	Generator cov. pl.	Cork	1		C-3295
B-482A	Generator cov. pl.	Vell.	1		V-5939
B-623	C/C door stud	Cop. Asb.	3		500
B-1727	Rear camshaft cov.	Vell.	1		V-8389
B-2490	Compressor hsg. cov. RB	Tr. Paper	1		30433


Waukesha Motor, 6. Models 6BA, 3 $\frac{3}{8}$ x 4 $\frac{1}{4}$ "; 6BK, 3 $\frac{3}{8}$ x 4 $\frac{1}{4}$ "; 6BL, 3 $\frac{1}{2}$ x 4 $\frac{1}{4}$ "; 6BM, 3 $\frac{5}{8}$ x 4 $\frac{1}{4}$ "; 6BZ 4 x 4 $\frac{1}{4}$ "
 Industrial Units 6BK, 3 $\frac{3}{8}$ x 4 $\frac{3}{4}$ "; 6BL 3 $\frac{1}{2}$ x 4 $\frac{1}{2}$ "



McCord No. 5930A



McCord No. 5921A



McCord No. 6019




McCord No. S-2822

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
91000A	Cyl. hd. BA-BL	Cop. Asb.	1		5930A
90000C	Cyl. hd. BK-BM	Cop. Asb.	1		5921A
114000A	Cyl. hd. BZ	Stl. Asb.	1		6019
	Mani. set (2-S2822)	Stlplk.	1		SMS-2329
	Valve cov. set (2-C4221)	Cork	1		CV-557
	Oil pan set BK-BM				
	(1-C4223, 1-C4224,				
	1-C3096A, 1-C4222)	Cork	1		CS-2296
B-7980-81	Oil pan set BA-BL				
	(2 pcs.)	Vell.	1		ES-259
B-7941	Manifold	Stlplk.	2		S-2822
B-7952	Valve cov.	Cork	2		C-4221
B-9098	Oil pan right BK-BM	Cork	1		C-4223
B-9099	Oil pan left BK-BM	Cork	1		C-4224
B-7982	Oil pan front	Cork	1		C-4222
B-5305	Oil pan rear	Cork	1		C-3096A
B-7086	Fuel pump cov.	Vell.	1		V-8193
B-7931	Wat. pump cov.	Asb.	1		16220
B-1003	Wat. outlet	Asb.	1		16043
B-482A	Generator adapter flg.	Cork	1		C-3295
B-482A	Generator adapter flg.	Vell.	1		V-5939


Waukesha Motor, 6 (Diesel). Model 6BKH 3 $\frac{3}{4}$ x 4 $\frac{1}{4}$ "

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
94000	Cyl. hd.	Cop. Asb.	1		6048
	Mani. set (1-L2995)				
	(Dickson Laminated				
	all metal)	Lam. Cop.	1		MS-2572
	Rock. arm cov. set				
	(1-C5188, 1-C5189)	Cork	1		CV-634
	Push rod cov. set				
	(2-C5190)	Cork	1		CV-633
	Oil pan set (1-C4222,				
	1-C4223, 1-C4224,				
	1-C3096A)	Cork	1		CS-2296
94B-9683A	Mani. (Dickson				
	Laminated all metal)	Lam. Cop.	1		L-2995
B-9687	Rock. arm cov., front	Cork	1		C-5189
B-9686	Rock. arm cov., rear	Cork	1		C-5188
B-9697	Push rod cov.	Cork	2		C-5190
B-9098	Oil pan, wat. pump side	Cork	1		C-4223
B-9099	Oil pan, oil pump side	Cork	1		C-4224
B-7982	Oil pan front	Cork	1		C-4222
B-5305	Oil pan rear	Cork	1		C-3096A
B-8640A	Vacuum control cov.	Cop. Asb.	1		145A



McCord No. 6048

Waukesha Motor, 4. Models CHK, 5 $\frac{1}{8}$ x 6 $\frac{1}{4}$ "; CHS 4 $\frac{3}{4}$ x 6 $\frac{1}{4}$ "




McCord No. 5720




McCord No. 2467

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
40000	Cyl. hd.	Cop. Asb.	1		5720
	Mani. set (6-2467)	Cop. Asb.	1		MS-2301
	Mani. set (2-S2977)	Stlplk.	1		SMS-2516
B-4091	Manifold	Cop. Asb.	6		2467
B-7261	Exh. mani.	Stlplk.	2		S-2977
B-4135	Wat. pump cov.	Asb.	1		16222
B-4170	Wat. pump inlet elbow	Asb.	1		16185


Waukesha Motor, 4. Models DK-DKR, $4\frac{3}{4} \times 6\frac{1}{4}$ "; DR-DU $4\frac{1}{2} \times 6\frac{1}{4}$ "



McCord No. 81




McCord No. 5548




McCord No. 5863



McCord No. 1480



McCord No. 2452





McCord No. 1079

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
7100	Cyl. hd. DU-DR	Cop. Asb.	2	81
7100A	Cyl. hd. DK-DKR (19 wat. holes)	Cop. Asb.	2	5548
7100B	Cyl. hd. DK-DKR (14 wat. holes)	Cop. Asb.	2	5863
B-422	Mani. set (2-1480)	Cop. Asb.	1	MS-2303
B-434	Valve cov. set (2-C4330)	Cork	1	CV-558
B-375	Oil pan set (2 pcs.)	Vell.	1	ES-411
B-439	Cyl. base set (2 pcs.)	Vell.	1	ES-3505
B-397A	Gear cov. set (1 pc.)	Vell.	1	ES-1604
B-369A	Exh. mani. flg.	Cop. Asb.	1	1079
B-635	Manifold	Cop. Asb.	2	1480
B-635	Valve cov.	Cork	2	C-4330
B-368	Cyl. door nut	Cop. Asb.	2	512
B-4041	Oil pan cov. pl.	Vell.	1	V-5938
B-290	Oil pump body	Paper	1	30431
B-314A	Oil relief	Cop. Asb.	1	2071A
B-313	Oil ret.	Vell.	1	V-5940
B-3528	Between upper and lower oil ret.	Vell.	2	V-9038
B-365A	Int. to exh.	Cop. Asb.	1	2452
B-4329	Breather body	Asb.	2	16175
B-450	Hot air stove	Asb.	1	16184
B-429	Gov. pl.	Vell.	1	V-9512
B-365A	Wat. pump	Asb.	1	16101
B-482A	Wat. pipe	Asb.	3	16175
B-329A	Generator cov. pl.	Vell.	1	V-5939
B-581	C/C door	Cork	2	C-5125
	Mag. pump shaft brg. hsg.	Tr. Paper	10	30432

Waukesha Motor, 6. Model DHK-DHS (International FEB-FDB). McCord No. 5810. See Page No. 144.

Waukesha Motor, 4. Model DWL. McCord No. 5716. See Page No. 251.


Waukesha Motor, 6. Models 6EKH, 7×7 "; 6ELH $6\frac{1}{2} \times 7$ "

McCord No. 6112
McCord No. 6113McCord
No. L-3103


McCord No. S-3104

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
96000A	Cyl. hd. ELH	Cop. Asb.	2	6112
97000	Cyl. hd. EKH	Cop. Asb.	2	6113
	Mani. set (6-L3103) (Dickson Laminated All Metal)	Lam.	1	MS-2601
	Mani. set (6-S3105) (with wat. cooled mani.)	Stlpk.	1	SMS-2602
	Rock. arm cov. set (4-C5176)	Cork	1	CV-635
	Push rod cov. set (2-C5177)	Cork	1	CV-636
	Oil pan set (2-31036, 1-31037, 1-31038)	Tr. Paper	1	CS-2364
B-8289A	Exh. mani. (Dickson Laminated All Metal)	Lam.	6	L-3103
B-8990	Exh. mani. (with wat. cooled mani.)	Stlpk.	6	S-3105
B-8453	Int. mani.	Stlpk.	4	S-3104
B-8429	Rock. arm cov.	Cork	4	C-5176
B-8438	Push rod cov.	Cork	2	C-5177
B-8385A	Oil pan sides	Tr. Paper	2	31036
B-8386A	Oil pan front	Tr. Paper	1	31037
B-8387A	Oil pan rear	Tr. Paper	1	31038
B-8262	Oil pump cov.	Tr. Paper	1	30447
B-175	Oil drain plug	Cop. Asb.	1	515
B-8263	Wat. pump cov.	Asb.	1	16201
B-8291	Top wat. mani.	Asb.	6	16202
B-8723	Inspection hole cov.	Tr. Paper	1	30454


Waukesha Motor, 4. Models FC, 3 1/4 x 4"; FCS, 3x4"; FC2-FK-FKJ-FKL 3 1/4 x 4"
 Models FL-FLJ (Fuller & Johnson BD), 3x4"; FS, 2 3/4 x 4"; FWJ 3 1/4 x 4"




McCord No. 5713



McCord No. 5862




McCord No. 2447




McCord No. S-2976

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
68000A	Cyl. hd. FC-FC2-FK-FKJ-FKL-FWJ	Cop. Asb.	1		5862
BD-20	Cyl. hd. FCS-FL-FLJ-FS	Cop. Asb.	1		5713
	Motor overhaul set FL and FS Series (1-5713, 2-2447, 2-C4026, 1-C4160, 1-C4161, 2-C4027, 1-V5471, 1-V1291)		1		9072
	Mani. set FL and FS Series (2-2447)	Cop. Asb.	1		MS-2486
	Mani. set FC and FK Series (2-S2976)	Stl. pk.	1		SMS-2515
	Valve cov. set (2-C4026)	Cork	1		CV-547
	Oil pan set (1-C4160, 1-C4161, 2-C4027)	Cork	1		CS-2309
	Gear cov. set FC Series (1-V1034)	Vell.	1		ES-1034
	Gear cov. set FL Series (1-V1291)	Vell.	1		ES-1291
	Gear cov. pl. set FC Series (1-V1169)	Vell.	1		ES-1169
	Gear cov. pl. set FK Series (1-V1035)	Vell.	1		ES-1035
B-9825	Exh. pipe flg.	Stl. pk.	1		S-847M
BD-127	Mani. FL and FS Series	Cop. Asb.	2		2447
B-9826	Mani. FC and FK Series	Stl. pk.	2		S-2976
BE-801	Exh. mani. flg.	Stl. Asb.	1		1446B
BD-196	Valve cov.	Cork	2		C-4026
BD-191	Oil pan right	Cork	1		C-4160
BD-192	Oil pan left	Cork	1		C-4161
BD-193	Oil pan ends	Cork	2		C-4027
B-6531	Oil pan right (J.I. Case)	Tr. Paper	1		31026
B-6532	Oil pan left (J.I. Case)	Tr. Paper	1		31027
BD-359	Oil pump cov.	Paper	1		30343
BD-368A	Oil closure pl.	Paper	1		30344
61633H	Wat. pump to cyl. (I.H.C.)	Vell.	1		V-8233
BD-197A	Wat. inlet	Asb.	1		16174
BE-433	Wat. outlet	Paper	1		30345
59469H	Wat. outlet (I.H.C.)	Vell.	1		V-5471
BE-806	Gear cov. FC Series	Vell.	1		V-1034
BD-84	Gear cov. FL Series	Vell.	1		V-1291
B-10354	Gear cov. pl. FC Series	Vell.	1		V-1169
BD-78A	Gear cov. pl. FK Series	Vell.	1		V-1035
B-10358	Flywheel hsg. FC Series	Tr. Paper	1		30418
19419D	Flywheel hsg. FK Series	Paper	1		30437

Waukesha Motor, 6. Models 6GAK, 5 1/2 x 5 1/2"; 6GAL 5x5 1/2"



McCord No. 6118-No. 6119




McCord No. 6120

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
113000	Cyl. hd. 6GAL (early)	Cop. Asb.	2		6118
113100	Cyl. hd. 6GAL (late)	Cop. Asb.	2		6119
115000	Cyl. hd. 6GAK	Cop. Asb.	2		6120
	Mani. set (6-S2694)	Stl. pk.	1		SMS-2592
	Rock. arm cov. set (4-C4434)	Cork	1		CV-637
	Oil pan set (1-C3827A, 1-C3827B, 1-C3828A, 1-C3828B, 1-C3090, 1-C3091)	Cork	1		CS-2328
63110-11-14	Oil pan set (base type) (4 pcs.)	Vell.	1		ES-406
B-4472A	Front end pl. set (1 pc.)	Vell.	1		ES-1366
B-4381	Gear cov. set (1 pc.)	Vell.	1		ES-1644
B-10745	Exh. pipe flg.	Stl. pk.	3		S-2978
B-7401	Manifold	Stl. pk.	6		S-2694
B-7447	Rock. arm cov.	Cork	4		C-4434

(Continued on Next Page)

Waukesha Motor, 6. Models 6GAK-6GAL—Continued




McCord No. S-2694


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
B-4474B	Oil pan right front	Cork	1		C-3827A
B-4474C	Oil pan right rear	Cork	1		C-3827B
B-4473B	Oil pan left front	Cork	1		C-3828A
B-4473C	Oil pan left rear	Cork	1		C-3828B
B-4471	Oil pan front seal	Cork	1		C-3090
B-4472A	Oil pan rear seal	Cork	1		C-3091
63114	Oil pan front seal (base type)	Cork	1		C-5192
B-4472A	Oil pan rear seal (base type)	Cork	1		C-3091
63109	Oil pan cov. to C/C (base type)	Vell.	1		ES-646
B-5503A	Oil pan door (base type)	Cork	4		C-5183
B-1086	Oil pump cov.	Tr. Paper	1		30465
B-6252	Oil pan cooler pl.	Vell.	2		V-8150
B-175	Oil relief valve and drain plug	Cop. Asb.	2		515
B-1669	Oil screen baffle	Cork	1		C-3894
B-365A	Cov. pl.	Asb.	1		16175
63190	Int. to exh.	Stlplk.	1		S-3108
63388	Gov. hsg.	Vell.	1		V-8480
63389	Gov. lever hsg.	Vell.	1		V-8149
63390A	Gov. lever hsg. cov.	Vell.	1		V-8478
B-5178A	Gov. brg. carrier	Vell.	1		V-8481
B-482	Mag. drive hsg.	Cork	1		C-3295
B-4528	Fuel pump cov.	Vell.	2		V-8151
B-4135	Wat. pump cov.	Asb.	1		16222
B-5200	Wat. pump outlet	Cop. Asb.	3		144CA
B-5197	Wat. pump elbow	Asb.	1		16210
B-1331	Top wat. outlet elbow	Tr. Paper	1		30448
63243	Thermostat hsg.	Asb.	2		16212
B-1072	Hand hole cov. (with wat. cooled mani.)	Vell.	2		V-5885
B-4502	C/C cov.	Cork	2		C-3092
63848	C/C cleanout cov.	Asb.	8		16211
B-2747	C/C cov. washer	Cop.	16		480
B-4487	Rear main brg. ret.	Vell.	2		V-8205
B-4376	Rear main brg. ret., upper	Vell.	1		V-8881
B-1727	Camshaft rear pl.	Vell.	1		V-8389

Waukesha Motor, 4. Models HAH, 5x6 1/2"; HLH


6x6 1/2"



McCord No. S-5920



McCord No. 5998



McCord No. S-2891




McCord No. S-2894


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
86000	Cyl. hd. HAH	Stlplk.	2		S-5920
87100	Cyl. hd. HLH	Cop. Asb.	2		5998
	Mani. set (4-S2891, 4-S2894)	Stlplk.	1		SMS-2322
	Rock. arm cov. set (4-C5127)	Cork	1		CV-625
B-2053-56	Oil pan set (3 pcs.)	Vell.	1		ES-P1064
B-2057	Cyl. base set (2 pcs.)	Vell.	1		ES-3718
B-2050	Gear cov. set (1 pc.)	Vell.	1		ES-1632
B-7630	Exh. mani.	Stlplk.	4		S-2891
B-7629A	Int. mani.	Stlplk.	4		S-2894
B-7668	Rock. arm cov.	Cork	4		C-5127
B-365A	Breather body	Asb.	1		16175
B-73A	Butterfly valve hsg.	Cop. Asb.	1		866C
B-7630	Air valve hsg.	Stlplk.	1		S-2891
B-3605	Fuel pump	Vell.	1		V-8347A
B-482A	Generator cov. pl.	Cork	1		C-3295
B-482A	Generator cov. pl.	Vell.	1		V-5939
B-329A	C/C door	Cork	2		C-5125

Waukesha Motor, 6. Models 6HB-6HL. McCord No. 5260A. See Page No. 239.

Waukesha Motor, 4. Models HBKH, 6x6 1/2"; HBSH 5x6 1/2"




McCord No. 5999



McCord No. 6012




McCord No. S-2890




McCord No. S-2893

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
87200	Cyl. hd. HBKH	Cop. Asb.	2	5999
86100	Cyl. Hd. HBSH	Cop. Asb.	2	6012
	Mani. set			
	(4-S2893, 2-S2890)	Stl. pk.	1	SMS-2323
	Rock. arm cov. set			
	(4-C5191)	Cork	1	CV-638
B-2056}	Oil pan set (3 pcs.)	Vell.	1	ES-P1064
B-2053}				
B-2050}	Gear cov. set (1 pc.)	Vell.	1	ES-1632
B-9903}	Exh. mani.	Stl. pk.	4	S-2893
B-9904}	Int. mani.	Stl. pk.	2	S-2890
B-9911}	Rock. arm cov.	Cork	4	C-5191
B-2052}	Oil pan cov. pl.	Tr. Paper	2	30467
B-2063}	Oil pump	Paper	1	30466
B-1086}	Oil pump cov.	Tr. Paper	1	30465
B-2069}	Wat. pump cov.	Asb.	1	16209
B-2058}	Wat. pump inlet	Asb.	1	16208
B-9910}	C/C door	Tr. Paper	2	30468
B-8723}	Inspection hole cov.	Tr. Paper	1	30454

Waukesha Motor, 4. Models HL, 6x6 1/2"; HS 5 1/2 x 6 1/2"



McCord No. 5523



McCord No. 5567




McCord No. 1480


Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
9900	Cyl. hd. HL	Cop. Asb.	2	5567
9800A	Cyl. hd. HS	Cop. Asb.	2	5523
	Mani. set (2-1480)	Cop. Asb.	1	MS-2303
	Valve cov. set (2-C4330)	Cork	1	CV-558
B-2053-56}	Oil pan set (3 pcs.)	Vell.	1	ES-P1064
B-2057}	Cyl. base set (2 pcs.)	Vell.	1	ES-3718
B-2050}	Gear cov. set (1 pc.)	Vell.	1	ES-1632
B-397A}	Manifold	Cop. Asb.	2	1480
B-369A}	Valve cov.	Cork	2	C-4330
B-365A}	Breather body	Asb.	1	16175
B-450}	Gov. cov.	Vell.	1	V-9512
B-482A}	Generator cov. pl.	Vell.	1	V-5939
B-329A}	C/C door	Cork	2	C-5125

Waukesha Motor, 4. Model HLX. McCord No. 5778. See Page No. 254.

Waukesha Motor, 4. Models JK, 6 1/2 x 7"; JL, 6x7"; JS, 5 1/2 x 7"; JZ 6 3/4 x 7"



McCord No. 5418-5437-5522




McCord No. 5819




McCord No. 1694

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
9400	Cyl. hd. JK	Cop. Asb.	2	5522
9500	Cyl. hd. JL	Cop. Asb.	2	5437
9600	Cyl. hd. JS	Cop. Asb.	2	5418
60000	Cyl. hd. JZ	Cop. Asb.	2	5819
	Mani. set			
	(4-876C, 2-1694)	Stl. Asb.	1	MS-2308
	Valve cov. set (2-C3135)	Cork	1	CV-546
B-1405-44}	Oil pan set (3 pcs.)	Vell.	1	ES-P1037
B-1406}	Cyl. base set (2 pcs.)	Vell.	1	ES-3717
B-1405}	Gear cov. set (1 pc.)	Vell.	1	ES-1714
B-832}	Exh. mani.	Stl. Asb.	4	876C
B-830}	Int. mani.	Stl. Asb.	2	1694
B-1408}	Valve cov.	Cork	2	C-3135
B-1418A}	Oil pan cov.	Cork	1	C-3893
B-365A}	Breather body and cov.	Asb.	2	16175
B-4327}	Hot air stove	Asb.	1	16183
	Carburetor	Vell.	1	V-106
B-450}	Gov. cov.	Vell.	1	V-9512
B-482A}	Generator cov. pl.	Vell.	1	V-5939
B-895}	Dist. hsg.	Vell.	1	V-5887


Waukesha Motor, 6. Models 6KK, 4 1/4 x 4 3/4"; 6KL-6KS, 4 x 4 3/4"; 6KU 4 1/4 x 4 3/4"



McCord No. 5473B



McCord No. 1689



McCord No. 1690




McCord No. 1079




McCord No. 1990




McCord No. 1991




McCord No. C-2955



McCord No. C-3084



McCord No. C-3083




McCord No. C-3082

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
9300B	Cyl. hd.	Cop. Asb.	2	5473B
46	Motor overhaul set KS-KU (2-5473B, 2-1990, 1-1991, 1-847D, 1-515, 2-507E, 4-485, 6-470, 2-C2955, 1-C3082, 1-C3083, 1-C3084, 1-C3295, 1-C3894, 1-C4714, 1-C3893, 4-16175, 1-16053, 1-16054, 1-V3801, 1-V2086, 1-V8404, 2-V5631, 1-V1614, 1-V5630, 1-V5618, 1-V5708, 8-V5629, 1-V5890, 1-V5887, 1-V5623)		1	9051
	Mani. set KK-KL (2-1690, 6-845)	Cop. Asb.	1	MS-2311
	Mani. set KS-KU (2-1990, 1-1991)	Cop. Asb.	1	MS-2312
B-1500	Valve cov. set KK-KL (2 pcs.)	Vell.	1	ES-1982
	Valve cov. set KS-KU (2-C2955)	Cork	1	CV-486
	Oil pan set (1-C3082, 1-C3083, 1-C3084)	Cork	1	CS-2265
B1867-7A-8	Oil pan set (3 pcs.)	Vell.	1	ES-P1019
B-1545	Gov. hsg. set (1 pc.)	Vell.	1	ES-2086
B-1495	Cyl. base set (1 pc.)	Vell.	1	ES-3801
B-1496	Gear cov. set (1 pc.)	Vell.	1	ES-1614
B-439	Exh. pipe flg.	Cop. Asb.	1	1079
B-1494	Mani. center KK-KL	Cop. Asb.	2	1690
B-1493	Mani. ends KK-KL	Cop. Asb.	6	845
B-1938	Mani. center KS-KU	Cop. Asb.	1	1991
B-1937	Mani. ends KS-KU	Cop. Asb.	2	1990
B-1939	Valve cov. KS-KU	Cork	2	C-2955
B-1867A	Oil pan right	Cork	1	C-3083
B-1867	Oil pan left	Cork	1	C-3082
B-1868	Oil pan rear	Cork	1	C-3084
B-1418A	Oil screen cov.	Cork	1	C-3893
B-1674	Oil pump cov.	Vell.	1	V-5623
B-1669	Oil pump baffle	Cork	1	C-3894
B-1515	Oil filter	Vell.	1	V-5618
B-1548	Oil header	Vell.	8	V-5629
B-175	Oil drain plug KS-KU	Cop. Asb.	1	515
	Oil pressure reg.	Cop. Asb.	2	507E
B-1061	Oil relief valve plug	Cop. Asb.	2	507G
B-1519	Oil ret.	Vell.	2	V-5631
B-1499	Oil ret.	Vell.	1	V-5890
B-2135	Cyl. cov. pl. stud	Cop.	8	470
B-1073	Cleanout cov. KK-KL	Vell.	1	V-5886
B-1935	Cleanout cov. KS-KU	Vell.	1	V-5708
B-1510	Int. to exh. KL-KK	Cop. Asb.	1	1689
B-1947	Carb. adapter	Stl. Asb.	1	847D
B-365A	Gov. adj. flg. and breather	Asb.	4	16175
B-1034	Wat. pump cov. KK-KL	Asb.	1	16181
B-2145	Wat. pump cov. KS-KU	Asb.	1	16182
B-1956	Wat. outlet	Cork	1	C-4714
B-1481	Back wat. mani.	Asb.	1	16053
B-2135	Back wat. mani. stud	Cop.	22	470
B-895	Dist. hsg.	Vell.	1	V-5887
B-482A	Generator cov. pl.	Cork	1	C-3295
B-482A	Generator cov. pl.	Vell.	1	V-5939
B-2130	C/C door stud	Cop.	4	485
B-1531	Rear C/S brg. cov.	Vell.	1	V-5630
B-1037	Fan pulley	Vell.	1	V-8404




Waukesha Motor, 6. Models LK, 7 $\frac{3}{4}$ x 8 $\frac{1}{2}$ "; LS, 7 x 8 $\frac{1}{2}$ "; OK, 7 $\frac{3}{4}$ x 8 $\frac{1}{2}$ "; OL, 7 $\frac{1}{4}$ x 8 $\frac{1}{2}$ "; OS 7 x 8 $\frac{1}{2}$ "




McCord
No. 5527




McCord
No. 5670



McCord
No. 2448




McCord No. 2466



McCord No. 2468

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
12000	Cyl. hd. OK-OL-LK	Cop. Asb.	6		5527
13000	Cyl. hd. LS-OS	Cop. Asb.	6		5670
	Mani. set OS (6-2466)	Cop. Asb.	2		MS-2576
	Mani. set OK-OL-LK-LS (6-2468)	Cop. Asb.	1		MS-2577
	Oil pan set (2-31042, 1-31043, 1-31044)	Tr. Paper	1		CS-2366
B-2826	Exh. and int. mani. OS	Cop. Asb.	12		2466
B-2099	Exh. and int. mani. OK- OL-LS-LK	Cop. Asb.	6		2468
B-2227	Oil pan, sides	Tr. Paper	2		31042
B-2229	Oil pan, front	Tr. Paper	1		31043
B-2228	Oil pan, rear	Tr. Paper	1		31044
B-4174	Oil pump cov. pl.	Tr. Paper	1		30430
B-2712	Carburetor	Cop. Asb.	2		2448
B-2627	Carb. adapter OS	Stl. Asb.	1		876C
B-3820A	Int. to carb. adapter	Cop. Asb.	4		2370
B-2216	Int. mani. adapter	Cop. Asb.	4		2369
B-2214	Wat. pump cov. OK-OS	Asb.	1		16187
B-2752	Butterfly valve hsg.	Cop. Asb.	1		2881
B-3261	Valve cap	Cop. Asb.	6		107D
B-2125	Cyl. base	Tr. Paper	6		33017

Waukesha Motor, 6. Model 6LRH 8 $\frac{1}{2}$ x 8 $\frac{1}{2}$ "




McCord No. 6001



McCord No. S-2880

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
99000	Cyl. hd.	Cop. Asb.	6		6001
	Mani. set (6-S2889)	Stlpl.	1		SMS-2328
B-8759	Int. mani.	Stlpl.	6		S-2889
B-4174	Oil pump cov. pl.	Tr. Paper	1		30430

Waukesha Motor, 6. Model 6LRO 8 $\frac{1}{2}$ x 8 $\frac{1}{2}$ "



McCord No. 6000



McCord No. 2887




McCord No. 2888

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
46000	Cyl. hd.	Cop. Asb.	6		6000
	Mani. set (6-2887, 6-2888)	Cop. Asb.	1		MS-2327
	Rock. arm cov. set (6-C5182)	Cork	1		CV-639
	Push rod cov. set (12-C5180)	Cork	1		CV-640
	Oil pan set (2-31042, 1-31043, 1-31044)	Tr. Paper	1		CS-2366
B-4659	Exh. mani.	Cop. Asb.	6		2887
B-4660	Int. mani.	Cop. Asb.	6		2888
B-4653	Rock. arm cov.	Cork	6		C-5182
B-2119	Push rod cov.	Cork	12		C-5180
B-2131	Push rod cov. stud	Cop. Asb.	12		504
B-2227	Oil pan, sides	Tr. Paper	2		31042
B-2229	Oil pan, front	Tr. Paper	1		31043
B-2228	Oil pan, rear	Tr. Paper	1		31044
B-4174	Oil pump cov. pl.	Tr. Paper	1		30430
B-2712	Carburetor 2 $\frac{1}{2}$ "	Cop. Asb.	2		1946
B-2752	Butterfly valve hsg.	Cop. Asb.	1		2881
B-2214	Wat. pump cov.	Asb.	1		16187
B-4658	Cyl. base	Tr. Paper	2		33016



Waukesha Motor, 6. Models 6MK, 4 1/8 x 4 3/4"; 6ML, 4 x 4 3/4"; 6MS, 3 3/4 x 4 3/4"; 6MZ 4 1/4 x 4 3/4"

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
35200A	Cyl. hd. 6MK-ML-MS	Cop. Asb.	1		5761
61000	Cyl. hd. MZ	{Cop. Asb.} {Stl. Seal}	1		5750
	Mani. set				
	(2-1987, 1-1988)	Cop. Asb.	1		MS-2314
	Valve cov. set (2-C3999)	Cork	1		CV-494
B-1817	Oil pan set (2 pcs.)	Vell.	1		ES-365
B-1818	Gear cov. set (1 pc.)	Vell.	1		ES-1447
1-M-1	Exh. pipe flg. (Sterling)	Cop. Asb.	1		869D
M20-763	Down draft exh. pipe flg. (Corbitt)	Cop. Asb.	1		3074
B-1960}	Mani., center	Cop. Asb.	1		1988
B-1959}	Mani., ends	Cop. Asb.	2		1987
B-1819A	Valve cov.	Cork	2		C-3999
B-2130	Valve cov. nut	Vell.	4		V-5883
B-993	Oil pan, ends	Cork	2		C-893
B-1418A	Oil pan cov.	Cork	1		C-3893
B-1986	Oil pump cov.	Vell.	1		V-8481
B-1669	Oil pump baffle	Cork	1		C-3894
B-1515	Oil filter	Vell.	1		V-5618
B-1061	Oil relief screw	Cop. Asb.	2		507G
B-175	Oil drain plug	Cop. Asb.	1		515
B-365A	Gov. adj. flg. and breather	Asb.	2		16175
B-3605	Fuel pump flg.	Vell.	1		V-8347A
B-3943	Wat. pump	Asb.	1		16180
B-2214	Wat. pump cov.	Asb.	1		16187
B-1886	Top wat. mani.	Asb.	1		2459
B-482A	Generator cov.	Vell.	1		V-5939



McCord No. 5750-No. 5761



McCord No. 1987



McCord No. 1988

Waukesha Motor, 6. Models OK-OL. McCord No. 5527. See Page No. 246.


Waukesha Motor, 6. Model OS. McCord No. 5670. See Page No. 246.

Waukesha Motor, 6. Models 6QB-6QL. McCord No. 5260A. See Page No. 239.


Waukesha Motor, 6. Model 6RB. McCord No. 5568. See Page No. 239.

Waukesha Motor, 6. Models 6SRK, 4 5/8 x 5 1/8"; 6SRL, 4 3/8 x 5 1/8"; 6SRS 4 1/8 x 5 1/8"

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
49000	Cyl. hd. SRK	Cop. Asb.	2		5717
17000	Cyl. hd. SRL-SRS	Cop. Asb.	2		5549
	Motor overhaul set SRK				
	(2-5717, 1-V2086, 1-V1614, 1-2698, 1-2699, 1-2700, 2-C2955, 4-485, 1-C3082, 1-C3083, 1-C3084, 1-C3893, 1-V5623, 1-C3894, 1-V5618, 8-V5629, 2-507E, 1-515, 1-S857B, 1-847D, 1-V8347A, 1-16054, 3-16051, 1-16053, 30-470, 1-V5939, 1-V5708)		1		9090
	Mani. set (3/8" bolt holes) (1-2700, 1-2698, 1-2699)	Stl. Asb.	1		MS-2320
	Mani. set SRK-SRS (2-1990, 1-1991)	Cop. Asb.	1		MS-2312
	Valve cov. set (2-C2955)	Cork	1		CV-486
	Oil pan set (1-C3082, 1-C3083, 1-C3084)	Cork	1		CS-2265
B-1867-7A-8	Oil pan set (3 pcs.)	Vell.	1		ES-P1019
B-1545	Gov. lever hsg. set (1 pc.)	Vell.	1		ES-2086
B-2208	Cyl. base set SRL-SRS (1 pc.)	Vell.	1		ES-3859



McCord No. 5549



McCord No. 5717

(Continued on Next Page)


Waukesha Motor, 6. 6S Series—Continued




McCord No. 1990



McCord No. 1991




McCord No. 2698




McCord No. 2699




McCord No. 2700




McCord No. C-2955



McCord No. C-3084




McCord No. C-3082



McCord No. C-3083

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
B-1496	Gear. cov. set (1 pc.)	Vell.	1		ES-1614
1322-B8	Clutch cov. set (F. W. D. truck) (1 pc.)	Vell.	1		ES-4250
B-439	Exh. pipe flg.	Cop. Asb.	1		1079
B-6710	Mani., front ($\frac{5}{8}$ " bolt holes)	Stl. Asb.	1		2698
B-6709	Mani., center ($\frac{5}{8}$ " bolt holes)	Stl. Asb.	1		2700
B-6711	Mani., rear ($\frac{5}{8}$ " bolt holes)	Stl. Asb.	1		2699
B-1938	Mani., center, SRK-SRS	Cop. Asb.	1		1991
B-1937	Mani., ends, SRK-SRS	Cop. Asb.	2		1990
B-2206	Int. port	Cop. Asb.	3		705A
B-1939	Valve cov.	Cork	2		C-2955
B-2130	Valve cov. stud	Sol. Cop.	4		485
B-1867	Oil pan, left	Cork	1		C-3082
B-1867A	Oil pan, right	Cork	1		C-3083
B-1868	Oil pan, rear	Cork	1		C-3084
B-1418A	Oil pan cov.	Cork	1		C-3893
B-1674	Oil pump cov.	Vell.	1		V-5623
B-1669	Oil pump baffle	Cork	1		C-3894
B-1515	Oil filter	Vell.	1		V-5618
B-1548	Oil header	Vell.	8		V-5629
B-1061	Oil relief valve plug	Cop. Asb.	2		507E
B-175	Oil drain plug	Cop. Asb.	1		515
B-7600	Butterfly valve hsg.	Stl. Asb.	1		S-857B
B-1947	Carb. adapter	Stl. Asb.	1		847D
B-3605	Fuel pump flg.	Vell.	1		V-8347A
B-2145	Wat. pump cov.	Asb.	1		16182
B-2207	Wat. pipe	Asb.	3		16051
B-1481	Backwater mani.	Asb.	1		16053
B-2135	Backwater mani. stud	Sol. Cop.	30		470
B-482A	Generator cov. pl.	Vell.	1		V-5939
B-1935	Engine cov. pl.	Vell.	1		V-5708

Waukesha Motor, 6. Model 6SRX. McCord No. 5885. See Page No. 256.

Waukesha Motor, 6. Models 6TL, $3\frac{3}{8} \times 4\frac{3}{4}$ "; 6TS. $3\frac{1}{8} \times 4\frac{3}{4}$ "

McCord No. 5603




McCord No. 2120



McCord No. 2121

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
24200	Cyl. hd.	Cop. Asb.	1		5603
	Mani. set (1-2121, 2-2120)	Cop. Asb.	1		MS-2315
	Valve cov. set (2-C4057)	Cork	1		CV-496
B-3880-1-2	Oil pan set (3 pcs.)	Vell.	1		ES-440
B-3239	Mani., center	Cop. Asb.	1		2121
B-3234	Mani., ends	Cop. Asb.	2		2120
B-2715A	Valve cov.	Cork	2		C-4057
B-2747	Valve cov. nut washer	Cop.	4		480
B-2135	Cyl. cov. pl. washer	Cop.	24		470
B-3174	Oil pump cov.	Tr. Paper	1		30429
B-1061	Oil relief valve plug	Cop. Asb.	2		507E
B-1032	Gov. hsg. cov.	Vell.	1		V-5883
B-3605	Fuel pump flg.	Vell.	1		V-8347A
B-1886	Wat. outlet pipe	Asb.	1		2459

Waukesha Motor, 6. Model 6TLX. McCord No. 5779. See Page No. 255.

Waukesha Motor, 4. Model UM. $4\frac{3}{8} \times 5"$ 

McCord No. 5801





McCord No. S-2794

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
64000	Cyl. hd.	Cop. Asb.	1		5801
	Motor overhaul set (Allis-Chambers) (1-5801, 4-2601, 1-2602, 1-C3568C, 1-31016, 1-31012, 1-2603, 1-S2959, 1-S2794, 1-30182, 2-C3098, 2-C3097, 2-C3099, 1-S2992, 1-16137, 1-30341)		1		9056
	Mani. set (4-2601, 1-2602)	Stl. Asb.	1		MS-2316
	Rock. arm cov. set (1-C3568C)	Cork	1		CV-584
	Oil pan set (1-31016)	Tr. Paper	1		CS-2323

(Continued on Next Page)





Waukesha Motor, 4. Model UM—Continued



Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
B-6130}	Mani. ends	Stl. Asb.	4		2601
B-6187}	Mani. center	Stl. Asb.	1		2602
B-6184	Rock. arm cov.	Cork	1		C-3568C
B-6245-46-47	Oil pan	Tr. Paper	1		31016
B-6073	Oil pan cov.	Tr. Paper	1		31012
B-6182	C/C door	Cork	1		C-3099
B-6188	Int. to exh. (gas engine to #1385)	Stl. Asb.	1		2603
U-2798	Int. to exh. (gas eng. 1386 to 10089)	Stl. Asb.	1		S-2959
64B-7438	Int. to exh. (kero. eng. 1386 to 10089)	Stl. Asb.	1		S-2794
205748	Int. to exh. (engs. 10089 up)	Stl. Asb.	1		S-2992
B-6180	Top wat. mani.	Tr. Paper	1		30182
U-3316	Wat. pump cov.	Asb.	1		16137
U-3781	Wat. pump to block	Tr. Paper	1		30341
B-6084	Front C/S seal	Cork	2		C-3098
B-6077	Rear C/S seal	Cork	2		C-3097

Waukesha Motor, 4. Models V, 4x5"; VK-VKU (Industrial)




4 1/4 x 5"



Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
9000	Cyl. hd. V	Cop. Asb.	1		5264
9000A	Cyl. hd. VK-VKU	Cop. Asb.	2		5600
	Mani. set (2-1686)	Cop. Asb.	1		MS-2304
	Valve cov. set (2-C4000)	Cork	1		CV-493
B-993 }	Oil pan set (4 pcs.)	Vell.	1		ES-69
B-1002 }	Exh. pipe fig. (Available)	Cop. Asb.	1		869D
L-1095	Mani.	Cop. Asb.	2		1686
B-1024A	Valve cov.	Cork	2		C-4000
B-970	Oil pan ends	Cork	2		C-893
B-993	Oil relief valve	Cop. Asb.	1		507E
B-1061	Oil filter	Vell.	1		V-5618
B-1515	Carburetor	Vell.	1		V-103
B-1032	Gov. lever hsg.	Vell.	1		V-5883
B-1260	Butterfly valve hsg. cov.	Asb.	1		1685
B-1259	Butterfly valve hsg.	Cop. Asb.	1		1687
B-1001	Wat. pump	Vell.	1		V-5707
B-1034	Wat. pump cov.	Asb.	1		16181
B-1003	Top wat. mani.	Asb.	1		16043
B-482A	Generator cov. pl.	Vell.	1		V-5939

Waukesha Motor, 4 (Diesel). Models VBKH, 4 1/2 x 5 1/4"; VBZH

4 5/8 x 5 1/4"




Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
67000C	Cyl. hd.	Cop. Asb.	1		6114
	Mani. set (1-S3106, 2-S3107)	Stl. Asb.	1		SMS-2600
	Valve cov. set (1-C4763)	Cork	1		CV-573
	Oil pan set (2-31039, 2-31040, 2-31041, 1-C5175)	Tr. Paper	1		CS-2365
B-8874}	Exh. mani., center	Stl. Asb.	1		S-3106
B-8879}	Exh. mani., ends	Stl. Asb.	2		S-3107
B-9265	Exh. mani. cov. pl.	Stl. Asb.	2		S-871C
B-2747	Exh. mani. cov. pl. washer	Cork	4		480
B-3563	Valve cov.	Cork	1		C-4763
B-3724	Oil pan, sides	Tr. Paper	2		31041
B-4061	Oil pan, rear	Tr. Paper	2		31040
B-3807	Oil pan adapter	Tr. Paper	2		31039
B-3611	C/S rear brg. seal	Cork	2		C-5175
B-1996	Oil pan cov.	Vell.	1		ES-9744
B-3951	Oil pump	Tr. Paper	1		30455
B-3587	Oil pump cov.	Tr. Paper	1		30456
B-10457	Oil filter	Tr. Paper	1		30458
B-1061	Oil relief valve	Cop. Asb.	1		507G
B-8856	Gov. hsg.	Tr. Paper	1		30453
B-9109	Gov. spring hsg.	Tr. Paper	1		30451
B-8875	Gov. lever hsg.	Tr. Paper	1		30452
B-9108	Gov. lever hsg. cap.	Tr. Paper	1		30450
B-8868	Gov. oil seal	Cork	1		C-5178

(Continued on Next Page)

Waukesha Motor, 4. VBKH-VBZH—Continued


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
B-1331	Butterfly valve hsg.	Tr. Paper	1		30448
B-9106	Butterfly lever hsg. cov.	Tr. Paper	1		30449
B-8889	Fuel injector	Cop. Asb.	4		500K
B-3605	Fuel pump pad	Vell.	1		V-8347A
B-8640A	Vacuum control cov.	Cop. Asb.	1		145A
B-482	Mag. shaft hsg.	Cork	1		C-3295
B-3658	Wat. pump body	Asb.	1		16206
B-8900	Top wat. mani.	Asb.	3		16203
63205	Top wat. mani. elbow	Asb.	1		16204
B-3801	Wat. pump inlet elbow	Asb.	1		16205
B-7269	Wat. pump front brg. supp.	Tr. Paper	1		30457
B-6070	Gear cov.	Tr. Paper	1		36058
B-8723	Inspection hole cov.	Tr. Paper	1		30454

Waukesha Motor, 4. Models VIH-VIL, $4\frac{3}{8} \times 5\frac{1}{4}$ "; VIK-VIKH, $4\frac{1}{2} \times 5\frac{1}{4}$ "; VIS $4\frac{1}{8} \times 5\frac{1}{4}$ "


McCord No. 5698



McCord No. 2451




McCord No. 2450



McCord No. 2601

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
31000	Cyl. hd.	Cop. Asb.	1		5698
	Motor overhaul set, VIK-VIL-VIS (1-5698, 2-2451, 1-31019, 1-C4763, 1-30303, 1-30302, 4-V8949)	Cork	1		9076
	Mani. set, VIS-VIL-VIK (2-2451)	Cop. Asb.	1		MS-2309
	Mani. set, VIH-VIKH (4-2601)	Stl. Asb.	1		MS-2487
	Valve cov. set (1-C4763)	Cork	1		CV-573
	Oil pan set (1-31019)	Tr. Paper	1		CS-2331
B-3507	Mani., VIS-VIL-VIK	Cop. Asb.	2		2451
B-6130	Mani., VIH-VIKH	Stl. Asb.	4		2601
B-3563	Valve cov.	Cork	1		C-4763
B-3727	Oil pan	Tr. Paper	1		31019
B-1996	Oil pan cov., VIH-VIKH	Vell.	1		ES-9744
B-3419	Int. to exh.	Cop. Asb.	1		2450
C-413	Air cleaner flg. (Hart-Parr)	Tr. Paper	1		30302
B-3770	Wat. outlet	Vell.	4		V-8949
C-506	Wat. mani.	Tr. Paper	1		30303

Waukesha Motor, 4. Models WBFH-WFH $6\frac{1}{2} \times 8$ "

McCord No. 6002




McCord No. S-2885


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
79100	Cyl. hd.	Cop. Asb.	2		6002
	Mani. set (4-S2885, 4-876C)	Stlpk.	1		MS-2324
B-826	Valve cov. set (2 pcs.)	Vell.	1		ES-2561
	Rock. arm cov. set (2-C5126)	Cork	1		CV-624
B-835	Oil pan set (2 pcs.)	Vell.	1		ES-521
B-829	Cyl. base set (2 pcs.)	Vell.	1		ES-3804
B-828	Gear cov. set (1 pc.)	Vell.	1		ES-1458
B-6954	Exh. mani.	Stlpk.	4		S-2885
B-832	Int. mani.	Stl. Asb.	4		876C
B-6914	Rock. arm cov.	Cork	2		C-5126
B-827	Push rod bracket cov.	Cork	4		C-4652
B-1222	Oil pan cov.	Vell.	1		V-9841
B-365A	Breather cap	Asb.	1		16175




Waukesha Motor, 4. Models WK, 6 3/4 x 8"; WL-DWL, 6 1/4 x 8"; WS 5 3/4 x 8"




McCord No. 5310



McCord No. 5311



McCord No. 5419




McCord No. 5716




McCord No. 1694




McCord No. 2797



McCord No. 2307




McCord No. 2724



McCord No. S-3075

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
8900	Cyl. hd., WK	Stl. Asb.	2	5419
8700	Cyl. hd., WL	Cop. Asb.	2	5311
16000	Cyl. hd. DWL	Cop. Asb.	2	5716
8800	Cyl. hd., WS	Cop. Asb.	2	5310
	Mani. set			
	(4-876C, 2-1694)	Stl. Asb.	1	MS-2308
	Valve cov. set (4-C4652)	Cork	1	CV-583
B-835	Oil pan set (2 pcs.)	Vell.	1	ES-521
B-826	C/C door set (2 pcs.)	Vell.	1	ES-2561
B-829	Cyl. base set (2 pcs.)	Vell.	1	ES-3804
B-828	Gear cov. set (1 pc.)	Vell.	1	ES-1458
B-8972	Exh. pipe flg.	Stl. Asb.	1	S-3075
B-832	Exh. mani.	Stl. Asb.	4	876C
B-830	Int. mani.	Stl. Asb.	2	1694
B-2734	Int. mani., DWL	Stl. Asb.	2	2797
B-827	Valve cov.	Cork	4	C-4652
B-1222	Oil pan cov.	Vell.	1	V-9841
B-368	Oil pan cov. pl.	Vell.	1	V-5938
B-365A	Breather body	Asb.	1	16175
B-3794	Int. to exh.	Stl. Asb.	1	2307
B-4327	Hot air stove	Asb.	1	16183
B-482A	Generator cov. pl.	Vell.	1	V-5939
B-73A	Housing, WS-WL-WK	Cop. Asb.	1	866C
B-1388	Wat. cov.	Cop. Asb.	1	2724


Waukesha Motor, 4. Model WOK 7 1/2 x 8"



McCord No. 6115



McCord No. 3109




McCord No. S-3110


Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
62000	Cyl. hd.	Cop. Asb.	2	6115
	Mani. set (4-3112, 2-3111)	Stl. Asb.	1	MS-2604
	Mani. set (with water cooled mani.)			
	(4-S3110, 2-3109)	Cop. Asb.	1	MS-2605
	Rock. arm cov. set			
	(2-C5184)	Cork	1	CV-641
B-835	Oil pan set (2 pcs.)	Vell.	1	ES-521
	Oil pan set (2-31045)			
	(base type)	Tr. Paper	1	CS-2367
B-826	C/C door set (2 pcs.)	Vell.	1	ES-2561
B-828	Gear cov. set (1 pc.)	Vell.	1	ES-1458
B-5751	Exh. mani. elbow	Stl. Asb.	4	3112
B-5754	Int. mani.	Stl. Asb.	2	3111
B-9467	Exh. mani. (with water cooled mani.)	Stl. Asb.	4	S-3110
B-4914	Int. mani. (with water cooled mani.)	Cop. Asb.	2	3109
B-7273	Exh. mani. cov. (with water cooled mani.)	Cork	2	C-5187
B-5755	Exh. elbow cov.	Stl. Asb.	1	3113
B-5772	Rock. arm cov.	Cork	2	C-5184

(Continued on Next Page)

Waukesha Motor, 6. Model WOK—Continued

McCord
No. 3111McCord
No. 3112


McCord No. 3113




McCord No. 1946

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
B-5504	Oil pan (base type)	Tr. Paper	2		31045
B-1222	Oil pan cov., bottom	Vell.	1		V-9841
B-368	Oil pan cov., side	Vell.	1		V-5938
B-5497	Oil pump (base type)	Vell.	1		V-8148
B-9032	Oil pump cov.	Paper	1		30469
B-836	Oil pump to C/C	Vell.	1		V-8406
B-5503A	Cov. pl.	Cork	4		C-5183
B-2712	Int. riser	Cop. Asb.	2		1946
B-5755	Int. riser to exh.	Stl. Asb.	2		3113
B-365A	Breather body	Asb.	1		16175
B-3605	Fuel pump	Vell.	1		V-8347A
B-2092	Wat. pump	Asb.	1		16216
B-2287	Wat. outlet mani. (with wat. cooled mani.)	Asb.	2		16213
B-9945	Hand hole cov.	Asb.	4		16215
B-825	Cyl. pl.	Asb.	2		16214


Waukesha Motor, 4. Models X-XA, 3 1/2 x 4 1/2"; XAH, 3 5/8 x 4 1/2"; XAK, 3 3/4 x 4 3/4"; Z-ZA 3 1/4 x 4 1/2"




McCord No. 5258A




McCord No. 5748



McCord No. 5601




McCord No. 5436



McCord No. 5763



McCord No. 1481



McCord No. C-651

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
9200	Cyl. hd., X-XA	Cop. Asb.	1		5258A
19000	Cyl. hd., XAH	Cop. Asb.	1		*5763
19000B	Cyl. hd., XAH	Cop. Asb.	1		*5748
22000	Cyl. hd., XAK	Cop. Asb.	1		5601
7800	Cyl. hd., Z-ZA	Cop. Asb.	1		5436

*NOTE—No. 5763 has larger water holes than No. 5748.

Motor overhaul set X-XA

(1-5258A, 2-1481,

1-C3089, 2-C651,

2-C652, 2-C2918,


1-V1348, 1-V102,

1-V5621)


	Mani. set (2-1481)	Asb.	1		9078
	Valve cov. set (2-C651)	Cork	1		MS-2306
	Valve cov. set (2-V1989)	Vell.	1		CV-487
	Oil pan set (2-C652,				ES-1989
	1-C2918, 1-C3089)	Cork	1		CS-2335
	Oil pan set (2-P32,				ES-32
	1-C2918, 1-C3089)	Vell.	1		ES-1348
B-728A	Gear cov. (1 pc.)	Vell.	1		842A
13443V	Exh. pipe flg. (I. H. C.)	Stl. Asb.	1		1481
B-724A	Manifold	Asb.	2		C-651
B-726	Valve cov.	Cork	2		V-1989
B-726	Valve cov.	Vell.	2		500
B-723	Valve cov. stud nut	Cop. Asb.	2		C-652
B-725A	Oil pan, sides	Cork	2		C-2918
B-727	Oil pan, end	Cork	1		C-3089
B-1782	Gear cov. to pan	Cork	1		P-32 set
B-725A	Oil pan, sides (2-P32)	Vell.			
B-727	Oil pan, end (1-C2918)	Cork	1		C-2918
B-1782	Gear cov. to pan	Cork			C-3089
B-727	Oil pan, end	Cork	1		V-5621
B-1782	Gear cov. to pan	Cork	1		503
B-373	Oil pump cov.	Vell.	1		V-102
B-2469	Oil relief	Cop. Asb.	1		16109
B-4991	Carburetor	Vell.	1		V-5939
	Wat. pump body cov.,				
	XAH	Asb.	1		
B-482A	Mag. to shaft hsg.	Vell.	1		

Waukesha Motor, 4. Models XAKH-XBKH


3 3/4 x 4 3/4"




McCord No. 6006



McCord No. 6007



McCord No. S-2886




McCord No. S-3076

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
88000A	Cyl. hd., XAKH	Cop. Asb.	1		6007
88100	Cyl. hd., XBKH	Cop. Asb.	1		6006
	Mani. set, XAKH (4-S3076)	Stlpl.	1		SMS-2591
	Mani. set, XBKH (4-S2886)	Stlpl.	1		SMS-2325
	Rock. arm cov. set (2-C5128)	Cork	1		CV-626
	Oil pan set (2-P32, 1-C2918, 1-C3089)	Vell.	1		ES-32
	Cyl. door set (2-V1989)	Vell.	1		ES-1989
	Gear cov. set (1 pc.)	Vell.	1		ES-1348
	Gear cov. pl. set (1 pc.)	Vell.	1		ES-1161
	Exh. mani., XAKH	Stlpl.	4		S-3076
	Exh. mani., XBKH	Stlpl.	4		S-2886
	Exh. port cov. pl.	Tr. Paper	2		30444
	Rock. arm cov.	Cork	2		C-5128
	Oil pan, sides (2-P32)	Vell.	1		P-32 set
	Oil pan, front (1-C3089)	Cork	1		C-3089
	Oil pan, rear (1-C2918)	Cork	1		C-2918
	Oil pan, front	Cork	1		C-3089
	Oil pan, rear	Cork	1		C-2918
	Oil filter adapter	Asb.	1		16223
	Oil ret.	Vell.	1		V-9372
	Cyl. door	Vell.	2		V-1989
	Control lever bracket	Stl. Asb.	1		2687


B-723A
B-7040
B-9540
B-9468
B-8264
B-7793
B-725A
B-1782
B-727
B-1782
B-727
B-7089
B-7053
B-726
B-6830

Waukesha Motor, 6. Models 6X4, 4x4 1/2"; 6XK, 3 3/4 x 4 1/2"; 6XL


3 1/2 x 4 1/2"



McCord No. 5515



McCord No. 5718



McCord No. 5516



McCord No. 1989



McCord No. 1988




McCord No. 1987

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
9700B	Cyl. hd., X4	Cop. Asb.	1		5718
9700A	Cyl. hd., XK	Cop. Asb.	1		5516
9700	Cyl. hd., XL	Cop. Asb.	1		5515
	Mani. set (early XL) (2-1989, 1-823C)	Cop. Asb.	1		MS-2313
	Mani. set (late XL-XK-X4) (2-1987, 1-1988)	Cop. Asb.	1		MS-2314
	Valve cov. set (2-C3999)	Cork	1		CV-494
	Oil pan set (2 pcs.)	Vell.	1		ES-365
	Gear cov. (1 pc.)	Vell.	1		ES-1447
	Exh. pipe flg. (Sterling)	Cop. Asb.	1		869D
	Mani., ends (early XL)	Cop. Asb.	2		1989
	Mani., center (early XL)	Cop. Asb.	1		823C
	Mani., ends (late XL-XK-X4)	Cop. Asb.	2		1987
	Mani., center (late XL-XK-X4)	Cop. Asb.	1		1988
	Valve cov.	Cork	2		C-3999
	Valve cov. stud	Cop.	4		485
	Oil pan, ends	Cork	2		C-893
	Oil pan cov.	Cork	1		C-3893
	Oil pump cov.	Vell.	1		V-8981
	Oil pump baffle	Cork	1		C-3894
	Oil filtrator	Vell.	1		V-5618
	Oil relief valve adj. screw nut	Cop. Asb.	2		507E
	Breather body	Asb.	1		16175
	Carburetor	Vell.	1		V-103
	Carb. adapter	Cop. Asb.	1		839J
	Gov. adj. screw cov.	Asb.	1		16175
	Wat. pump	Asb.	1		2460
	Wat. outlet	Asb.	1		2459
	Generator cov. pl.	Vell.	1		V-5939

B-1817
B-1818
1-M-1
B-1857
B-1858
B-1959D
B-1960
B-1819A
B-2130
B-993
B-1418A
B-1986
B-1669
B-1515
B-1061
B-365A
B-2048
B-365A
B-1851
B-1886
B-482A


Waukesha Motor, 6. Models 6ZK-6ZKA, 3 3/8 x 4 1/8"; 6ZL. 3 1/4 x 4 1/8"



McCord No. 5916



McCord No. 2795



McCord No. 2796




McCord No. 2459




McCord No. 16051

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
37100A	Cyl. hd.	Cop. Asb.	1		5916
	Mani. set				
	(1-2795, 2-2796)	Cop. Asb.	1		MS-2321
	Valve cov. set				
	(2-C3093)	Cork	1		CV-495
B5101-2	Oil pan set (4 pcs.)	Vell.	1		ES-48
B5305-5549					
B-5056-5056A	Mani., center	Cop. Asb.	1		2795
B-5388-5388A	Mani., ends	Cop. Asb.	2		2796
B-5030	Valve cov.	Cork	2		C-3093
B-5101	Oil pan, front	Cork	1		C-3094
B-5305	Oil pan, rear	Cork	1		C-3096
B-1061	Oil relief valve plug	Cop. Asb.	2		507E
B-3605	Fuel pump fig.	Vell.	1		V-8347A
B-5020	Wat. pump body	Asb.	1		16102
B-2207	Wat. pump inlet elbow	Asb.	1		16051
B-1886	Wat. outlet	Asb.	1		2459
B-2130	C/C door stud washer	Cop.	4		485

Waukesha Motor, 4. Model 4-55. 3 5/8 x 4 3/4"




McCord No. 6008



McCord No. S-2884

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
83000B	Cyl. hd.	Cop. Asb.	1		6008
	Mani. set				
	(2-S2884, 4-S830H)	Stlpl.	1		SMS-2326
	Valve cov. set (2-V1989)	Vell.	1		ES-1989
	Oil pan set (2-P435)	Vell.	1		ES-435
	Rock. arm cov. set				
	(2-C4978)	Cork	1		CV-601
B-7041	Gear cov. set (1 pc.)	Vell.	1		ES-1030
B-7040	Gear cov. pl. set (1 pc.)	Vell.	1		ES-1161
B-7063	Exh. mani.	Stlpl.	2		S-2884
B-6830	Int. mani.	Stlpl.	4		S-830H
B-726	Valve cov.	Vell.	2		V-1989
B-7075	Rock. arm cov.	Cork	2		C-4978
B-7090	Oil pan, sides	Vell.	2		P-435
B-1996	Oil pan cov.	Vell.	1		V-9744
B-7053	Oil ret.	Vell.	1		V-9372
B-7089	Oil filter adapter	Asb.	1		16223
B-7086	Fuel pump cov.	Vell.	1		V-8193
B-727	Rear main brg. cap.	Cork	1		C-2918

Waukesha Motor, 4. Models 4-80, 5 1/2 x 6 1/2"; 4-95, 6 x 6 1/2"; HLX. 4 3/8 x 5 1/8"



McCord No. 5778




McCord No. S-2788



McCord No. S-2789



McCord No. S-2790



McCord No. S-2791

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
81100	Cyl. hd.	Cop. Asb.	2		5778
	Mani. set (2-S2788, 1-S2789, 2-S2790)	Stlpl.	1		SMS-2575
	Rock. arm cov. set				
	(2-C5186)	Cork	1		CV-642
	Push rod cov. set				
	(2-C4330)	Cork	1		CV-558
B-2053-56	Oil pan set (3 pcs.)	Vell.	1		ES-P1064
B-2057	Cyl. base set (2 pcs.)	Vell.	1		ES-3718
B-2050	Gear cov. set (1 pc.)	Vell.	1		ES-1632
B-6900	Exh. mani., ends	Stlpl.	2		S-2788
B-6901	Exh. mani., center	Stlpl.	1		S-2789
B-6897	Int. mani.	Stlpl.	2		S-2790
B-6917	Rock. arm cov.	Cork	2		C-5186
B-369A	Push rod cov.	Cork	2		C-4330
B-635	Push rod cov. nut	Cop. Asb.	2		512
B-2052	Oil pan cov.	Tr. Paper	2		30467
B-2063	Oil pump	Paper	1		30466
B-1086	Oil pump cov.	Tr. Paper	1		30465
B-2369	Oil screen baffle	Cork	2		C-5181
B-387	Oil relief cov.	Vell.	1		V-9211
B-2061	Oil ret. (next to case)	Tr. Paper	1		30459
B-7014	Oil ret. (between halves)	Tr. Paper	1		30462
B-6902	Riser to exh. mani.	Stlpl.	1		S-2791
B-6903	Riser to int. mani.	Stlpl.	1		S-2792

(Continued on Next Page)

Waukesha Motor, 4. Models 4-80; 4-95—Continued




McCord No. S-2792


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
B-365A	Breather body	Asb.	1		16175
B-450	Gov. cov.	Vell.	1		V-9512
B-3605	Fuel pump	Vell.	1		V-8347A
B-2069	Wat. pump body	Asb.	1		16209
B-2058	Wat. inlet pipe	Asb.	1		16208
B-1915	Top wat. mani.	Asb.	2		16207
B-825	Top wat. pipe	Asb.	2		16214
B-1556	Back wat. pipe	Tr. Paper	1		30460
B-482A	Generator cov. pl.	Cork	1		C-3295
B-329A	C/C door	Cork	2		C-5125
B-2204	Drive shaft hsg. cov.	Tr. Paper	1		30461

Waukesha Motor, 4. Model 4-115


6 1/2 x 7"



McCord No. 6116



McCord No. S-3114




McCord No. S-3115

McCord
No. S-3116


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
77400	Cyl. hd.	Cop. Asb.	2		6116
	Mani. set				
	(4-S882N, 2-S3115)	Stlpk.	1		SMS-2603
	Rock. arm cov. set				
	(2-C5185)	Cork	1		CV-643
	Push rod cov. set				
	(2-C3135)	Cork	1		CV-546
B-1405}	Oil pan set (3 pcs.)	Vell.	1		ES-P1037
B-1444}					
B-1406	Cyl. base set (2 pcs.)	Vell.	1		ES-3717
B-6799}	Exh. mani.	Stlpk.	4		S-882N
B-6802}	Int. mani.	Stlpk.	2		S-3115
B-6743}	Rock. arm cov.	Cork	2		C-5185
B-1408}	Push rod cov.	Cork	2		C-3135
B-1418A}	Oil pan cov.	Cork	1		C-3893
B-1086	Oil pump body and scavenger pump	Tr. Paper	1		30465
B-1673	Oil screen baffle	Cork	1		C-5179
B-387	Oil relief valve cov.	Vell.	1		V-9211
B-1407	Oil ret. (next to case)	Tr. Paper	1		30464
B-1417	Oil ret. (between halves)	Tr. Paper	2		30463
B-175	Oil drain plug	Cop. Asb.	1		515
B-6800	Riser to exh. mani.	Stlpk.	1		S-3114
B-6803	Riser to int. mani.	Stlpk.	1		S-3116
B-450	Gov. cov.	Vell.	1		V-9512
B-365A	Gov. adj. screw and breather	Asb.	2		16175
B-73A	Butterfly valve hsg.	Cop. Asb.	1		866C
B-2434	Wat. mani.	Asb.	2		16218
B-818	Wat. pump cov.	Asb.	1		16217
B-824	Wat. pump inlet	Asb.	1		16219
B-895	Dist. hsg.	Vell.	1		V-5887
B-482A	Generator cov. pl.	Cork	1		C-3295
B-1409	C/C door	Cork	4		C-3136

Waukesha Motor, 6. Models 6-90, 6TLX

3 3/8 x 4 3/4"




McCord No. 5779

McCord
No. 2687McCord
No. S-2688McCord
No. S-2689

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
24700D	Cyl. hd.	Cop. Asb.	1		5779
	Mani. set (2-S2689, 2-S2688, 2-2687)	Stlpk.	1		SMS-2318
	Rock. arm cov. set				
	(2-C3895)	Cork	1		CV-491
B-3880-1-2	Oil pan set (3 pcs.)	Vell.	1		ES-440
B-439	Exh. pipe fig.	Cop. Asb.	1		1079
B-6270A}	Exh., center	Stlpk.	2		S-2689
B-6271A}	Exh., ends	Stlpk.	2		S-2688
B-6830	Intake	Std. Asb.	2		2687
B-6288A	Rock. arm cov.	Cork	2		C-3895
B-3174	Oil pump cov.	Tr. Paper	2		30429
B-365A	Breather body and wat. inlet	Asb.	1		16175
B-1032	Gov. hsg. cov.	Vell.	1		V-5883

Waukesha Motor, 6. Model 6-110

4x4 3/4"




McCord No. 5777



McCord No. S-2690



McCord No. S-2691



McCord No. S-2692




McCord No. 2693

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
82000E	Cyl. hd.	Cop. Asb.	1		5777
	Mani. set (1-S2690, 4-S854K, 3-S2691)	Stlpk.	1		SMS-2317
	Valve cov. set (2-C3896)	Cork	1		CV-489
	Rock. arm cov. set (2-C3899)	Cork	1		CV-490
	Oil pan set (1-C3834, 1-C3833, 1-C3897, 1-C3898)	Cork	1		CS-2281
B-7203	Gear cov. set (1 pc.)	Vell.	1		ES-1629
B-10745	Exh. pipe fig.	Stlpk.	1		S-2978
B-7163	Exh., center	Stlpk.	1		S-2690
B-7161	Exh., ends	Stlpk.	4		S-854K
B-7167	Intake	Stlpk.	3		S-2691
B-7204	Valve cov.	Cork	2		C-3896
B-7213	Rock. arm cov.	Cork	2		C-3899
B-7206A	Oil pan, right	Cork	1		C-3897
B-7205A	Oil pan, left	Cork	1		C-3834
B-7207A	Oil pan, front	Cork	1		C-3833
B-7208	Oil pan, rear	Cork	1		C-3898
B-175	Oil drain plug	Cop. Asb.	1		515
B-7162	Int. to exh.	Stlpk.	1		S-2692
B-7600	Butterfly valve hsg.	Stlpk.	1		S-857B
B-7239	Carburetor	Cop. Asb.	1		2693
B-7086	Fuel pump cov.	Vell.	1		V-8193
B-2207	Wat. pump inlet elbow	Asb.	1		16051
B-1003	Top wat. mani.	Asb.	1		16043
B-7220	Wat. jkt. cov.	Asb.	1		16052
B-482A	Generator hole cov.	Vell.	1		V-5939

Waukesha Motor, 6. Models 6-125, 6SRX

4 3/8 x 5 1/8"




McCord No. 5885



McCord No. S-2684



McCord No. S-2685



McCord No. S-2694



McCord No. S-2695




McCord No. S-2697



McCord No. 2696



McCord No. 16043




McCord No. C-2955

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
72100C	Cyl. hd.	Cop. Asb.	1		5885
	Mani. set (1-S2684, 4-S862B, 3-S2685)	Stlpk.	1		SMS-2319
	Valve cov. set (2-C2955)	Cork	1		CV-486
	Rock. arm cov. set (2-C3910)	Cork	1		CV-492
	Oil pan set (1-C3082, 1-C3083, 1-C3084)	Cork	1		CS-2265
B-1867-7A-8	Oil pan set (3 pcs.)	Vell.	1		ES-P1019
B-7008	Cyl. base set (1 pc.)	Vell.	1		ES-3809
B-1496	Gear cov. set (1 pc.)	Vell.	1		ES-1614
B-9419	Exh. pipe fig.	Stlpk.	1		S-3077
B-6552	Exh., center	Stlpk.	1		S-2684
B-6553	Exh., ends	Stlpk.	4		S-862B
B-6551	Intake	Stlpk.	3		S-2685
B-1939	Valve cov.	Cork	2		C-2955
B-2130	Valve cov. stud	Cop.	4		485
B-7017	Rock. arm cov.	Cork	2		C-3910
B-1867	Oil pan, left	Cork	1		C-3082
B-1867A	Oil pan, right	Cork	1		C-3083
B-1868	Oil pan, rear	Cork	1		C-3084
B-1418A	Oil pan cov.	Cork	1		C-3893
B-1674	Oil pump cov.	Vell.	1		V-5623
B-1669	Oil pump baffle	Cork	1		C-3894
B-1548	Oil header	Vell.	1		V-5629
B-7401	Int. to exh. 6-SRX	Stlpk.	1		S-2694
B-6550A	Int. to exh. 6-125	Stlpk.	1		S-2695
B-7238	Carburetor	Cop. Asb.	1		2696
B-7468	Butterfly hsg.	Stlpk.	1		S-2697
B-2145	Wat. pump cov.	Asb.	1		16182
B-1003	Top wat. mani.	Asb.	1		16043
B-6998	Wat. jkt. cov.	Asb.	1		16188

Whippet Motor, 6. Passenger. Model 93, 1927-early 28. McCord No. 5163. See Overland, Guide A, Page No. 100.

Whippet Motor, 4. Passenger. Models 96, 1926-28, 3 1/8 x 4 3/4"; 96A, 1929-30 3 1/8 x 4 3/4"
Truck. Model 96A, 1/2 ton 3 1/8 x 4 3/4"




McCord No. 5182A



McCord No. 1696




McCord No. 2005



McCord No. 1697

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
339736 372433	Cyl. hd.	Cop. Asb.	1		5182A
	Mani. set (1-1696)	Stl. Asb.	1	26-28	MS-2377
	Mani. set (1-2005)	Stl. Asb.	1	29-30	MS-2378
	Valve cov. set (1-C498)	Cork	1		CV-475
	Oil pan set (1-C387)	Cork	1		CS-2152
	Oil pan set (1-P718)	Vell.	1		ES-718
	Gear cov. set (1 pc.)	Vell.	1		ES-1241
339827	Axle hsg. set (1 pc.)	Vell.	1		ES-4017
342143	Exh. pipe flg.	Stl. Asb.	1	26-28	837B
337133	Exh. pipe flg.	Stl. Asb.	1	29-30	844
372988	Manifold	Stl. Asb.	1	26-28	1696
339954	Manifold	Stl. Asb.	1	29-30	2005
372987	Valve cov.	Cork	1		C-498
339789	Oil pan	Cork	1		C-387
339812	Oil pan	Vell.	1		P-718
314338	Oil strainer to oil pan	Cop. Asb.	1		515
339964	Int. to exh.	Stl. Asb.	1		1697
339496	Int. header	Stl. Asb.	1		1371
300223	Carburetor	Stl. Asb.	1		817
300223	Carburetor	Vell.	1		V-102
330937	Wat. pump flg.	Cop. Asb.	1	26-28	161A
356453	Wat. pump flg.	Cop. Asb.	1	29-30	388
339860	Wat. inlet	Cop. Asb.	1		506
337276	Wat. inlet	Cop. Asb.	1		502B
339738	Wat. outlet	Stl. Asb.	1		1340
314338	Spark plug	Cop. Asb.	4		515
339827	Gear cov.	Cork	1		C-499
342143	Axle hsg.	Cork	1		C-410
300495	Muffler hd., front	Stl. Asb.	1		844

Whippet Motor, 6. Passenger. Models 98-98A, Late 1928-29 3 1/8 x 3 7/8"
Truck. Model C-101. 1 1/2 ton.



McCord No. 5455



McCord No. 1845

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
356159	Cyl. hd.	Cop. Asb.	1		5455
	Mani. set (1-1845)	Cop. Asb.	1		MS-2379
	Valve cov. set (2-C818)	Cork	1		CV-476
	Oil pan set (1-C662)	Cork	1		CS-2195
356163	Oil pan set (1 pc.)	Vell.	1		ES-745
356189	Gear cov. set (1 pc.)	Vell.	1		ES-1346
342143	Axle hsg. set 98 (1 pc.)	Vell.	1		ES-4017
354764	Axle hsg. set 98A (1 pc.)	Vell.	1		ES-4136
300495	Exh. pipe flg.	Stl. Asb.	1		844
356194	Manifold	Cop. Asb.	1		1845
356418	Valve cov.	Cork	2		C-818
356163	Oil pan	Cork	1		C-662
337371	Oil strainer cov.	Cop. Asb.	1		150A
339496	Int. header	Stl. Asb.	1		1371
300223	Carburetor	Stl. Asb.	1		817
356453	Wat. pump to block	Asb.	1		2388
356463	Wat. outlet	Cop. Asb.	1		839E
314338	Spark plug	Cop. Asb.	6		515
356189	Gear cov.	Cork	1		C-663
342143	Axle hsg. 98	Cork	1		C-410
354764	Axle hsg. 98A	Cork	1		C-910



White Motor Reference

Motor Model	No. Cyl.	McCord No.	See Page No.	Motor Model	No. Cyl.	McCord No.	See Page No.	Motor Model	No. Cyl.	McCord No.	See Page No.
GK	4	5071	*	9A	6	†	263	221	6	6038	128
GKA	4	5071	*	10A	12	6064	264	250	6	†	263
GO	4	5071	*	10AB	12	6064	264	270	6	†	263
GM	4	5420	*	11A	6	†	263	303	6	†	263
GMB	4	5420	*	12A	12	6064	264	318	6	6059	264
GRB	4	5072A	259	12AA	12	6064	264	362	6	6059	264
GRC	4	5421	259	13A	6	†	263	396	6	5550	261
GRCB	4	5421	259	16A	6	†	263	434	6	5550	261
1AB	6	5427	260	20A	6	6059	264	460	6	6069	261
2A	6	5513A	261	21A	6	†	263	505	12	6064	264
3A	6	5550	261	23A	12	6065	265	529	6	6069	261
4A	6	5627	261	24A	12	6065	265	530	12	6065	265
5A	6	5905	262	25A	6	6069	261	580	6	5905	262
7A	6	5550	261	30A	6	6059	264	601	12	6065	265
8A	6	6011	263	205	6	5992	128	681	12	6065	265

NOTES—*Indicates that these motors are listed in Guide A. †Refer to motor listing for correct McCord No.


White Truck Model and Motor Reference

Model	Year	Motor Model	Motor Make	McCord No.	See Page No.	Model	Year	Motor Model	Motor Make	McCord No.	See Page No.	Model	Year	Motor Model	Motor Make	McCord No.	See Page No.
15B	1928-30	GK	White	5071	*	630	1931-33	3A	White	5550	261	713	1935	13A	White	†	263
20A	1928-30	GK	White	5071	*	630	1934-37	7A	White	5550	261	718	1935	13A	White	†	263
40	1928-30	GRB	White	5072A	259	630K	1934-37	7A	White	5550	261	718	1936-39	16A	White	†	263
45	1928-30	GRB	White	5072A	259	630SW	1934-37	7A	White	5550	261	718A	1937-39	16A	White	†	263
50	1928-30	GRB	White	5072A	259	630SW	1934-37	5A	White	5905	262	720	1936-37	3A	White	5550	261
50A	1928-30	GRB	White	5072A	259	631	1931-33	3A	White	5550	261	720	1938	7A	White	5550	261
50B	1928-30	GRB	White	5072A	259	631	1934-37	7A	White	5550	261	720	1939	25A	White	6069	261
51	1928-34	GRB	White	5072A	259	631K	1934-37	7A	White	5550	261	720A	1936	3A	White	5550	261
51A	1928-34	GRB	White	5072A	259	631X	1937	7A	White	5550	261	720A	1937-38	7A	White	5550	261
52	1928-30	GRB	White	5072A	259	632X	1937-38	7A	White	5550	261	720A	1939	25A	White	6069	261
52T	1928-30	GRB	White	5072A	259	640	1931-33	1AB	White	5427	260	720T	1936	3A	White	5550	261
53	1928-30	GRB	White	5072A	259	640	1934-38	5A	White	5905	262	720T	1937	7A	White	5550	261
54	1928-30	1AB	White	5427	260	640K	1934-38	5A	White	5905	262	720T	1938-39	25A	White	6069	261
54	1930-35	5A	White	5905	262	641	1931-33	1AB	White	5427	260	722	1936-38	25A	White	6069	261
54A	1929	1AB	White	5427	260	641	1934-38	5A	White	5905	262	722A	1936-38	25A	White	6069	261
54A	1930-35	5A	White	5905	262	641K	1934-38	5A	White	5905	262	722X	1937-39	25A	White	6069	261
54B	1929	1AB	White	5427	260	642	1931-33	1AB	White	5427	260	730	1934-35	10A	White	6064	264
55	1928-30	GRB	White	5072A	259	642	1934-38	5A	White	5905	262	730	1936-38	12A	White	6064	264
56	1928-30	GRC	White	5421	259	643	1931-33	1AB	White	5427	260	731	1934-35	10AB	White	6064	264
57	1928-30	GRC	White	5421	259	643	1934-38	5A	White	5905	262	731	1936-38	12AA	White	6064	264
58	1928-34	GRB	White	5072A	259	648	1934-35	10A	White	6064	264	750	1937-39	20A	White	6059	264
58A	1928-34	GRB	White	5072A	259	648	1936-37	12A	White	6064	264	750A	1939	30A	White	6059	264
58SS	1932-35	GRB	White	5072A	259	686	1936-37	12AA	White	6064	264	750T	1937-39	30A	White	6059	264
58X	1935	3A	White	5550	261	691	1932-39	5A	White	5905	262	784	1936-37	23A	White	6065	265
59	1929	1AB	White	5427	260	700	1937-39	21A	White	†	263	786	1936-37	23A	White	6065	265
59A	1930	3A	White	5550	261	700A	1937-39	21A	White	†	263	788	1936-37	24A	White	6065	265
60	1929-30	2A	White	5513A	261	700H	1937-39	21A	White	†	263	800	1937-39	QXB	Herc.	5992	128
60K	1931-34	2A	White	5513A	261	700K	1937-38	21A	White	†	263	802	1938-39	QXC	Herc.	6038	128
61	1929-30	2A	White	5513A	261	700P	1937-38	21A	White	†	263	805	1937-39	11A	White	†	263
63	1929-30	3A	White	5550	261	701	1934-36	8A	White	6011	263	805A	1937-39	11A	White	†	263
64	1929	1AB	White	5427	260	701A	1935-36	8A	White	6011	263	809	1937	11A	White	†	263
65	1929-33	3A	White	5550	261	702	1934-36	8A	White	6011	263	809	1938	13A	White	†	263
65	1934-35	7A	White	5550	261	702A	1935-36	8A	White	6011	263	809A	1937-38	13A	White	†	263
65A	1931-33	3A	White	5550	261	703	1936-38	11A	White	†	263	810	1936	13A	White	†	263
65A	1934-35	7A	White	5550	261	704	1936-39	11A	White	†	263	810	1937-39	16A	White	†	263
161	1931-34	GRC	White	5421	259	704A	1936-39	11A	White	†	263	812	1937-38	16A	White	†	263
162	1931-34	GRC	White	5421	259	704H	1937-38	11A	White	†	263	812A	1937-38	16A	White	†	263
211	1931-34	GRC	White	5421	259	704K	1936-37	11A	White	†	263	818	1937-39	16A	White	†	263
212	1931-34	GRC	White	5421	259	704K	1938	13A	White	†	263	818A	1937-39	16A	White	†	263
500	1939	QXC	Herc.	6038	128	704X	1939	11A	White	†	263	820	1937-38	7A	White	5550	261
586GS	1936	7A	White	5550	261	705	1937	11A	White	†	263	820	1939	25A	White	6069	261
601	1931-34	2A	White	5513A	261	705A	1937	11A	White	†	263	822	1937-38	25A	White	6069	261
602	1931-34	2A	White	5513A	261	706	1936-37	11A	White	†	263	822X	1939	25A	White	6069	261
611	1931-34	4A	White	5627	261	707	1934-35	8A	White	6011	263	904R	1937-39	11A	White	†	263
612	1931-34	4A	White	5627	261	708	1939	16A	White	†	263	918R	1937-39	16A	White	†	263
612K	1931-34	4A	White	5627	261	709	1936	11A	White	†	263	920	1937	3A	White	5550	261
613	1931-35	4A	White	5627	261	709	1937-38	13A	White	†	263	920	1937	7A	White	5550	261
618	1932-35	4A	White	5627	261	709A	1936	11A	White	†	263	920	1938-39	25A	White	6069	261
618K	1934-35	4A	White	5627	261	709A	1937-38	13A	White	†	263	922	1937	25A	White	6069	261
620	1930-33	3A	White	5550	261	710	1936	13A	White	†	263	922	1938	25A	White	6069	261
620	1934-35	7A	White	5550	261	710	1937-39	16A	White	†	263	942	1937-39	5A	White	5905	262
620K	1934-37	7A	White	5550	261	710A	1937-39	16A	White	†	263	950	1939	20A	White	6059	264
621	1930-33	3A	White	5550	261	712	1934-36	13A	White	†	263	991	1937-39	5A	White	5905	262
621	1934-35	7A	White	5550	261	712A	1934-36	13A	White	†	263						
621K	1934-37	7A	White	5550	261	712A	1937-38	16A	White	†	263						


NOTES—*Indicates that these motors are listed in Guide A. †Refer to motor listing for correct McCord No.

White Motor, 4. Model GRB


4 1/4 x 5 3/4"




McCord No. 5072A




McCord No. 1698



McCord No. C-777



McCord No. 1699




McCord No. C-2687


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
D-13752X } D655X	Cyl. hd.	Stl. Asb.	1		5072A
	Mani. set (1-1698, 2-849A, 1-V5266, 2-V5281)		1		MS-2388
	Valve cov. set (2-C777)	Cork	1		CV-500
	Oil pan set 50B-58 (1-C2687)	Cork	1		CS-2237
	Oil pan set (2-P457)	Vell.	1		ES-457
104 1/2 GM	Oil pan set 50-50A (1 pc.)	Vell.	1		ES-750
1095 } C7158X	Cyl. base (1 pc.)	Vell.	1		ES-3682
C-1544X	Axle hsg. set (1 pc.)	Vell.	1		ES-4403
54 5/8 TGB	Axle shaft fig. set (gear drive) (2 pcs.)	Vell.	1		ES-4703
	Rear wheel set (1-V2740) (58SS)	Vell.	6		ES-2740
B-2649X	Trans. brg. cage set (1 pc.)	Vell.	1		ES-9687
	Trans. bell hsg. set (1-V2784) (58SS)	Vell.	1		ES-2784
B-4446X	Exh. pipe fig.	Cop. Asb.	1		874D
B-1811X	Exh. mani. center (before 1925)	Cop. Asb.	1		1699
B-4389X	Exh. mani., center (after late 1925)	Cop. Asb.	1		1698
A-2686X	Exh. mani., exh. port	Cop. Asb.	2		849A
A-6879X	Int. mani., center	Vell.	1		V-5266
A-7792X	Int. mani., ends	Vell.	2		V-5281
A-7792X	Int. mani., ends	Cop. Asb.	2		845
A-3343X	Int. mani.	Asb.	1		2445
B-3224X	Valve cov.	Cork	2		C-777
00327 1/4 GA	Valve cap	Cop. Asb.	8		114
D-1608X	Oil pan 50B-58	Cork	1		C-2687
1238GM } C-7159X	Oil pan lower (2-P457)	Vell.	1		P-457 set
102 7/8 GM	Oil pan strainer cup	Asb.	1		2446
A-8130X	Oil pan suction drain	Cork	2		C-762
1752	Oil pump pl.	Vell.	1		V-9376
A-7769X	Oil drain plug	Cop. Asb.	1		102A
5294X	Oil float plug	Cop. Asb.	1		154
B-7919X	Engine oil pump casing	Vell.	1		V-9377
A-7869X	Carb. and gov. elbow	Vell.	1		V-104A
A-11367X	Wat. outlet mani.	Cork	2		C-763
A-3941X	Wat. outlet mani.	Cop. Asb.	1		820C
D-8052X	Rear wheel 58SS	Vell.	6		V-2740
B-2444X	Trans. cov.	Vell.	1		V-9324
C-2488X	Trans. case cov.	Vell.	1		V-9703
D-3611X	Trans. bell hsg. 58SS	Vell.	1		V-2784

White Motor, 4. Models GRC-GRCB

4x5 3/4"



McCord No. 5421




McCord No. 1700

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
D3782X	Cyl. hd.	Cop. Asb.	1		5421
	Mani. set (1-1700)	Cop. Asb.	1		MS-2389
	Valve cov. set (1-C1305)	Cork	1		CV-502
	Oil pan set (1-C2687)	Cork	1		CS-2237
	Oil pan lower set (2-P457)	Vell.	1		ES-457
1096 } C-7158X	Cyl. base set (1 pc.)	Vell.	1		ES-3682
D-3610X	Gear cov. set (1 pc.)	Vell.	1		ES-1705
A-15931X	Exh. pipe fig.	Cop. Asb.	1		2729
D-3792	Manifold	Cop. Asb.	1		1700
C-10615X	Inlet mani. fig.	Vell.	2		V-9815
B-10544X	Valve cov.	Cork	1		C-1305

(Continued on Next Page)

White Motor, 4. Models GRC-CRCB—Continued




McCord No. C-2687

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
D-1608X	Oil pan	Cork	1		C-2687
1238					
C-7159X	Oil pan, lower (2-P457)	Vell.	1		P-457 set
A-6668X	Wat. outlet	Cop. Asb.	1		820C
A-11367X	Wat. outlet	Cork	1		C-763
A-1949X	Carburetor	Vell.	1		V-103
C-2488X	Trans. case cov.	Vell.	1		V-9703
B-3303X	Trans. hand hole cov.	Cork	1		C-2824

White Motor, 6. Model 1AB


4 3/8 x 5 3/4 "




McCord No. 5427



McCord No. 1874B




McCord No. 1944




McCord No. 2524




McCord No. 2525




McCord No. 2218




McCord No. 1945



McCord No. 1946




McCord No. 1947



McCord No. 2424



McCord No. 2219




McCord No. C-2688

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
E-1656X	Cyl. hd.	Cop. Asb.	1		5427
	Mani. set (1-1874B)				
	(1 pc.)	Cop. Asb.	1		MS-2393
	Mani. set				
	(1-2524, 1-2525)	Stl. Asb.	1		MS-2394
	Cyl. hd. cov. set				
	(2-C3498)	Cork	1		CV-501
	Cyl. side cov. set				
	(1-C898)	Cork	1		CV-622
	Oil pan set (1-C1314,				
	1-C1315, 1-C1316,				
	1-C1317)	Cork	1		CS-2239
	Oil pan lower set				
	(1-C2688)	Cork	1		CS-2238
D-2330	Cyl. base set (1 pc.)	Vell.	1		ES-3901
E-1611X					
D-3732X	Gear cov. set (1 pc.)	Vell.	1		ES-1618
D-4101X	Diff. carr. set (1 pc.)	Vell.	1		ES-4701
A-15923X	Exh. pipe companion flg.	Cop. Asb.	1		2137
A-15931X	Exh. pipe companion flg.	Cop. Asb.	1		2729
A-15926X	Exh. pipe companion flg.	Cop. Asb.	2		2219
A-15928X	Exh. pipe companion flg.	Cop. Asb.	1		142G
A-16686X	Exh. front pipe 54A	Cop. Asb.	2		1946
A-16686X	Exh. rear pipe 54	Cop. Asb.	1		1946
D-4717X	Exh. mani.	Cop. Asb.	1		1874B
C-15851X	Exh. mani., front	Stl. Asb.	1		2524
C-15852X	Exh. mani., rear	Stl. Asb.	1		2525
A-16411X	Exh. mani. valve	Cop. Asb.	3		1947
A-16106X	Int. mani.	Cop. Asb.	2		867B
C-10615X	Int. mani. flg.	Vell.	2		V-9815
A-13731X	Cyl. hd. cov.	Cork	2		C-3498
A-9804X	Cyl. side cov. bottom (1)				
A-9805X	Cyl. side cov. top (1)	Cork	1		C-898
A-9806X	Cyl. side cov. ends (2)				
A-9387X	Oil pan, end	Cork	1		C-1314
A-9388X	Oil pan, end	Cork	1		C-1315
A-9389X	Oil pan, upper left	Cork	1		C-1316
A-9390X	Oil pan, upper right	Cork	1		C-1317
D-4240X	Oil pan, lower	Cork	1		C-2688
A-16452X	Int. heater top	Cop. Asb.	1		866H
A-16455X	Int. heater bottom	Cop. Asb.	1		866E
B-11096X	Int. heater	Cop. Asb.	1		1944
B-12756X	Int. heater	Cop. Asb.	1		2218
B-11471X	Car heater flg.	Cop. Asb.	1		1945
B-12861X	Int. heater elbow flg.	Cop. Asb.	1		2424
A-16455X	Carb. to gov.	Cop. Asb.	1		866E
A-1371X	Carb. inlet pipe	Vell.	1		V-5642
A-16455X	Gov. to inlet heater	Cop. Asb.	1		866E
74302	Air compressor hd.	Cork	1		C-2920
334 1/4 GN	Wat. pump	Vell.	1		V-5068
B-11010X	Wat. pump cov.	Vell.	1		V-9340
A-16376X	Wat. mani.	Cork	1		C-1261
C-10716X	Trans. cov.	Vell.	1		V-9808
B-11196X	Trans. main shaft rear				
	brg.	Vell.	1		V-9386




White Motor, 6. Models 2A, 3 1/2 x 4 1/2"; 4A-4AB-4AD


3 3/4 x 4 1/2"



McCord No. 5513-A



McCord No. 5627




McCord No. 2306



McCord No. 1919



McCord No. 2423




McCord No. C-2904


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
E1822X	Cyl. hd. 2A	Cop. Asb.	1		5513A
E2735X	Cyl. hd. 4A-4AB-4AD	Cop. Asb.	1		5627
	Mani. set (2-1919, 1-2306, 2-832B)	Cop. Asb.	1		MS-2390
	Valve cov. set (2-C2904)	Cork	1		CV-503
B-12042X	Valve cov. set (2 pcs.)	Vell.	1		ES-2092
E1922X-23X	Oil pan set (2 pcs.)	Vell.	1		ES-33
	Oil pan lower set (1-P632)	Vell.	1		ES-632
D-4695X	Cyl. base set 2A (1 pc.)	Vell.	1		ES-3755
D7584X	Cyl. base set 4A (1 pc.)	Vell.	1		ES-3757
	Wat. jkt. cov. set (1-C1306)	Cork	1		CW-38
D4711X	Wat. jkt. cov. set (1 pc.)	Vell.	1		ES-2269
B-4821X }	Gear cov. set (2 pcs.)	Vell.	1		ES-1448
B-12225X }					
C-11968X	Diff. carr. set 60 (1 pc.)	Vell.	1		ES-4315
D-7115X	Diff. carr. set 61 (1 pc.)	Vell.	1		ES-4705
B-2649X	Trans. brg. ret. set (drive gear) (1 pc.)	Vell.	1		ES-9687
A-20120X	Exh. pipe fig. (3 bolt)	Cop. Asb.	1		3023
A-17951X	Exh. pipe companion fig.	Cop. Asb.	1		2423
D4794X }	Exh. mani.	Cop. Asb.	1		2306
A18028X }	Int. mani., center	Cop. Asb.	2		1919
A18278X }	Int. mani., ends	Cop. Asb.	2		832B
B-12042X	Valve cov.	Cork	2		C-2904
D4964X	Oil pan, lower	Cork	1		C-2895
D4964X	Oil pan, lower	Vell.	1		P-632
A18279X	Carb. (with gov.)	Cop. Asb.	2		846B
A18279X	Carb. (without gov.)	Cop. Asb.	1		846B
D-4711X	Wat. jkt. cov.	Cork	1		C-1306
C-2488X	Trans. case cov. 611	Vell.	1		V-9703
B-3303X	Trans. hand hole cov. 611	Cork	1		C-2824
B-2444X	Trans. take-off cov. 611	Vell.	1		V-9324

White Motor, 6. Models 3A, 4x5 1/4"; 7A, 4 1/8 x 5 1/4"; 25A, 4 1/8 x 5 1/4"; 25A

4 5/8 x 5 1/4"




McCord No. 5550



McCord No. 6069



McCord No. 3016



McCord No. 2218




McCord No. 2220


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
E-7171X	Cyl. hd. 3A-7A	Cop. Asb.	1		5550
318684	Cyl. hd. 25A	Cop. Asb.	1		6069
	Mani. set (1 pc.) (1-2220, 2-855B)	Cop. Asb.	1		MS-2391
	Mani. set (2 pc.) (2-3016, 2-855B)	Cop. Asb.	1		MS-2543
	Cyl. hd. cov. set (2-C3498)	Cork	1		CV-501
E1992X-3X	Oil pan set (2 pcs.)	Vell.	1		ES-998
	Oil pan lower set (1-C2687)	Cork	1		CS-2237
E-2610X	Cyl. base set (1 pc.)	Vell.	1		ES-3858
D-7130X	Gear cov. set (1 pc.)	Vell.	1		ES-1706
B-2649X	Trans. brg. ret. set (1 pc.)	Vell.	1		ES-9687
A-20120X	Exh. pipe fig. 720	Cop. Asb.	1		3023
A33596X	Exh. pipe fig. (3 bolt)	Cop. Asb.	1		3097
B-12972X	Exh. pipe companion fig., front	Cop. Asb.	1		2421
	to heater	Cop. Asb.	2		2420
12984X	Exh. pipe inter.	Cop. Asb.	1		2420
	to muffler	Cop. Asb.	1		2420
B-12986X	Muffler pipe fig.	Cop. Asb.	4		2422
A-19514X	Muffler inlet fig. cov.	Cop. Asb.	2		847B
D-7032X	Exh. mani. (1 pc.)	Cop. Asb.	1		2220
A-8350X }	Int. mani. to hd.	Cop. Asb.	2		855B
C-20844X }	Exh. mani. (2 pc.)	Cop. Asb.	2		3016
A-8350X }	Int. mani. to hd.	Cop. Asb.	2		855B
A-13731X	Cyl. hd. cov.	Cork	2		C-3498
A-9772X	Cyl. hd. cov. screw	Cop. Asb.	4		510A
A-19024X	Cyl. side cov. top	Cork	1		C-2901
A-19187X	Cyl. side cov. bottom				
A-19196X	Cyl. side cov. ends (2)				

(Continued on Next Page)


White Motor, 6. Models 3A-7A-25A—Continued



McCord No. 2420



McCord No. 2421




McCord No. C-2687


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
D-1608X	Oil pan, lower	Cork	1		C-2687
B-12855X	Oil pump	Vell.	1		V-8984
A-7769X	Oil drain plug	Cop. Asb.	2		102A
A-18759X	Heater to int. mani.	Cop. Asb.	1		857A
B-12756X	Int. mani. to heater	Cop. Asb.	1		2218
A-32382X	Heater	Cop. Asb.	1		859FA
A-8350X	Heat valve body outlet cov.	Cop. Asb.	2		855B
B-11248X	Gov. hole cov.	Cork	1		C-4945
B-22562X	Gov. gear hsg.	Cork	1		C-4945
B-12740X	Wat. pump	Vell.	1		V-8985
A-19369X	Wat. outlet	Cork	1		C-2818
A-10216X	Clutch inspection cov.	Cork	1		C-2689
B-2444X	Trans. cov.	Vell.	1		V-9324
C-2488X	Trans. case cov.	Vell.	1		V-9703
A-5294X	Trans. drain plug	Cop. Asb.	1		155
B-3303X	Trans. hand hole cov.	Cork	1		C-2824
B-11196X	Trans. main shaft rear brg.	Vell.	1		V-9386

White Motor, 6. Model 5A

4 5/8 x 5 3/4"



McCord No. 5905




McCord No. 2760



McCord No. 2779



McCord No. 2931




McCord No. 3012

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
E2988X	Cyl. hd.	Cop. Asb.	1		5905
	Mani. set (1 pc.)				
	(1-2760, 2-867B)	Cop. Asb.	1		MS-2392
	Mani. set (2 pc.)				
	(2-3012, 2-867B)	Cop. Asb.	1		MS-2544
	Cyl. hd. cov. set				
	(2-C3498)	Cork	1		CV-501
E3012X-13X	Oil pan set (2 pcs.)	Vell.	1		ES-P1055
	Oil pan lower set				
	(1-C2688)	Cork	1		CS-2238
E-1865X	Cyl. base set (1 pc.)	Vell.	1		ES-3902
D-3732X	Gear cov. set (1 pc.)	Vell.	1		ES-1618
B-13049X	Exh. pipe flg.	Cop. Asb.	1		2779
B-19464X	Exh. pipe flg.	Cop. Asb.	1		3098
A-25542X	Exh. pipe flg. to elbow and muffler	Cop. Asb.	2		3099
A-15926X	Exh. pipe elbow to pipe (1 pc. mani.)	Cop. Asb.	1		2219
A-15921X	Exh. pipe elbow to pipe (2 pc. mani.)	Cop. Asb.	1		1285
B-4446X	Exh. pipe muffler to outlet pipe	Cop. Asb.	1		2158
D-8426X	Exh. mani. (1 pc.)	Cop. Asb.	1		2760
A-16106X	Int. mani.	Cop. Asb.	2		867B
D9705X	Exh. mani. (2 pc.)	Cop. Asb.	2		3012
A-16106X	Int. mani.	Cop. Asb.	2		867B
A-13731X	Cyl. hd. cov.	Cork	2		C-3498
A-9772X	Cyl. hd. cov. hand screw	Cop. Asb.	4		510A
A-9804X	Cyl. side cov. bottom				
A-9805X	Cyl. side cov. top	Cork	1		C-898
A-9806X	Cyl. side cov. ends (2)				
D-4240X	Oil pan lower	Cork	1		C-2688
A7769X	Oil drain plug	Cop. Asb.	2		102A
B-17832X	Int. mani. heater	Cop. Asb.	1		2931
A-16452X	Heater to int. mani.	Cop. Asb.	1		866H
A-24574X	Carburetor	Tr. Paper	1		30428
B-11248X	Gov. hole cov.	Cork	1		C-4945
B-22562X	Gov. gear hsg.	Cork	1		C-4945
V-997X	Fuel pump strainer	Cork	1		C-928
B-11010X	Wat. pump cov.	Vell.	1		V-9340
A-16265X	Wat. pump inlet	Cork	1		C-4987
A-16376X	Wat. outlet	Cork	1		C-1261
A-16103X	Radiator inlet	Cork	1		C-4966
A-9772X	Spark plug	Allmetal	12		AM510A
A-10216X	Flywheel pointer cov.	Cork	1		C-2689
B-3303X	Trans. hand hole cov.	Cork	1		C-2824
B-2444X	Trans. power take-off cov.	Cork	1		C-4967
A-5294X	Trans. drain plug	Cop. Asb.	1		155
B-244X	Steering gear hsg. cov.	Cork	1		C-4967
B-2444X	Steering bracket column	Cork	1		C-4967

White Motor, 6. Model 8A


3 5/8 x 5/8 "



McCord No. 6011



McCord No. 2552




McCord No. 2551


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
D15281X	Cyl. hd.	Cop. Asb.	1		6011
	Mani. set (4-8033, 1-2552, 4-8032)	Cop. Asb.	1		MS-2384
	Valve cov. set (1-C707)	Cork	1		CV-460
	Oil pan set (1-C3711)	Cork	1		CS-2290
	Oil pan set (1-P763)	Vell.	1		ES-763
	Diff. carr. set (1 pc.)	Vell.	1		ES-4324
	Axle hsg. set (1 pc.)	Vell.	1		ES-4325
D-9742X	Exh. pipe fig.	Cop. Asb.	1		2618
D-9740X	Exh., center	Cop. Asb.	4		8033
A-42711X	Int., center	Cop. Asb.	1		2552
A-14950X	Mani., ends	Cop. Asb.	4		8032
A-14960X	Valve cov.	Cork	1		C-707
B-33153X	Oil pan	Cork	1		C-3711
C-9890X	Oil pan	Vell.	1		P-763
C-9890X	Int. to exh.	Cop. Asb.	2		2551
A-14949X	Carburetor	Vell.	2		V-103
A-1949X	Wat. outlet	Asb.	1		16093
A-14821X	Gear cov.	Cork	2		C-3712
C-9873X					

White Motor, 6. Models 9A-13A, 3 25/32 x 4 1/2 "; 11A, 3 1/8 x 4 1/2 "; 16A, 3 7/8 x 4 1/2 "; 21A


3 7/8 x 4 1/2 "




McCord No. 5888A-No. 5888B




McCord No. 6071



McCord No. 6072



McCord No. 6073




McCord No. 2990

McCord No. 2990




McCord No. 2423




McCord No. C-3636

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
E7100X	Cyl. hd. 9A-13A-16A (small wat. holes)	Cop. Asb.	1		5888A
327357	Cyl. hd. 9A-13A-16A (small wat. holes)	Stl. Asb.	1		5888B
306064	Cyl. hd. 9A-13A-16A (large wat. holes)	Cop. Asb.	1		6073
E300347X	Cyl. hd. 11A-21A (small wat. holes)	Cop. Asb.	1		6071
306163	Cyl. hd. 11A-21A (large wat. holes)	Cop. Asb.	1		6072
	Mani. set (8-832D)	Cop. Asb.	1		MS-2395
	Valve cov. set (2-C3636)	Cork	1		CV-505
E3356X-7X	Oil pan set 9A (2 pcs.)	Vell.	1		ES-443
	Oil pan set 11A-13A-16A-21A (1-C4194)	Cork	1		CS-2344
C-17220X	Gear cov. set (1 pc.)	Vell.	1		ES-1165
A-17951X	Exh. pipe fig.	Cop. Asb.	1		2423
A-18278X	Manifold	Cop. Asb.	8		832D
B-19823X	Valve cov.	Cork	2		C-3636
E-6318X	Oil pan 11A-13A-16A-21A	Cork	1		C-4194
A-9340X	Oil pressure relief valve body	Cop. Asb.	1		515
A-7769X	Oil and clutch drain plug	Cop. Asb.	2		102A
A-27463X	Purolator by-pass body	Cop. Asb.	1		105
B-25056X	Int. mani. heater valve cov.	Stl. Asb.	1		2990
A-42099X	Carb. and gov.	Asb.	3		16200
A-24648X	Fuel pump fig.	Vell.	2		V-8339
B-11980X	Wat. pump cov.	Vell.	1		V-9249
A-18759X	Wat. outlet 11A	Cop. Asb.	1		857A
A-32382X	Wat. outlet 13A	Cop. Asb.	1		859FA
A-33838X	Wat. outlet 16A	Cork	1		C-4989
A-34306X	Wat. outlet spacer	Cork	1		C-4990
A-32569X	Spark plug (14MM)	Allmetal	6		AM-504K
A-9772X	Spark plug (18MM)	Allmetal	6		AM-510A
A-10216X	Clutch inspection cov.	Cork	2		C-2689

White Motor, 12. "Horizontal." Models 10A-10AB, 3 5/8 x 3 3/4"; 12A-12AA-505 3 25/32 x 3 3/4"




McCord No. 6064




McCord No. 3030

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
D16804X D16147X	Cyl. hd.	Cop. Asb.	4		6064
	Mani. set (4-3030, 4-830E, 6-837D)	Cop. Asb.	1		MS-2547
	Cyl. hd. cov. set (2-C4992)	Cork	1		CV-600
	Valve cov. set (2-C4303, 4-C4988)	Cork	1		CV-602
	Oil pan set (2 pcs.)	Vell.	1		ES-522
A15931X A15923X	Exh. pipe fig. at mani.	Cop. Asb.	2		2729
	Exh. pipe fig. at muffler inlet	Cop. Asb.	2		2137
A42711X	Exh. pipe fig. at muffler outlet (218" w.b.)	Cop. Asb.	4		2618
A42711A	Exh. pipe fig. at muffler outlet (189" w.b.)	Cop. Asb.	5		2618
B12986X	Exh. pipe fig. at tail pipe (218" w.b.)	Cop. Asb.	1		2422
A28125X 2912TG	Exh., center	Cop. Asb.	4		3030
A7466X	Exh., ends	Cop. Asb.	4		830E
A28323X	Int. mani.	Stl. Asb.	6		837D
C17608X	Cyl. hd. cov.	Cork	2		C-4992
C17524X	Valve cov., center	Cork	2		C-4303
D15236	Valve cov., ends	Cork	4		C-4988
D15237	Oil pan, right	Vell.	1		P-522 set
A1949X	Oil pan, left	Vell.	1		V-103
A1949X	Oil filler pipe	Vell.			V-103
	Oil storage tank wat. inlet cov. and elbow	Vell.	2		V-103
D9904X	Oil storage tank cov. 10A	Tr. Paper	1		30400
A25195X	Oil purolator valve body	Cop. Asb.	2		104
A1949X	Oil cooler wat. inlet elbow	Vell.	1		V-103
A28923X	Oil drain plug	Cop. Asb.	2		112H
A28138X	Int. mani. heater fig.	Cop. Asb.	4		820H
A42099X	Carb. and gov. to int.	Asb.	6		16200
A7792X	Wat. pump inlet elbow	Vell.	1		V-5281
A1949X	Wat. pump outlet	Vell.	1		V-103
A1949X	Wat. inlet (cyl.)	Vell.	1		V-103
A28635X	Cyl. sleeve	Cop. Asb.	12		3029
A9772X	Spark plug 10A-10AB.	Allmetal	24		AM-510A
A9772X	Spark plug 12A-early 12AA	Allmetal	12		AM-510A
A32569X	Spark plug late 12AA-505	Cop. Asb.	12		505A
C302615X	Gear cov.	Tr. Paper	1		30401
A9340X	Gear cov. plug	Cop. Asb.	1		515
A7769X	Axle hsg. drain plug	Cop. Asb.	1		102A

White Motor, 6. Models 20A-30A 3 7/8 x 5 1/8"



McCord No. 6059



McCord No. S-3118




McCord No. S-3119

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
309559 342797	Cyl. hd.	Stl. Asb.	1		6059
	Mani. set (1-S3118)	Stlplk.	1		SMS-2606
	Valve cov. set (2-C3636)	Cork	1		CV-505
	Oil pan set (1-C4194)	Cork	1		CS-2344
B-12984 311273	Exh. pipe fig.	Cop. Asb.	1		2420
B19823X	Manifold	Stlplk.	1		S-3118
E6318X 322538	Valve cov.	Cork	2		C-3636
324082	Oil pan	Cork	1		C-4194
322414	Int. to exh.	Stlplk.	1		S-3119
308788	Carburetor	Tr. Paper	1		30547
	Wat. outlet	Cork	1		C-5194
	Gear cov.	Tr. Paper	1		36062



White Motor, 12. Models 23A, $3\frac{7}{8} \times 3\frac{3}{4}$ "— $3\frac{7}{8} \times 4\frac{1}{4}$ "; 24A..... $4\frac{1}{8} \times 4\frac{1}{4}$ "



McCord No. 6065



McCord No. 30403

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
314317	Cyl. hd.	Cop. Asb.	2		6065
316780	Oil pan set (1 pc.)	Vell.	1		ES-P1068
316515	Int. mani.	Tr. Paper	1		30403
316514	Int. mani. cov.	Tr. Paper	1		30402
319434	Gear cov.	Tr. Paper	1		36044

White Motor, 6. Model 25A. McCord No. 6069. See Page No. 261.


White Motor. For older models see Guide A.

Wichita, 6. Truck-Tractor


Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
21	2-2½	Wauk. 6XK	5516	253	50	2	Wauk. 6XL	5515	253	90	3½	Wauk. 6KU	5473B	245
21	1-2½	Wauk. 6MS	5761	247	60	2½	Wauk. 6XK	5516	253	90	3½	Wauk. 6SRL	5549	247
50	2-2½	Wauk. 6XK	5516	253	60	1-2½	Wauk. 6MS	5761	247	95	3½	Wauk. 6SRL	5549	247

NOTE—For older models see Guide A.

Willys Motor, 4. Passenger. Model 77, 1933-40..... $3\frac{1}{8} \times 4\frac{3}{8}$ "
Truck. Model 77, 1933-40..... $3\frac{1}{8} \times 4\frac{3}{8}$ "




McCord No. 5182A




McCord No. S-6080




McCord No. S-2574



McCord No. S-2575




McCord No. C-3493



McCord No. C-3494

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
372433	Cyl. hd.	Cop.-Stlplk.	1	33-38	5182A
637019	Cyl. hd.	Stlplk.	1	39-40	S-6080
	Valve grinding set (1-5182A, 1-839M, 1-S2574, 1-C3493)		1	33-38	9409
	Mani. set (1-S2574)	Stlplk.	1		SMS-2399
	Valve cov. set (1-C3493)	Cork	1		CV-478
	Oil pan set (1-C3494)	Cork	1		CS-2270
	Oil pan set (1-P718)	Vell.	1		ES-718
630365	Gear cov. set (1 pc.)	Vell.	1		ES-1150
630359	Cyl. base front set (1 pc.)	Vell.	1		ES-1022
630231	Axle hsg. set (1 pc.)	Vell.	1		ES-4029
	Trans. set (1-V8852, 1-V8274, 1-V8275, 1-V9445)	Vell.	1	33-36	VTS-325
	Trans. set (1-V8273, 1-V8276, 1-V8851)	Vell.	1	37-39	VTS-326
630520	Exh. pipe flg.	Stl. Asb.	1		839M
634812	Manifold	Stlplk.	1		S-2574
630305	Valve cov.	Cork	1		C-3493
630313	Oil pan	Cork	1		C-3494
630313	Oil pan	Vell.	1		P-718
630394	Oil pump body	Vell.	1		V-8968
634811	Int. to exh.	Stlplk.	1		S-2575
630889	Carburetor	Vell.	1		V-5192
632238	Fuel pump	Vell.	1	33-36	V-8338
635718	Fuel pump	Vell.	1	37-40	V-8147
115656	Fuel pump bowl	Cork	1	37-40	C-4492
630405	Wat. pump to cyl.	Asb.	1		16094
634810	Wat. outlet elbow	Stlplk.	1		S-839E
634384	Steering gear hsg. cov.	Vell.	1	33-36	V-8852
630067	Trans. clutch shaft brg. ret.	Vell.	1	33-36	V-8275
630057	Trans. shaft brg. ret.	Vell.	1	33-36	V-8274
632294	Gear shift lever hsg.	Vell.	1	33-36	V-9445
635831	Main drive gear brg. ret.	Vell.	1	37-39	V-8273
635851	Mainshaft brg. ret.	Vell.	1	37-39	V-8276
635861	Trans. control hsg.	Vell.	1	37-39	V-8851

Willys Motor, 8. Passenger. Models 8-80, 8-80D, 8-88, 8-88A, 1930-31; 8-88D, 1932. 3 1/8 x 4"



McCord No. 5619




McCord No. 2142



McCord No. 2143



McCord No. 2393



McCord No. C-1157




McCord No. 2145




McCord No. 2096

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
377754	Cyl. hd.	Cop. Asb.	1		5619
	Mani. set (1-2142, 1-2143)	Cop. Asb.	1		MS-2400
	Valve cov. set (2-C1157)	Cork	1		CV-480
	Oil pan set (1-C1158)	Cork	1		CS-2240
377740	Oil pan set (1 pc.)	Vell.	1		ES-949
384945	Gear cov. set (1 pc.)	Vell.	1		ES-1258
393354	Cyl. base front set (1 pc.)	Vell.	1		ES-1024
354764	Axle hsg. set (1 pc.)	Vell.	1		ES-4136
343277	Exh. pipe fig.	Cop. Asb.	1		869A
377811	Mani., front	Cop. Asb.	1		2142
377812	Mani., rear	Cop. Asb.	1		2143
377731	Valve cov.	Cork	2		C-1157
377740	Oil pan	Cork	1		C-1158
377819	Oil drain plug	Cop. Asb.	1		516A
377770	Exh. to int. heater	Cop. Asb.	1		2096
377781	Exh. to int. heater	Cop. Asb.	1		2145
377780	Heat control valve	Cop. Asb.	1		2144
304279	Carburetor	Asb.	1		2393
632238	Fuel pump	Vell.	1		V-8338
375944	Wat. pump to cyl. block	Asb.	1		16025
377872	Wat. outlet	Cop. Asb.	1		853
356463	Wat. outlet elbow	Cop. Asb.	1		839E
384945	Gear cov.	Cork	1		C-1256

Willys Motor, 6. Passenger. Models 90-90A, 1932, 97-98B-98D, 1930-31, 3 1/4 x 3 7/8"; 99, 1933. 3 1/8 x 4 1/8"
Truck. Models 98B-C101-C113-C131-C157, 1/2-1 1/2 Ton.




McCord No. 5577-A



McCord No. 5799



McCord No. 2056



McCord No. 2807




McCord No. 2055




McCord No. 2054




McCord No. 2606



McCord No. C-894



McCord No. C-993












McCord No. C-1256



McCord No. C-1256

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
375844	Cyl. hd.	Cop. Asb.	1	30-32	5577A
630797	Cyl. hd.	Cop. Asb.	1	33	5799
	Mani. set (1-2056)	Cop. Asb.	1	30-32	MS-2458
	Mani. set (1-2607)	Stl. Asb.	1	33	MS-2398
	Valve cov. set (2-C894)	Cork	1		CV-477
	Oil pan set (1-C993)	Cork	1		CS-2206
393354	Oil pan set (1-P752)	Vell.	1		ES-752
384945	Cyl. base front set (1 pc.)	Vell.	1		ES-1024
	Gear cov. set (Pass.) (1 pc.)	Vell.	1		ES-1258
387373	Gear cov. set (Truck C131) (1 pc.)	Vell.	1		ES-1277
354764	Axle hsg. and diff. carr. set (98B) (2 pcs.)	Vell.	2		ES-4136
342143	Axle hsg. and diff. carr. set (90A-98D) (1 pc.)	Vell.	2		ES-4017
311024	Exh. pipe fig.	Cop. Asb.	1		856B
376018	Manifold	Cop. Asb.	1	30-32	2056
632237	Manifold	Stl. Asb.	1	33	2607
375841	Valve cov.	Cork	2		C-894
375864	Oil pan	Cork	1		C-993
375864	Oil pan	Vell.	1		P-752
376766	Int. to exh.	Cop. Asb.	1	30-32	2054
632231	Int. to exh.	Stl. Asb.	1	33	2606
376763	Heat control valve	Cop. Asb.	1		2055
376032	Carburetor	Asb.	1		16026
632238	Fuel pump	Vell.	1	33	V-8338
375944	Wat. pump to cyl.	Asb.	1		16025
356463	Wat. outlet elbow	Cop. Asb.	1		839E
384945	Gear cov. (Pass.)	Cork	1		C-1256
354764	Axle hsg. and diff. carr. (98B)	Cork	2		C-910
	Trans. case cov.	Cork	1		C-3572

Willys-Knight Motor, 6. Passenger. Models 6-56, 1928, 21½x3 ⅞"; 70, 1926; 70A, 1927-28, 70B, 1929 21½x4 ⅞"
Models 87-87D, 1930; 95, 1932 21½x4 ⅞"

		Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
		337441	Cyl. hd.	Asb.	6	26	1794
		359176	Cyl. hd.	Asb.	2	27-32	5545
		500097	Cyl. hd.	Cop. Asb.	2	27-32	5728
		337392	Oil pan set (1-C400)	Cork	1	26	CS-2148
			Oil pan set (1 pc.)	Vell.	1	26	ES-725
			Oil pan set (1-C668)	Cork	1	27-32	CS-2196
			Oil pan set (1-P820)	Vell.	1	27-32	ES-820
		337437	Cyl. base set (to early 29)				
			(1 pc.)	Vell.	1	26-29	ES-3408
		381202	Cyl. base set (late 29)				
			(1 pc.)	Vell.	1	29-32	ES-3425
		343951	Gear cov. set (1 pc.)	Vell.	1	27-30	ES-1433
		342143	Axle hsg. and diff. carr.				
			set (1 pc.)	Vell.	2	32	ES-4017
		311024	Exh. pipe fig.	Cop. Asb.	1	32	856B
		358370	Exh. coupling fig.	Cop. Asb.	1		1858
		341103	Exh. to cyl. 70-70A to				
			41317	Stl. Asb.	1		1370
		347049	Exh. mani. 56-70A after				
			41317 and 70B	Stl. Asb.	6		1702
		380026	Exh. mani. 87-95	Stl. Asb.	6		2485
		341102	Int. mani. 70 to 20015	Stl. Asb.	4		1372
		343903	Int. mani. 70 after 20015				
			and 56-70A-70B to				
			129176	Asb.	4		2396
		380050	Int. mani. 70B after				
			129176 and 87-87D-95	Asb.	4		2490
		339496	Int. header 70-70A to				
			41317	Stl. Asb.	1		1371
		347050	Int. header 70A after				
			41317 and 56-70B-87	Stl. Asb.	1		1701
		311024	Int. header 70A after				
			41317 and 70B-87	Cop. Asb.	1		856B
		500081	Int. mani. to header				
			87D-95	Stl. Asb.	1		2778
		332332	Cyl. hd. cov.	Rub.	1		2474
		337314	Cyl. hd. plug	Fibre	6		2410
		337392	Oil pan	Cork	1	26	C-400
		341197	Oil pan	Cork	1	27-32	C-668
		341197	Oil pan	Vell.	1	27-32	P-820
		314338	Oil strainer cov. (small)	Cop. Asb.	1		516
		337371	Oil strainer cov.	Cop. Asb.	1		150A
		343284	Oil rectifier	Cop. Asb.	1	26-30	1884
		337312	Oil seal ring	Rub.	6		2476
		500085	Int. heater to mani.				
			87D-95	Stl. Asb.	1		2624
		347964	Exh. mani. coupling 56	Cop. Asb.	1	28	1881
		347950	Exh. heater pipe	Stl. Asb.	1		846
		300223	Carburetor	Vell.	1	26-28	V-102A
		380076	Carburetor	Asb.	1	29-32	16027
		330937	Wat. pump fig.	Cop. Asb.	1		161A
		341219	Wat. outlet	Cop. Asb.	1		110-I
		314338	Spark plug	Cop. Asb.	6		516
		354764	Diff. carr. and axle hsg.	Cork	2	26-30	C-910
		342143	Diff. carr. and axle hsg.	Cork	2	32	C-410
		300495	Muffler hd., front	Stl. Asb.	2		844


Willys-Knight Motor, 6. Passenger. Models M-66, 1925-26, 3 ¼x4 ¾"; 66A, 1927-28; 66B, 1929-30 3 ⅞x4 ¾"
Models 66D, 1931-32; 66E, 1933 3 ⅞x4 ¾"

		Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
		353417	Cyl. hd.	Asb.	2		5592
		343243	Oil pan set (1-C405)	Cork	1		CS-2189
		332309	Oil pan set (1 pc.)	Vell.	1		ES-819
		376946	Cyl. base set (1 pc.)	Vell.	1	25-30	ES-3407
		332395	Cyl. base set (1 pc.)	Vell.	1	31-33	ES-3428
			Gear cov. set (1 pc.)	Vell.	1		ES-1432

(Continued on Next Page)




Willys-Knight Motor, 6. 66 Series—Continued




McCord No. 1884




McCord No. 1703



McCord No. 1486




McCord No. 2491



McCord No. 1795



McCord No. 1796



McCord No. 16062



McCord Nos. 1704 and 1705


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
311024	Exh. pipe flg.	Cop. Asb.	1	25-26	856B
332440	Exh. mani.	Cop. Asb.	1	25-26	1373
343286	Exh. mani.	Cop. Asb.	6	27-28	1705
374304	Exh. mani.	Cop. Asb.	6	29-33	2408
343287	Exh. mani. flg.	Cop. Asb.	1	25-27	1793
358368	Exh. mani. flg.	Cop. Asb.	1	28	1857
332438	Int. mani., center, early 66	Asb.	1		1796
332437	Int. mani., ends, early 66	Asb.	2		1795
343278	Int. mani., late 66	Cop. Asb.	4		1704
343460	Int. mani. 66A	Asb.	4	27-28	16062
375188	Int. mani. 66B	Asb.	4	29-30	2491
343271	Int. header 66A-66B	Cop. Asb.	1	27-30	1703
343277	Int. header pipe flg.	Cop. Asb.	2	28-30	869A
332332	Cyl. hd. cov.	Rub.	1		2474
25254	Cyl. hd. plug	Fibre	6		2409
25128	Oil seal ring	Rub.	6		2475
343243	Oil pan	Cork	1		C-405
107804	Oil rectifier, center	Asb.	1		2400
332592	Oil rectifier to casing	Cop. Asb.	1		157
332527	Oil rectifier casing to mani.	Cop. Asb.	1	25-26	1486
343284	Oil rectifier casing to mani.	Cop. Asb.	1	27-33	1884
332545	Oil rectifier nut	Cop. Asb.	1		100
304279	Carburetor	Asb.	1		2393
332478	Wat. pump	Cop. Asb.	1	25-26	168
374327	Wat. pump	Asb.	1	27-33	2397
343218	Wat. outlet	Cop. Asb.	1		118E

Windsor, 6-8. Passenger.

Model	Motor	McCord No.	See Page No.	Model	Motor	McCord No.	See Page No.	Model	Motor	McCord No.	See Page No.
6-69	Cont. 37L	5170	*	6-77	Cont. 11E	5459	71	8-85	Cont. 15S	5177	76
6-75	Cont. 11E	5459	71	8-82	Cont. 15S	5177	76	8-92	Cont. 15S	5177	76

NOTE—*Indicates that this motor is listed in Guide A.

Wisconsin Motor, 1 Cyl. Models AA, 2 1/4 x 2 3/4"; AB 2 1/2 x 2 3/4"



McCord No. S-6121

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
QD-568	Cyl. hd.	Stlpl.	1		S-6121

Wisconsin Motor, 4. Model AC4 2 5/8 x 3 1/4"




McCord No. 5974

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
QD-525	Cyl. hd.	Cop. Asb.	2		5974


Wisconsin Motor, 1 Cyl. Models AD-AE. McCord No. 5975. See Page No. 269.

Wisconsin Motor, 1 Cyl. Models AF-AG-AH. McCord No. 6014. See Page No. 269.

Wisconsin Motor, 4. Models AS, 5 x 6 1/2"; B1-B2, 5 1/4 x 6 1/2"; B3-BS3 5 1/2 x 6 1/2"




McCord No. 5424




McCord No. 2454

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
QD-293	Cyl. hd.	Cop. Asb.	1		5424
QD-296	Oil pan set (1 pc.)	Vell.	1		ES-960
QD-295	Cyl. base set (1 pc.)	Vell.	1		ES-3751
QB-67	Exh. pipe flg. B2-BS3	Cop. Asb.	1		2454
QB-47	Exh. port B1-B2-B3	Cop. Asb.	4		869
QB-61	Exh. port AS-BS3	Cop. Asb.	4		866D
QC-41	Int. port	Cop. Asb.	1		846A
QD-273	Oil filler	Cop. Asb.	1		114

Wisconsin Motor, 1 Cyl. Models A1-A1 1/2-AD, 2 3/4 x 3 1/4"; A2-AE 3x3 1/4"




McCord
No. 5975



McCord No. 2915

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
QD-484	Cyl. hd.	Cop. Asb.	1		5975
	Mani. set (1-2915)	Cop. Asb.	1		MS-2437
QC-56	Manifold	Cop. Asb.	1		2915

Wisconsin Motor, 1 Cyl. Models A3-AF, 3 1/4 x 4"; A4-A5-AG, 3 1/2 x 4"; AH 3 5/8 x 4"




McCord
No. 6014



McCord No. 2916

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
QD-476-2	Cyl. hd.	Cop. Asb.	1		6014
	Mani. set (1-2916)	Cop. Asb.	1		MS-2438
QC-55	Manifold	Cop. Asb.	1		2916

Wisconsin Motor, 4. Models A5, B5-2, B5-3




McCord No. 6004


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
QD-506	Cyl. hd.	Cop. Asb.	2		6004

Wisconsin Motor, 4. Models B1-B2-B3-BS3. McCord No. 5424. See Page No. 268.

Wisconsin Motor, 4. Models C-C1-CA1, 3 3/4 x 5"; C2 4 1/2 x 5"




McCord No. 5423




McCord No. 5541

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
QD-291	Cyl. hd. C-C1-CA1	Cop. Asb.	1		5423
QD-332	Cyl. hd. C2	Cop. Asb.	1		5541
QC-29	Manifold	Cop. Asb.	6		825A
QD-149	Oil sediment plug	Cop. Asb.	1		142

Wisconsin Motor, 6. Models D1-D2, 5 1/4 x 6 1/2"; D3, 5 1/2 x 6 1/2"; D4 5 3/4 x 6 1/2"



McCord No. 5693




McCord No. 6068

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
QD-423	Cyl. hd.	Cop. Asb.	3		5693
QD-423D	Cyl. hd. (extra wat. holes)	Cop. Asb.	3		6068
QB-46	Exh. and int. ports	Cop. Asb.	2		846C
QB-47	Exh. port	Cop. Asb.	6		869B
QC-52	Int. mani.	Cop. Asb.	5		849




Wisconsin Motor, 6. Models E-E1-E2-E3, 6 1/4 x 7"; ES-ET-SE


6x7"



McCord No. 6005



McCord No. 5528



McCord No. 1992




McCord No. 1993


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
QD-302B	Cyl. hd. E-E1-E2-E3	Cop. Asb.	3		6005
QD-302	Cyl. hd. ES-ET-SE	Cop. Asb.	3		5528
QB-49	Exh. mani.	Cop. Asb.	3		1992
QC-42	Int. mani. E	Cop. Asb.	3		8111
QC-47	Int. mani. ET	Cop. Asb.	2		867DA
QB-48	Mani. hd.	Cop. Asb.	3		1993
QB-65	Mani. cov. ES	Cop. Asb.	4		875C
QB-61	Exh. port E	Cop. Asb.	6		866D
QB-64	Exh. port ES	Stl. Asb.	4		875B
QB-45	Exh. port ET	Cop. Asb.	4		874C
QB-66	Int. port ES	Cop. Asb.	4		2216
QD-303	Int. header	Cop. Asb.	1		314
QD-304	Int. heater	Cop. Asb.	2		411C
QC-45	Int. mani. heater pipe	Cop. Asb.	2		874D

Wisconsin Motor, 6. Model F


3 1/4 x 4 1/2"



McCord No. 5532



McCord No. 2256




McCord No. 2257

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
QD-341	Cyl. hd.	Cop. Asb.	1		5532
	Mani. set (6-826, 2-810F, 2-2257)	Cop. Asb.	1		MS-2433
QD-347	Oil pan set (1 pc.)	Vell.	1		ES-754
QB-43	Exh. pipe flg.	Cop. Asb.	1		1073
QB-52	Exh. mani.	Cop. Asb.	6		826
QC-46	Int. mani.	Cop. Asb.	2		810F
QB-53	Mani., center	Cop. Asb.	2		2257
QD-318	Valve chamber cov.	Cop. Asb.	1		2256
QE-15	Wat. pump supp. stud	Cop. Asb.	2		112E
QE-14	Fan stud	Cop. Asb.			508A

Wisconsin Motor, 6. Models G-GA, 3 3/8 x 5"; G1-GA1, 3 5/8 x 5"; GA2

3 3/4 x 5"



McCord No. 5529




McCord No. 2453

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
QD-379	Cyl. hd.	Cop. Asb.	1		5529
	Mani. set (2-2453, 2-830D)	Cop. Asb.	1		MS-2435
QD-282	Cyl. hd. cov. set (1 pc.)	Vell.	1		ES-2883
QB-22	Exh. pipe flg.	Cop. Asb.	1		2401
QB-56	Mani., center	Cop. Asb.	2		2453
QB-50	Mani., ends	Cop. Asb.	2		830D

Wisconsin Motor, 6. Models L1-L2, 3 7/8 x 5"; L3, 4 1/8 x 5"; L4

4 1/4 x 5"




McCord No. 5551

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
QD-406	Cyl. hd.	Cop. Asb.	1		5551
QB-22	Exh. pipe flg.	Cop. Asb.	1		2401
QB-60	Manifold	Cop. Asb.	10		848C

Wisconsin Motor, 6. Models M1-M2-M3-M4


5x6"



McCord No. 5912

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
QD-483	Cyl. hd.	Cop. Asb.	3		5912

Wisconsin Motor, 4. Model Q




McCord No. 5552

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
QD-401	Cyl. hd.	Cop. Asb.	1		5552
QB-55	Manifold	Cop. Asb.	6		817A


Wisconsin Motor, 6. Model SE. McCord No. 5528. See Page No. 270.

Wisconsin Motor, 4. Models SU, 4x5"; W

4 1/8 x 5"



McCord No. 5295



McCord No. 1734



McCord No. 1774




McCord No. 1773


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
QD-195	Cyl. hd.	Cop. Asb.	1		5295
	Mani. set				
	(4-822A, 1-1774)	Cop. Asb.	1		MS-2430
	Cyl. cov. set (1-C3302)	Cork	1		CV-550
	Oil pan set (1-P808)	Vell.	1		ES-808
QD-198	Gear cov. set (1 pc.)	Vell.	1		ES-1413
QB-31	Exh. pipe flg.	Cop. Asb.	1		1734
QB-32	Exh. mani.	Cop. Asb.	4		822A
QC-38	Int. mani.	Cop. Asb.	1		1774
QB-36	Wat. cooled exh. mani.				
	(marine)	Cop. Asb.	1		1773
QB-43	Valve plug	Cop. Asb.	8		137A
QD-287	Cyl. cov.	Cork	1		C-3302
QD-287	Cyl. cov.	Vell.	1		V-9819
QD-197	Oil pan	Vell.	1		P-808
QD-149	Oil strainer	Cop. Asb.	1		142
QD-131	Fan stud	Cop. Asb.	1		108

Wisconsin Motor, 6. Models Z-ZA1, 4 1/2 x 5"; ZA2, 4 5/8 x 5"; ZT

4 1/2 x 5"



McCord No. 5261



McCord No. 5658



McCord No. 1713

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
QD-254	Cyl. hd. Z-ZA1-ZA2	Cop. Asb.	1		5261
QD-438	Cyl. hd. ZT	Cop. Asb.	1		5658
	Mani. set Z-ZA1-ZA2				
	(2-1713, 2-859F)	Cop. Asb.	1		MS-2432
QB-42	Exh. pipe flg.	Cop. Asb.	1		153C
QB-38	Manifold Z-ZA1-ZA2	Cop. Asb.	2		1713
QB-41	Exh. mani. Z-ZA1-ZA2	Cop. Asb.	2		859F
QB-69	Manifold ZT	Stl. Asb.	8		863A
QB-68	Exh. mani., center, ZT	Cop. Asb.	1		861B
QC-40	Carburetor ZT	Cop. Asb.	1		857A

Wisconsin Motor. For older models see Guide A.

Witt Will, 4-6. Truck

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
A6	2-5	Cont. 16R	5534	75	N6	1 1/2-2	Cont. 15C	5669	70	R25	2-5	Cont. 16R	5534	75
C2	1-2	Cont. 15C	5669	70	R2	2-5	Cont. 16R	5534	75	R35	2-5	Cont. 18R	5534	75
C2B	1-2	Cont. 15C	5669	70	R2B	2-5	Cont. 16R	5534	75	R55	2-5	Cont. 21R	5534	75
C2W	1-2	Cont. 15C	5669	70	R3-R3B	2-5	Cont. 18R	5534	75	S6	2-5	Cont. 16R	5534	75
C15B	1-2	Cont. 15C	5669	70	R4	2-5	Cont. 20R	5534	75	SL	3 1/2	Cont. L4	5167	*
L	3	Cont. L4	5167	*	R4X	2-5	Cont. 21R	5534	75					
L6	3	Cont. 16R	5534	75	R5	2-5	Cont. 20R	5534	75					

NOTE—*Indicates that these motors are listed in Guide A. For older models see Guide A.



W. M. C., 6. Bus

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
GN	Bus	Wauk. 6RB	5568	239	GY	Bus	Wauk. 6AB	5260A	239	NTB	Bus	Wauk. 6RB	5568	239
GX	Bus	Wauk. 6AB	5260A	239	NL	Bus	Wauk. 6KU	5473B	245					

Wolverine, 6. Passenger. (Reo Motor) McCord No. 5196. See Page No. 213.

Woods, 4-6. Truck

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
32	1½	Herc. WXA	5495	129	53AW6	2-3	Herc. WXC	5649	129	75	3-4	Herc. YXC3	5612	130
41	2	Herc. WXB	5496	129	53B	3	Herc. WXC3	5649	129	90	4	Herc. YXC	5526	130
45	2-3	Herc. WXC	5649	129	53B6	2-3	Herc. WXC	5649	129	90	3-4	Herc. YXC4	5612	130
53	2-3	Herc. WXC	5649	129	53W	3	Herc. WXC3	5649	129	105	5	Herc. HXC	5729	126

NOTE—For older models see Guide A.

World, 6-8. Truck

Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.	Model	Tonnage	Motor	McCord No.	See Page No.
D8	1½-2	Cont. 15S	5177	76	DA60	1	Lyc. WTG	5387A	163	DB88	1-2½	Lyc. GU	5388A	163
D60	1-2	Lyc. 4SL	5262	164	DA88	1-2½	Lyc. G	5388A	163	DB115	3-5	Lyc. H	5125A	162
D88	1-2½	Lyc. G	5388A	163	DA115	3-5	Lyc. HD	5125A	162	DC60	1-2	Lyc. 4SL	5262	164
D115	3-5	Lyc. HD	5125A	162	DB60	2	Lyc. 4SL	5262	164	DC88	3-5	Lyc. HD	5125A	162


Yellow Cab, 4-6. See Guide A.

Yellow Coach, 6-8. Bus and Taxi. Model and Motor Reference.

Model	Year	Motor	McCord No.	See Page No.	Model	Year	Motor	McCord No.	See Page No.	Model	Year	Motor	McCord No.	See Page No.
O-12A-393	1931-32	G.M.C.-257	5486A	112	WX372	1929-30	Yell. C.-331	5925	274	720	1934-36	Yell. C.-616	*	275
O-12A-395	1933	G.M.C.-221	5486A	112	WX373	1929-30	Yell. C.-331	5925	274	720	1936-37	Yell. C.-707	5965	276
O-16-848	1936	Chev.-207	5870	51	WX374	1929-30	Yell. C.-331	5925	274	721	1934	Yell. C.-450	5926	274
O-17-901	1937	Chev.-216	5960	54	WX375	1930-31	Yell. C.-331	5925	274	722	1934-36	Yell. C.-400	5925	274
O-18-976	1938	Chev.-216	5960	54	Z376	1930-31	Yell. C.-616	*	275	723	1934-36	Yell. C.-331	5925	274
U605	1930-33	Yell. C.-331	5925	274	Z610	1930-31	Yell. C.-616	*	275	724	1934	Yell. C.-450	5926	274
U607	1930-34	Yell. C.-331	5925	274	Z614	1930-34	Yell. C.-525	*	275	725	1934-36	Yell. C.-450	5926	274
U612	1930-32	Yell. C.-331	5925	274	Z614	1930-34	Yell. C.-616	*	275	727	1934-36	Yell. C.-450	5926	274
U654	1931	Yell. C.-331	5925	274	Z617	1930-31	Yell. C.-616	*	275	728	1935-37	Yell. C.-450	5926	274
U662	1931-34	Yell. C.-331	5925	274	Z619	1930	Yell. C.-616	*	275	728	1938-39	Yell. C.-479	6027	276
U665	1931-34	Yell. C.-331	5925	274	Z620	1930	Yell. C.-616	*	275	729	1935-36	Yell. C.-450	5926	274
U754	1933	Yell. C.-400	5925	274	Z621	1930	Yell. C.-616	*	275	731	1935-37	Yell. C.-450	5926	274
U760	1933	Yell. C.-400	5925	274	Z623	1930	Yell. C.-616	*	275	731	1938-39	Yell. C.-529	6027	276
U764	1933-35	Yell. C.-400	5925	274	Z626	1930	Yell. C.-616	*	275	732	1936-37	Yell. C.-707	5965	276
U769	1934	Yell. C.-331	5925	274	Z630	1930-32	Yell. C.-616	*	275	733	1936-37	Chev.-207	5870	51
U770	1934	Yell. C.-331	5925	274	Z632	1930	Yell. C.-616	*	275	734	1936	Yell. C.-450	5926	274
U771	1934	Yell. C.-331	5925	274	Z633	1931-34	Yell. C.-616	*	275	735	1936-37	Yell. C.-707	5965	276
U772	1934-35	Yell. C.-331	5925	274	Z649	1931-32	Yell. C.-616	*	275	736	1939	Yell. C.-6-71	L6047	276
U785	1934	Yell. C.-331	5925	274	Z649	1932-34	Yell. C.-707	*	275	738	1937-38	Yell. C.-400	5925	274
V634	1931-34	Yell. C.-525	*	275	Z670	1932-34	Yell. C.-707	*	275	739	1937-38	Yell. C.-331	5925	274
V634	1934	Yell. C.-468	*	275	700	1931-32	Yell. C.-616	*	275	740	1937-38	Yell. C.-707	5965	276
V634	1934	Yell. C.-616	*	275	704	1932	Yell. C.-616	*	275	740	1939	Yell. C.-6-71	L6047	276
V634	1934	Yell. C.-707	*	275	705	1932	Yell. C.-616	*	275	741	1937	Yell. C.-707	5965	276
V636	1931-32	Yell. C.-468	*	275	708	1933-34	Yell. C.-616	*	275	742	1937-38	Yell. C.-707	5965	276
V652	1931-34	Yell. C.-468	*	275	709	1933-34	G.M.C.-257	5486A	112	743	1937-38	Yell. C.-707	5965	276
V674	1932-34	Yell. C.-525	*	275	711	1933-34	Yell. C.-400	5925	274	788	1934	Yell. C.-616	*	275
V674	1934	Yell. C.-616	*	275	712	1933-34	G.M.C.-257	5486A	112	788	1934-35	Yell. C.-707	5965	276
V755	1933-34	Yell. C.-525	*	275	714	1934-36	G.M.C.-257	5486A	112	818	1934-35	Yell. C.-707	5965	276
V755	1934	Yell. C.-616	*	275	715	1934-36	G.M.C.-257	5486A	112	820	1934	Yell. C.-616	*	275
V755	1933-34	Yell. C.-707	*	275	716	1934-36	Yell. C.-331	5925	274	834	1935	Yell. C.-707	5965	276
W329	1928-29	Cad.-341	5618B	41	716	1934-35	Yell. C.-400	5925	274	843	1935-37	Yell. C.-707	5965	276
W331	1928-29	Cad.-341	5618B	41	717	1934-36	Yell. C.-400	5925	274	845	1935-36	Yell. C.-616	*	275
W365	1930-34	Cad.-353	5618B	41	717	1934-35	Yell. C.-450	5926	274	1203	1938	G.M.C.-4-71	L6046	118
W366	1930-34	Cad.-353	5618B	41	718	1931-36	Yell. C.-616	*	275	1204	1938	Chev.-216	5960	54
W603	1930-31	Cad.-353	5618B	41	718	1934-35	Yell. C.-707	*	275	1205	1937-38	Yell. C.-707	5965	276
W661	1931-32	Cad.-353	5618B	41	719	1934-36	Yell. C.-450	5926	274	1207	1938	G.M.C.-308	6075	114
W663	1931-34	Cad.-353	5618B	41	719	1936	Yell. C.-707	5965	276					

*Refer to motor listings for correct gaskets.

Yellow Coach, 6. Bus. Models X-HX..... $3\frac{1}{2} \times 4\frac{1}{2}$ "



McCord No. 5543




McCord No. 2775




McCord No. 1488

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
061894	Cyl. hd.	Asb.	3	5543
EX-11647	Exh. mani.	Cop. Asb.	6	1488
061647	Exh. mani. elbow	Sol. Cop.	1	2775
063929	Fuel vaporizer	W. W. Asb.	1	2395
063596	Fuel vaporizer inspection pl.	W. W. Asb.	1	2394
063622				


Yellow Coach, 6. Bus. Models Y, $4\frac{1}{2} \times 5\frac{1}{2}$ "; YZ-Z6-Z200-Z230-Z240-Z378-Z600..... $4\frac{1}{4} \times 5\frac{1}{2}$ "




McCord No. 5425




McCord No. 1836




McCord No. 1719




McCord No. 1720




McCord No. 1489




McCord No. 1490




McCord No. 2390




McCord No. 2391



McCord No. 1834



McCord No. 1835




McCord No. C-1745

Part No.	Name of Gasket	Type	Used Per Motor Year	McCord No.
061864	Cyl. hd.	Asb.	2	5425
	Oil pan pl. set (1-C1714, 1-C1745)	Cork	1	CS-2241
065155	Cyl. base set YZ (1 pc.)	Vell.	1	ES-3860
060731	Gear cov. set (1 pc.)	Vell.	1	ES-1325
299336	Exh. pipe flg.	Cop. Asb.	1	153C
Z-18-A2	Exh. pipe flg.	Cop. Asb.	1	1079
285082	Exh. pipe to mani.	Cop. Asb.	1	1079
1734	Muffler flg. outlet	Cop. Asb.	1	1778
136790	Muffler flg. outlet, end	Cop. Asb.	1	1734
135812	Muffler flg. outlet, end	Cop. Asb.	1	114-D
060838	Exh. mani., ends	Cop. Asb.	2	1780
065960	Exh. mani., ends	Sol. Cop.	2	1490
060706	Exh. mani., inter.	Cop. Asb.	4	1781
065959	Exh. mani., int.	Sol. Cop.	4	1489
791397	Exh. mani. pack.	Cop. Asb.	1	1126
061397	Exh. mani. inspection	Cop. Asb.	6	111B
278482	Exh. mani. elbow	Cop. Asb.	1	1718
060708	Int. mani., ends	W. W. Asb.	2	1719
060709	Int. mani., center	W. W. Asb.	2	1720
061790	Int. mani. inspection pl., side	W. W. Asb.	1	2391
061789	Int. mani. inspection pl., top	W. W. Asb.	1	2390
060734	Oil pan, front bottom pl.	Cork	1	C-1714
060733	Oil pan, rear bottom pl.	Cork	1	C-1745
063705	Oil pump motor hsg.	Vell.	1	V-9053
060264	Oil pump gear hsg.	Vell.	1	V-9052
060727	Oil filler	Cork	1	C-1658
062133	Oil strainer	Cork	1	C-1743
063723	Oil rectifier	Cop. Asb.	1	1717
064130	Oil rectifier, oil tube elbow	Cop. Asb.	2	101
287441	Heater tube	Cop. Asb.	5	122
285972	Heater tube	Cop. Asb.	1	142F
285096	Heater stud	Cop. Asb.	8	500I
062885	Reg. body valve	Asb.	1	2398
062886	Application valve body	Asb.	1	2399
105470	Carburetor	Stl. Asb.	1	827C
105471	Carburetor	Cop. Asb.	1	846C
061427	Carburetor Y	Cop. Asb.	1	854M
061427	Carburetor Y	Asb.	1	16096
060714	Carburetor	Vell.	1	V-105A
063321	Carb. spacer	Cop. Asb.	1	1716
061493	Air cleaner spacer	W. W. Asb.	1	1835
062545	Air compressor cyl. hd.	Asb.	1	2392
232192	Air compressor cyl. hd.	Cork	1	C-2920
74302	Fuel vaporizer	W. W. Asb.	1	1836
060710	Fuel vaporizer	Cop. Asb.	1	809G
285086	Fuel vaporizer tube	Cop. Asb.	1	1779
GM105468	Fuel vaporizer cov. pl.	W. W. Asb.	2	1834
Z1-A-16	Wat. pump casing	Vell.	1	V-9365
061719	Wat. pump elbow	Vell.	1	V-102A
062706	Wat. pump elbow	Vell.	1	V-5069
060774	Wat. reg. by-pass	Vell.	1	
061994	Upper wat. conn.	Cork	1	C-2179
061993	Radiator filler neck	Cop. Asb.	1	328
285439	Radiator lower wat. pipe	Cork	2	C-1660
C-135690				
285434				

(Continued on Next Page)




Yellow Coach, 6. Models Y and Z—Continued



McCord No. C-1714

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
285440	Radiator upper hose				
	conn.	Cork	2		C-1650
062353	Chain case cov., upper	Cork	1		C-2182
062354	Chain case cov., lower	Cork	1		C-1313
060879	Timing chain adj. shaft				
	cov.	Vell.	1		V-9051
289352	Diff. carr. and hsg.	Cork	2		C-1653
238469	Diff. carr. to hsg.	Cork	1		C-626
298249	Axle hsg. cov.	Cork	1		C-2233
301433	C/S cov. to case	Vell.	1		V-9336
312118	Shifter case cov.	Vell.	1		V-9715
301437	Pump pad cov.	Vell.	1		V-9409
235862 }	Clutch hsg.	Vell.	1		V-9516
290-C-1 }					
301432	Brg. cap	Vell.	1		V-9331
301438	Control hsg. to trans.				
	case	Vell.	1		V-9711
313700	Transmission	Vell.	1		V-9045
312004	Trans. case cov.	Vell.	1		V-9335
311946	Trans. main shaft hsg.	Vell.	1		V-9333
301434	Trans. brg. cap	Vell.	1		V-9332

Yellow Coach Motor, 6. Models 331, 3 3/4 x 5"; 400, 4 1/8 x 5"; 450 4 3/8 x 5"



McCord No. 5925 McCord No. 5926



McCord No. 2281



McCord No. 2282



McCord No. 2679


Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
068567-AB	Cyl. hd., 331-400	Stl. Asb.	1		5925
068568-AB	Cyl. hd., 450	Stl. Asb.	1		5926
	Mani. set (3-2679)	Cop. Asb.	1		MS-303
SN-2193	Mani. set				
	(2-2281, 1-2282)	Sol. Cop.	1		MS-2549
SN-2194	Mani. set (3-S2679)	Stlpk.	1		SMS-2502
	Cyl. hd. cov. set				
	(1-C764)	Cork	1		CV-117
	Push rod cov. set				
	(2-C765)	Cork	1		CV-118
	Oil pan set, 716-722				
	(1-C768, 1-C769,				
	2-C341)	Cork	1		CS-2179
	Oil pan set (1-P359,				
	1-P360, 2-C341)	Vell.	1		ES-359
	Oil pan set, 728-729				
	(1-P376, 1-P377)	Vell.	1		ES-377
228405	Cyl. base set (1 pc.), 331	Vell.	1		ES-3423
066584	Cyl. base set (1 pc.), 400	Vell.	1		ES-3432
067834	Cyl. base set (1 pc.), 450	Vell.	1		ES-3433
	Gear cov. set (1-V1290)	Vell.	1		ES-1290
2017661	Exh. pipe flg.	Stlpk.	1		S-3038
664306	Exh. pipe flg., 716-722	Cop. Asb.	1		2279
072147	Exh. pipe flg., 728-729	Stlpk.	1		S-881A
1289023	Manifold	Cop. Asb.	3		2679
066069 }	Manifold	Stlpk.	3		S-2679
066070 }					
664308 }	Mani., ends	Sol. Cop.	2		2281
664309 }	Mani., center	Sol. Cop.	1		2282
214642	Cyl. hd. cov.	Cork	1		C-764
214727	Push rod cov.	Cork	2		C-765
214736 }	Oil pan, right, 716-722	Cork	1		C-768
214737 }	Oil pan, left, 716-722	Cork	1		C-769
187246 }	Oil pan, ends, 716-722	Cork	2		C-341
214736 }	Oil pan, right (1-P359),				
	716-722	Vell.			
214737	Oil pan, left (1-P360),				
	716-722	Vell.	1		P-359 set
187246	Oil pan, ends (2-C341),				
	716-722	Cork			
068633	Oil pan, right (1-P376),				
	728-729	Vell.	1		P-377 set
068634	Oil pan, left (1-P377),				
	728-729	Vell.			
061994	Oil filler conn., 729	Vell.	1		V-5069
068211	Mani. hot spot, 728	Stlpk.	1		S-2892
069802	Carb. to gov., 331-400	Stlpk.	1		S-3039
067932	Carb. to gov., 450	Stlpk.	1		S-2851
069802	Gov. to mani. (thin),				
	331-400	Stlpk.	1		S-3039

(Continued on Next Page)


Yellow Coach Motor, 6. Models 331-400-450—Continued

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
067932	Gov. to mani., 450	Stlplk.	1		S-2851
065119	Gov. to carb. outlet conn., 729	Asb.	2		2129
659389	Fuel vaporizer, 331-400	Asb.	1		16169
065313	Fuel pump	Vell.	1		V-5500
167243	Wat. outlet	Vell.	1		V-5036
167243	Wat. outlet	Asb.	1		1737
068687	Wat. inlet	Vell.	1		V-8401
068686	Wat. cov. pl.	Vell.	1		V-8402
067153	Wat. pump to block	Vell.	1		V-9624
167243	Wat. pump inlet fitting, 729	Asb.	1		1737
285440	Radiator cleanout cov., 728-729	Cork	1		C-1650
165552	C/C main oil line to brg. cap	Stl. Asb.	4		800AN
061994	C/C vent. air cleanout conn., 728-729	Vell.	1		V-5069
065345	C/C vent. elbow, 716-722	Vell.	1		V-5188
668773	C/S pulley oil seal	Cork	1		C-4928
228042	C/S rear brg. cap, inner, 728	Cork	2		C-915
067160	Gear cov.	Vell.	1		V-1290
238469	Diff. carr. and axle hsg., 729	Cork	2		C-626


Yellow Coach Motor, 6. Models 468, 4 1/4 x 5 1/2"; 525, 4 1/2 x 5 1/2"; 616, 4 7/8 x 5 1/2"; 707..... 5x6"




McCord No. 5604A

McCord
No 3089

McCord No. 6081





McCord No S-2927




McCord No. 16095




McCord No. 2776 McCord No. 2411 McCord No. 2129




McCord No. C-1162



McCord No. C-1163




McCord No. C-1714



McCord No. C-1745

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
069704	Cyl. hd.	Stl. Asb.	2		5604A
065059	Cyl. hd. (restricted water passages)	Stl. Asb.	2		6081
	Valve cov. set (2-C1163)	Cork	1		CV-525
	Oil pan set (1-C1745, 1-C1714)	Cork	1		CS-2241
065268	C/C oil pan set (1 pc.)	Vell.	1		ES-518
065155	Cyl. base set (1 pc.)	Vell.	1		ES-3860
060731	Chain cov. set (1 pc.)	Vell.	1		ES-1325
065350	Exh. pipe fig.	Cop. Asb.	1		2411
668737	Exh. pipe pack.	Cop. Asb.	1		2404
065956	Exh. outlet elbow to mani.	Stlplk.	1		S-2927
065116	Exh. mani.	Cop. Asb.	6		323B
065955	Int. mani.	Asb.	6		2129
065119	Valve cov.	Cork	2		C-1163
065075	Cyl. hd. cov.	Cork	2		C-1162
060734	Oil pan, front bottom pl.	Cork	1		C-1714
060733	Oil pan, rear bottom pl.	Cork	1		C-1745
060264	Oil pump gear hsg.	Vell.	2		V-9052
065190	Oil cooler conn.	Cop. Asb.	2		102A
060727	Oil filter	Cork	1		C-1658
065568	Int. mani. heat control valve	Sol. Cop.	1		3089
065994	Carburetor	Stlplk.	1		S-827C
065269	Carburetor	Sol. Cop.	1		2499
065866	Carburetor	Sol. Cop.	1		2776
069726	Carburetor	Cop. Asb.	1		2905
065313	Fuel pump	Vell.	1		V-5500
061628	Fuel vaporizer	Asb.	1		16095
061719	Fuel vaporizer cov. pl.	Asb.	2		1834
105470	Fuel vaporizer outlet	Cop. Asb.	1		827A
066005	Exh. mani. fuel vaporizer elbow	Cop. Asb.	1		840C
065064	Wat. inlet cyl. block	Vell.	2		V-8335
065348	Wat. inlet and outlet conn.	Vell.	2		V-8335
065348	Wat. outlet mani.	Vell.	1		V-5069
061994	Wat. reg. by-pass	Vell.	1		V-5069
	Wat. heater conn. cap	Vell.	2		V-5069
	Wat. pump heater conn. cap	Vell.	1		V-5069
	Wat. fittings conn.	Vell.	2		V-5069
285440	Radiator to elbow	Asb.	1		16100
063796	Radiator hose conn., upper	Cork	2		C-1650
064732	Clutch pilot brg. ret.	Cork	1		C-2057
	Air compressor chain cov.	Cork	1		C-784


Yellow Coach Motor, 6. Models 479, 4 $\frac{5}{8}$ x 4 $\frac{3}{4}$ "; 529 4 $\frac{5}{8}$ x 5 $\frac{1}{4}$ "



McCord No. 6027

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
2050577	Cyl. hd.	Stl. Asb.	1		6027


Yellow Coach Motor, 6 (Diesel). Model 6-71 4 $\frac{1}{4}$ x 5 "



McCord No. L-6047

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
5150045E	Cyl. hd. (Dickson lam. all-metal)	Lam. Stl.	1		L-6047

Yellow Coach Motor, 6. Model 707 5x6 "



McCord No. 5965



McCord No. S-3043



McCord No. S-2963

McCord
No. 16166

McCord No. 16170

Part No.	Name of Gasket	Type	Used Per Motor	Year	McCord No.
069705	Cyl. hd.	Stl. Asb.	2		5965
	Mani. set				
	(6-S2963, 6-16170)	Stlpk.	1		SMS-2551
	Cyl. hd. cov. set (2-C4409)	Cork	1		CV-609
	Push rod cov. set				
	(2-C1163)	Cork	1		CV-525
069154	Oil pan set (1 pc.)	Vell.	1		ES-964
069153	Oil pan to timing cov.				
	set (1 pc.)	Vell.	1		ES-4
065155	Cyl. base set (1 pc.)	Vell.	1		ES-3860
068944	Front supp. pl. set (1 pc.)	Vell.	1		ES-1216
068945	Gear cov. set (1 pc.)	Vell.	1		ES-1461
065956	Exh. pipe flg.	Stlpk.	1		S-2927
068821	Exh. mani.	Stlpk.	6		S-2963
068822	Int. mani.	Asb.	6		16170
068820	Cyl. hd. cov.	Cork	2		C-4409
065075	Push rod cov. pl.	Cork	2		C-1163
105451	Push rod cov. pl. stud.	Cop. Asb.	4		500E
060734	Oil pan, front bottom pl.	Cork	1		C-1714
060733	Oil pan, rear bottom pl.	Cork	1		C-1745
065856	Oil filter	Cork	2		C-2763
060264	Oil pump gear hsg.	Vell.	2		V-9052
068997	Oil filter hsg.	Vell.	2		V-8207
069006	Oil cooler hsg., 670	Vell.	1		V-9446
068823	Int. to exh.	Stlpk.	1		S-3043
066448	Int. mani. by-pass	Stlpk.	1		S-3040
069205	Int. mani. to gov.	Asb.	1		16166
069339	Automatic choke	Stlpk.	1		S-3041
069726	Carburetor	Cop. Asb.	1		2905
066559	Carb. air inlet	Vell.	1		V-8208
069267	Air valve to int. mani.	Vell.	2		V-5416
069372	Fuel pump	Vell.	2		V-8214
069321	Wat. pump hsg.	Vell.	2		V-8209
068922	Wat. pump	Vell.	1		V-9644
2026925	Wat. reg. and by-pass	Vell.	10		V-5069
061994	Wat. outlet	Vell.	2		V-8335
065348	Radiator lower hose conn.	Cork	1		C-1650
068552	Dist. hsg.	Cork	2		C-4792
068921	Dist. driveshaft brg. hsg.	Vell.	2		V-8960
069300	Generator drive gear hsg.	Vell.	1		V-9643
061994	C/C ventilator inlet	Vell.	1		V-5069
063796	Brg. cov.	Cork	1		C-2057
068940	Flywheel inspection pl.	Vell.	1		V-8210
068920	Idler gear brg. cap.	Vell.	1		V-8212
069152	Gear cov. pl. insert	Cork	2		C-4793

Yellow Coach. For older models see Guide A.

No.
8532McCORD GASKET
ASSORTMENTNo.
8532VALVE GRINDING AND PAN GASKET ASSORTMENTS
FOR FORD, CHEVROLET AND PLYMOUTH

McCord head gaskets along with manifold, valve cover and small gaskets used in the most popular service job—valve grinding—are packed in individual sets in the new McCord space saving bellows carton. The carton protects the gaskets in shipment as well as in stock. No necessity for looking up numbers in a price list or catalog, just hand over the envelope. A complete set in each envelope.

COMPLETE VALVE GRINDING
SETS IN ENVELOPES

Quantity	McCord No.	Name	Year
FORD			
1	9001	Ford 4 A	1928-31
2	9018	Ford V-8, Passenger and Truck	1932-37
CHEVROLET			
1	9004	Chevrolet 4	1916-28
1	9005	Chevrolet 6	1929-32
1	9007	Chevrolet 6, Standard	1933
1	9008	Chevrolet 6, Master	1933
1	9012	Chevrolet 6, Master	1934
1	9013	Chevrolet 6, Standard	1934
2	9017	Chevrolet 6, All Models	1933-36
1	9019	Chevrolet 6, All Models	1937-40
PLYMOUTH			
1	9006	Plymouth 6, Dodge 6, (Iron Hd.)	1933
1	9010	Plymouth 4	1928 to April, 1932
1	9011	Plymouth 4, PB	Starts April, 1932
1	9015	{Plymouth 6 (Alum. Head) Late 1933-34	
		{Dodge 6, DP (Alum. Head)	1933
1	9016	{Plymouth 6 (Iron Head)	1935-40
		{Dodge 6 (Iron Head)	1934-40

COMPLETE OIL PAN SETS IN ENVELOPES

McCord oil pan gaskets in envelope sets come to you clean, fresh, and ready for use. The possibility of torn, broken gaskets is practically eliminated. No delay. Each set contains all the gaskets needed for a pan job.

Quantity	McCord No.	Name	Year
FORD			
1	CS2173	Ford 4 A	1928-31
1	CS2249	Ford V-8	1932-34
2	CS2283	Ford V-8	1935-39
CHEVROLET			
1	CS2184	Chevrolet 6	1929-31
1	CS2250	Chevrolet 6	1932
2	CS2259	Chevrolet 6, Master	1933-36
1	CS2262	Chevrolet 6, Standard	1933-34
1	CS2298	Chevrolet, All Models	1937-40
PLYMOUTH			
1	CS2192	Plymouth 4	1929-32
1	CS2255	Plymouth 6	1933-40

LIST OR RETAIL PRICE

\$23.65

Special Dealer Price Including One McCord 72" Metal Gasket Strip Display and Stocking Rack, with 36 individual gasket hooks, which is suspended from the ceiling and used to display and stock McCord gaskets.

\$15.45 Net

Vellumoid Sheet Packing and Roll Display Stand

Vellumoid, the standard product, is a tough and durable gasket material, leak proof and with the right amount of pliability to make and keep tight joints. It will not tear or break, does not deteriorate either in stock or service—gasoline, oil and water do not affect it.

Stand Base and fittings are of cast iron, with uprights of steel tubing. Height 5 feet, width 41 inches.


McCord No. 8540..... 25 sq. yds. No. 3 Vell., $\frac{1}{64}$ " thick, 36" wide
 8541..... 25 sq. yds. No. 5 Vell., $\frac{1}{32}$ " thick, 36" wide
 8542..... 15 sq. yds. No. 6 Vell., $\frac{1}{16}$ " thick, 36" wide
 McCord No. 8550—Display stand and three rolls Vellumoid as listed above, total 65 yds. Shipping weight, 168 pounds.

McCord No. 8543..... 50 sq. yds. No. 3 Vell., $\frac{1}{64}$ " thick, 36" wide
 8544..... 50 sq. yds. No. 5 Vell., $\frac{1}{32}$ " thick, 36" wide
 8545..... 25 sq. yds. No. 6 Vell., $\frac{1}{16}$ " thick, 36" wide
 McCord No. 8551—Display stand and three rolls Vellumoid as listed above, total 125 yds. Shipping weight, 268 pounds.

Vellumoid Sheet Packing

Packed 10 Sheets to Carton

McCord No.	List Price Per 100	Size
8561	\$ 50.00	12x36x $\frac{1}{32}$ "
8562	100.00	12x36x $\frac{1}{16}$ "
8563	25.00	12x36x $\frac{1}{64}$ "



McCord Nos. 8550—8551

McCord Popular Exhaust Type Manifold Gasket Display Board and
Assortment No. 7032

Attractive steel display board (size 27" x 35"), in two colors, with McCord number and center hole size shown under each gasket. Gaskets are arranged numerically according to McCord numbers and center hole sizes. Board supplied with heavy brass chain for hanging. This Assortment Contains 15 Each of the Following Gaskets:

McCord No.	Name of Car	McCord No.	Name of Car	McCord No.	Name of Car	McCord No.	Name of Car
800AN	Buick	830C	Chevrolet 4	S-846D	Plymouth, Dodge	870C	Buick
S-806A	Ford V8, 60 H.P.	S-830G	DeSoto, Chrysler	847C	Buick	875A	Buick
814	Ford 4, A, B	S-836A	Ford V8, 85 H.P.	855C	Chrysler, DeSoto, Dodge	875B	Buick
S-814A	Ford V8, 60 H.P.	837D	DeSoto, Chrysler, Dodge	856B	Willys Knight	8103	Many-in-One
820	Pontiac	839	Studebaker	856C	Nash	8105	Many-in-One
S-821A	DeSoto	839G	Plymouth	859J	Chrysler	8107	Many-in-One
S-823D	Hudson	843	Ford T, Nash	860B	Buick	8109	Many-in-One
829	Ford T, A, B	845A	Chrysler, Dodge	866F	Buick	8111	Many-in-One
				867N	Studebaker	8113	Many-in-One

New McCord Gasket Deal

Ford, Chevrolet and Plymouth Gaskets

Including a Large \$7.50 Electric Wall Clock

MODERN DESIGN ALL METAL CASE ELECTRIC CLOCK

For 60 Cycle AC Current. Will not operate on DC. Complete with Cord and Plug.

Famous MIDDLEBURY ELECTRIC CLOCK MOVEMENT —Guaranteed for one year by the Maker.

Size 14½" x 14½"



McCORD GASKET PACKAGE NO. 8539

INCLUDING LARGE ELECTRIC CLOCK VALUE, \$7.50
Total list or retail value Gaskets.....\$20.00

Special Dealer Price \$13.65

Profit on Gaskets 6.35
Large electric clock (guaranteed one year) 7.50

TOTAL PROFIT \$13.85

THE TIME TO SELL GASKETS IS NOW

The most popular, most often replaced Gaskets in the McCord line—every one fast moving numbers—Gaskets which your dealers have call for—use every day—for service—for over counter sales. Packed in the new attractive McCord Gasket package with complete car, year, and model information on one end, and on the other the exclusive hanging tab developed by McCord to enable dealers to carry their Gasket stock where it can be seen and sold. There is no longer any reason for carrying Gaskets, the fastest moving parts line, out of sight.

\$7.50 VALUE ELECTRIC CLOCK

Beautiful modern design, 14½" square, electric clock, famous Middlebury movement, guaranteed by the maker for one year. All metal case finished in maroon crackle, can be used outside or indoors, has both hour and minute hands and glass front.

HERE'S WHAT YOU GET!

Fast turnover—quick profits—gaskets on hand—save time—plus big \$7.50 value clock. Use it in the shop, in the office—a real quality clock.

McCord No. 8539

CHEVROLET 6


McCord No.	Year	Quantity
9005	1929-32 Valve Grinding Set.....	1
	(1) cyl. head, (1) mani. ctr., (2) mani. ends, (1) exh. pipe flg., (1) water out., (1) valve cover, (1) push rod cover.	
CS2184	1929-31 Oil Pan Set.....	1
	(1) cork oil pan right—left, (2) oil pan end seals.	
CS2250	1932 Oil Pan Set.....	1
	(1) each cork oil pan right—left, (1) oil pan rear, (1) each frt.—rear seal.	
9008	1933 Master Valve Grinding Set.....	1
	(1) cyl. head, (1) mani. ctr., (2) mani. ends, (1) exh. pipe flg., (1) water out., (1) valve cover, (1) push rod cover.	
9012	1934 Master Valve Grinding Set.....	1
	(1) cyl. head, (1) mani. ctr., (1) mani. frt., (1) mani. rear, (1) exh. pipe flg., (1) push rod cover, (1) valve cover, (1) water out.	
9017	1935-36 Master and Stand. Valve Grinding Set.....	1
	(1) cyl. head, (1) mani. ctr., (2) mani. ends, (1) exh. pipe flg., (1) valve cover, (1) push rod cover, (1) water out.	
CS2259	1933-36 Oil Pan Set.....	2
	(1) each cork oil pan left—right, (1) each frt. and rear pan seal.	
9019	1937-40 Master-DeLuxe Valve Grinding Set.....	1
	(1) cyl. head, (1) mani. ctr., (2) mani. ends, (1) exh. pipe flg., (1) valve cover, (1) push rod cover, (1) water out.	
CS2298	1937-40 Oil Pan Set.....	1
	(1) each oil pan right—left, (2) oil pan end seals.	

FORD A & V8

McCord No.	Year	Quantity
9001	1928-31 "A" Valve Grinding Set.....	1
	(1) cyl. head, (2) mani., (2) cyl. oil return, (1) water out., (1) valve cover.	
CS2173	1928-31 Oil Pan.....	1
	(1) each cork oil pan right—left, (1) cork oil pan rear, (2) oil pan pack. frt.	
9018	1932-37 Valve Grinding Set.....	2
	(2) cyl. heads, (8) mani., (1) valve cov.	
9021	1938-39 Valve Grinding Set.....	2
	(2) cyl. heads, (8) mani., (1) valve cov.	
CS2249	1932-34 Oil Pan Set.....	1
	(1) each cork oil pan right—left, (1) cork oil pan rear, (2) oil pan pack. frt.	
CS2283	1935-39 Oil Pan Set.....	1
	(1) each cork oil pan right—left, (1) cork oil pan rear, (2) oil pan pack. frt.	


PLYMOUTH 6

McCord No.	Year	Quantity
9006	1933-34 (also Dodge 6-'33) Valve Grinding Set.....	1
	(1) cyl. head, (1) mani. ctr., (4) exh. mani. ends, (1) exh. pipe flg., (2) valve cover.	
9016	1935-40 (also Dodge 6-'34-40) Valve Grinding Set.....	1
	(1) cyl. head, (1) mani. ctr., (4) exh. ends, (1) exh. pipe flg., (1) valve cov.	
CS2255	1933-40 Oil Pan Set.....	2
	(1) each cork oil pan right—left, (2) oil pan ends.	



FORD

McCord original type tubular radiators for Ford are similar in appearance and equal in cooling.



CHEVROLET

McCord radiators for Chevrolet are cellular type like the equipment for all models from 1927.

MCCORD RADIATORS

FOR
FORD • CHEVROLET • PLYMOUTH

McCord radiators for Ford, Chevrolet and Plymouth are the same types as used for equipment, similar in appearance and equal in cooling capacity. They are backed by 34 years' radiator experience and are the same types of radiators as supplied to leading car makers for equipment.

Higher compression engines built to operate at high speeds make proper cooling capacity more imperative than ever. An engine operating to produce a car speed of 85 miles an hour burns approximately three times as much fuel as at speed of 35 miles per hour, which means three times as much heat to be dissipated.

Undercooling may result in serious motor trouble or cracked heads and blocks. McCord radiators are built to provide satisfactory cooling. The amount of copper and brass in a radiator largely determines its capacity and cost. Low-price radiators generally contain insufficient copper and brass, are frequently reduced in depth of core, in number of tubes or fins or in cell sizes. Undercooling generally results. Compare the weight of McCord radiators with other replacement radiators.

McCord tubular radiators for Ford have brass tubes and copper fins, cellular radiators for Chevrolet and Plymouth use copper for air spacers and brass for water passages. Heavy gauge one-piece brass top and bottom tanks are used on all McCord replacement radiators.

PLYMOUTH

Cellular type radiators for Plymouth are similar in appearance and equal in cooling to the radiator replaced.



MCCORD RADIATORS

**FOR FORD • CHEVROLET
AND PLYMOUTH**

McCord


TAILOR FIT
ORIGINAL TYPE

MCCORD TAILOR FIT ORIGINAL TYPE MUFFLERS

Your customers know when their brakes are defective, when their headlights are out, but they cannot see, smell or taste carbon monoxide gas from a leaky muffler. Act now—make muffler inspection standard practice—tell your customers why.


Oval Type Triple Pass Muffler

This design is used on numerous late design cars—occupies less space. McCord features are: low back pressure, double outer shell, all headers strongly welded in place, equal in tone qualities to equipment.




Straight Through Type Mufflers

McCord mufflers are the true straight through design with the exhaust gas entering the perforated inner tube and passing directly through without restriction. McCord uses an intermediate shell in every case providing an extra sound absorption chamber—a reason why McCord mufflers are quieter.




Round Type Triple Flow Muffler

Similar in construction to the straight through type, but instead of one tube, there are three. All the superior advantages of the McCord straight through are incorporated in this muffler—low back pressure, tone, and quietness.



Baffle Or Shell Type Muffler

This type is used for equipment and supplied for replacement on four cylinder cars and numerous trucks. McCord construction incorporates several chambers through which the gas travels, quieting the sound pulsations.



You Can Depend On McCord Low Back Pressure Mufflers.


Sell McCord—The Engineers Line of Mufflers

McCORD

DETROIT

THE NAME **McCORD**
IS YOUR GUARANTEE OF
QUALITY ON THESE PRODUCTS

GASKETS



The McCord Gasket line covers the entire range of automotive replacement requirements. There is a McCord Gasket—the right Gasket for every joint.



RADIATOR CORES

A complete line of Replacement Cores for over 1200 models of cars, trucks and tractors. The same type of Core as used for equipment.



OIL SEALS

Super Seals are the most complete line of metal encased leather, felt and cork seals, cork and leather seals. Every Seal duplicates original equipment specifications.



UNIT HEATERS

For office, factory, store, garage or warehouse. Twenty-one sizes provide the right heater for your requirements. Gas Unit Heaters for locations where steam or hot water is not available.

RADIATORS



McCord complete Radiators for Ford, Chevrolet and Plymouth are the same type as used for equipment—equal in cooling efficiency to the Radiator replaced.



MUFFLERS

The most complete line of replacement mufflers on the market—equal or superior in quietness to the Muffler replaced. Tailor fit or universal type for cars, trucks and tractors.



HOT WATER CAR HEATERS

Beauty, style and maximum heat capacity are McCord features. Compact, space saving, they provide new comfort to winter driving.



TITSEAL

A Gasket Sealing Compound that seals tight, permanently and never dries out, shrinks or crumbles. Seals against air, gas, oil and steam.

COMPLETE CATALOGUES AND PRICE LISTS SUPPLIED ON REQUEST

YOU CAN DEPEND ON
McCORD GASKETS
MOST CAR MAKERS DO

THE NAME McCORD
IS YOUR GUARANTEE OF QUALITY

25M-9-39 JSG 7640 Pri

OTHER McCORD PRODUCTS

*Metal, Asbestos, Cork, Felt, Vellumoid Gaskets,
Oil Seals, Radiators, Radiator Cores, Mufflers,
Hot Water Car Heaters, Unit Heaters, Refrigeration
and Air Conditioning Surface*

McCORD RADIATOR & MFG. CO., DETROIT, MICH.